XTLINE®

PROFESSIONAL TOOLS

TOOL CATALOGUE

valid from 03/2024

Distributed by:

TOSAG ENGINEERING AG

TOSAG Engineering AG
Fuchsweidweg 12
CH-4852 Rothrist
Tel.: +41 (0) 62 794 38 28
Fax.: +41 (0) 62 794 14 58
www.tosag.ch

Born for outstanding projects.

WHO WE ARE?

We are a family company XTline, s.r.o. and for more than 20 years we have been supplying hand, corded and cordless tools to a wide network of specialized stores throughout the Czech Republic, small and medium-sized hardware stores with friendly and professional staff, and directly to the hands of craftsmen, artisans and professional contractors of various fields. In order to find the best solution for each customer, you will never find us in large, anonymous hobby markets and retail shop centers. All of our products are fully serviced and their respective spare parts ready-to-use on the territory of the Czech Republic and all service procedures are carried out by experienced specialists. Thus, the complete service takes place directly under our supervision at all times.

WHAT ARE WE DOING?

Our portfolio consists of a wide range of high-quality hand tools, workshop consumables and tools for processing wood, metal and other materials, battery and power tools for standard and special applications, and many other products that can be used in both normal and professional use. We are constantly developing and optimizing our products to withstand the most strict standards.

Our wide portfolio contains products that are divided into five basic categories:
Corded and Cordless tools / Tools / Workshop / Construction / Garden

Every year we bring a number of new items that we regularly present at fairs and exhibitions. Come visit us and see for yourself that your joy and shared experience from successfully completed projects are the main motivation for us and the reason to keep improving. You are our reward for every day job done well. You – satisfied customers, craftsmen and business owners who enjoy working with XTLINE tools.

WHO ARE OUR CUSTOMERS?

Every single process within our company is inferior to the fact that at the end, there is a satisfied owner of our tools. A partner who knows that they can always rely on us. Whether it is warranty or post-warranty service, availability or replacement of spare parts, quick handling of any complaints, expert advice from experienced technicians, on-time and trouble-free delivery of goods, constant stock availability of goods at predetermined prices, etc.

Our typical customers:

- hardware stores
- ironmongeries
- construction contractors
- specialized and contractor companies
- artisans, craftsmen and small business
- specialized retailers
- hobby and DIY users
- ... and many more

XTLINE® PROFESSIONAL TOOLS

Born for outstanding projects.

EXPRESS SERVICE 72 hours

For XTLINE products, we arrange transport to our service center within the warranty period. It applies to production defects detected by the user while using the product during the warranty period. It does not apply to damage caused by improper use and failure to follow maintenance instructions. Express 72 hours means that the machine will be sent back to the customer within 72 hours after first delivery to our service center. The time necessary for transport of the products to the service center and back to the customer does not apply to the service time. Visit www.xtline.com to find more details.

PICTOGRAMS

- ⟩ Hammer drilling
- ⟩ Drilling
- ⟩ Screwdriving
- ⟩ Hammer mode
- ⟩ Chisel mode
- ⟩ Clamping: SDS-PLUS
- ⟩ Clamping: SDS-MAX
- ⟩ Clamping: HEX
- ⟩ Clamping: 1/2"
- ⟩ Clamping: cylindrical shank
- ⟩ Clamping: M14
- ⟩ Accessories
- ⟩ Box
- ⟩ 1x Battery pack
- ⟩ 2x Battery pack
- ⟩ Charging
- ⟩ Battery type
- ⟩ Battery capacity
- ⟩ LED lighting
- ⟩ Speed control
- ⟩ Left/Right direction
- ⟩ 2 speed mode
- ⟩ Laser
- ⟩ Max. temperature
- ⟩ Thickness
- ⟩ Power cord length
- ⟩ Max. permeability
- ⟩ Max. depth of immersion
- ⟩ Max. displacement
- ⟩ Hose length
- ⟩ Packaging: blister
- ⟩ Packaging: box
- ⟩ Plastics
- ⟩ Stone, concrete
- ⟩ Porous
- ⟩ Bricks
- ⟩ Metal, steel
- ⟩ Sheet metal
- ⟩ Pipes, profiles
- ⟩ Aluminium
- ⟩ Wood
- ⟩ Palett wood
- ⟩ Branches
- ⟩ Grass
- ⟩ Max. material diameter

Specification of descriptions

1

2

Technical parametres

	Sockets 1/2"	**8, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22 mm**
	Extension	**1/2": 125 mm**
	Ratchet	**1/2" (36T)**

3 4 5 6 7

Order No.	Description	Package	Carton	Weight
H4030	40CrV, metal box	1	10	1,95 kg

BRUSHLESS

⟩ LONGER ENGINE LIFE
⟩ MORE POWER/TORQUE
⟩ LOWER WEIGHT
⟩ MAINTENANCE FREE OPERATION

1) Icon indicating the use of the product
2) Composition, dimensions for the given product
3) Catalogue product code
4) Basic description of the product
5) Packaging data for sellers
6) Packaging data for sellers
7) Product weight without packaging

NOTICE

The prices listed in the catalogue are ecommended retail prices. Prices valid from June 1, 2023 until the new price list is issued.

Typographical errors reserved. The range and prices listed in this catalogue may change during its validity.

XTline s.r.o.
Průmyslova 2054, 594 01 Velké Meziříčí
www.xtline.com, www.xtline.cz, info@xtline.com

COPYRIGHT © 2024 XTline s.r.o.

BRANDS

XTLINE is an honest Czech brand of quality tools with its well-deserved place in the domestic market. The portfolio consists of a wide range of high-quality hand tools, workshop equipment and tools for processing wood, metal and other materials, corded and cordless tools for standard and special applications, and many other products that can be used in both normal and professional applications. We have been developing our products directly in cooperation with craftsmen and artisans since 2008. XTLINE is a guarantee of quality products at fair prices. It is a guarantee of a brand created by people who love their work and understand it perfectly. XTLINE tools are simply born for your outstanding projects!

HONITON was founded in 1979 and belongs to one of the world's leading manufacturers of professional hand tools and workshop equipment today. It specializes in the production of sockets, spanners, ratchets, drive handles, universal joints, but also pliers, screwdrivers, driver bits and other items. All HONITON brand products meet the highest demands for quality and durability. It is therefore not surprising that it is commonly used by professional car services and shops, in industrial operations and workshops, but also by mechanics of racing teams all around the world. If you expect nothing less but top-quality products, processing precision and long tool life, simply grab your HONITON tools and get going!
In 2004, the company developed and patented the "HONIDRIVER" system, which significantly simplifies work with many types of nuts and bolts, including damaged ones.

Tools of the STAVTOOL brand offer an optimal ratio between quality and price, which will be appreciated not only by craftsmen and construction companies, but also by hobby users and DIY'ers. Simple, effective tools that offer great value at attractive and fair price will appeal to everyone who wants to drill, cut, grind, mill, sand, join or putty. A wide selection of consumables and accessories across all fields.

The GK TOOLS brand has been on the market since 1984, its main focus is the production of spanners forged from high-quality chromium-vanadium class alloy steel using modern production methods. This guarantees a very high utility value.

RICHMANN hand tools mainly intended for car workshops and service centers.

The "RICHMANN exclusive" series is suitable for professional use, "RICHMANN Protect" offers a full range of protective equipment for every field.

WOLF application foams and adhesives are produced in the north of Switzerland in the canton of Sankt Gallen, city of Altstätten. WOLF products are proud of their high-quality, proper filling and reliability. Innovation and development of new technologies and recipes according to world trends is carried out in a modern laboratory, where constant quality control is observed. The brand philosophy is to educate the customer in the field of polyurethane foams and bring news from the world of construction chemistry.

Winland is a manufacturer of garden tools that has devoted many years of research and development to the production of high-quality garden tools. The goal of the products is nothing less but excellent ergonomics, innovation and functionality for maximum customer satisfaction. The company is one of the top manufacturers of gardening tools, such as pruning shears, scissors, saws, etc.

Currently, ENCO a. s. is the largest manufacturer of masonry tools in the Czech Republic. ENCO continues the tradition of its founder, who ran several factories after the Second World War in the territory of the Czech Republic, focused on the production of hand tools and metal products, produced mainly by pressing and drop forging.

KLINGSPOR has been using grinding technology standards from all around the world for more than 100 years. More than 50,000 types of items are produced in the production facilities, including the product groups of abrasive pads, cutting discs, abrasive discs, abrasive flap discs and sanding consumables for various customers' needs.

The virtues of the past, such as quality, reliability and perfect customer service, combined with the latest production technology, form the basis for the ongoing success of KLINGSPOR products and due to them, the company has won a leading position in the grinding industry.

The Qbrick System brand is a new solution on the market of professional systems for storing and transporting tools. This unique solution is based on 20 years of experience as a manufacturer of plastic cases and boxes. It increases efficiency and comfort in the daily work of craftsmen, professionals, but also DIY'ers and hobby users. The system takes into account and meets the requirements for reliability, mobility and optimal use of space. Therefore, all products are characterized by thoughtful solutions, practical design and excellent ergonomics.
All Qbrick System product lines have been designed to meet the highest requirements of professionals from various fields and specializations. The modules are modular, allowing to decide which box configuration is best for each customer.

Over the course of more than 40 years, RUKO has become one of the globally recognized top manufacturers of metal processing tools. The wide range of drilling, abrasive and other metal tools manufactured by the RUKO company is completely certified and produced from quality raw materials using the most modern technologies. Guarantee of delivery of a high-quality, well-known and reliable product.

The founding of the Slovak company ELKOP dates back to 1978. In 1992, the company transformed into a private company. Annually, more than 1,200,000 pieces of ladders leave Elkop's production lines. The company prioritizes quality, innovation and the development of practical and high-quality aluminum ladders. The ISO 9001 certificate is a guarantee.

We are a family business and have been on the market since 1987, when the owner, Roman Kubala, produced his first hand tools under the Kubala brand.

We design hand construction tools with regards to the comfort for users, safety and convenience. All of this is an integral part of Kubala tools.

In Ustron, Poland, where the company and the production plant are located, we manufacture almost 700 products and supply them to construction networks and branches not only in Europe, but also in North America, Africa, Australia and Asia.

ASSIST is one of the world's largest manufacturers of measuring tools and utility knives. Investments in the modernization of production, technology and testing equipment in 2009 raised the already high standard of first-class quality. The tape measures meet the certification of the MID standard according to the European NWML with calibration for 2 years from the production date. All products are manufactured under the ISO 9001 standard. Due to the cooperation with the manufacturer, the premium brand of XTLINE tape measures was created.

CONTENT

CORDLESS TOOLS 1 - 21

CORDED TOOLS 22 - 53

TOOLS FOR METAL 54 - 70

TOOLS FOR WOOD 71 - 76

TOOLS FOR BUILDING MATERIALS 77 - 83

GRINDING AND CUTTING TOOLS 84 - 107

SOCKET SETS 108 - 122

TOOL BOXES AND CABINETS 123 - 133

SOCKET ACCESSORIES 134 - 147

SPANNERS 148 - 167

SCREWDRIVERS, DRIVER BITS, ATTACHMENTS 168 - 181

PLIERS, SHEARS, WRENCHES, BOLT CUTTERS 182 - 193

RIVETING PLIERS, STAPLERS 194 - 197

HAMMERS, MALLETS, AXES, PULLERS, COLD CHISELS 198 - 207

KNIVES, SPARE BLADES 208 - 212

SAWS, SAW BLADES 213 - 216

FILES, RASPS, CHISELS 217 - 218

CLAMPS, BEARING PULLERS, VICES, RATCHET STRAPS 219 - 223

AIR GUNS, PNEUMATIC TOOLS 225 - 231

HYDRAULIC EQUIPMENT, WINCHES 232 - 237

GAS KITS, ELECTRODES, SPARE PART KITS
238 - 243

PLASTIC BOXES AND ORGANIZERS
244 - 254

WORK LIGHTS, REFLECTORS, EXTENSION CABLES
255 - 259

MEASURING TOOLS, PENCILS, MARKERS
260 - 265

SPIRIT LEVELS, SCREED LEVELS
267 - 269

CAULKING GUNS, PU FOAM GUNS
270 - 272

MIXERS, TILE CUTTERS, GLASS HOLDERS
273 - 276

SCRAPERS
277 - 279

TROWELS, SCOOPS, FLOATS, RIPPING FLOATS
280 - 289


OTHER CONSTRUCTION TOOLS
290 - 293

WALL PLUGS, CHEMICAL ANCHORS, APPLICATION FOAMS
295 - 299

LADDERS, STEPS
300 - 303

PROTECTIVE EQUIPMENT, TOOL BAGS, POUCHES
304 - 315

TAPES, TARPAULINS, BAGS, FOILS
315 - 317

LOCKS, LOCK INSERTS, PADLOCKS
318 - 319

DOOR HASPS, DOOR FITTINGS, SEALS
320 - 323

SHEARS, BINDING WIRES AND TAPES, GARDEN TOOLS
325 - 331

SPRAYERS, COUPLINGS, HOSES, COMPOSTERS
332 - 350

FARM AND OTHER TOOLS
351 - 355

CONTENT
356 - 366


CORDLESS

4 - 5 CORDLESS SETS

6 - 10 DRILLS AND DRIVERS
ROTARY HAMMERS
IMPACT WRENCHES
SCREWDRIVERS

11 - 12 ANGLE GRINDERS
MULTI-TOOLS
RANDOM ORBIT SANDERS
BELT SANDERS

12 - 14 PLANERS
CIRCULAR SAWS
RECIPROCATING SAWS
JIG SAWS
AIR COMPRESSORS

14 FLASHLIGHTS AND WORKLIGHTS

15 - 16 LI-ION BATTERY PACKS
BATTERY CHARGERS

17 - 18 CHAINSAWS
HEDGE TRIMMERS

18 - 21 LAWN MOWERS
GARDEN VACUUM CLEANERS
BACK SPRAYERS

CORDLESS

The main benefit of our wide range of cordless tools, which includes more than 30 individual products, lies in 100% compatibility of all products with the same type of battery pack. You can find batteries with capacities of 2.0, 4.0, 5.0, 6.0 and 8.0 Ah to ensure a large selection of options for choosing just the right battery pack for the given application or tool type. In addition, SAMSUNG and EVE cells guarantee top quality, great performance and long life. The future awaits with the BRUSHLESS motor type, which achieves higher performance and service life with light-weight design and compact dimensions under close to no maintenance necessary. BRUSHED motors use rotating, carbon brush elements, while brushless motors use permanent magnets and electronic sensors for much better speed control and overall tool handling. There is no unwanted friction and brush wear, and the motors are thus more energy efficient to provide higher performance at longer tool life. On the other hand, brushless machines are usually a bit more expensive due to the technical complexity of the components.

HOW TO CHOOSE THE RIGHT BATTERY PACK

Choosing the right battery pack for the right type of cordless tool depends on many factors, such as the machine itself, required power, operating time, weight, size or price. In general, a larger battery capacity means a longer operating time of the tool per charge, but also a higher weight. For example, batteries with a capacity of 2.0 to 4.0 Ah are suitable for common cordless drills and drivers, which ensure sufficient operating time with good enough performance. On the other hand, for more powerful and higher torque cordless tools, such as circular saws, angle grinders, rotary hammers or impact wrenches, it is recommended to use battery packs with a capacity of 5.0 Ah and more. However, a higher battery capacity can also mean a longer charging time and, of course, the purchase price. Therefore, it is important to choose the optimal combination of battery pack and tool so that the battery capacity is sufficient for the given work, but at the same time allows fast and convenient charging and its potential is used to the maximum.

Last but not least, it shall be mentioned that BRUSHED tools can get by with 2.0 or 4.0Ah batteries to achieve optimal operating conditions, while the performance and efficiency of BRUSHLESS machines increases dramatically with the use of more powerful 5.0, 6.0 or 8.0 Ah battery packs. The occasional DIY'ers and regular users will be satisfied with standard brushed tools in combination with battery packs of lower capacity. On the contrary, in professional or heavy-duty operation, it does not make much sense to choose other than BRUSHLESS tools in combination with larger battery packs.

XTPOWER

ONE BATTERY FOR ALL

XT102840	18 V	BRUSHLESS
XT102842	18 V	BRUSHLESS
XT102800	18 V	BRUSHLESS
XT102830	18 V	BRUSHLESS
XT102832	18 V	BRUSHLESS
XT102833	18 V	BRUSHLESS
XT102805	18 V	BRUSHLESS
XT102820	18 V	BRUSHLESS
XT102760	18 V	
XT102705	18 V	
XT102770	18 V	
XT102825	18 V	BRUSHLESS
XT102720	18 V	
XT102835	18 V	BRUSHLESS
XT102725	18 V	
XT102740	18 V	
XT102755	18 V	
XT102750	18 V	
XT102855	18 V	BRUSHLESS
XT102735	18 V	
XT102745	18 V	
XT102845	18 V	BRUSHLESS



XT102882E	2.0 Ah	EVE
XT102884E	4.0 Ah	EVE
XT102886E	5.0 Ah	EVE

XT102782E	2.0 Ah	EVE
XT102784E	4.0 Ah	EVE
XT102786E	5.0 Ah	EVE
XT102787E	6.0 Ah	EVE

XT102788	4.0 Ah	SAMSUNG
XT102789	8.0 Ah	SAMSUNG

MAIN FEATURES OF THE XTPOWER BATTERY PLATFORM

LED indication of battery capacity
battery temperature and voltage are monitored by a microprocessor
high-quality SAMSUNG and EVE Li-Ion cells guarantee a long battery life
The Li-Ion battery cells show minimal auto-discharge process
rubber surface design is resistant to impacts
The 18 V battery system offers battery capacities of 2.0, 4.0, 5.0, 6.0 and 8.0 Ah



BRUSHLESS	18 V	XT102850
	18 V	XT102730
	18 V	XT102775
BRUSHLESS	18 V	XT102812
	18 V	XT102715
	18 V	XT102815
	18 V	XT102765
	18 V	XT102768
	18 V	XT102795
	18 V	XT102799
	18 V	XT102940
	18 V 18 V	XT102935
BRUSHLESS	18 V 18 V	XT102870
	18 V 18 V	XT102875
	18 V	XT102877
	18 V	XT102872
	18 V	XT102873
	18 V	XT102878
BRUSHLESS	18 V 18 V	XT102895
	18 V	XT102910
	18 V 18 V	XT102880
BRUSHLESS	18 V 18 V	XT102893

CORDLESS TOOL KIT 18 V, 10PCS "SET 1"

The XTLINE Combo Kit includes Cordless Drill, Impact Driver, 115mm Angle Grinder, Random Orbit Sander, Reciprocating Saw, Circular Saw, 2 x 18 V, 2.0 Ah Battery, 1 x 18 V, 4.0 Ah Battery, and Battery Charger. All tools are equipped with an ergonomic, soft, anti-slip handle for safe operation. The XTPOWER battery system provides enough energy for a great number of XTLINE cordless power tools. A single battery can power all products within the Combo Kit.

XTLINE PROFESSIONAL TOOLS

Technical parametres

XT102700	**Cordless drill 18V**	XT102745	**Cordless circular saw 18 V, 165 mm**
XT102710	**Cordless impact driver 18V**	XT102782E	**2x Li-Ion battery pack 18V, 2.0Ah**
XT102720	**Cordless angle grinder 18 V, 115 mm**	XT102784E	**Li-Ion battery pack 18V, 2.0Ah**
XT102730	**Cordless reciprocating saw 18 V**	XT102785	**Li-Ion battery charger 18 V, 2.4 A**
XT102740	**Cordless oscillating sander 18 V**	XT90060	**Roller toolbag with telescopic handle, 670x300x310 mm**

Order No.	Description	Package	Carton	Weight
XT102600	3 battery packs + charger + textile package	1	1	14 kg

CORDLESS TOOL KIT BRUSHLESS 18 V, 6PCS

The XTLINE Combo Kit includes Brushless Cordless Hammer Drill, Brushless Cordless Angle Grinder 125mm, 1 x 18 V, 2.0 Ah Battery, 1 x 18 V, 4.0 Ah Battery, and Battery Charger. All tools are equipped with an ergonomic, soft, anti-slip handle for safe operation. The XTPOWER battery system provides enough energy for a great number of XTLINE cordless power tools. A single battery can power all products within the Combo Kit.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

Technical parametres

XT102835	**Cordless brushless angle grinder 18 V, 125 mm**
XT102800	**Cordless brushless hammer drill 18 V**
XT102782E	**Li-Ion battery pack 18 V, 2.0 Ah**
XT102784E	**Li-Ion battery pack 18 V, 4.0 Ah**
XT102785	**Li-Ion battery charger 18V, 2.4 A**
P90603	**Box plastic Qbrick PRO Toolcase 450x334x240 mm**

Order No.	Description	Package	Carton	Weight
XT102630	2 battery packs + charger + plastic box	1	1	12.7 kg

CORDLESS BELT SANDER 18 V + BATTERY PACK 5.0 Ah + CHARGER 3.5 A + BOX

The Cordless Belt Sander is suitable for sanding wood and metal in hard-to-reach areas. Comfortable operation is guaranteed due to a trigger lock. A dust extraction bag is included.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

XT102755	**Cordless Belt Sander 18 V**
XT102786E	**Battery pack Li-Ion 18 V, 5.0 Ah EVE**
XT102790	**Battery charger Li-Ion 3.5 A**
XT90103	**Working glass XXL**
P90603	**Plastic box Qbrick PRO Toolbox 450x334x240 mm**

Order No.	Description	Package	Carton	Weight
XT102755-1B5B	1 battery pack, charger, plastic box	1	1	6.7 kg

CORDLESS PLANER 18 V + BATTERY PACK 5.0 Ah + CHARGER 3.5 A + BOX

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

XT102750	Cordless planer 18 V
XT102786E	Li-Ion battery pack 18V, 5.0 Ah EVE
XT102790	Battery charger 3.5 A
P90603	Box plastic Qbrick PRO Toolbox 450x334x240 mm

Order No.	Description	Package	Carton	Weight
XT102750-1B5B	1 battery pack, charger, plastic box	1	1	6.2 kg

CORDLESS ROTARY HAMMER BRUSHLESS, SDS-PLUS 18 V + BATTERY PACK 5.0 Ah + CHARGER 3.5 A

The Cordless Rotary Hammer is designed for light drilling and cutting masonry and concrete, chiseling plasters, and tiling, drilling anchor and through holes, and core drilling. A mode switch adjustable at drilling, hammer drilling, lock, and chiseling position. LED work light.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

Technical parametres

XT102840	Cordless rotary hammer SDS PLUS 18 V
XT102786E	Li-Ion battery pack 18 V, 5.0 Ah EVE
XT102790	Battery charger 3.5 A
XT69700	Drill bit set to concrete 4-12 mm, 7pcs
P90602	Plastic Box Qbrick PRO Toolcase 450x322x126 mm

Order No.	Description	Package	Carton	Weight
XT102840-1B5B	1 battery pack, charger, plastic box	1	1	5.1 kg

CORDLESS CIRCULAR SAW BRUSHLESS 18 V, 165 mm + BATTERY PACK 5.0 Ah + CHARGER 3.5 A

The Cordless Circular Saw is designed for cutting wood materials, adjustable for various cutting angles for precise material joinery. The Saw is equipped with a laser guide for precise cutting. The BRUSHLESS motor benefits from long service life, higher performance/torque, lower weight, and maintenance-free operation.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

Technical parametres

XT102845	Cordless brushless circular saw 18 V, 165 mm
XT102786E	Li-Ion battery pack 18 V, 5.0 Ah EVE
XT102790	Li-Ion battery charger 18 V, 3.5 A
XT90103	Combination gloves XXL
P90603	Box plastic Qbrick PRO Toolbox 450x334x240 mm

Order No.	Description	Package	Carton	Weight
XT102845-1B5B	1 battery pack, charger, plastic box	1	1	6.7 kg

CORDLESS ANGLE GRINDER BRUSHLESS, 18 V, 125 mm + BATTERY PACK 5.0 Ah + CHARGER 3.5 A

The Brushless Cordless Angle Grinder allows longer operation with the use of a single battery charge. Comfortable operation due to an ergonomic, rubber handle and a compact construction. The Battery and Battery Charger not included. The BRUSHLESS motor benefits from long service life, higher performance/torque, lower weight, and maintenance-free operation.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

Technical parametres

XT102835	Cordless brushless angle grinder 125 mm 18 V
XT102786E	Li-Ion battery pack 18V, 5.0 Ah EVE
XT102790	Li-Ion battery charger 18 V, 3.5A
SARN12510	5pcs cutting disc for stainless steel 125 mm
SABK12560	1pcs grinding disc for steel 125 mm
P90602	Box plastic Qbrick PRO Toolcase 450x322x126 mm

Order No.	Description	Package	Carton	Weight
XT102835-1B5B	1 battery pack, charger, plastic box	1	1	4.7 kg

CORDLESS JIG SAW 18 V + BATTERY PACK 2.0 Ah + CHARGER 3.5 A + SAW BLADES + BOX

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

XT102735	Cordless jig saw 18 V
XT102782E	Li-Ion battery pack 18V 2.0 Ah EVE
XT102790	Li-Ion battery charger 18 V, 3.5 A
P90602	Box plastic Qbrick PRO Toolcase 450x322x126 mm
T08SET	Saw blade set 10pcs

Order No.	Description	Package	Carton	Weight
XT102735-1B2B	1 battery pack, charger, plastic box	1	1	4.1 kg

CORDLESS RECIPROCATING SAW 18 V + BATTERY PACK 2.0 Ah + CHARGER 3.5 A + BOX

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

XT102730	Cordless reciprocating saw 18 V
XT102782E	Li-Ion battery pack 18V 2.0 Ah EVE
XT102790	Li-Ion battery charger 18 V, 3.5 A
P90602	Box plastic Qbrick PRO Toolcase 450x322x126 mm

Order No.	Description	Package	Carton	Weight
XT102755-1B5B	1 battery pack, charger, plastic box	1	1	6.7 kg

CORDLESS HAMMER DRILL BRUSHLESS 18 V, 70 Nm + 2 BATTERY PACKS 2.0 Ah + CHARGER 2.4 A

The cordless brushless drill is designed for drilling and screwdriving in wood, metal and building materials. The drill is equipped with a brushless motor and a two-speed planetary gearbox with metal gears. Included in the package are 2x 2.0 Ah battery packs, charger 2.4 A and box.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

BRUSHLESS

- LONGER ENGINE LIFE
- MORE POWER/TORQUE
- LOWER WEIGHT
- MAINTENANCE FREE OPERATION

Technical parametres

Voltage	18 V	Type of motor	brushless
Speed	0-500 / 0-2000 rpm	Clamping	keyless chuck
Max. torque	70 Nm	Sound pressure level (LpA)	86.3 dB
Torque adjustment	24 + 3	Sound power level (LwA)	99.6 dB
Number of BPM	0-7500 / 0-30000 bpm	Protection	IPX0
Max. drilling diameter	metal 13 mm, masonry 15 mm, wood 35 mm	Sales packaging	box
Diameter of drill bit	2 - 13 mm	Weight (without battery)	1.5 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		
Package includes	2x battery pack, Li-Ion 2.0 Ah, Battery Charger, Li-Ion, 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102861	2 battery packs + charger + plastic box	1	4	4.8 kg

CORDLESS HAMMER DRILL BRUSHLESS 18 V, 65 Nm + 2 BATTERY PACKS 2.0 Ah + CHARGER 2.4 A

The Cordless Drill is designed for drilling or screwing using a two-speed planetary gearbox with metal gears. It offers an ergonomic, rubber handle, one-piece quick-release chuck + LED work light. The Battery and Battery Charger included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

Technical parametres

Voltage	18 V	Type of motor	brushless
Speed	0-500 / 0-2000 rpm	Clamping	keyless chuck
Max. torque	65 Nm	Sound pressure level (LpA)	68,2 dB
Torque adjustment	21+3	Sound power level (LwA)	75.3 dB
Number of BPM	0-7500 / 0-30000 bpm	Protection	IPX0
Max. drilling diameter	metal 12 mm, masonry 15 mm, wood 25 mm	Sales packaging	plastic box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.2 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		
Package includes	2x battery EVE 2.0 Ah, charger 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102860E	2 battery packs + charger + plastic box	1	4	3.92 kg

CORDLESS HAMMER DRILL BRUSHLESS 18 V, 65 Nm + 2 BATTERY PACKS 4.0 Ah + CHARGER 3.5 A

The Cordless Drill is designed for drilling or screwing using a two-speed planetary gearbox with metal gears. It offers an ergonomic, rubber handle, one-piece quick-release chuck + LED work light. The Battery and Battery Charger included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

Technical parametres

Voltage	18 V	Type of motor	brushless
Speed	0-500 / 0-2000 rpm	Clamping	keyless chuck
Max. torque	65 Nm	Sound pressure level (LpA)	75,3 dB
Torque adjustment	21+3	Sound power level (LwA)	86.3 dB
Number of BPM	0-7500 / 0-30000 bpm	Protection	IPX0
Max. drilling diameter	metal 12 mm, masonry 15 mm, wood 25 mm	Sales packaging	plastic box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.2 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		
Package includes	2x battery EVE 4.0Ah, charger 3.5A		

Order No.	Description	Package	Carton	Weight
XT102865E	2 battery packs + charger + plastic box	1	4	4 kg

CORDLESS DRILL BRUSHLESS 18V, 65 Nm

The Cordless Drill is designed for drilling or screwing using a two-speed planetary gearbox with metal gears. It offers an ergonomic, rubber handle, one-piece quick-release chuck + LED work light. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

Technical parametres

Voltage	18 V	Type of motor	brushless
Speed	0-500 / 0-2000 rpm	Clamping	keyless chuck
Max. torque	65 Nm	Sound pressure level (LpA)	68,2 dB
Torque adjustment	21+3	Sound power level (LwA)	75.3 dB
Number of BPM	0-7500 / 0-30000 bpm	Protection	IPX0
Max. drilling diameter	metal 12 mm, masonry 15 mm, wood 25 mm	Sales packaging	box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.2 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		

Order No.		Description	Package	Carton	Weight
XT102800		without battery pack, carton box	1	4	1.39 kg
XT102800-1B2B	N	1 battery pack, plastic box	1	1	2.3 kg

CORDLESS DRILL 18 V, BRUSHLESS, 70 NM

The cordless brushless drill is designed for drilling and screwdriving in wood, metal and building materials. The drill is equipped with a brushless motor and a two-speed planetary gearbox with metal gears.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

Technical parametres

Voltage	18 V	Type of motor	brushless
Speed	0-500 / 0-2000 rpm	Clamping	keyless chuck
Max. torque	70 Nm	Sound pressure level (LpA)	86.3 dB
Torque adjustment	24+3	Sound power level (LwA)	99.6 dB
Number of BPM	0-7500 / 0-30000 bpm	Protection	IPX0
Max. drilling diameter	metal 13 mm, masonry 15 mm, wood 35 mm	Sales packaging	box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.5 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control		

Order No.	Description	Package	Carton	Weight
XT102805	without battery pack, carton box	1	5	1.8 kg
XT102805-1B2B	1 battery pack, charger, plastic box	1	1	4 kg

CORDLESS DRILL 18 V, 35 Nm

The Cordless Drill allows comfortable operation due to an ergonomic, rubber handle. More effective operation is provided by a motor brake, dustproof planetary gearbox with metal gears, and quick-release chuck – easier to insert and remove bits using one hand only. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	18 V	Clamping	keyless chuck
Speed	0-400 / 0-1400 rpm	Sound pressure level (LpA)	64,4 dB
Max. torque	35 Nm	Sound power level (LwA)	75.4 dB
Torque adjustment	25+1	Protection	IPX0
Max. drilling diameter	metal 12 mm, masonry 15 mm, wood 25 mm	Sales packaging	box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.1 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		

Order No.		Description	Package	Carton	Weight
XT102700		without battery pack, carton box	1	5	1.29 kg
XT102700-1B2	N	1 battery pack, charger, carton box	1	1	2.1 kg

CORDLESS DRIVER DRILL 18 V, 40 Nm

Thanks to the ergonomically rubberised handle, the cordless drill is very comfortable in the hand. Efficient work is facilitated by a motor brake, dust-tight planetary gearbox with metal gears and a quick-release metal chuck for easier one-handed bit insertion and removal. The drill is without battery and charger. The charger and battery can be purchased separately.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	18 V	Clamping	keyless chuck
Speed	0-400 / 0-1500 rpm	Sound pressure level (LpA)	70 dB
Max. torque	40 Nm	Sound power level (LwA)	81 dB
Torque adjustment	25 + 1	Protection	IPX0
Max. drilling diameter	metal 13 mm, masonry 15 mm, wood 25 mm	Sales packaging	box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.2 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control		

Order No.	Description	Package	Carton	Weight
XT102705	without battery pack, carton box	1	5	1.4 kg
XT102705-1B2	1 battery pack, charger, carton box	1	1	4 kg

CORDLESS DRILL 18 V, 35 Nm + 2 BATTERY PACKS 2.0 Ah + BOX

The Cordless Drill is designed for drilling and screwing in areas without electricity supply. Comfortable operation due to an ergonomic, rubber handle. More effective operation is provided by a motor brake, dustproof planetary gearbox with metal gears, and quick-release chuck – easier to insert and remove bits using one hand only.

XTLINE PROFESSIONAL TOOLS

Li-Ion · WOOD · STEEL · AL

18 V 2x · 1h · LED · 2x

Technical parametres

Voltage	18 V	Clamping	keyless chuck
Speed	0-400 / 0-1400 rpm	Sound pressure level (LpA)	64,4 dB
Max. torque	35 Nm	Sound power level (LwA)	75.4 dB
Torque adjustment	25+1	Protection	IPX0
Max. drilling diameter	metal 12 mm, masonry 15 mm, wood 25 mm	Sales packaging	plastic box
Diameter of drill bit	2-13 mm	Weight (without battery)	1.1 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control and electronic brake		
Package includes	2x battery 2.0 Ah, charger 2.4A, driver bit adapter, drill bit set, driver bit set		

Order No.	Description	Package	Carton	Weight
XT102770E	2 battery packs + charger + plastic box	1	4	3.34 kg

CORDLESS DRIVER DRILL 18 V, 40 Nm + 2 BATTERY PACKS 2.0 Ah + CHARGER 2.4 A

Thanks to the ergonomically rubberised handle, the cordless drill is very comfortable in the hand. Efficient work is facilitated by a motor brake, dust-tight planetary gearbox with metal gears and a quick-release metal chuck for easier one-handed bit insertion and removal. Includes 2 batteries and charger.

XTLINE PROFESSIONAL TOOLS

NEW

18 V 2x · LED · 2x · Li-Ion · WOOD · STEEL · AL

Technical parametres

Voltage	18 V	Clamping	keyless chuck
Speed	0-400 / 0-1500 rpm	Sound pressure level (LpA)	70 dB
Max. torque	40 Nm	Sound power level (LwA)	81 dB
Torque adjustment	25 + 1	Protection	IPX0
Max. drilling diameter	metal 13 mm, masonry 15 mm, wood 25 mm	Sales packaging	plastic box
Diameter of drill bit	2 - 13 mm	Weight (without battery)	1.2 kg
Number of speed settings	2		
Other features	LED work light, forward/rear brake, speed control		
Package includes	2x battery pack, Li-Ion, 2.0 Ah, Battery Charger, Li-Ion 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102771	2 battery packs + charger + plastic box	1	4	3.6 kg

CORDLESS ROTARY HAMMER BRUSHLESS, SDS-PLUS 18 V

The Cordless Rotary Hammer is designed for light drilling and cutting masonry and concrete, chiseling plasters, and tiling, drilling anchor and through holes, and core drilling. A mode switch adjustable at drilling, hammer drilling, lock, and chiseling position. LED work light. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- 4-action modes: drilling, hammer drilling, lock position, cutting
- SDS PLUS chuck
- LED work light
- Ergonomically shaped rubber handle
- Low weight

BRUSHLESS

1h · PVC · Li-Ion · 2x · STONE · WOOD · STEEL · AL

Technical parametres

Voltage	18 V	Clamping	SDS PLUS
Speed	0-1420 rpm	Sound pressure level (LpA)	87 dB
Number of BPM	0-4500 bpm	Sound power level (LwA)	98 dB
Impact strength	2.2 J	Protection	IPX0
Max. drilling diameter	steel 13 mm, concrete 22 mm, wood 28 mm	Sales packaging	box
Type of motor	brushless	Weight (without battery)	2.3 kg
Function	drilling, hammer drilling, chisel lock and chiseling		
Package includes	handle, depth stop		

Order No.	Description	Package	Carton	Weight
XT102840	without battery pack, carton box	1	4	2.44 kg

CORDLESS IMPACT WRENCH 1/2" BRUSHLESS 18 V, 300 Nm

The Cordless Impact Wrench offers a three-level adjustable torque with a maximum torque of 300Nm. Comfortable operation due to an ergonomic, rubber handle and a compact construction. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- 3 torque level modes
- LED work light

BRUSHLESS

Technical parametres

Voltage	**18 V**	Sound power level (LwA)	**80 dB**
Speed	**0-1000 / 0-1800 / 0-2700 rpm**	Protection	**IPX0**
Torque adjustment	**120 / 180 / 300 Nm**	Sales packaging	**box**
Number of BPM	**0-1400 / 0-2520 / 0-3780 bpm**	Other features	**LED work light, L/R operation**
Clamping	**1/2"**	Weight (without battery)	**1.2 kg**
Sound pressure level (LpA)	**69 dB**		

Order No.	Description	Package	Carton	Weight
XT102830	without battery pack, carton box	1	5	1.3 kg
XT102830-1B5B	1 battery pack, charger, plastic box	1	1	5.6 kg

CORDLESS IMPACT DRIVER 18 V, 180 Nm

The impact mechanism allows work with long screws and specific wood screws. Electronic speed regulation and motor brake. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**18 V**	Sound pressure level (LpA)	**99 dB**
Speed	**0-2800 rpm**	Sound power level (LwA)	**110 dB**
Max. torque	**180 Nm**	Protection	**IPX0**
Number of BPM	**0-3600 bpm**	Sales packaging	**box**
Clamping	**1/4"**	Weight (without battery)	**1.2 kg**
Other features	**LED work light, L/R operation**		

Order No.	Description	Package	Carton	Weight
XT102710	without battery pack, carton box	1	4	1.39 kg

CORDLESS IMPACT DRIVER 18 V, 180 Nm + 2.0 Ah BATTERY PACK + CHARGER 2.4 A

The impact mechanism allows work with long screws and specific wood screws. Electronic speed regulation and motor brake, left and right direction of rotation, and a 1/4" bit magnetic holder. The product includes 1 x 2.0 Ah Battery, a Battery Charger, and Case.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	**18 V**	Sound pressure level (LpA)	**99 dB**
Speed	**0-2800 rpm**	Sound power level (LwA)	**110 dB**
Max. torque	**180 Nm**	Protection	**IPX0**
Number of BPM	**0-3600 bpm**	Sales packaging	**plastic box**
Clamping	**1/4"**	Weight (without battery)	**1.2 kg**
Other features	**Left/right direction, LED work light, magnetic bit holder, electronic speed regulation**		
Package includes	**1x Battery pack 2.0 Ah, charger 2.4A, driver bit PZ, box**		

Order No.	Description	Package	Carton	Weight
XT102760E	1 battery pack, charger, plastic box	1	4	3.09 kg

CORDLESS DRILL 10.8 V, 25 Nm + 2x 2.0 Ah BATTERY PACK + 13PCS ACCESSORY KIT

A two-speed Cordless Screwdriver for screwing and drilling wood, metal, and plastics. Compact and light design. The Drill offers a quick-release chuck system with a possibility of screwing using a 1/4" bit holder.

XTLINE PROFESSIONAL TOOLS

Main features

- LED work light
- Ergonomically shaped rubber handle
- Great selection of accessories

Technical parametres

Voltage	10.8 V	Number of speed settings	2
Speed	0-350 / 0-1350 rpm	Clamping	chuck / driver bit adapter
Max. torque	25 Nm	Sound pressure level (LpA)	70.7 dB
Torque adjustment	18+1	Sound power level (LwA)	81.7 dB
Max. drilling diameter	metal 6 mm, masonry 10 mm, wood 20 mm	Protection	IPX0
Diameter of drill bit	0.8-10 mm	Sales packaging	plastic box
Battery charging time	1 h	Weight (without battery)	0.9 kg
Battery capacity	2.0 Ah		
Other features	LED work light, L/R operation, electronic speed control		
Package includes	2x battery SAMSUNG 2.0 Ah, charger 3.5 A, driver bit adapter, driver bit set, drill bit set		

Order No.	Description	Package	Carton	Weight
XT102699	2 battery packs + charger + plastic box	1	5	2.37 kg
102699-14	battery pack 10.8 V, 2.0 Ah	1	1	0 kg

COMING SOON

CORDLESS SCREWDRIVER 3.6 V, 4 Nm + 55PCS ACCESSORY KIT

Small, compact Cordless Screwdriver designed to tighten and loosen screws, bolts, etc. Rotatable handle, direction of rotation switch, and torque regulation. The product includes a practical plastic case, accessories, charging adapter + USB adapter cable.

XTLINE PROFESSIONAL TOOLS

Main features

- LED work light
- Left and right direction of rotation
- Torque regulation
- Great selection of accessories

Accessories

Driver bits	PH0,PH1,PH2,PH3; PZ1,PZ2,PZ3; SL4, SL6, SL8, SL10; triwing: 1,2,3,4; Torq-set: 6,8,10; S0,S1,S2,S3; HEX: 2, 2,5; 3; 4; 5; 5,5; 6; 8; IP10,IP15,IP20,IP25,IP30; TRX: T10,T15,T20,T25,T30,T40;; 3,4,5,6,

Technical parametres

Voltage	3.6 V	Clamping	1/4"
Speed	200 rpm	Sound pressure level (LpA)	61,7 dB
Max. torque	4 Nm	Sound power level (LwA)	73 dB
Torque adjustment	10+1	Protection	IP20
Battery charging time	3 - 5 h	Sales packaging	plastic box
Battery capacity	1,5 Ah	Weight (without battery)	0.5 kg
Attachment	60 mm		
Other features	L/R operation, LED lighting		
Package includes	Driver bit set 55pcs, charging adapter, USB cable		

Order No.	Description	Package	Carton	Weight
XT102106	accesories 55pcs, carton box	1	5	1.23 kg

CORDLESS STRAIGHT GRINDER 10.8 V

XTLINE PROFESSIONAL TOOLS

Technical parametres XT102120

Voltage	10,8 V	Max. collet diameter	3,2 mm
Speed	5000 - 25000 ot/min	Speed adjustment switch	YES (level 1-6)

CORDLESS ANGLE GRINDER BRUSHLESS, 18 V, 125 mm

The Brushless Cordless Angle Grinder allows longer operation with the use of a single battery charge. Comfortable operation due to an ergonomic, rubber handle and a compact construction. The Battery and Battery Charger not included. The BRUSHLESS motor benefits from long service life, higher performance/torque, lower weight, and maintenance-free operation. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

STONE STEEL AL Li-Ion

Technical parametres

Voltage	18 V	Protection	IPX0
Speed	10000 rpm	Sales packaging	box
Diameter of disc	125 mm	Other features	elektronická regulace rychlosti
Type of motor	brushless	Package includes	sanding disc, nut wrench, handle
Thread of arbour	M14	Weight (without battery)	1.6 kg
Sound pressure level (LpA)	75.8 dB		
Sound power level (LwA)	86.8 dB		

Order No.	Description	Package	Carton	Weight
XT102835	without battery pack, carton box	1	4	2 kg

CORDLESS ANGLE GRINDER 18 V, 115 MM

The Cordless 115mm Angle Grinder is designed for a great number of various cutting and grinding operations. A three-position adjustable handle provides a better operation control. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Ergonomically shaped rubber handle
- Three positions for handle setting

STONE STEEL AL Li-Ion

Technical parametres

Voltage	18 V	Protection	IPX0
Speed	10000 rpm	Sales packaging	box
Diameter of disc	115 mm	Other features	LED battery charge indication
Thread of arbour	M14	Package includes	key, handle
Sound pressure level (LpA)	85 dB	Weight (without battery)	1.6 kg
Sound power level (LwA)	96 dB		

Order No.	Description	Package	Carton	Weight
XT102720	without battery pack, carton box	1	4	1.87 kg

CORDLESS MULTI-TOOL 18 V

The Cordless Oscillating Multi-Tool cuts drywall, metal, wood, plastics, composite materials, and other various materials. It is capable of fine grinding too. The lever provided does not require any additional tool and a magnetic buckle allows fast and easy accessory replacement. Speed regulation, quick-release system, dust extraction, and LED work light that ensures good workpiece lighting and visibility. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- LED work light
- 6-stage speed regulation according to the material type
- Quick-release system for quick tool change

LED STONE STEEL AL Li-Ion

Technical parametres

Voltage	18 V	Protection	IPX0
Speed	5000-20000 rpm	Sales packaging	box
Speed adjustment switch	YES (level 1-6)	Weight (without battery)	1.2 kg
Oscillation angle	3 levels		
Sound pressure level (LpA)	96.8 dB		
Sound power level (LwA)	107.8 dB		
Other features	quick-release system, LED work light, electronic speed regulation		
Package includes	accessories, 6pcs		

Order No.	Description	Package	Carton	Weight
XT102725	without battery pack, carton box	1	4	1.55 kg

CORDLESS RANDOM ORBIT SANDER 18 V

The Cordless Random Orbit Sander provides an excellent ergonomic construction with two surfaces of soft, rubber Softgrip inserts that offer various handling and gripping positions. The Snader is designed for dry wood sanding, grinding of paints, and dry polishing. Six-level adjustable speed regulation. Dustproof trigger and eight dust extraction holes. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Six-level speed adjustment
- Dust bag extraction

WOOD STEEL AL Li-Ion

Technical parametres

Voltage	18 V	Sound pressure level (LpA)	87 dB
Speed	2000-10000 rpm	Sound power level (LwA)	98 dB
Speed adjustment switch	YES (level 1-6)	Protection	IPX0
Diameter of disc	125 mm	Sales packaging	box
Eccentricity	2 mm	Weight (without battery)	1.1 kg
Other features	speed control, dust extraction		
Package includes	dust bag		

Order No.	Description	Package	Carton	Weight
XT102740	without battery pack, carton box	1	4	1.26 kg

CORDLESS BELT SANDER 18 V

The Cordless Belt Sander is suitable for sanding wood and metal in hard-to-reach areas. Comfortable operation is guaranteed due to a trigger lock. A dust extraction bag is included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Manual adjustment with an accuracy of a millimeter
- Ergonomically shaped rubber handle
- Dust extraction attachment

Li-Ion · WOOD · STEEL · AL

Technical parametres

Voltage	18 V	Insulation	protection class II
Speed	120 - 380 rpm	Protection	IPX0
Speed adjustment switch	YES (level 1-6)	Vibration	2.5 m/s2
Dimension of sanding area	75x457 mm	Sales packaging	box
Sound pressure level (LpA)	87 dB	Package includes	dust bag
Sound power level (LwA)	98 dB	Weight (without battery)	2.4 kg

Order No.	Description	Package	Carton	Weight
XT102755	without battery pack, carton box	1	4	2.8 kg

CORDLESS PLANER 18 V

The Cordless Planer is suitable especially for working with wood. A powerful motor provides longer operation with the use of a single battery charge. The Planer benefits from an ergonomic handle that allows comfortable operation. Depth settings from 0 to 1.5mm. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Li-Ion · WOOD

Technical parametres

Voltage	18 V	Insulation	protection class II
Speed	14000 rpm	Protection	IPX0
Adjustable material removal	0-1,5 mm	Dimension of product	305x170x180 mm
Width of planing	82 mm	Sales packaging	box
Width of V-groove	5 mm	Weight (without battery)	2.3 kg
Depth of semi-groove	0 - 18 mm		
Sound pressure level (LpA)	95,2 dB		
Sound power level (LwA)	106,2 dB		
Other features	electronic speed control, bag suction		
Package includes	dust bag, guide bar, hex key		

Order No.	Description	Package	Carton	Weight
XT102750	without battery pack, carton box	1	4	2.9 kg

CORDLESS CIRCULAR SAW BRUSHLESS 18 V, 165 mm

The Cordless Circular Saw is designed for cutting wood materials, adjustable for various cutting angles for precise material joinery. The Saw is equipped with a laser guide for precise cutting. The BRUSHLESS motor benefits from long service life, higher performance/torque, lower weight, and maintenance-free operation. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

BRUSHLESS

LASER · WOOD · STEEL · AL · Li-Ion

Technical parametres

Voltage	18 V	Sound pressure level (LpA)	75.8 dB
Speed	4200 rpm	Sound power level (LwA)	86.8 dB
Capacity of cut 90° / 45°	51 / 35 mm	Protection	IPX0
Cutting angle	0°-45°	Sales packaging	box
Diameter of disc	165 mm	Other features	laser
Dimension of disc	165x1.6x20 mm (20T)	Package includes	guide, saw blade
Thickness of disc	1.6 mm	Weight (without battery)	2.4 kg
Clamping of disc	20 mm		

Order No.	Description	Package	Carton	Weight
XT102845	without battery pack, carton box	1	2	4 kg

CORDLESS CIRCULAR SAW 18 V, 165 mm

The Cordless Circular Saw is designed for cutting wood materials, adjustable for various cutting angles for precise material joinery. A motor brake, rubber handle for safer operation, dust extraction attachment, laser switch, laser marker for precise cutting, depth and angle regulation, and easy control. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Dust extraction attachment
- Electronic motor brake
- Rubber handle for safe operation
- Laser marker

LASER · WOOD · STEEL · AL · Li-Ion

Technical parametres

Voltage	18 V	Sound pressure level (LpA)	80 dB
Speed	4200 rpm	Sound power level (LwA)	91 dB
Capacity of cut 90° / 45°	51 / 35 mm	Protection	IPX0
Cutting angle	0°-45°	Sales packaging	box
Diameter of disc	165 mm	Other features	laser
Dimension of disc	165x20x1.6 mm (20T)	Package includes	guide
Clamping of disc	20 mm	Weight (without battery)	2.4 kg

Order No.	Description	Package	Carton	Weight
XT102745	without battery pack, carton box	1	4	3.11 kg

CORDLESS RECIPROCATING SAW BRUSHLESS 18 V

The Cordless Reciprocating Saw is designed for cutting in hard-to-reach areas. It offers better stability and easy manipulation due to motor positioning. A perfect tool for plumbers and other craftsmen. Adjustable depth-stop, a saw blade quick-release system, and pendulum action adjustment. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

NEW

BRUSHLESS

Technical parametres

Voltage	18 V	Sound pressure level (LpA)	79 dB
Speed	0-3100 rpm	Sound power level (LwA)	90 dB
Max. cutting	wood 120 mm, metal 10 mm	Protection	IPX0
Type of motor	brushless	Sales packaging	box
Length of stroke	28 mm	Weight (without battery)	1.7 kg
Other features	quick-release system, speed regulation, pendulum action switch		
Package includes	1x saw blade for wood, 1x for metal		

Order No.	Description	Package	Carton	Weight
XT102850	without battery pack, carton box	1	4	3 kg

CORDLESS RECIPROCATING SAW 18 V

The Cordless Reciprocating Saw is designed for cutting in hard-to-reach areas. It offers better stability and easy manipulation due to motor positioning. A perfect tool for plumbers and other craftsmen. Adjustable depth-stop, a saw blade quick-release system, and pendulum action adjustment. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Better access in hard-to-reach areas
- Quick-release system for saw blade replacement

Technical parametres

Voltage	18 V	Protection	IPX0
Speed	0-3000 rpm	Sales packaging	box
Max. cutting	wood 115 mm, metal 10 mm	Weight (without battery)	1.7 kg
Sound pressure level (LpA)	82 dB		
Sound power level (LwA)	93 dB		
Other features	quick-release system, LED indication of battery capacity		
Package includes	1x saw blade for wood, 1 x saw blade for metal		

Order No.	Description	Package	Carton	Weight
XT102730	without battery pack, carton box	1	5	1.98 kg

CORDLESS JIG SAW 18 V

The Cordless Jig Saw is designed for straight cutting of wood, Aluminum, and steel. Compact and light construction and small handle circumference allow optimal cutting control. A high-performance battery system allows cutting of harder and thicker materials. Fast and easy saw blade replacement. On/Off sawdust extraction system, pendulum action adjustment up to 4 degrees. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	18 V	Clamping	T
Speed	0-2700 rpm	Sound pressure level (LpA)	79.4 dB
Speed adjustment switch	YES (level 1-6)	Sound power level (LwA)	90.4 dB
Max. cutting	wood 80 mm, aluminum 12 mm, steel 5 mm	Protection	IPX0
Cutting angle	0°-45°	Sales packaging	box
Pendulum level	3	Weight (without battery)	1.7 kg
Other features	LED work light, keyless clamping system, speed control		
Package includes	2 saw blades, dust extraction adapter, guide		

Order No.	Description	Package	Carton	Weight
XT102735	without battery pack, carton box	1	5	1.94 kg

CORDLESS COMPRESSOR 18 V + ACCESSORY KIT

The Cordless Air Compressor is designed for inflating tires and sports equipment. A gun shape with an ergonomic handle that allows comfortable operation. LCD manometer display, and air hose holder. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- LCD display
- Gun-shaped ergonomic handle for comfortable operation
- Accessories

Li-Ion

Technical parametres

Voltage	18 V	Protection	IPX0
Max. pressure	7 bar	Package includes	hose with coupling, hose adapter
Sound pressure level (LpA)	80.5 dB	Weight (without battery)	0.7 kg
Sound power level (LwA)	90 dB		

Order No.		Description	Package	Carton	Weight
XT102775		without battery pack, carton box	1	5	0.83 kg
XT102776	N	hose 500 mm	1	x	0.07 kg

CORDLESS FLASHLIGHT 260 LM, 18 V

The Cordless Flashlight is equipped with 3W high-quality LED lights. Diodes provide a wide lighting angle of 90° and a great luminous flux of 260 lumens. Variable rotatable 90° head – 4 levels of settings. The Battery and Battery Charger not included. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Flashlight with three LED 3 W bulbs

Li-Ion

Technical parametres

Voltage	18 V	Protection	IPX0
Input power	3 W	Sales packaging	box
Light flux	260 lm	Weight (without battery)	0.3 kg
Lighting time	8 h (2.0 Ah battery)		
Other features	variable head rotation in 4 degrees		

Order No.	Description	Package	Carton	Weight
XT102765	without battery pack, carton box	1	10	0.37 kg

CORDLESS FLASHLIGHT 5000 LM, 18 V

The Cordless Flashlight is suitable for lighting construction sites, interiors, and exteriors. The Spotlight offers two lighting modes. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

2 performance modes (2000/5000 lm)



Li-Ion

Technical parametres

Voltage	18 V	Insulation	Protection class III
Input power	35 W	Protection	IP20
Light flux	2000 / 5000 lm	Sales packaging	box
Lighting time	approx. 1h (2.0 Ah battery) - max. power	Weight (without battery)	0.9 kg
Angle of emitting	120°		
Other features	nastavení úhlu svícení, dva režimy svitivosti		

Order No.	Description	Package	Carton	Weight
XT102768	without battery pack, carton box	1	4	1.1 kg

CHARGER WITH LED LIGHT 60 LM, 18 V

The Charger is used for recharging electronic devices. The charger offers USB output and LED light. It is supplied without battery. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Li-Ion

Technical parametres

Voltage	18 V	Insulation	protection class II
Input power	0,3 W	Protection	IP20
Light flux	60 lm	Other features	charging via USB port
Output voltage	5 V	Weight (without battery)	0.1 kg
Charging current	1,5 A		

Order No.	Description	Package	Carton	Weight
XT102795	without battery pack, carton box	1	50	0.15 kg

BATTERY PACK LI-ION 18 V

Suitable for Li-Ion battery-powered tools only. The battery is powered by Samsung battery cells that ensure great performance and service life. The battery is equipped with a battery capacity level indication. Rubber surface provides easy replacement operation. The battery is designed for heavy-duty tools, such as Angle Grinder, Circular Saw, Pneumatic Hammer.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Rubber surface
- Battery capacity indication
- Compatible with all 18 V/36 V cordless tools.

Li-Ion

SAMSUNG

Technical parametres XT102882E

Voltage	18V	Weight	0.4 kg
Capacity	2.0 Ah (36 Wh)	Battery type	Lithium-Ion
Number of links	5	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Technical parametres XT102884E

Voltage	18 V	Weight	0.7 kg
Capacity	4.0 Ah (72 Wh)	Battery type	Lithium-Ion
Number of links	10	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Technical parametres XT102886E

Voltage	18 V	Weight	0.8 kg
Capacity	5.0 Ah (90 Wh)	Battery type	Lithium-Ion
Number of links	10	Type of cells	EVE
Operating temperature	+10°C to +30°C		

Order No.	Description	Package	Carton	Weight
XT102882E	18 V, type Li-Ion, 2.0 Ah	1	x	0.4 kg
XT102884E	18 V, type Li-Ion, 4.0 Ah	1	x	0.7 kg
XT102886E	18 V, type Li-Ion, 5.0 Ah	1	x	0.8 kg

BATTERY PACK LI-ION 18 V

Li-Ion battery with a new, high-capacity Samsung cell type, guaranteeing high performance and long life while maintaining a compatible size. The battery has an indication to check the state of charge and the rubberised surface ensures easy handling. The battery is designed for heavier loads and tools with higher power consumption, such as angle grinder, circular saw, pneumatic hammer, etc.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- High-capacity cells
- Compact dimensions
- Low weight

Li-Ion

SAMSUNG

Technical parametres XT102788

Voltage	18 V	Weight	0,6 kg
Capacity	4.0 Ah (72 Wh)	Battery type	Lithium-Ion
Number of links	5	Type of cells	SAMSUNG / 21700
Operating temperature	+10°C to +30°C		

Technical parametres XT102789

Voltage	18 V	Weight	1 kg
Capacity	8.0 Ah (144 Wh)	Battery type	Lithium-Ion
Number of links	10	Type of cells	SAMSUNG / 21700
Operating temperature	+10°C to +30°C		

Order No.	Description	Package	Carton	Weight
XT102788	18 V, type Li-Ion, 4.0 Ah	1	20	0.7 kg
XT102789	18 V, type Li-Ion, 8.0 Ah	1	10	1.1 kg

BATTERY PACK LI-ION 18 V

Suitable for Li-Ion battery-powered tools only. The battery is powered by EVE battery cells that ensure great performance and service life. The battery is equipped with a battery capacity level indication.

XTLINE PROFESSIONAL TOOLS

Main features

- Rubber surface
- Battery capacity indication
- Compatible with all 18 V/36 V cordless tools.

Li-Ion

EVE

Technical parametres XT102782E

Voltage	18 V	Weight	0.4 kg
Capacity	2.0 Ah (36 Wh)	Battery type	Lithium-Ion
Number of links	5	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Technical parametres XT102784E

Voltage	18 V	Weight	0.7 kg
Capacity	4.0 Ah (72 Wh)	Battery type	Lithium-Ion
Number of links	10	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Technical parametres XT102786E

Voltage	18 V	Weight	0.8 kg
Capacity	5.0 Ah (90 Wh)	Battery type	Lithium-Ion
Number of links	10	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Technical parametres XT102787E

Voltage	18 V	Weight	1 kg
Capacity	6.0 Ah (108 Wh)	Battery type	Lithium-Ion
Number of links	15	Type of cells	EVE / 18650
Operating temperature	+10°C to +30°C		

Order No.		Description	Package	Carton	Weight
XT102782E		18 V, type Li-Ion, 2.0 Ah	1	20	0.46 kg
XT102784E		18 V, type Li-Ion, 4.0 Ah	1	20	0.73 kg
XT102786E		18 V, type Li-Ion, 5.0 Ah	1	20	0.75 kg
XT102787E	N	18 V, type Li-Ion, 6.0 Ah	1	20	0.76 kg

SMART CHARGER 18 V

The Charger is designed for charging Li-Ion 2.0 Ah, 4.0 Ah, 5.0 Ah and 6.0Ah batteries.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Smart charging for a specific battery type
- Digital LCD display
- Battery cooling during charging

Technical parametres

Voltage	230 V / 50 Hz	Charging current	2 - 8 A (by battery type)
Input power	220 W	Insulation	protection class II
Working time	50 min. (2.0, 4.0, 5.0 Ah) / 60 min. (8.0 Ah)	Protection	IPX0
Output voltage	21.5 V	Weight	0.9 kg

Order No.	Description	Package	Carton	Weight
XT102797	18 V, type Li-Ion, 2.0-8.0 A	1	5	1.1 kg

BATTERY CHARGER, LI-ION 2X18 V

The Charger is designed for charging Li-Ion batteries.

XTLINE PROFESSIONAL TOOLS

Main features

- Charging of two battery packs simultaneously
- Compatible with all XTLINE 18 V Li-Ion battery packs
- LED indication

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	160 W	Protection	IPX0
Output voltage	21.5 V	Other features	LED battery charge indication
Charging current	3.0 A	Weight	0.6 kg

Order No.	Description	Package	Carton	Weight
XT102792	2x18 V, type Li-Ion, 3.0 A	1	20	0.85 kg

BATTERY CHARGER LI-ION 18 V

The Charger is designed for charging Li-Ion batteries.

XTLINE PROFESSIONAL TOOLS

Technical parametres XT102785

Voltage	230 V / 50 Hz	Protection	IPX0
Input power	65 W	Sales packaging	box
Output voltage	21.5 V	Other features	LED battery indication
Charging current	2.4 A	Weight	0.4 kg
Insulation	Protection class II		

Technical parametres XT102790

Voltage	230 V / 50 Hz	Protection	IPX0
Input power	85 W	Sales packaging	box
Output voltage	21.5 V	Other features	LED indikace stavu baterie
Charging current	3.5 A	Weight	0.4 kg
Insulation	Protection class II		

Order No.	Description	Package	Carton	Weight
XT102785	18 V, type Li-Ion, 2.4 A	1	20	0.37 kg
XT102790	18 V, type Li-Ion, 3.5 A	1	20	0.42 kg

CORDLESS CHAIN SAW BRUSHLESS 36 V

The cordless chainsaw is designed for cutting, shortening firewood, construction lumber or trimming branches. Tool-free chain replacement. The Oregon chain and bar with a length of 350 mm provide a sufficiently long cross-section of the wooden material of up to 260 mm. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- BRUSHLESS motor
- Safety brake
- Key-less chain replacement
- Automatic bar lubrication

BRUSHLESS

WOOD | Li-Ion | 1h

Technical parametres

Voltage	36 V	Type of motor	brushless
Speed	10000 rpm	Recommended chain file	4 mm
Volume of oil container	160 ml	Sound pressure level (LpA)	91.6 dB
Chain speed	0-19 m/s	Sound power level (LwA)	101.4 dB
Length of bar	350 mm	Protection	IPX0
Thickness of the moulding	1.3 mm	Sales packaging	box
Chain pitch	3/8"	Weight (without batteries)	4 kg
Number of links	52		
Other features	automatic chain lubrication, Oregon chain and guide bar		

Order No.	Description	Package	Carton	Weight
XT102870	without battery pack, carton box	1	2	4.23 kg

BRUSHLESS

WOOD | Li-Ion | 1h | 18V + 18V

Technical parametres

XT102784E	2x Li-Ion battery pack 18 V, 4.0 Ah	XT102870	Cordless Chain Saw BRUSHLESS 36 V
XT102790	Li-Ion battery charger 18 V, 3.5 A		

Order No.	Description	Package	Carton	Weight
XT102870-2B4	2 battery packs + charger + carton box	1	2	6.37 kg

CORDLESS HEDGE TRIMMER 36 V

The cordless hedge trimmer is powered by two 18 V Li-ion batteries with a total voltage of 36 V. It is intended for cutting hedges, bushes, and thuja trees. The advantage is the two-handed switch, which prevents accidental starting of the scissors. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Protective cover
- Safety brake
- Possibility to adjust the handle at a 45°/90° inclination (right and left)

BRANCHES | Li-Ion | 1h

Technical parametres

Voltage	36 V	Sound pressure level (LpA)	82.6 dB
Speed	2700 rpm	Sound power level (LwA)	93 dB
Length of bar	600 mm	Protection	IPX0 / IP33
Tooth pitch	24 mm	Sales packaging	box
Total length (L)	1022 mm	Weight (without batteries)	3.7 kg
Other features	safety shield, rotatable handle 45° / 90°, safety brake		

Order No.	Description	Package	Carton	Weight
XT102875	without battery pack, carton box	1	2	3.74 kg

BRANCHES | Li-Ion | 1h | 18V + 18V

Technical parametres

XT102782E	2x Battery pack Li-Ion 18 V 2.0 Ah	XT102875	Cordless Hedge Trimmer 36 V
XT102785	Battery Charger Li-Ion 18 V, 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102875-2B2	2 battery packs + charger + carton box	1	2	5.63 kg

CORDLESS MINI CHAIN SAW 18 V

The Mini Chainsaw is used for pruning branches, shrubs or smaller trees with a maximum cut of 110 mm. The great advantage is the one-hand operation and the ergonomically rubberized handle and chain guard ensure safe working.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Easy one-handed operation
- Light weight

WOOD · BRANCHES · Li-Ion · 1h

Technical parametres

Voltage	18 V	Sound pressure level (LpA)	97 dB
Speed	5 400 rpm	Sound power level (LwA)	102 dB
Max. cutting	110 mm	Insulation	protection class II
Chain speed	5 m/s	Protection	IPX0
Length of bar	156 mm	Sales packaging	box
Thickness of the moulding	1,1 mm	Other features	work by one hand
Chain pitch	1/4"	Package includes	screwdriver PH4x65 mm, oil bottle
Number of links	32	Weight (without battery)	1.4 kg

Order No.	Description	Package	Carton	Weight
XT102872	without battery pack, carton box	1	4	2 kg
XT102872-1B2	1 battery pack, charger, carton box	1	1	2.8 kg

CORDLESS GARDEN SET 3IN1, 18 V

The 3 in 1 Cordless Secateurs are used for shaping and trimming shrubs, hedges or lawn edges. Thanks to its light weight and compact size, the tool is easy to handle. Included in the package are a mini rake, grass shears and shrub shears.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- 3 tools in one
- Light weight

TRÁVA · BRANCHES · Li-Ion · 1h

Technical parametres

Voltage	18 V	Insulation	protection class II
Speed	16 500 rpm	Protection	IPX0
Number of vibrations	1 100 /min	Sales packaging	box
Sound pressure level (LpA)	95 dB	Weight (without battery)	1,1 kg
Sound power level (LwA)	106 dB		
Maximum range	Grass Shears 100 mm, Shrub Shears 200 mm / diameter 8 mm, Rake 75 mm		
Package includes	mini rake, grass knife, lopper		

Order No.	Description	Package	Carton	Weight
XT102877	without battery pack, carton box	1	4	1.5 kg
XT102877-1B2	1 battery pack, charger, carton box	1	1	2.3 kg

CORDLESS STRING TRIMMER 36 V

The Cordless Mower is powered by two Li-Ion 18 V batteries with a total voltage of 36 V. It is intended for trimming around fences, draws, thuja, etc. It has an adjustable handle, where you can set the optimal height. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- String head adjustment in six levels
- Additional handle for easy operation
- Rotatable 90° head
- Support wheel for trimming lawn edges

WOOD · Li-Ion · 1h

Technical parametres

Voltage	36 V	Sound pressure level (LpA)	84 dB
Speed	6700 rpm	Sound power level (LwA)	94 dB
Diameter of string	1.6 mm	Protection	IPX0
Width of capacity	300 mm	Sales packaging	box
Total length (L)	1520 mm	Weight (without batteries)	3.8 kg
Clamping	string trimmer head		
Other features	rotatable head 90°, automatic string feed		
Package includes	string cover, side wheel		

Order No.	Description	Package	Carton	Weight
XT102880	without battery pack, carton box	1	1	3.99 kg

WOOD · Li-Ion · 1h · 18V + 18V

Technical parametres

XT102782E	2x Battery Pack Li-Ion 18 V, 2.0 Ah	XT102880	Cordless String Trimmer 36 V
XT102785	Battery Charger Li-Ion 18 V, 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102880-2B2	2 battery packs + charger + carton box	1	1	5.28 kg

CORDLESS STRING TRIMMER BRUSHLESS, 2 IN 1, 36 V

The cordless string trimmer is powered by two 18 V Li-ion batteries with a total voltage of 36 V. It copes well with cutting tall grass, but it can also get to hard-to-reach spots. The 2in1 function allows fitting either a string head or a three-tooth cutting blade. The batteries and motor located at the back serve for better balance and weight distribution. The trimmer has a reverse button to unwind the grass. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- BRUSHLESS motor
- 2 in 1 - string head / three-tooth cutting blade
- Reverse button for unwinding jammed grass

BRUSHLESS

GRASS | Li-Ion | 1h

Technical parametres

Voltage	36 V	Clamping	string trimmer head / tri-blade
Speed	0-6500 rpm	Sound pressure level (LpA)	83 dB
Diameter of string	2 mm	Sound power level (LwA)	95.2 dB
Width of capacity	350 mm (string) / 250 mm (blade)	Insulation	Protection class II
Working time	60 min. (5.0Ah baterie)	Protection	IPX5
Type of motor	brushless	Weight (without batteries)	4.3 kg
Other features	reverse button for unwinding the grass, adjustable handle		
Package includes	string trimmer head with spring, tri-blade, shoulder strap		

Order No.	Description	Package	Carton	Weight
XT102895	without battery pack, carton box	1	2	0.3 kg

BRUSHLESS

GRASS | Li-Ion | 1h | 18V + 18V

Technical parametres

XT102895	Cordless BRUSHLESS String Trimmer 2in1, 36 V	XT102792	Battery Charger Li-Ion 2x18 V, 3.0 A
XT102784E	2x Li-Ion battery pack 18 V, 4.0 Ah		

Order No.	Description	Package	Carton	Weight
XT102895-2B4	2 battery packs + charger + carton box	1	2	8.2 kg

CORDLESS STRING TRIMMER 18 V

The cordless string mower is used for trimming the edges of lawns. Its low weight in combination with a telescopic handle and a reach of 280 mm ensure excellent comfort during work. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Adjustable telescopic handle
- Low weight

GRASS | Li-Ion | 1h

Technical parametres

Napětí	18 V	Hladina akustického tlaku (LpA)	78 dB
Otáčky	9000 ot/min	Hladina akustického výkonu (LwA)	96 dB
Průměr struny	1,6 mm	Izolace	třída ochrany II
Šířka záběru	280 mm	Krytí	IPX0
Upínání	strunová hlava	Hmotnost bez baterie	2 kg
Ostatní vlastnosti	nastavitelná rukojeť, otočná hlava o 90°		

Order No.	Description	Package	Carton	Weight
XT102910	without battery pack, carton box	1	2	4 kg

GRASS | Li-Ion | 1h | 18V

Technical parametres

XT102782E	Li-Ion battery pack 18V, 2.0 Ah	XT102910	Cordless String Trimmer 18 V
XT102785	Li-Ion battery charger 18 V, 2.4 A		

Order No.	Description	Package	Carton	Weight
XT102910-1B2	1 battery pack, charger, carton box	1	1	4 kg

CORDLESS LAWN MOWER 400 MM, BRUSHLESS 36 V

The Cordless Brushless Lawnmower is powered by two 18 V Li-Ion batteries with a total voltage of 36 V. It is used for mowing smaller, well-kept lawn areas. The mower has a cutting width of 400 mm, a selectable cutting height adjustment in 6 levels: 25 - 75 mm and a 2-in-1 function for mulching and collection / rear discharge. Adjustable handles in 2 positions for practical storage.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Mulching option
- Low weight
- Cutting height adjustment in 6 levels
- 8.0 Ah battery option

BRUSHLESS

GRASS | Li-Ion | 1h | Li-Ion 2.0 Ah | Li-Ion 4.0 Ah | Li-Ion 5.0 Ah | Li-Ion 6.0 Ah | Li-Ion 8.0 Ah

Technical parametres

Voltage	36 V	Height of cut	20 - 75 mm
Input power	800 W	Sound pressure level (LpA)	79 dB
Speed	2 800 ot/min	Sound power level (LwA)	92 dB
Diameter of wheels	150 / 200 mm	Insulation	třída ochrany II
Width of capacity	400 mm	Protection	IPX1
Volume of basket	40 l	Sales packaging	krabice
Type of motor	bezuhlíkový	Weight (without batteries)	14 kg
Other features	elektrická brzda, výška sečení v 6 úrovních		

Order No.	Description	Package	Carton	Weight
XT102893	without battery pack, carton box	1	1	18.2 kg

BRUSHLESS

GRASS | Li-Ion | 1h | 18V + 18V | Li-Ion 2.0 Ah | Li-Ion 4.0 Ah | Li-Ion 5.0 Ah | Li-Ion 6.0 Ah | Li-Ion 8.0 Ah

Technická specifikace

XT102893	Cordless Lawn Mower BRUSHLESS 400 mm, 36 V	XT102784E	2x Cordless Battery Pack Li-Ion 18 V, 4.0 Ah
XT102790	Battery Charger Li-Ion 2x18 V, 3.0 A		

Order No.	Description	Package	Carton	Weight
XT102893-2B4	2 battery packs + charger + carton box	1	1	18.2 kg

CORDLESS GARDEN VACUUM CLEANER 36 V

The Cordless Garden Vaccum Cleaner is designed for vacuuming garden leaves, blowing of garden impurities without the use of the electricity source. The low tool weight allows easy manipulation and comfortable garden clean-up. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Main features

- Speed control
- 2 in 1 system – vacuuming and blowing function

Li-Ion 1h

Technical parametres

Voltage	36 V	Sound pressure level (LpA)	97 dB
Speed	26 000 rpm	Sound power level (LwA)	106 dB
Speed adjustment switch	YES (level 1-6)	Insulation	protection class II
Volume of sack	35 l	Protection	IPX0
Air speed	200 km/h	Sales packaging	box
Waste crushing	9:1	Weight (without battery)	2.4 kg
Other features	Vacuum cleaner / blower mode switch, Speed adjusting switch		
Package includes	Dust bag, shoulder strap, roller wheel, vacuum cleaner tube, blower tube		

Order No.	Description	Package	Carton	Weight
XT102935	without battery pack, carton box	1	1	5.3 kg

Li-Ion 1h 18V + 18V

Technical parametres

XT102935	Cordless Garden Vacuum Cleaner 36 V	XT102792	Battery Charger, Li-Ion 2x18 V, 3.0 A
XT102784E	2x Battery pack Li-Ion 18 V, 4.0 Ah		

Order No.		Description	Package	Carton	Weight
XT102935-2B4	N	2 battery packs + charger + carton box	1	1	5.3 kg

CORDLESS BACK SPRAYER 18 V

The Cordless Backpack Sprayer is suitable for treating garden trees, bushes, or plants. Specifically shaped tank and wide straps provide comfortable operation. It is possible to purchase individual batteries and chargers.

XTLINE PROFESSIONAL TOOLS

Li-Ion 1h

Technical parametres

Voltage	18 V	Insulation	Protection class III
Volume of vessel	10 l	Protection	IPX0
Working time	60 min (2,0 Ah)	Dimension of product	200x310x480 mm
Max. pressure	3 bar	Sales packaging	box
Spray bar length	590 mm	Other features	waterproof switch
Max. flow	1.3 l/min	Weight (without battery)	4 kg
Sound pressure level (LpA)	72,8 dB		
Sound power level (LwA)	82.8 dB		
Package includes	back strap, 3x nozzle, spray pipe		

Order No.	Description	Package	Carton	Weight
XT102940	without battery pack, carton box	1	1	5.8 kg

Li-Ion 1h 18V Li-Ion 2.0 Ah Li-Ion 4.0 Ah Li-Ion 5.0 Ah Li-Ion 8.0 Ah

Technical parametres

XT102940	Cordless back sprayer 18 V	XT102785	Li-Ion battery charger 18 V, 2.4 A
XT102782E	Li-Ion battery pack 18 V, 2.0 Ah EVE		

Order No.		Description	Package	Carton	Weight
XT102940-1B2	N	1 battery pack, charger, carton box	1	1	5.3 kg

CORDED

24 - 26

HAMMER DRILLS
ROTARY HAMMERS

27 - 34

ANGLE GRINDERS
OSCILLATING GRINDERS
MULTI-TOOLS
RANDOM ORBIT SANDERS
BENCH GRINDERS

35 - 39

CIRCULAR SAWS
RECIPROCATING SAWS
MITER SAWS
JIG SAWS
PLANERS
ROUTERS

40 - 43

WELDING INVERTERS
PIPE WELDERS
HEAT GUN
GLUE GUN
GLUE STICKS

44 - 45

AIR COMPRESSORS

46 - 47

VACUUM CLEANERS

48 - 49

CONSTRUCTION MIXERS
ROPE HOISTS

50 - 53

HIGH PRESSURE CLEANERS
WATER PUMPS

CORDED

Our range of corded power tools offers products for almost all common fields and applications. Whether you need a reliable drill driver, rotary or demolition hammer, angle grinder, circular saw, router, air compressor, vacuum cleaner, garden pump and many other types of tools for your work at home, workshop or construction site, do not look elsewhere!

Quality processed and certified products are created for your great projects. A number of customers still prefer classic tools and machines powered by an electric cord over to the popular cordless tools. It is sometimes truly beneficial to exchange the convenience and mobility of the battery powered tool for a generally higher performance available for an unlimited period of time, without the need to charge, with a power source socket nearby at all times. In addition, classic corded power tools generally come at lower purchase price compared to battery-powered products, as there is no need to invest in batteries and chargers.

Choosing the right machine depends heavily on the needs and preferences of each user, as well as the application the tool is intended to do. If there is no problem with reliable source of electricity, a quality corded power tool that can handle faster and more power-intensive work is the obvious choice!

XTLINE corded power tools are a guarantee of all-around, quality, affordable products, whose mechanical hearts consist of precisely manufactured parts and components from quality alloys. Tools with excellent ergonomics and reliable performance. Tools that do not play around. Tools that were born for your outstanding projects!



HAMMER DRILL 850 W

The Hammer Drill with a metal chuck is designed for precise drilling. It allows convenient drilling in all materials including construction materials due to the hammer drill mode. The Drill is easy to control due to large-sized switches, the direction of rotation switch, and continuous speed regulation – all situated on the handle. The Drill benefits from a powerful motor for drilling/ hammer drilling, continuous speed regulation according to the material type, low weight, compact design, and high torque.

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**850 W**	Protection	**IP20**
Speed	**0-3000 rpm**	Sales packaging	**box**
Diameter of drill bit	**1.5-13 mm**	Weight	**2.3 kg**
Clamping	**chuck**		
Sound pressure level (LpA)	**95.4 dB**		
Sound power level (LwA)	**106.4 dB**		
Max. drilling diameter	**wood 30mm, concrete 16mm, steel 13mm**		
Other features	**L/R operation, speed regulation**		
Package includes	**pair of carbon brushes, depth stop, auxiliary handle, chuck key**		

Order No.	Description	Package	Carton	Weight
XT106120	850 W	1	6	2.71 kg

HAMMER DRILL 900 W

The Hammer Drill with a metal chuck is designed for precise drilling. It allows convenient drilling in all materials including construction materials due to the hammer drill mode. The Drill is easy to control due to large-sized switches, the direction of rotation switch, and continuous speed regulation – all situated on the handle. The Drill benefits from a powerful motor for drilling/ hammer drilling, continuous speed regulation according to the material type, low weight, compact design, and high torque.

Main features

- **Continuous speed regulation**
- **Mode selector: drilling / hammer drilling**
- **Metal body**

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**900 W**	Protection	**IP20**
Speed	**0-2800 rpm**	Sales packaging	**box**
Diameter of drill bit	**1.5-13 mm**	Weight	**2.5 kg**
Clamping	**chuck**		
Sound pressure level (LpA)	**95.4 dB**		
Sound power level (LwA)	**106.4 dB**		
Max. drilling diameter	**wood 30 mm, concrete 16 mm, steel 13 mm**		
Other features	**L/R operation, speed regulation**		
Package includes	**pair of carbon brushes, handle, chuck key, depth stop**		

Order No.	Description	Package	Carton	Weight
XT106130	900 W	1	8	2.94 kg

HAMMER DRILL 1050 W

The Hammer Drill with a metal chuck is designed for precise drilling. It allows convenient drilling in all materials including construction materials due to the hammer drill mode. The Drill is easy to control due to large-sized switches, the direction of rotation switch, and continuous speed regulation – all situated on the handle. The Drill benefits from a powerful motor for drilling/ hammer drilling, continuous speed regulation according to the material type, low weight, compact design, and high torque.

Main features

- **Continuous speed regulation**
- **The two-speed gearbox**
- **Metal body**
- **Mode selector: drilling / hammer drilling**

Technical parametres

Voltage	**230 V / 50 Hz**	Sound pressure level (LpA)	**87 dB**
Input power	**1050 W**	Sound power level (LwA)	**98 dB**
Speed	**0-1200 / 0-3000 rpm**	Insulation	**Protection class II**
Diameter of drill bit	**1.5-13 mm**	Protection	**IP20**
Number of speed settings	**2**	Sales packaging	**box**
Clamping	**chuck**	Weight	**3.2 kg**
Max. drilling diameter	**wood 40 mm, concrete 16 mm, steel 13 mm**		
Other features	**L/R operation, two-level mechanical speed selector, electronic speed regulation**		
Package includes	**pair of carbon brushes, handle, depth stop, chuck key**		

Order No.	Description	Package	Carton	Weight
XT106150	1050 W	1	5	3.2 kg

ROTARY HAMMER 850 W, SDS-PLUS, 3 J + CHUCK

The Rotary Hammer with replaceable chuck for SDS PLUS drill bits. Designed for construction operations (concrete, stone, bricks, etc.)

XTLINE PROFESSIONAL TOOLS

Main features

- Fast SDS PLUS chuck replacement
- Low weight
- Mode selector: drilling / hammer drilling / chisel rotation / chiseling
- Extra chuck (cylindrical shank clamping)

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	91 dB
Input power	850 W	Sound power level (LwA)	102 dB
Speed	0-1300 rpm	Insulation	Protection class II
Number of BPM	0-4300 bpm	Protection	IP20
Impact strength	3 J	Sales packaging	plastic box
Drilling/chiseling ratio	80/20%	Weight	3.2 kg
Clamping	SDS PLUS		
Max. drilling diameter	wood 30 mm, concrete 28 mm, metal 13 mm		
Function	drilling / hammer drilling / rotating chisel / chopping		
Package includes	flat and point chisel, 3x drill bits, spare chuck		

Order No.	Description	Package	Carton	Weight
XT106010	850 W, 3 J	1	5	5.74 kg
106010-1-13	Replacement Chuck SDS PLUS	1	1	0.19 kg
106010-11-16	Replacement Chuck 2-13 mm	1	1	0.36 kg

ROTARY HAMMER 850 W SDS PLUS 3 J

The Rotary Hammer for SDS PLUS drill bits. Designed for construction operations (concrete, stone, bricks, etc.)

XTLINE PROFESSIONAL TOOLS

Main features

- Low weight
- Mode selector: drilling / hammer drilling / chisel rotation / chiseling

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	91 dB
Input power	850 W	Sound power level (LwA)	102 dB
Speed	0-1300 rpm	Insulation	Protection class II
Number of BPM	0-4300 bpm	Protection	IP20
Impact strength	3 J	Sales packaging	plastic box
Drilling/chiseling ratio	80/20 %	Weight	3.2 kg
Clamping	SDS PLUS		
Max. drilling diameter	wood 30 mm, concrete 28 mm, steel 13 mm		
Function	drilling / hammer drilling / rotating chisel / chopping		
Package includes	drill bit (6, 8, 10/150 mm), point and flat chisel, lubricant, case		

Order No.	Description	Package	Carton	Weight
XT106005	850 W, 3 J	1	5	5.08 kg

ROTARY HAMMER 1000 W SDS PLUS 3,5 J

The Rotary Hammer is suitable for drilling and cutting of masonry and concrete, chiseling plasters, tiling, drilling anchor and through holes, and core drilling. A mode switch adjustable at drilling, hammer drilling, and chiseling position. 3-stage clutch as protection against tool spinning.

XTLINE PROFESSIONAL TOOLS

Main features

- Mode selector: hammer drilling / chiseling
- LED indicator/button - speed adjustment

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	93 dB
Input power	1000 W	Sound power level (LwA)	104 dB
Speed	650-1000 rpm	Insulation	Protection class II
Number of BPM	2800-3400 bpm	Protection	IP20
Impact strength	3.5 J	Sales packaging	plastic box
Drilling/chiseling ratio	80/20%	Weight	5 kg
Clamping	SDS PLUS		
Upínání	SDS PLUS		
Max. drilling diameter	wood 30 mm, concrete 28 mm, metal 13 mm, brick wall 80 mm		
Function	hammer drilling / chiselling		
Package includes	pair of carbon brushes, lubricant, depth stop, key		

Order No.	Description	Package	Carton	Weight
XT106040	1000 W, 3.5 J	1	3	6.94 kg

ROTARY HAMMER 900 W, SDS PLUS 6 J

The Rotary Hammer is suitable for drilling and cutting of masonry and concrete, chiseling plasters, tiling, drilling anchor and through holes, and core drilling. A mode switch adjustable at drilling, hammer drilling, and chiseling position.

XTLINE PROFESSIONAL TOOLS

Main features

- Mode selector: hammer drilling / chiseling
- A powerful motor

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	90 dB
Input power	900 W	Sound power level (LwA)	103 dB
Speed	0-850 rpm	Insulation	Protection class II
Number of BPM	0-4500 bpm	Protection	IP20
Impact strength	6 J	Sales packaging	plastic box
Drilling/chiseling ratio	80/20%	Weight	5.1 kg
Clamping	SDS PLUS		
Max. drilling diameter	wood 45 mm, steel 15 mm, masonry 30 mm		
Function	hammer drilling / chiselling		
Package includes	pair of carbon brushes, depth stop, lubricant		

Order No.	Description	Package	Carton	Weight
XT106050	900 W, 6 J	1	3	7.2 kg

ROTARY HAMMER 1100 W SDS MAX 7 J

The Rotary Hammer with an SDS-MAX locking system is designed for drilling and cutting with an angle-adjustment up to 12 positions. It is equipped with an anti-vibration system that decreases the fatigue during operation. It is used for construction materials – bricks, concrete, or stone.

XTLINE PROFESSIONAL TOOLS

Main features

- 12-position chisel adjustment
- Anti-vibration systém

Technical parametres

Voltage	**230 V / 50 Hz**	Clamping	**SDS MAX**
Input power	**1100 W**	Sound pressure level (LpA)	**90.9 dB**
Speed	**300-760 rpm**	Sound power level (LwA)	**101.8 dB**
Speed adjustment switch	**YES (level 1-6)**	Insulation	**Protection class II**
Number of BPM	**1900-4860 bpm**	Protection	**IP20**
Impact strength	**1-7 J**	Sales packaging	**plastic box**
Max. drilling diameter	**concrete 40 mm**	Other features	**speed regulation**
Drilling/chiseling ratio	**80/20 %**	Weight	**6.1 kg**
Function	**hammer drilling / chiselling**		
Max. drilling diameter	**concrete 40 mm**		
Package includes	**lubricant, pair of carbons, depth stop, case**		

Order No.	Description	Package	Carton	Weight
XT106061	1100 W, 7 J	1	2	8.81 kg

DEMOLITION HAMMER 1200 W SDS MAX 14 J

The Demolition Hammer is used especially for demolition operations in households, but in the short term can be also used for professional operations. Softened handle zones allow longer fatigue-free and hand-sensitive operation. Designed for construction materials – bricks, concrete, or stone. Adjustable cutting angle due to the 12-position cutter selector. Ergonomic softened handle 360°, power indication, carbon brush wear protection, and anti-vibration system (lower operation fatigue).

XTLINE PROFESSIONAL TOOLS

Main features

- 12-position chisel adjustment
- Anti-vibration system

Technical parametres

Voltage	**230 V / 50 Hz**	Sound pressure level (LpA)	**92 dB**
Input power	**1200 W**	Sound power level (LwA)	**99.6 dB**
Speed	**300-760 rpm**	Insulation	**class protection II**
Number of BPM	**1900-3100 bpm**	Protection	**IP20**
Impact strength	**14 J**	Sales packaging	**plastic box**
Clamping	**SDS MAX**	Weight	**5.6 kg**
Function	**chiselling**		
Package includes	**flat and point chisel, vaseline, a pair of carbon brushes, box**		

Order No.	Description	Package	Carton	Weight
XT106057	1200 W, 14 J	1	2	9.86 kg

ANGLE GRINDER 1400 W, 125 mm, SPEED CONTROL

The Angle Grinder with speed regulation is a universal tool due to various attachments for polishing, grinding, cutting, or milling. The attachments allow the use of a single grinder for operations concerning wood, metal, or construction materials.

STONE WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Sound power level (LwA)	93 dB
Input power	1400 W	Insulation	Protection class II
Speed	2800-10000 rpm	Protection	IP20
Speed adjustment switch	YES (level 1-6)	Sales packaging	box
Diameter of disc	125 mm	Package includes	key, handle, cover, pair of carbon brushes
Thread of arbour	M14	Weight	2.4 kg
Sound pressure level (LpA)	89 dB		

Order No.	Description	Package	Carton	Weight
XT105130		1	6	2.9 kg

ANGLE GRINDER 720 W, 115 mm

Use of an Angle Grinder in combination with a proper attachment allows more effective and faster cutting and grinding of metal and construction materials, grinding of welds, chamfering (roof tiles, metal prisms and bars, bricks, concrete, tiling). Construction and outer tool shell is dust-resistant and ensures long motor service life. The protective cover key-less adjustment. A slim, ergonomic body allows a comfortable tool grip and easy manipulation including hard-to-reach areas. A switch-lock for one-hand cutting and grinding.

STONE WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	720 W	Protection	IP20
Speed	11000 rpm	Sales packaging	box
Diameter of disc	115 mm	Package includes	key, handle, cover
Thread of arbour	M14	Weight	1.9 kg
Sound pressure level (LpA)	83 dB		
Sound power level (LwA)	94 dB		

Order No.	Description	Package	Carton	Weight
XT105115		1	8	2.34 kg

ANGLE GRINDER 840 W, 125 mm

STONE WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	840 W	Protection	IP20
Speed	10000 rpm	Sales packaging	box
Diameter of disc	125 mm	Package includes	key, handle, cover
Thread of arbour	M14	Weight	2 kg
Sound pressure level (LpA)	77 dB		
Sound power level (LwA)	88 dB		

Order No.	Description	Package	Carton	Weight
XT105125		1	8	2.58 kg

ANGLE GRINDER 1200 W, 150 mm

Use of an Angle Grinder in combination with a proper attachment allows more effective and faster cutting and grinding of metal and construction materials, grinding of welds, chamfering (roof tiles, metal prisms and bars, bricks, concrete, tiling). Construction and outer tool shell is dust-resistant and ensures long motor service life. The protective cover key-less adjustment. A slim, ergonomic body allows a comfortable tool grip and easy manipulation including hard-to-reach areas. Accidental restart protection in the case of a power outage.

STONE WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	1200 W	Protection	IP20
Speed	9000 rpm	Sales packaging	box
Diameter of disc	150 mm	Package includes	key, handle, cover
Thread of arbour	M14	Weight	3.5 kg
Sound pressure level (LpA)	89 dB		
Sound power level (LwA)	100 dB		

Order No.	Description	Package	Carton	Weight
XT105150		1	4	4.05 kg

ANGLE GRINDER 2600 W, 230 mm

Use of an Angle Grinder in combination with a proper attachment allows more effective and faster cutting and grinding of metal and construction materials, grinding of welds, chamfering (roof tiles, metal prisms and bars, bricks, concrete, tiling). Construction and outer tool shell is dust-resistant and ensures long motor service life. The protective cover key-less adjustment. A slim, ergonomic body allows a comfortable tool grip and easy manipulation including hard-to-reach areas. Accidental restart protection in the case of a power outage.

STONE WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	2600 W	Protection	IP20
Speed	6500 rpm	Sales packaging	box
Diameter of disc	230 mm	Package includes	key, handle, cover
Soft-start	YES	Weight	6 kg
Thread of arbour	M14		
Sound pressure level (LpA)	99 dB		
Sound power level (LwA)	110 dB		

Order No.	Description	Package	Carton	Weight
XT105240		1	2	7.04 kg

ECCENTRIC POLISHER 600 W, 150 mm

The Random Orbit Polisher is designed especially for polishing, water-free car paint conservation and treatment, and retouching minor defects in car lacquer layer (e.g. Removing deeper scratches, repainting, asphalt and insect impurities, grinding of a micro-layer of weathered lacquer for original colour revitalisation, grinding a treating corroded areas, removing of micro scratches after water cleaning, holograms, etc.) with the use of suitable foam wheels and respective pasta or polisher type.

XTLINE PROFESSIONAL TOOLS

Main features

- The tool shape allows easy manipulation
- Designed for fine grinding and polishing
- 6-level speed regulation

STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	600 W	Protection	IP20
Speed adjustment switch	YES (level 1-6)	Vibration	2.3 m/s2
Diameter of disc	150 mm	Sales packaging	box
Eccentricity	8 mm	Weight	2.2 kg
Sound pressure level (LpA)	80 dB		
Sound power level (LwA)	91 dB		
Speed	1500-3700 / 4800-6800 rpm		
Package includes	polishing disc, disc for polisher, handle		

Order No.	Description	Package	Carton	Weight
XT105300	600 W, 150 mm	1	6	2.81 kg

OSCILLATION SANDER DELTA 200 W

The oscillation sander is a tool used for sanding wooden materials, metals, but also for grinding damaged areas of surface treatment and hard-to-reach areas.

XTLINE PROFESSIONAL TOOLS

Main features

- Effective dust extraction
- LED work light
- Comfortable one-hand handle

WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	200 W	Protection	IPX0
Speed	12500 rpm	Sales packaging	box
Dimension of sanding area	150x100 mm	Package includes	sandpaper P80
Length of power cord	2 m	Weight	1.3 kg
Sound pressure level (LpA)	77.7 dB		
Sound power level (LwA)	88.7 dB		

Order No.	Description	Package	Carton	Weight
XT106235	200 W, 150x100 mm	1	8	1.51 kg

RANDOM ORBIT SANDER 450 W, 125 MM

Random Orbit Sander with ergonomic construction is perfect for sanding or polishing various materials, paint, and lacquer. The handle provides comfortable grip in every work position. Main benefits: Effective dust collection system reduces dust-related health risks when manipulating the tool, top grip for comfortable handling, speed regulation.

XTLINE PROFESSIONAL TOOLS

Main features

- Effective dust extraction
- Comfortable top grip

WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Sound power level (LwA)	92.6 dB
Input power	450 W	Insulation	Protection class II
Speed	6000-13000 rpm	Protection	IPX0
Speed adjustment switch	YES (level 1-6)	Sales packaging	box
Diameter of disc	125 mm	Package includes	sandpaper P80
Eccentricity	2 mm	Weight	1.8 kg
Sound pressure level (LpA)	81.6 dB		

Order No.	Description	Package	Carton	Weight
XT106382	450 W, 125 mm	1	8	2 kg

OSCILLATION SANDER 240 W, 90X182 mm

Oscillation Sander offers a simple velcro-system sandpaper replacement. It consists of Aluminum base and sandpaper clamp. Efficient dust collection system.

XTLINE PROFESSIONAL TOOLS

Main features

- Effective dust extraction
- Easy sand paper replacement due to Velcro system
- Ergonomically designed rubber handle

WOOD STEEL AL

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	240 W	Protection	IPX0
Speed	6000-12000 rpm	Sales packaging	box
Speed adjustment switch	YES (level 1-6)	Package includes	sandpaper P80
Dimension of sanding area	90x182 mm	Weight	1.5 kg
Length of power cord	2 m		
Sound pressure level (LpA)	79.1 dB		
Sound power level (LwA)	90.1 dB		

Order No.	Description	Package	Carton	Weight
XT106245	240 W, 90x182 mm	1	8	1.78 kg

ANGLE GRINDER 1400 W, 125 MM, SPEED CONTROL + 6PCS ATTACHMENT SET

The Angle Grinder with speed regulation is a universal tool due to various attachments for polishing, grinding, cutting, or milling. The attachments allow the use of a single grinder for operations concerning wood, metal, or construction materials. Dust extraction shroud provides safe dust extraction while grinding. The speed control allows you to use the optimum setting for the type of material or work task.

XTLINE PROFESSIONAL TOOLS

Technical parametres

XT105305	**Attachment for pipe sanding 30x533 mm**
XT105306	**Sanding attachments (satinační bruska) 120x50 mm**
XT105307	**Polishing attachments 150 mm**
XT105312	**dust extraction cover for angle grinders 115/125 mm**
XT105315	**Groove milling attachments 125 mm**
XT105319	**Sanding attachments 30x533 mm**

Order No.	Description	Package	Carton	Weight
XT105135	1400 W, 125 mm + 6 attachments	1	6	3 kg

REDUCING RINGS FOR ATTACHMENTS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Compatibility	**XT105305, XT105306, XT105307, XT105312, XT105315, XT105319**

Order No.	Description	Package	Carton	Weight
105135-1		1	1	0 kg

PIPE SANDER EXTENSION 30X533MM (BELT SANDER)

The tool is used for sanding, polishing, or cleaning materials. It offers a wide-angle operation that allows sanding of small components. Fast and easy attachment connection. Maximum sanding angle and large components machining with a diameter up to 180mm.

XTLINE PROFESSIONAL TOOLS

WOOD STEEL AL

Technical parametres

Recommended speed	**1 to 3**	Thread of arbour	**M14**
Dimension of sanding belt	**30x533 mm**	Sales packaging	**box**
Max. grinding diameter	**180 mm**	Weight	**0.9 kg**
Max. grinding angle	**270°**		
Package includes	**reduction rings, handle, key, 3x sanding belt**		

Order No.	Description	Package	Carton	Weight
XT105305	30x533 mm	1	12	1.46 kg
XT105337	Belt Sander for pipes	1	1	4.6 kg

GROOVE MILLING EXTENSION 125 MM (MILLING GRINDER)

The groove milling attachment is suitable for a grinder with an M14 thread. The attachment is very easy to assemble. It provides maximum protection due to the closed cover. The advantage is the ergonomic handle, which ensures easier and more comfortable work during work, quick and easy replacement of discs and nozzles for dust extraction.

XTLINE PROFESSIONAL TOOLS

STONE

Technical parametres

Recommended speed	**4 to 6**	Thread of arbour	**M14**
Diameter of disc	**125 mm**	Sales packaging	**box**
Width of groove	**25 mm**	Weight	**1.1 kg**
Depth of groove	**6-28 mm**		
Package includes	**handle, reduction rings, key**		

Order No.	Description	Package	Carton	Weight
XT105315	125 mm	1	10	1.75 kg
XT105320	Groove Milling Grinder	1	1	5.1 kg

BELT SANDER EXTENSION 30x533 mm / 9X533 mm (BELT SANDER)

The sanding attachment is suitable for a sander with an M14 thread. The attachment is very easy to assemble. The advantage is the quick and easy replacement of the sanding belt and the adjustable arm angle. The narrow arm allows working in tight areas.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Recommended speed	**1 to 3**	Sales packaging	**box**
Dimension of sanding belt	**30x533 / 9x533 mm**	Weight	**0.6 kg**
Thread of arbour	**M14**		
Package includes	**sanding belt 30x533mm (3pcs), 9x533mm (3pcs), reduction rings, handle**		

Order No.	Description	Package	Carton	Weight
XT105319	30x533 mm / 9x533 mm	1	20	1.17 kg
XT105342	Belt Sander	1	1	3 kg

POLISHING EXTENSION 120x50 mm (BRUSH SANDER)

Attachment for grinding and processing various materials. It can be used for structuring, wire brushing, polishing and sanding. The advantage is brought by the ergonomic handle, which ensures easier and more comfortable work when grinding materials.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Recommended speed	**1 to 3**	Sales packaging	**box**
Dimension of cylinder	**120x50 mm**	Package includes	**handle, wire drum, key**
Thread of arbour	**M14**	Weight	**0.5 kg**

Order No.	Description	Package	Carton	Weight
XT105306	120x50 mm	1	16	1.3 kg
XT105345	Wheel Brush Sander	1	1	3 kg

POLISHING EXTENSION 150 mm (ECCENTRIC POLISHER)

The polishing attachment is suitable for a grinder with an M14 thread. The attachment is very simple and easy to assemble.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Recommended speed	**1 to 6**	Thread of arbour	**M14**
Diameter of disc	**150 mm**	Sales packaging	**box**
Eccentricity	**2 mm**	Weight	**0.5 kg**
Package includes	**handle, reduction rings, 3x sandpaper (P80, P100, P120), hex key**		

Order No.	Description	Package	Carton	Weight
XT105307	150 mm	1	20	1.02 kg
XT105325	Eccentric Polisher	1	1	3 kg

SUCTION COVER 115/125 mm (ANGLE GRINDER)

The dust extraction cover is designed for dust-free grinding of concrete floors, wood, metal, etc.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Recommended speed	**4 to 6**	Thread of arbour	**M14**
Diameter of disc	**115/125 mm**	Weight	**0.4 kg**
Package includes	**key, handle, reduction rings, adapter**		

Order No.	Description	Package	Carton	Weight
XT105312	115 / 125 mm	1	20	0.82 kg
XT105140	Angle Grinder with Suction Cover	1	6	3.6 kg

BELT SANDER 1010 W, 75x533 mm

The Belt Sander is used for sanding wood (beams, laths, boards), metal (corrosion removal, metal surfaces). It can be used for area sanding of lacquered, painted, and sealed surfaces. It benefits from the possibility of sandpaper centering. Fast and easy sandpaper replacement by loosening the lock and handle position adjustment using the locking mechanism.

XTLINE PROFESSIONAL TOOLS

Main features

- Easy carbon brush replacement without removing the body cover
- The sand paper centering
- Handle position adjustment locking mechanism
- Speed regulation
- Tiltable front cover for hard-to-reach areas

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	1010 W	Protection	IP20
Speed	120-380 rpm	Vibration	5.07m/s2
Speed adjustment switch	YES (level 1-6)	Sales packaging	box
Dimension of sanding belt	75x533 mm	Package includes	dust bag, 2x clamp, sanding belt (gr. 80)
Sound pressure level (LpA)	90 dB	Weight	3.5 kg
Sound power level (LwA)	101 dB		

Order No.	Description	Package	Carton	Weight
XT106310	1010 W, 75x533 mm	1	4	4.15 kg
106310-76	Set of Clamps (2pcs/pack)	1	1	0.07 kg

MULTI-TOOL 400 W + ACCESSORY KIT

The Oscillating Multi-tool Sander is designed for use in households and workshops. Various attachments allow the use for cutting, sanding, or paint and lacquer removal including hard-to-reach areas. A flat saw blade for splitting materials (wood, drywall, soft metals, etc.) can be fitted at various angles. Possibility to connect a dust extraction system. Speed regulation. Key-less tool replacement (locking mechanism).

XTLINE PROFESSIONAL TOOLS

Main features

- 6-level speed regulation
- Key-less tool replacement (locking mechanism)
- Dust extraction system
- Great choice of attachments

Technical parametres

Voltage	230 V / 50 Hz	Rosemite	3,2°
Input power	400 W	Insulation	Protection class II
Speed	15000-22000 rpm	Protection	IPX0
Speed adjustment switch	YES (level 1-6)	Sales packaging	box
Sound pressure level (LpA)	84 dB	Weight	1.6 kg
Sound power level (LwA)	95 dB		
Package includes	1x semi-round saw blade, 1x flat saw blade, 3x sandpaper (P40, P60, P80)		

Order No.	Description	Package	Carton	Weight
XT106200	400 W + accessories	1	5	2.06 kg

WHEEL BRUSH SANDER 1300 W, 120x100 mm

Optimal sander use due to small handle circumference and its exceptional ergonomic position. The Wheel Brush Sander is used for sanding, polishing, structuring, dulling, and satin finishing. Ideal for work with wood, steel, stainless-steel, non-ferrous metals, and plastics.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	1300 W	Protection	IP20
Speed	900-3200 rpm	Sales packaging	box
Speed adjustment switch	YES (level 1-6)	Other features	speed control
Dimension of cylinder	120x100 mm	Weight	2.8 kg
Arbor diameter	19 mm		
Sound pressure level (LpA)	88 dB		
Sound power level (LwA)	99 dB		
Package includes	HEX key, protection cover		

Order No.	Description	Package	Carton	Weight
XT105350	1300 W, 120x100 mm	1	4	4.26 kg

BELT SANDER FOR PIPES 1300 W, 40x760 mm

A pipe sander is used for grinding, polishing or cleaning materials. The advantage is a wide angle, which enables the grinding of small parts. Clamping the attachment is very easy and fast. Maximum grinding angle and machining of large objects with a diameter of up to 180 mm.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	94.5 dB
Input power	1300 W	Sound power level (LwA)	105 dB
Speed	1100-3200 rpm	Insulation	Protection class II
Speed adjustment switch	YES (level 1-6)	Protection	IP20
Dimension of sanding belt	40x760 mm	Sales packaging	box
Thread of arbour	M14	Weight	3.8 kg
Package includes	3x sanding belt (P120, P100, P80), handle, pair of carbon brushes, key		

Order No.	Description	Package	Carton	Weight
XT105340	1300 W, 40x760 mm	1	4	3.8 kg

DRYWALL SANDER 710 W, 225 mm

The Drywall Sander allows sanding drywall surfaces and boards, lacquered surfaces, and plasters. It benefits from a retractable shaft that allows an extension of the handle and makes the operation easier and more convenient. Rear-positioned motor for proper balance during operation.

XTLINE PROFESSIONAL TOOLS

Main features

- Rear-positioned motor for proper balance during operation
- Flexible hose for dust extraction
- LED work light
- Speed regulation adjustment

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	95 dB
Input power	710 W	Sound power level (LwA)	106 dB
Speed	1000-2000 rpm	Insulation	class protection II
Speed adjustment switch	YES	Protection	IP20
Diameter of disc	225 mm	Sales packaging	box
Length of hose	2 m	Weight	4.6 kg
Total length (L)	1 650 mm		
Package includes	key, pair of carbon brushes, dust extraction hose, 6x sandpaper (2x150, 2x180, 2x240), 2x vacuum adapter		

Order No.	Description	Package	Carton	Weight
XT106322	710 W, 225 mm	1	2	6.3 kg

DRYWALL SANDER + INDUSTRIAL VACUUM CLEANER FOR WET/DRY OPERATION

XTLINE PROFESSIONAL TOOLS

Technical parametres

XT102810	Industrial vacuum cleaner for dry and wet operation 1600 W
XT106322	Drywall sander 225 mm, 710 W

Order No.	Description	Package	Carton	Weight
XT106324	set	1	1	17.6 kg

STRAIGHT GRINDER 170 W + 40PCS ACCESSORY KIT

Small straight face grinder for fine grinding, sanding or polishing of metal, wood, plastics or glass. It is an ideal tool for DIYers or modelers.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Ergonomic shape for safe and comfortable work
- Speed control for versatile use
- Long, flexible spindle

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	170 W	Protection	IPX0
Speed	10000-35000 rpm	Sales packaging	plastic box
Speed adjustment switch	YES (level 1-6)	Weight	0.9 kg
Clamp	2.8 / 3.2 mm		
Sound pressure level (LpA)	75.7 dB		
Sound power level (LwA)	86.7 dB		
Package includes	Grinding body set 40pcs, flexible arbor		

Order No.	Description	Package	Carton	Weight
XT107060	170 W	1	5	1.6 kg

DUAL WHEEL BENCH GRINDER 150 W, 125 mm + 40W FLASHLIGHT

The Dual Bench Grinder with work light for grinding and sharpening operations. A powerful motor ensures continuous grinding and high wheel rotation speed.

XTLINE PROFESSIONAL TOOLS

OCEL AL

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**150 W**	Protection	**IP20**
Speed	**2850 rpm**	Sales packaging	**box**
Dimension of disc	**125x16x12,7 mm**	Weight	**5.5 kg**
Sound pressure level (LpA)	**83.5 dB**		
Sound power level (LwA)	**96.5 dB**		

Order No.	Description	Package	Carton	Weight
XT107125	150 W / 125 mm + lamp 40 W	1	1	5.07 kg

DUAL WHEEL BENCH GRINDER 300 W, 150 mm + 40 W FLASHLIGHT

The Dual Bench Grinder with work light for grinding and sharpening operations. A powerful motor ensures continuous grinding and high wheel rotation speed.

XTLINE PROFESSIONAL TOOLS

OCEL AL

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**300 W**	Protection	**IP20**
Speed	**2980 ot/min**	Sales packaging	**box**
Dimension of disc	**150x20x12,7 mm**	Weight	**8 kg**
Sound pressure level (LpA)	**83.5 dB**		
Sound power level (LwA)	**96.5 dB**		

Order No.	Description	Package	Carton	Weight
XT107150	300 W / 150 mm + lamp 40 W	1	1	7.29 kg

DUAL SLOW WHEEL BENCH GRINDER 250 W, 150 / 200 mm

The Dual Slow Wheel Grinder is designed for blade, scissors, and chisel sharpening. The second wheel with a backrest for grinding. Stable metal body and a water tank with rubber outlet

XTLINE PROFESSIONAL TOOLS

OCEL AL

Technical parametres

Voltage	**230 V / 50 Hz**	Sound power level (LwA)	**96.5 dB**
Input power	**250 W**	Insulation	**Protection class II**
Speed	**134 / 2980 rpm**	Protection	**IP20**
Dimension of small disc	**150x15x12,7 mm**	Sales packaging	**box**
Dimension of large disc	**200x40x20 mm**	Weight	**8.5 kg**
Sound pressure level (LpA)	**83.5 dB**		

Order No.	Description	Package	Carton	Weight
XT107175	250 W	1	1	9.24 kg

DUAL WHEEL BENCH GRINDER 520 W, 200 mm + FLASHLIGHT 3 W

A powerful Dual Wheel Grinder for heavy-duty metal machining and deburring. Its solid construction eliminates the vibration and eccentricity of the wheel. Rough and fine wheel for perfect grinding, sharpening, or edge smoothing.

XTLINE PROFESSIONAL TOOLS

Main features

- **LED work light**
- **Wheel alignment**
- **A powerful motor for heavy-duty machining and deburring**
- **Dustproof switch**

OCEL AL

Technical parametres

Voltage	**230 V / 50 Hz**	Sound pressure level (LpA)	**83 dB**
Input power	**520 W**	Sound power level (LwA)	**96 dB**
Speed	**2950 rpm**	Insulation	**Protection class II**
Dimension of disc	**200x25x16 mm**	Protection	**IP20**
Working light	**3V/3W**	Sales packaging	**box**
Thread of arbour	**M16**	Weight	**18 kg**

Order No.	Description	Package	Carton	Weight
XT107200	520 W, 200 mm + light	1	1	18 kg

CHAINSAW SHARPENER 85 W

Designed for chainsaw sharpening. The steel clamp is controlled by a handle lever that speeds up the operation.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**85 W**	Protection	**IP20**
Speed	**4800 rpm**	Sales packaging	**box**
Dimension of disc	**108x22,2x3,2 mm**	Weight	**2.8 kg**
Angle of grinding	**0° - 35° (left, right)**		
Sound pressure level (LpA)	**83 dB**		
Sound power level (LwA)	**96 dB**		

Order No.	Description	Package	Carton	Weight
XT108802	85 W	1	4	2.92 kg
XT108812	Grinding Disc 108x3.2x23.4 mm	1	100	0.08 kg

SAW BLADE SHARPENER 110 W

Suitable for precise saw blade sharpening. Very durable and reliable grinder. An easy-to-adjust grinding angle ensures an accurate operation.

XTLINE PROFESSIONAL TOOLS

Main features

- **Adjustable angle for precise grinding**
- **Quick and easy clamping**

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**Protection class II**
Input power	**110 W**	Protection	**IP20**
Speed	**5300 rpm**	Sales packaging	**box**
Diameter of disc	**100 mm**	Weight	**5.4 kg**
Diameter of saw blade	**90 - 400 mm**		
Sound pressure level (LpA)	**89 dB**		
Sound power level (LwA)	**102 dB**		

Order No.	Description	Package	Carton	Weight
XT108803	110 W	1	2	5.63 kg
XT108813	Grinding Disc 100x1.3x20 mm	1	100	0.07 kg

DRILL BIT SHARPENER 80 W

Designed for grinding or shaping of drill bit tips. Universal fitting chuck for easy bit adjustment and simple sharpening operation.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Sound pressure level (LpA)	**96 dB**
Input power	**80 W**	Sound power level (LwA)	**102 dB**
Speed	**4800 rpm**	Protection	**IP20**
Diameter of drill bit	**3-13 mm**	Sales packaging	**box**
Drill bit length	**min. 60 mm**	Weight	**2.9 kg**
Angle of drill bit sharpening	**130°**		

Order No.	Description	Package	Carton	Weight
XT108808	80 W	1	4	2.96 kg
XT108818	Grinding Disc 78.8x10x18 mm	1	100	0.16 kg

CIRCULAR SAW 1300 W, 160 mm

The Circular Saw is designed for cutting wood and similar board materials. It is also suitable for cutting plastics and Aluminum profiles.

XTLINE PROFESSIONAL TOOLS

Main features

- Depth-stop and angle adjustment
- Metal cover
- Metal base for cutting stability
- Parallel guide

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	97 dB
Input power	1300 W	Sound power level (LwA)	108 dB
Speed	4700 rpm	Insulation	Protection class II
Capacity of cut 90° / 45°	55 / 35 mm	Protection	IP20
Cutting angle	0°-45°	Sales packaging	box
Diameter of disc	160 mm	Weight	3.5 kg
Soft-start	NO		
Clamping of disc	16 mm		
Package includes	ruler, key, pair of carbons, saw blade		

Order No.	Description	Package	Carton	Weight
XT106160	1300 W, 160 mm	1	4	4.15 kg

CIRCULAR SAW 1380 W, 185 mm

The Circular Saw is designed for cutting wood and similar board materials. It is also suitable for cutting plastics and Aluminum profiles.

XTLINE PROFESSIONAL TOOLS

Main features

- Depth-stop and angle adjustment
- Metal cover
- Metal base for cutting stability
- Parallel guide

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	92.4 dB
Input power	1380 W	Sound power level (LwA)	103.4 dB
Speed	5300 rpm	Insulation	Protection class II
Capacity of cut 90° / 45°	62 / 46 mm	Protection	IP20
Cutting angle	0°-45°	Sales packaging	box
Diameter of disc	185 mm	Weight	4.1 kg
Soft-start	NO		
Clamping of disc	30 mm		
Package includes	pair of carbon brushes, saw blade, guide, key		

Order No.	Description	Package	Carton	Weight
XT106187	1380 W, 185 mm	1	4	4.85 kg

CIRCULAR SAW 1400 W, 190 mm

The Circular Saw is designed for cutting wood and similar board materials. It is also suitable for cutting plastics and Aluminum profiles.

XTLINE PROFESSIONAL TOOLS

Main features

- Depth-stop and angle adjustment
- Metal cover
- Aluminum base for cutting stability
- Parallel guide

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	97 dB
Input power	1400 W	Sound power level (LwA)	108 dB
Speed	4700 rpm	Insulation	Protection class II
Capacity of cut 90° / 45°	63 / 44 mm	Protection	IP20
Cutting angle	0°-45°	Sales packaging	box
Diameter of disc	190 mm	Weight	4.1 kg
Soft-start	YES		
Clamping of disc	20 mm		
Package includes	guide, hex key, pair of carbons, saw blade		

Order No.	Description	Package	Carton	Weight
XT106190	1400 W, 190 mm	1	4	4.97 kg

RECIPROCATING SAW 650 W

The Reciprocating Saw is used for cutting wood, pipes, profiles, etc. Key-less saw blade replacement.

XTLINE PROFESSIONAL TOOLS

Main features

- Saw blade quick-release system
- 5-level speed regulation according to the material type
- Excellent ergonomy and grip

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	650 W	Protection	IP20
Speed	800-3000 rpm	Sales packaging	box
Sound pressure level (LpA)	87 dB	Other features	quick-release system
Sound power level (LwA)	98 dB	Weight	2.7 kg
Max. cutting	wood 115 mm, aluminum 20 mm, steel 10 mm		
Package includes	saw blade for wood and metal, pair of carbon brushes		

Order No.	Description	Package	Carton	Weight
XT106390	650 W	1	5	3.17 kg

SLIDING MITER SAW WITH LASER 1700 W, 210 mm

The Miter Saw is suitable for cutting wood, tiling boards, plastics, and non-ferrous metals. A practical cutting line marked by the laser feature. Very compact design for easy transport and storage. The saw offers smooth cutting operation due to a powerful high-speed motor. Extra work safety and comfort are provided by wide support handles.

XTLINE PROFESSIONAL TOOLS

Main features

- Low weight
- Compact storage size
- Practical handle for transport

Laser guide for more precise cutting

LASER WOOD AL

Technical parametres

Voltage	230 V / 50 Hz	Soft-start	NO
Input power	1700W	Clamping of disc	30 mm
Speed	4500 ot/min	Sound pressure level (LpA)	105.9 dB
Capacity of cut 90° / 90°	230x60 mm	Sound power level (LwA)	118.9 dB
Capacity of cut 90° / 45°	230x35 mm	Insulation	Protection class II
Capacity of cut 45° / 90°	155x60 mm	Protection	IP20
Capacity of cut 45° / 45°	155x35 mm	Sales packaging	box
Cutting angle	0°-45°	Weight	9.5 kg
Diameter of disc	210 mm		
Package includes	key, saw blade, dust bag		

Order No.	Description	Package	Carton	Weight
XT106210	1700 W, 210 mm	1	1	11.2 kg

SLIDING MITER SAW WITH LASER 2000 W, 255 mm

The Sliding Miter Saw is suitable for cutting wood, tiling boards, plastics, and non-ferrous metals. A practical cutting line marked by the laser feature. Very compact design for easy transport and storage. The saw offers smooth cutting operation due to a powerful high-speed motor. Possibility to position the machine right next to the wall.

XTLINE PROFESSIONAL TOOLS

Main features

- Possibility to work close to the wall
- Compact storage size

Compact size when folded

Laser guide for more precise cutting

LASER WOOD AL

Technical parametres

Voltage	230 V / 50 Hz	Soft-start	NO
Input power	2000 W	Clamping of disc	30 mm
Speed	4500 rpm	Sound pressure level (LpA)	99 dB
Capacity of cut 90° / 90°	305x90 mm	Sound power level (LwA)	110 dB
Capacity of cut 90° / 45°	305x56 mm	Insulation	Protection class II
Capacity of cut 45° / 90°	210x90 mm	Protection	IP20
Capacity of cut 45° / 45°	210x56 mm	Sales packaging	box
Cutting angle	0-45°	Weight	15.5 kg
Diameter of disc	255 mm		
Package includes	key, saw blade, dust bag		

Order No.	Description	Package	Carton	Weight
XT106255	2000 W, 255 mm	1	1	17 kg

SLIDING MITER SAW WITH LASER 2200 W, 255 MM

The Sliding Miter Saw is suitable for cutting wood, tiling boards, plastics, and non-ferrous metals. The saw offers smooth cutting operation due to a powerful high-speed motor. Extra work safety and comfort are provided by wide support handles.

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- Soft-start function
- Powerful motor

Laser guide for more precise cutting

LASER WOOD AL

Technical parametres

Voltage	**230 V / 50 Hz**	Soft-start	**YES**
Input power	**2200 W**	Clamping of disc	**30 mm**
Speed	**5000 rpm**	Sound pressure level (LpA)	**92 dB**
Capacity of cut 90° / 90°	**305x70 mm**	Sound power level (LwA)	**105 dB**
Capacity of cut 90° / 45°	**200x70 mm**	Insulation	**Protection class II**
Capacity of cut 45° / 90°	**305x43 mm**	Protection	**IP20**
Capacity of cut 45° / 45°	**200x43 mm**	Sales packaging	**box**
Cutting angle	**0-45°**	Weight	**15.5 kg**
Diameter of disc	**255 mm**		
Package includes	**key, pair of carbon brushes, dust bag, clamp, saw blade**		

Order No.	Description	Package	Carton	Weight
XT106260	2200 W, 255 mm	1	1	16.6 kg

SLIDING MITER SAW WITH LASER 2000 W, 305 MM

The Sliding Miter Saw is suitable for cutting wood, tiling boards, plastics, and non-ferrous metals. Unlike direct drive saw types, the belt drive design is much more gentle to the motor itself.

XTLINE PROFESSIONAL TOOLS

Main features

- Belt drive
- Large and robust miter table

Laser guide for more precise cutting

LASER LED WOOD AL

Technical parametres

Voltage	**230 V / 50 Hz**	Soft-start	**NO**
Input power	**2000 W**	Mount bolt spacing	**47x29 cm**
Speed	**4500 ot/min**	Clamping of disc	**30 mm**
Capacity of cut 90° / 90°	**340x120 mm**	Sound pressure level (LpA)	**92 dB**
Capacity of cut 90° / 45°	**340x48 mm (left) / 340x40 mm (right)**	Sound power level (LwA)	**105 dB**
Capacity of cut 45° / 90°	**235x120 mm**	Insulation	**Protection class II**
Capacity of cut 45° / 45°	**235x48 mm (left) / 235x40 mm (right)**	Protection	**IP20**
Cutting angle	**-45° / +45°**	Sales packaging	**box**
Diameter of disc	**305 mm**	Weight	**19.5 kg**
Package includes	**pair of carbon brushes, saw blade, dust bag, clamp, 2x table expansion, hex key**		

Order No.	Description	Package	Carton	Weight
XT106305	2000 W, 305 mm	1	1	23.1 kg

JIG SAW 750 W

The Jig Saw for cutting wood, chipboard, and metal. The possibility of a pendulum action adjustment and adaptation to the speed and method of cutting. Fast and key-less saw blade replacement.

XTLINE PROFESSIONAL TOOLS

Main features

- Saw blade quick-release system
- 6-level speed regulation according to the material type
- Pendulum action
- Palm grip ergonomy
- Dust extraction system
- Angle cutting
- Coated base to protect the workpiece

Technical parametres

Voltage	230 V / 50 Hz	Clamping	T
Input power	750 W	Sound pressure level (LpA)	88.6 dB
Speed	600-2900 rpm	Sound power level (LwA)	99.6 dB
Speed adjustment switch	YES (level 1-6)	Insulation	Protection class II
Max. cutting	wood 120 mm, steel 10 mm	Protection	IP20
Cutting angle	0°-45°	Sales packaging	box
Pendulum level	3	Weight	2.8 kg
Other features	quick-release system, speed regulation		
Package includes	guide, dust extraction adapter, wood and metal saw blade		

Order No.	Description	Package	Carton	Weight
XT106368	750 W	1	6	3.4 kg

JIG SAW 600 W

The Jig Saw for cutting wood, chipboard, and metal. The possibility of a pendulum action adjustment and adaptation to the speed and method of cutting. Fast and key-less saw blade replacement.

XTLINE PROFESSIONAL TOOLS

Main features

- Saw blade quick-release system
- Excellent ergonomic and grip
- Dust extraction system
- Pendulum action
- Angle cutting
- Coated base to protect the workpiece

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	90 dB
Input power	600 W	Sound power level (LwA)	101 dB
Speed	500-2500 rpm	Insulation	Protection class II
Speed adjustment switch	YES (level 1-6)	Protection	IP20
Max. cutting	wood 130 mm, metal 10 mm, aluminum 30 mm	Sales packaging	plastic box
Cutting angle	0°-45°	Weight	3 kg
Pendulum level	3		
Clamping	T		
Other features	quick-release system, speed regulation		
Package includes	guide, 2x saw blade, pair of carbon brushes, dust extraction adapter		

Order No.	Description	Package	Carton	Weight
XT106360	600 W	1	5	4.48 kg

JIG SAW 550 W

The Jig Saw for cutting wood, chipboard, and metal. The possibility of a pendulum action adjustment and adaptation to the speed and method of cutting. Fast and key-less saw blade replacement.

XTLINE PROFESSIONAL TOOLS

Main features

- Saw blade quick-release system
- 6-level speed regulation according to the material type
- Pendulum action
- Excellent ergonomy and grip
- Dust extraction systém

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	80.9 dB
Input power	550 W	Sound power level (LwA)	91.9 dB
Speed	800-2600 rpm	Insulation	Protection class II
Speed adjustment switch	YES (level 1-6)	Protection	IP20
Max. cutting	wood 65 mm, aluminum 12 mm, steel 6 mm	Sales packaging	box
Cutting angle	0°-45°	Weight	2.1 kg
Pendulum level	3		
Clamping	T		
Other features	quick-release system, speed regulation		
Package includes	dust extraction dapter, guide		

Order No.	Description	Package	Carton	Weight
XT106365	550 W	1	5	2.1 kg

PLANER 750 W

The Planer is designed for woodworking. The cutting depth adjustment up to 3 mm based on the type of material. An 18mm cutting depth guarantees universality when cutting grooves and edges.

XTLINE PROFESSIONAL TOOLS

Main features

- Softened handle for comfortable operation
- 13-position depth adjustment for precise material removal
- Two-sided dust extraction system
- Accidental start-up switch protection
- A practical stand allows workpiece planing in a static position
- Foot for safe storage of the planer

Technical parametres

Voltage	230 V / 50 Hz	Dimension of knife	82x3 mm
Input power	750 W	Sound pressure level (LpA)	84 dB
Speed	17000 rpm	Sound power level (LwA)	95 dB
Adjustable material removal	0-3 mm	Insulation	Protection class II
Width of planing	82 mm	Protection	IP20
Width of V-groove	8 mm	Sales packaging	box
Depth of semi-groove	0-18 mm	Weight	3 kg
Other features	dust extraction adjustable in both directions		
Package includes	blade guard, base stand, baseplate, guide		

Order No.	Description	Package	Carton	Weight
XT106372	750 W	1	4	4.75 kg
XT106373	spare knife 82x3 mm	1	1	0.2 kg

MULTIFUNCTIONAL TRIM ROUTER 710 W

The Trim Router is designed for cutting profiles, edges, and various wood holes based on the shape of the router bit. The tool is compatible with router bit shanks with a diameter of 6 / 8mm. The Trimmer is equipped with the plunge base with the depth-stop and allows a precise adjustment in the range of tenths of a millimeter.

XTLINE PROFESSIONAL TOOLS

Main features

- Easy collet replacement
- Speed regulation
- Dust extraction system
- Practical textile bag

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	92 dB
Input power	710 W	Sound power level (LwA)	103 dB
Speed	13000-33000 rpm	Insulation	Protection class II
Speed adjustment switch	YES (level 1-6)	Protection	IP20
Clamp	6/8 mm	Sales packaging	box
Length of power cord	2.7 m	Weight (without accessories)	1.8 kg
Max. depth plunge	20 mm (standard), 35 mm (plunge)		
Package includes	3x various base (plunge, standard a off-set), pair of carbon brushes, dust extraction adapters; trimming guide, parallel guide, copy ring, key, bag		

Order No.	Description	Package	Carton	Weight
XT106400	710 W	1	4	5.4 kg

Order No.	Description	Package	Carton	Weight
106400-45+43+44	set 3pcs	1	x	0.9 kg

ROUTER 1200 W

A powerful Router with a very compact design and simple controls is designed for cutting profiles, edges, and holes based on the shape of the router bit. Compatible with router bit shanks with a diameter of 8/12 mm.

XTLINE PROFESSIONAL TOOLS

Main features

- Easy carbon brush replacement without removing the body cover
- The sand paper centering
- Handle position adjustment locking mechanism
- Speed regulation
- Tiltable front cover for hard-to-reach areas

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	87.9 dB
Input power	1200 W	Sound power level (LwA)	93.5 dB
Speed	16000-30000 rpm	Insulation	Protection class II
Speed adjustment switch	YES (level 1-6)	Protection	IP20
Clamp	8/12 mm	Sales packaging	box
Max. depth plunge	55 mm	Weight	4.5 kg
Package includes	collet 8/12 mm, guide, key, dust extraction adapter, copy ring, pair of carbon brushes		

Order No.	Description	Package	Carton	Weight
XT106395	1200 W	1	4	4.47 kg

SHEET METAL SHEARS 600 W

The Sheet Metal Shears are used for fast, chipless cutting and trimming of full or perforated steel and metal sheets made of non-ferrous metals. The tool allows fast and precise metal sheet cuts up to the thickness of 1.6mm.

XTLINE PROFESSIONAL TOOLS

Main features

- Sheet metal cutting - thickness of up to 1.6mm
- Interchangeable blade

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	600 W	Protection	IP20
Speed	4500 ot/min	Sales packaging	box
Max. cutting	1,6 mm	Package includes	pair of carbon brushes, hex key
Sound pressure level (LpA)	78.9 dB	Weight	2 kg
Sound power level (LwA)	89.9 dB		

Order No.	Description	Package	Carton	Weight
XT106335	600 W	1	10	2.1 kg

INVERTER WELDER 160 A

The Inverter Welder is suitable for use either at home or in production. It is equipped with an LCD display that makes the operation more convenient. Its best features are continuous regulation and a high maximum current of 160A.

XTLINE PROFESSIONAL TOOLS

Main features

- The low weight makes the tool transport easier
- Automatic overvoltage, undervoltage, overheating protection
- Suitable for basic electrodes

Technical parametres

Voltage	230 V / 50 Hz	Length of cable	1.2 m + 2 m
Input power	5300 W	Insulation	Protection class S
Welding current	10-160 A	Protection	IP21
Diameter of electrodes	1.6-4 mm	Sales packaging	box
Max. electrical current	160 A	Weight	4 kg
Type of electrode	basic		
MMA load (40°C)	71 A - 100% / 92 A - 60% / 160 A - 20%		
Package includes	electrode holder, welding cables, hammer brush, welding helmet, welding filter		

Order No.	Description	Package	Carton	Weight
XT103160	160 A	1	1	5.04 kg

POLYFUSION WELDER 800 W + ACCESSORY KIT, BOX

The Polyfusion blade welder for welding of pipes of all kinds of thermoplastic materials with a diameter of up to 63mm. The attachments are equipped with a non-stick Teflon surface. The possible temperature adjustment of 0 to 300°C within 15 minutes. Indication of reaching the optimal work temperature and On/Off status.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	230 V / 50 Hz	Protection	IPX4
Input power	800 W	Sales packaging	box
Temperature	0 - 300°C	Other features	temperature regulation
Preheating time	<15 min.	Package includes	adapters, case, stand
Extensions	20, 25, 32, 40, 50, 63 mm	Weight	3.4 kg

Order No.	Description	Package	Carton	Weight
XT101001	800 W, extensions 20-63 mm	1	5	3.45 kg

POLYFUSION WELDER 800 W + ACCESSORY KIT + BOX

The Polyfusion blade welder for welding of pipes of all kinds of thermoplastic materials with a diameter of up to 32mm. The attachments are equipped with a non-stick Teflon surface. The possible temperature adjustment of 0 to 300°C within 15 minutes. Indication of reaching the optimal work temperature and On/Off status.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class I
Input power	800 W	Protection	IPX4
Temperature	0 - 300 °C	Sales packaging	box
Preheating time	<15 min.	Package includes	adapters, case
Extensions	16,20,25,32 mm	Weight	3.4 kg

Order No.	Description	Package	Carton	Weight
XT103001	800 W, extensions 16-32 mm	1	10	2.33 kg

POLYFUSION WELDER ADAPTER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT101020	20 mm	1	5	0.04 kg
XT101025	25 mm	1	1	0.05 kg
XT101032	32 mm	1	1	0.09 kg
XT101040	40 mm	1	1	0.13 kg
XT101050	50 mm	1	1	0.18 kg
XT101063	63 mm	1	1	0.26 kg

POLYFUSION WELDER ADAPTER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT103016	16 mm	1	1	0.07 kg
XT103020	20 mm	1	1	0.08 kg
XT103025	25 mm	1	1	0.15 kg
XT103032	32 mm	1	1	0.2 kg

HEAT GUN 2000 W + 5PCS ACCESSORY KIT

The Heat Gun is used for old paint and lacquer removal, shaping, and soldering using hot air. Various attachments for effective and easy manipulation are included.

XTLINE PROFESSIONAL TOOLS

DEGREE 1: 50°C; 500 l/min
- machine cooling before shutdown
- cooling of hot attachments

STAGE 2: 450°C; 250 l/min
- drying of paints, sealants, adhesives
- removing stickers
- waxing
- pipe insulation
- defrosting door locks, water pipes

STAGE 3: 600°C; 500 l/min
- welding of thermoplastic polymers, PVC flooring and linoleum and foils
- bending plastic pipes
- soldering plumbing connections, tin and cable terminals
- release of corroded or tightly tightened screws
- paint and varnish removal

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	2000 W	Protection	IPX0
Temperature of air	50 / 450 / 600°C	Package includes	1x scraper, 4x nozzle, case
Air stream	500 / 250 / 500 l/min	Weight	1.0 kg

Order No.	Description	Package	Carton	Weight
XT106220	2000 W, plastic box	1	5	1.93 kg

HEAT GUN WITH ELECTRONIC REGULATION 2000W, 5PCS ACCESSORY KIT, BOX

The Heat Gun with an LCD display to show the current temperature. Two positions to choose from to adjust the optimal temperature of either 50° or 50-650°C. Electronically controlled set-up using the +/- buttons ensures reaching the precise work temperature. The Heat Gun is suitable for welding plastics.

XTLINE PROFESSIONAL TOOLS

- **50°- 650°C**
- **250 - 500 l/min**

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	2000 W	Protection	IPX0
Temperature of air	50-650 °C	Package includes	4x nozzle, 1x scraper, case
Air stream	250-500 l/min	Weight	1.0 kg

Order No.	Description	Package	Carton	Weight
XT106230	2000 W, plastic box	1	5	1.98 kg

GLUE GUN 100 W

The electric hot glue gun is used for gluing and joining wood, cardboard, plastics, ceramics, cork, leather, etc. An irreplaceable helper in the workshop, home, decorations, arrangements and many more.

XTLINE PROFESSIONAL TOOLS

Main features
- Anti-dripping function
- Safety fuse

On/off switch

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	100 W	Protection	IP20
Diameter of stick	11 mm	Sales packaging	blister
Preheating time	3 - 5 min.	Package includes	tiltable stand
Operating temperature	200°C	Weight	0.3 kg

Order No.	Description	Package	Carton	Weight
XT10910	100 W, diameter of the stick 11 mm	6	36	0.29 kg

GLUE GUN WITH TEMPERATURE REGULATION 150 W

XTLINE PROFESSIONAL TOOLS

Main features
- Anti-dripping function
- Safety fuse

Temperature control settings

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	150 W	Protection	IP20
Diameter of stick	11 mm	Sales packaging	blister
Preheating time	3 - 5 min.	Other features	temperature regulation
Operating temperature	100-220°C	Package includes	tiltable stand
Temperature regulation	YES	Weight	400 g

Order No.	Description	Package	Carton	Weight
XT10916	150 W, diameter of the stick 11 mm	6	30	0.42 kg

CORDLESS GLUE GUN 15 W

Cordless Glue Gun is designed for glue-ups and binding of wood, cardboard, plastics, ceramics, cork, leather, etc. Irreplaceable tool in workshops, households, decoration jobs, etc. Li-ion battery allows charging without decreasing the battery lifespan. The main feature is working without using the cord because the tool is equipped with a charging base that also serves as a gun holder. It starts the charging process in the moment the tool is placed in.

XTLINE PROFESSIONAL TOOLS

NEW

Main features
- LED indication
- No power cord
- Charger stand

Technical parametres

Voltage	3.7 V	Output voltage	5 V
Input power	15 W	Charging current	2 A
Diameter of stick	7 mm	Operating temperature	200 °C
Preheating time	1 min.	Protection	IP20
Working time	90 min.	Weight	180 g
Charging time	2 h		
Package includes	2x glue sticks, dripping pad, charging stand, USB cable		

Order No.	Description	Package	Carton	Weight
XT10918	15 W, carton box	1	24	0.34 kg

TRANSFORMER SOLDERING GUN 150 W

The Soldering Gun is used for easy soldering of electrical circuits and other soldering activities. The soldering tin is with lead admixture.

XTLINE PROFESSIONAL TOOLS

Main features
- Low weight
- Accessories

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Protection	IP20
Input power	150 W	Sales packaging	blister
Max. soldering time	12 s	Package includes	rosin, soldering tips
Operating temperature	200°C	Weight	0.6 kg
Integrated light	6V/3W	Intermittent operation	48 s
Insulation	Protection class II		

Order No.	Description	Package	Carton	Weight
XT10930	150 W	6	12	0.75 kg

GLUE GUN 40 W

XTLINE PROFESSIONAL TOOLS

Main features
- Small size
- Easy operation

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	40 W	Protection	IP20
Diameter of stick	11 mm	Sales packaging	blister
Preheating time	3 - 5 min.	Package includes	2 glue sticks
Operating temperature	200°C	Weight	0.3 kg

Order No.	Description	Package	Carton	Weight
XT10906	40 W, diameter of the stick 11 mm	6	24	0.26 kg

GLUE GUN 10 W

XTLINE PROFESSIONAL TOOLS

Main features
- Small size
- Easy operation

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Insulation	Protection class II
Input power	10 W	Protection	IP20
Diameter of stick	7 mm	Sales packaging	blister
Preheating time	3 - 5 min.	Package includes	2 glue sticks
Operating temperature	200°C	Weight	0.2 kg

Order No.	Description	Package	Carton	Weight
XT10905	10 W, diameter of the stick 7 mm	6	24	0.16 kg

GLUE GUN 80 W

XTLINE PROFESSIONAL TOOLS

Main features
- Electronic preheating system
- Ergonomic handle
- Safety cover for glue stick

BLISTER

Technical parametres

Voltage	230 V / 50 Hz	Protection	IP20
Input power	80 W	Sales packaging	blister
Diameter of stick	10 mm	Package includes	2 glue sticks
Operating temperature	200°C	Weight	340 g
Insulation	Protection class II		

Order No.	Description	Package	Carton	Weight
XT10929	80 W, diameter of the stick 11 mm	6	12	0.34 kg

GLUE GUN STICKS COLORED, GLITter

XTLINE PROFESSIONAL TOOLS

Melting temperature 82 - 185°C, material EVA - ethylene vinyl acetate, color: colored glitter

Order No.	Description	Package	Carton	Weight
XT10801	7.0x100 mm (pack/12pcs)	12	144	0.06 kg
XT10802	11x100 mm (pack/12pcs)	12	144	0.13 kg

GLUE GUN STICKS COLORED

XTLINE PROFESSIONAL TOOLS

Melting temperature 82 - 185°C, material EVA - ethylene vinyl acetate, color: colored

Order No.	Description	Package	Carton	Weight
XT10803	7.0x100 mm (pack/12pcs)	12	144	0.06 kg
XT10804	11x100 mm (pack/12pcs)	12	144	0.13 kg

GLUE GUN STICKS BLACK

XTLINE PROFESSIONAL TOOLS

Melting point 82 - 185°C, material EVA - ethylene vinyl acetate, color: black

Order No.	Description	Package	Carton	Weight
XT10805	7.0x100 mm (pack/12pcs)	12	144	0.06 kg
XT10806	11x100 mm (pack/12pcs)	12	144	0.13 kg

GLUE GUN STICKS BLACK

XTLINE PROFESSIONAL TOOLS

Melting point 82 - 185°C, material EVA - ethylene vinyl acetate, color: black

Order No.	Description	Package	Carton	Weight
XT10807	11x200 mm (1kg)	1	20	1.03 kg

GLUE GUN STICKS TRANSPARENT

XTLINE PROFESSIONAL TOOLS



Teplota tavení 82 - 185°C, materiál EVA - etylenovinylacetat, barva: transparetní

Order No.	Description	Package	Carton	Weight
XT10901	7x100 mm, (pack/12pcs)	12	144	0.06 kg
XT10902	7x300 mm, (pack/20pcs)	12	72	0.23 kg

GLUE GUN STICKS TRANSPARENT

XTLINE PROFESSIONAL TOOLS

Melting temperature 82 - 185°C, material EVA - ethylene vinyl acetate, color: transparent

Order No.	Description	Package	Carton	Weight
XT10904	7.0x300 mm, (1 kg)	1	20	1.03 kg
XT10907	11x300 mm, (1 kg)	1	20	1.07 kg

GLUE GUN STICKS TRANSPARENT

XTLINE PROFESSIONAL TOOLS





Melting temperature 82 - 185°C, material EVA - ethylene vinyl acetate, color: transparent

Order No.	Description	Package	Carton	Weight
XT10903	11x300 mm, (pack/10pcs)	12	72	0.29 kg

SPARE SOLDERING TIN 1 mm / 200 g

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19932	Spare Soldering Tin 1 mm / 200 g	40	120	0.2 kg

OIL-FREE COMPRESSOR 1100 W + 8PCS ACCESSORY KIT

The Oil-free Air Compressor is suitable for inflating bicycle tires, car tires, air mattresses and toys, sports equipment, and beach accessories, such as balls, and boats. The machine is equipped with a three-meter, quick-release air hose.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Insulation	**protection class II**
Input power	**1100 W**	Protection	**IP20**
Speed	**3 550 rpm**	Sales packaging	**box**
Max. pressure	**8 bar**	Package includes	**Pressure gauge, adapters, attachments**
Power of suction	**180 l/min**	Weight	**6 kg**
Sound pressure level (LpA)	**86 dB**		
Sound power level (LwA)	**97 dB**		

Order No.	Description	Package	Carton	Weight
XT2011	oil-free 1100 W	1	2	6.3 kg

OIL-FREE AIR COMPRESSOR 900 W, 6 L

The Oil-free Air Compressor is very quiet, light and easy to transport. The Compressor is designed for service works (blowing of computer impurities, electric wiring), housework (inflating of balls, tires, stapling, spraying).

XTLINE PROFESSIONAL TOOLS

NEW

Main features

- **Low vibration**
- **Low noise level**
- **Maintenance-free operation**
- **Faster performance**
- **Pressure regulation**

Technical parametres

Voltage	**230 V / 50 Hz**	Sound power level (LwA)	**80 dB**
Input power	**900 W**	Insulation	**Protection class II**
Speed	**2800 rpm**	Protection	**IP54**
Volume of vessel	**6 l**	Dimension of product	**420x160x480 mm**
Max. pressure	**8 bar**	Sales packaging	**box**
Air flow power	**60l/min (8 bar)**	Weight	**12.6 kg**
Output of air	**1/4"**		

Order No.	Description	Package	Carton	Weight
XT2008	oil-free 900 W	1	1	13.1 kg

OIL-FREE AIR COMPRESSOR 1450 W, 24 L

The Oil-free Air Compressor is suitable for inflating bicycle tires, car tires, air mattresses and toys, sports equipment, and beach accessories, such as balls, and boats.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	**230 V / 50 Hz**	Output of air	**1/4"**
Input power	**1450 W**	Sound pressure level (LpA)	**80 dB**
Speed	**3400 rpm**	Sound power level (LwA)	**90 dB**
Volume of vessel	**24 l**	Insulation	**class protection II**
Max. pressure	**8 bar**	Protection	**IP54**
Air flow power	**95 l/min (8 bar), 140 l/min (4 bar)**	Weight	**21 kg**

Order No.	Description	Package	Carton	Weight
XT2024	oil-free 1450 W, 24 l	1	1	21.5 kg

OIL-FREE AIR COMPRESOR 2x1450 W, 50 L

Oil-free compressor for quiet and maintenance-free operation with compressed air suitable for driving heavy-duty pneumatic tools, operation in the workshop or around the house, inflating tyres, inflatable equipment, in the food or pharmaceutical industry, etc. Easy handling thanks to the running wheels and handle. Damping foot to prevent vibration transmission.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	**230 V / 50 Hz**	Output of air	**1/4"**
Input power	**2x1450 W**	Sound pressure level (LpA)	**80 dB**
Speed	**2800 rpm**	Insulation	**class protection II**
Volume of vessel	**50 l**	Protection	**IP54**
Max. pressure	**8 bar**	Sales packaging	**box**
Air flow power	**190 l/min (8 bar), 280 l/min (4 bar)**	Weight	**40 kg**

Order No.	Description	Package	Carton	Weight
XT2050	oil-free 1450 W, 50 l	1	1	40 kg

OIL COMPRESSOR 1500 W, 24 L

The Oil Air Compressor for compressed air production with the maximum pressure of 8 bar to supply pneumatic tools, spray guns, inflating of tires, etc. A versatile helper in the home and in the workshop.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Manometers	**2**
Input power	**1500 W**	Sound pressure level (LpA)	**69.6 dB**
Speed	**2850 rpm**	Sound power level (LwA)	**89.6 dB**
Volume of container	**24 l**	Insulation	**Protection class II**
Max. pressure	**8 bar**	Protection	**IP20**
Power of suction	**187 l/min**	Sales packaging	**box**
Air flow power	**125 l/min**	Weight	**23 kg**

Order No.	Description	Package	Carton	Weight
XT2002	single piston oil driven 1500 W	1	1	23.8 kg

OIL COMPRESSOR 2200 W, 50 L

The Dual Valve Oil Air Compressor for compressed air production with the maximum pressure of 8 bar to supply pneumatic tools, spray guns, inflating of tires, etc. The oil-lubricated pump extends the service life even when frequently used. Two valves ensure a higher performance. The 50L volume provides a high liter performance.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Manometers	**2**
Input power	**2200 W**	Sound pressure level (LpA)	**69.6 dB**
Speed	**2850 rpm**	Sound power level (LwA)	**89.6 dB**
Volume of vessel	**50 l**	Insulation	**Protection class II**
Max. pressure	**8 bar**	Protection	**IP20**
Power of suction	**250 l/min**	Sales packaging	**box**
Air flow power	**162 l/min**	Weight	**39 kg**

Order No.	Description	Package	Carton	Weight
XT2004	two-piston oil-fired 2200 W	1	1	41.6 kg

OIL COMPRESSOR 1500 W, 24 L

The Oil Air Compressor for compressed air production with the maximum pressure of 8 bar to supply pneumatic tools, spray guns, inflating of tires, etc. A versatile helper in the home and in the workshop.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	**230 V / 50 Hz**	Manometers	**2**
Input power	**1500 W**	Sound power level (LwA)	**93 dB**
Speed	**2850 rpm**	Insulation	**Protection class II**
Volume of container	**24 l**	Protection	**IP20**
Max. pressure	**8 bar**	Sales packaging	**box**
Power of suction	**114 l/min (4 bar) / 83 l/min (8 bar)**	Weight	**23 kg**
Air flow power	**186 l/min**		

Order No.	Description	Package	Carton	Weight
XT2003	single piston oil driven 1500 W	1	1	24 kg

OIL COMPRESSOR 2200 W, 50 L

The Dual Valve Oil Air Compressor for compressed air production with the maximum pressure of 8 bar to supply pneumatic tools, spray guns, inflating of tires, etc. The oil-lubricated pump extends the service life even when frequently used. Two valves ensure a higher performance. The 50L volume provides a high liter performance.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	**230 V / 50 Hz**	Manometers	**2**
Input power	**2200 W**	Sound power level (LwA)	**95 dB**
Speed	**2850 rpm**	Insulation	**Protection class II**
Volume of vessel	**50 l**	Protection	**IP20**
Max. pressure	**8 bar**	Sales packaging	**box**
Power of suction	**324 l/min**	Weight	**40,5 kg**
Air flow power	**200 l/min (4 bar) / 146 l/min (8 bar)**	Weight	**39 kg**

Order No.	Description	Package	Carton	Weight
XT2005	two-piston oil-fired 2200 W	1	1	40.5 kg

INDUSTRIAL VACUUM CLEANER FOR DRY AND WET OPERATION 1400 W + ACCESSORIES

The Vacuum Cleaner is designed for vacuuming rough impurities in workshops, fine dust in households, or water in cellars. A flexible operation in hard-to-reach areas guaranteed.

XTLINE PROFESSIONAL TOOLS

Main features

- The product includes a large number of accessories
- Possibility of the dry and wet vacuuming
- Possibility of extracting dustfrom power tools
- Low weight

accessories | hose 3m | CORD 3m

Technical parametres

Voltage	**230 V / 50 Hz**	Length of power cord	**3 m**
Input power	**1400 W**	Sound power level (LwA)	**87 dB**
Volume of vessel	**20 l**	Insulation	**Protection class II**
Length of hose	**3 m**	Protection	**IPX4**
Power of suction	**58 l/s**	Sales packaging	**box**
Clamping hole to hose	**56 mm**	Weight	**4 kg**
Package includes	**telescopic metal tube, floor nozzle, paper bag, slot nozzle, power tool adapter, hepa filter, soft foam filter, wheels - 4pcs**		

Order No.	Description	Package	Carton	Weight
XT102819	1400 W, carton box	1	1	7.52 kg

XT1028B01

XT1028B03

XT1028B02

XT1028F01

XT1028B12

XT1028F04

XT1028F11

XT1028B09

XT1028H01

XT1028F13

XT1028P04

XT1028P07

Order No.	Description	Package	Carton	Weight
XT1028B01	Parquet nozzle for XT102819	1	1	0.25 kg
XT1028B02	Floor nozzle for XT102819	1	1	0.5 kg
XT1028B03	Wheels for XT102819, 4pcs	1	1	0.2 kg
XT1028B09	Slot tube for XT102819	1	1	0.2 kg
XT1028B12	Power tool adaptor for XT102819	1	1	0.2 kg
XT1028F01	Paper bag for XT102819, 5pcs	1	1	0.2 kg
XT1028F04	Textile bag for XT102819	1	1	0.2 kg
XT1028F11	Hepa filter for XT102819	1	1	0.2 kg
XT1028F13	Foam filter for XT102819	1	1	0.2 kg
XT1028H01	Plastic hose 3 m for XT102819	1	1	0.5 kg
XT1028P04	Metal tube for XT102819	1	1	0.5 kg
XT1028P07	Telescopic metal tube XT102819	1	1	0.5 kg

INDUSTRIAL VACUUM CLEANER FOR DRY AND WET OPERATION 1600 W + ACCESSORIES

The Vacuum Cleaner is designed for wet and dry vacuuming of rough impurities in workshops, fine dust in households, or water in cellars. A flexible operation in hard-to-reach areas guaranteed. It is also fairly mobile due to a pair of universal wheels on the front and back.

XTLINE PROFESSIONAL TOOLS

Main features

- Possibility of extracting dust from power tools
- Switch for regulating suction power
- Input for dry vacuuming to the bag
- Input for wet vacuuming to the container
- Sophisticated filter system

XT10281G7

XT10281A0

XT10281B1

XT10281B3

XT10281C2

XT10281D4

XT10281E5

XT10281F6

XT10281L9

XT10281H8

Technical parametres

Voltage	**230 V / 50 Hz**	Length of power cord	**4 m**
Input power	**1600 W (max. 2000 W for socket)**	Sound pressure level (LpA)	**80 dB**
Volume of vessel	**30 l**	Sound power level (LwA)	**85 dB**
Length of hose	**3 m**	Insulation	**Protection class II**
Air flow	**55.5 l/s**	Protection	**IPX4**
Suction power	**19 kPa**	Sales packaging	**box**
Package includes	**floor bozzle, connector, adapter, hepa a dust filter, slot nozzle, round brush, fabric bag**		

Order No.	Description	Package	Carton	Weight
XT102810	1600 W, carton box	1	1	16.36 kg

Order No.	Description	Package	Carton	Weight
XT10281A0	Hepa filter for XT102810	1	1	0.15 kg
XT10281B1	Dust filter for XT102810	1	1	0.15 kg
XT10281B3	Round brush 32mm for XT102810	1	1	0.03 kg
XT10281C2	Adapter for XT102810	1	1	0.04 kg
XT10281D4	Plastic hose for XT102810	1	1	0.6 kg
XT10281E5	Connector for XT102810	1	1	0.02 kg
XT10281F6	Slotted tube for XT102810	1	1	0.04 kg
XT10281G7	Telescopic metal tube for XT102810	1	1	0.4 kg
XT10281H8	Textile bag for XT102810	2	2	0.11 kg
XT10281L9	Floor nozzle for XT102810	1	1	0.3 kg

CONCRETE MIXER - DISASSEMBLED

The Concrete Mixer is used for mixing construction mixtures, grouts, and other materials. It offers double-sided tipping and is designed for small buildings. The light construction of the tool allows easy manipulation.

XTLINE PROFESSIONAL TOOLS

Main features

) Light construction
) Simple controls
) Cu motor winding

Technical parametres

Voltage	230 V / 50 Hz	Dimension when assembled	1350x710x1200 cm
Input power	550 W	Insulation	Protection class II
Speed	2800 rpm	Protection	IP45
Dimension of wheels	20x4.38 cm	Sales packaging	box
Volume of drum	125 l	Weight	51 kg
Diameter of drum hole	57 cm		

Order No.	Description	Package	Carton	Weight
XT125H	550 W, 125 l (unfolded)	1	1	51 kg

Technical parametres

Voltage	230 V / 50 Hz	Dimension when assembled	1350x710x1200 cm
Input power	650 W	Insulation	Protection class II
Speed	2800 rpm	Protection	IP45
Dimension of wheels	20x4.38 cm	Sales packaging	box
Volume of drum	140 l	Weight	52 kg
Diameter of drum hole	60 cm		

Order No.	Description	Package	Carton	Weight
XT140H	650 W, 140 l (unfolded)	1	1	61 kg

Technical parametres

Voltage	230 V / 50 Hz	Dimension when assembled	1370x710x1200 cm
Input power	650 W	Insulation	Protection class II
Speed	2800 rpm	Protection	IP45
Dimension of wheels	20x4.38 cm	Sales packaging	box
Volume of drum	160 l	Weight	58 kg
Diameter of drum hole	65 cm		

Order No.	Description	Package	Carton	Weight
XT160H	650 W, 160 l (unfolded)	1	1	68 kg

Technical parametres

Voltage	230 V / 50 Hz	Dimension when assembled	1400x850x1260 cm
Input power	850 W	Insulation	Protection class II
Speed	2800 rpm	Protection	IP45
Dimension of wheels	20x4.38 cm	Sales packaging	box
Volume of drum	180 l	Weight	69.5 kg
Diameter of drum hole	70 cm		

Order No.	Description	Package	Carton	Weight
XT180H	850 W, 180 l (unfolded)	1	1	69.5 kg

Technical parametres

Voltage	230 V / 50 Hz	Dimension when assembled	1420x850x1260 cm
Input power	850 W	Insulation	Protection class II
Speed	2800 rpm	Protection	IP45
Dimension of wheels	20x4.38 cm	Sales packaging	box
Volume of drum	200 l	Weight	70.5 kg
Diameter of drum hole	70 cm		

Order No.	Description	Package	Carton	Weight
XT200H	850 W, 200 l (unfolded)	1	1	70.5 kg

PADDLE MIXER 1600 W

The electric Paddle Mixer is used for mixing paints, and construction mixtures (grout, glue, plasters, etc.). It is equipped with a comfortable handle that ensures a firm, both-hands grip with an in-built switch and continuous speed regulation. Large switches allow easy control while wearing gloves.

XTLINE PROFESSIONAL TOOLS



Main features

) Two-speed adjustment
) Speed regulation

Technical parametres

Voltage	230 V / 50 Hz	Sound pressure level (LpA)	79 dB
Input power	1600 W	Sound power level (LwA)	101 dB
Speed	180-380 / 300-650 rpm	Insulation	Protection class II
Speed adjustment switch	YES	Protection	IP20
Number of speed settings	2	Sales packaging	box
Length of paddle	590 mm	Other features	speed regulation
Max. paddle diameter	140 mm	Weight	5.1 kg
Thread of arbour	M14		
Package includes	mixer (130x600 mm), pair of carbon brushes, 2x key		

Order No.	Description	Package	Carton	Weight
XT10400	1600 W	1	2	6.83 kg

ROPE HOIST 500 W, 250 KG

The electric Rope Hoist is designed for vertical lifting or lowering of solid loads. Load lifting with the use of a return pulley with the weight of up to 250kg, direct load lifting with the weight of up to 125kg. Emergency switch controller; auxiliary pulley with hook

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Max. lift capacity	**12/6 m**
Input power	**500 W**	Sound power level (LwA)	**71 dB**
Max load capacity	**125/250 kg**	Insulation	**Protection class I**
Diameter of steel rope	**3 mm**	Protection	**IP54**
Lifting speed	**8/4 m/min**	Weight	**12 kg**

Order No.	Description	Package	Carton	Weight
XT108250	500 W, 250 kg	1	2	12 kg

ROPE HOIST 1050 W, 600 KG

The electric Rope Hoist is designed for vertical lifting or lowering of solid loads. Load lifting with the use of a return pulley with the weight of up to 600kg, direct load lifting with the weight of up to 300kg.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Max. lift capacity	**12/6 m**
Input power	**1050 W**	Sound power level (LwA)	**71 dB**
Max load capacity	**300/600 kg**	Insulation	**Protection class I**
Diameter of steel rope	**4.5 mm**	Protection	**IP54**
Lifting speed	**8/4 m/min**	Weight	**18 kg**

Order No.	Description	Package	Carton	Weight
XT108600	1050 W, 600 kg	1	2	17.5 kg

HANGING WINCH HOLDER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT108100	750 mm / 650 kg	1	1	6.27 kg

HIGH PRESSURE WASHER, SOAP APPLICATION 1800 W

The High-Pressure Washer is designed for cleaning variable material surfaces (wood, stone, plastics, iron, etc.). The tool's advantage is especially cleaning of vehicles (cars, motorcycles, etc.), pavements, terraces, etc. The wheels allow very easy manipulation. All accessories can be stored in slots situated directly on the tool body.

XTLINE PROFESSIONAL TOOLS

Telescopic handle made of high-quality aluminum for comfortable height adjustment and optimal storage

Shampoo tank

The holder on the device is an excellent helper for storing accessories. When working with the spray gun attached to the attachment, it can be conveniently placed on the device during work breaks. Pistol work is still available and easily accessible. After the work is completed, the gun and the work attachment can be stored economically directly in the holder on the device.

ACCESSORIES

- spray gun with adjustable nozzle
- 8 m high pressure hose
- 5 m power cable

The advantage is the adjustable nozzle on the attachment, thanks to which it is possible to adjust the dispersion of the water jet for flat cleaning

Technical parametres

Voltage	**230 V / 50 Hz**	Sound pressure level (LpA)	**73 dB**
Input power	**1800 W**	Sound power level (LwA)	**83 dB**
Max. fluid temperature	**35 °C**	Protection	**IPX5**
Max. pressure	**165 bar**	Dimension of product	**410x320x573 mm**
Max. flow	**6 l/min**	Sales packaging	**box**
Working pressure	**105 bar**	Weight	**10.6 kg**
Package includes	**5 m power cord, 8 m high-pressure hose with adjustable nozzle**		

Order No.	Description	Package	Carton	Weight
XT121701	1800 W	1	1	11.7 kg

121701-38

121701-39

121701-45

121701-43

121701-46

121701-42

121701-47

121701-44

Order No.	Description	Package	Carton	Weight
121701-38	Adjustment rod with extension for XT121701	1	x	0.4 kg
121701-39	Gun for XT121701	1	x	0.5 kg
121701-42	A container with a nozzle for XT121701	1	x	0.1 kg
121701-43	Input connector for XT121701	1	x	0.01 kg
121701-44	High pressure hose for XT121701	1	x	1 kg
121701-45	Adjustment rod for XT121701	1	x	0.3 kg
121701-46	Rotating Nozzle for XT121701	1	x	0.1 kg
121701-47	Nozzle 6in1 for XT121701	1	x	0.2 kg

JET PUMP 1200 W

The electric Jet Pump with the stainless-steel head is capable of pumping water from the depth of up to 8 meters. This specific type of pump can be easily installed and run in gardens or cottages for watering purposes with the use of clean service water or rainwater. The pump is equipped with a thermal fuse.

XTLINE PROFESSIONAL TOOLS

Practical handle to simple manipulation

Switch with thermal protection against overheating

Recommended accessories: page 340

Technical parametres

Voltage	**230 V / 50 Hz**	Diameter of output	**1"**
Input power	**1200 W**	Length of power cord	**1 m**
Speed	**2850 rpm**	Sound power level (LwA)	**85 dB**
Max. fluid temperature	**35°C**	Insulation	**class protection I**
Max. pressure	**4.6 bar**	Protection	**IPX4**
Max. flow	**3700 l/h**	Sales packaging	**box**
Max. displacement	**46 m**	Weight	**8.2 kg**
Max. suction depth	**8 m**		

Order No.	Description	Package	Carton	Weight
XT121200	1200 W	1	1	8.72 kg

JET PUMP WITH PRESSURE VESSEL 1200 W

The Jet Pump pressure station with automatic suction pump and pressure vessel of the volume of 19L. This tool type is very quiet and reliable, especially when increasing the water utility network pressure, irrigation of large areas, and no-contamination water supply out of wells.

XTLINE PROFESSIONAL TOOLS

Practical handle to simple manipulation

Switch for setting the desired pressure

Technical parametres

Voltage	**230 V / 50 Hz**	Max. suction depth	**8 m**
Input power	**1200 W**	Diameter of output	**1"**
Speed	**2850 rpm**	Length of power cord	**1 m**
Max. fluid temperature	**35°C**	Sound power level (LwA)	**85 dB**
Volume of container	**19 l**	Protection	**IPX4**
Max. pressure	**1.3-3 bar**	Sales packaging	**box**
Max. flow	**3700 l/h**	Weight	**13.4 kg**
Max. displacement	**46 m**		

Order No.	Description	Package	Carton	Weight
XT121235	1200 W	1	1	14 kg

PRESSURE HOSE + SUCTION Bin

XTLINE PROFESSIONAL TOOLS

Technical parametres

Diameter	**1"**	Suction bag	**10 m**
Length of hose	**10 m**		

Order No.	Description	Package	Carton	Weight
XT121AT2	1", 10 m	1	6	2.18 kg

SAFETY SWITCH FOR GARDEN PUMP

Recommended to use at Jet Pumps to prevent running dry.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT121250	for XT121200, XT121235	1	1	0.71 kg

SUBMERSIBLE WASTEWATER PUMP 1100 W

The Submersible Pump is used for pumping contaminated water and wastewater. A great throughput of the pump allows pumping water containing solid particles and fibre impurities. The pump can also be used for pumping water out of swimming pools, brooks, ponds, etc.

XTLINE PROFESSIONAL TOOLS

Main features

- Thermal protection against pump overheating
- Double motor insulation
- Stainless steel base, metal propeller

Technical parametres

Voltage	230 V / 50 Hz	Length of power cord	8 m
Input power	1100 W	Sound power level (LwA)	85 dB
Max. flow	23100 l/h = 385 l/min	Insulation	class protection I
Max. throughput	25 mm	Protection	IPX8
Max. displacement	11.5 m	Sales packaging	box
Max. submersion depth	5 m	Weight	16.7 kg
Diameter of output	2"		

Order No.	Description	Package	Carton	Weight
XT122110	1100 W	1	1	18 kg

SUBMERSIBLE WASTEWATER PUMP 750 W

The Submersible Pump is used for pumping contaminated water and wastewater. A great throughput of the pump allows pumping water containing solid particles and fibre impurities. The pump can also be used for pumping water out of swimming pools, brooks, ponds, etc.

XTLINE PROFESSIONAL TOOLS

Main features

- Thermal protection against pump overheating
- Double motor insulation
- Cast iron base, metal propeller

Technical parametres

Voltage	230 V / 50 Hz	Length of power cord	6 m
Input power	750 W	Sound power level (LwA)	85 dB
Max. flow	19980 l/h = 333 l/min	Insulation	class protection I
Max. throughput	25 mm	Protection	IPX8
Max. displacement	10 m	Sales packaging	box
Max. submersion depth	5 m	Weight	16.1 kg
Diameter of output	2"		

Order No.	Description	Package	Carton	Weight
XT122075	750 W	1	1	17 kg

PUMP PERFORMANCE CHART

XT122110



XT122075



SUBMERSIBLE PRESSURE PUMP 1000 W

The electric Submersible Pressure Pump with a stainless-steel body and float switch is suitable for pumping clean water. It can be used for operations requiring pumping water out of more highly situated places, or water sumps.

XTLINE PROFESSIONAL TOOLS

Main features

- Suction capability from minimum depth

Technical parametres

Voltage	230 V / 50 Hz	Diameter of output	1"
Input power	1000 W	Diameter of base	160 mm
Max. fluid temperature	35°C	Length of power cord	10 m
Max. pressure	4 bar	Insulation	Protection class I
Max. flow	5 500 l/hod = 92 l/min	Protection	IPX8
Max. throughput	1 mm	Sales packaging	box
Max. displacement	40 m	Weight	8.6 kg
Max. submersion depth	7 m		

Order No.	Description	Package	Carton	Weight
XT120100	1000 W	1	4	8.82 kg

SUBMERSIBLE PUMP 400 W

The electric Submersible Sludge Pump is designed for pumping wells, swimming pools, rainwater sumps, water treatment stations, flooded basements, etc.

XTLINE PROFESSIONAL TOOLS

Main features

- Suction capability from minimum depth
- Waterproof float



Technical parametres

Voltage	230 V / 50 Hz	Diameter of output	1", 5/4" , 6/4"
Input power	400 W	Length of power cord	10 m
Max. fluid temperature	35°C	Insulation	Protection class I
Max. flow	8000 l/h = 133 l/min	Protection	IPX8
Max. throughput	35 mm	Sales packaging	box
Max. displacement	7 m	Weight	4.9 kg
Max. submersion depth	5 m		

Order No.	Description	Package	Carton	Weight
XT11400	400 W	1	4	5.22 kg

SUBMERSIBLE PUMP 750 W

The electric Submersible Sludge Pump is designed for pumping wells, swimming pools, rainwater sumps, water treatment stations, flooded basements, etc.

XTLINE PROFESSIONAL TOOLS

Main features

- Suction capability from minimum depth
- Waterproof float



Technical parametres

Voltage	230 V / 50 Hz	Diameter of output	1", 5/4", 6/4"
Input power	750 W	Length of power cord	10 m
Max. fluid temperature	35°C	Insulation	Protection class I
Max. flow	13500 l/h = 225 l/min	Protection	IPX8
Max. throughput	35 mm	Sales packaging	box
Max. displacement	8 m	Weight	6.3 kg
Max. submersion depth	7 m		

Order No.	Description	Package	Carton	Weight
XT11750	750 W	1	4	5.86 kg

SUBMERSIBLE PUMP 1100 W

The electric Submersible Sludge Pump is designed for pumping wells, swimming pools, rainwater sumps, water treatment stations, flooded basements, etc. The propeller located in the suction part grinds the fibre materials, such as leaves, paper, etc. The machine is equipped with a switch that ensures a better safety level that prevents the machine from starting when it is out of water.

XTLINE PROFESSIONAL TOOLS

Main features

- Durable stainless-steel body
- Dry start-up protection switch



Technical parametres

Voltage	230 V / 50 Hz	Diameter of output	1", 5/4", 6/4"
Input power	1100 W	Length of power cord	8 m
Max. fluid temperature	35°C	Insulation	Protection class I
Max. flow	18500 l/h = 308 l/min	Protection	IPX8
Max. throughput	20 mm	Sales packaging	box
Max. displacement	8 m	Weight	7.8 kg
Max. submersion depth	7 m		

Order No.	Description	Package	Carton	Weight
XT121100	1100 W	1	4	7.68 kg

SUBMERSIBLE BARREL PUMP 400 W

The electric Submersible Pump for pumping rainwater. It offers a plastic construction and float switch that ensures an automatic turn-off according to the water level height.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	230 V / 50 Hz	Diameter of output	3/4"
Input power	400 W	Diameter of base	190 mm
Max. fluid temperature	35°C	Length of power cord	10 m
Max. pressure	1.1 bar	Insulation	Protection class I
Max. flow	4000 l/h	Protection	IPX8
Max. throughput	0.5 mm	Sales packaging	box
Max. displacement	11 m	Weight	3.7 kg
Max. submersion depth	7 m		

Order No.	Description	Package	Carton	Weight
XT11250	400 W	1	4	5.08 kg

TOOLS

55 - 68 METAL TOOLS

69 - 70 CHUCKS
STANDS FOR ANGLE GRINDERS

71 - 76 WOODWORKING TOOLS

77 - 83 BUILDING MATERIAL TOOLS

84 - 86 CUTTING TOOLS

87 - 91 SAW BLADES

92 - 103 CUTTING AND GRINDING TOOLS
FOR METAL, WOOD AND CONSTRUCTION
MATERIALS

104 - 107 ABRASIVE WHEELS AND BRUSHES

TWIST DRILL BIT SET FOR METAL, COBALT HSS-CO 5 15PCS

Set of 15pcs XTLINE metal drill bits made of HSS high speed steel with 5% cobalt, which increases the hardness of the drill bit and extends its life. The split tip ground at a 135° angle requires less pressure when drilling and prevents the drill bit from moving on the surface. Suitable for drilling steel, stainless steel, cast iron and other metals. Clamps drill bit to cylindrical shank and can be reground. The drill set is stored in a plastic case. Features a SPLIT-POINT 135° drill tip for perfect centering. The reamed helix quickly removes drilled material.

XTLINE PROFESSIONAL TOOLS

HSS-Co 5 DIN 338

Technical parametres

Diameter	1.5; 2; 2.5; 3; 3.2; 3.5; 4; 4.5; 4.8; 5; 5.5; 6; 6.5; 8; 10 mm
Use	steel, stainless steel, cast iron and other metals
Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
XT35015	1.5-10.0 mm, plastic package	1	10	0.39 kg

TWIST DRILL BIT SET FOR METAL, COBALT HSS-CO 5 25PCS

Set of 25pcs XTLINE metal drill bits made of HSS high speed steel with 5% cobalt, which increases the hardness of the drill bit and extends its life. The split tip ground at a 135° angle requires less pressure when drilling and prevents the drill bit from moving on the surface. Suitable for drilling steel, stainless steel, cast iron and other metals. Clamps drill bit to cylindrical shank and can be reground. The drill set is stored in a plastic case. Features a SPLIT-POINT 135° drill tip for perfect centering. The reamed helix quickly removes drilled material.

XTLINE PROFESSIONAL TOOLS

HSS-Co 5 DIN 338

Technical parametres

Diameter	1;1.5;2;2.5;3;3.5;4;4.5;5;5.5;6;6.5;7;7.5;8; 8.5;9;9.5;10;10.5;11;11.5;12;12.5;13 mm
Use	steel, stainless steel, cast iron and other metals
Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
XT35025	1.0-13 mm, metal box	1	10	1.3 kg

TWIST DRILL BIT SET FOR METAL, COBALT HSS-CO 5 13PCS

Set of 13pcs XTLINE metal drill bits made of HSS high speed steel with 5% cobalt, which increases the hardness of the drill bit and extends its life. The split tip ground at a 135° angle requires less pressure when drilling and prevents the drill bit from moving on the surface. Suitable for drilling steel, stainless steel, cast iron and other metals. Clamps drill bit to cylindrical shank and can be reground. The drill set is stored in a plastic case. Features a SPLIT-POINT 135° drill tip for perfect centering. The reamed helix quickly removes drilled material.

XTLINE PROFESSIONAL TOOLS

HSS-Co 5 DIN 338

Technical parametres

Diameter	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm
Use	steel, stainless steel, cast iron and other metals
Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
XT35013	1.0-6.5 mm, plastic package	1	25	0.16 kg

DRILL BIT FOR METAL COBALT HSS-CO 5

Twist drill bit for metal made of HSS (High Speed Steel) with 5% cobalt admixture for increased tenacity class and durability. Split point ground at 135° angle requires lower drilling pressure and prevents the drill bit from walking. Suitable for drilling in steel, stainless steel, cast iron, and other metals. Clamps drill bit to cylindrical shank and can be reground. The drill bit comes in plastic tube. Split point 135° drill bit tip ensures perfect centering and requires lower drilling pressure.

XTLINE PROFESSIONAL TOOLS

HSS-Co 5 DIN 338

Order No.	Description	Package	Carton	Weight
XT350010	1.0 mm	1	50	0.004 kg
XT350015	1.5 mm	1	50	0.004 kg
XT350020	2.0 mm	1	30	0.004 kg
XT350025	2.5 mm	1	30	0.004 kg
XT350030	3.0 mm	1	30	0.006 kg
XT350032	3.2 mm	1	30	0.006 kg
XT350035	3.5 mm	1	30	0.004 kg
XT350040	4.0 mm	1	20	0.008 kg
XT350042	4.2 mm	1	50	0.01 kg
XT350045	4.5 mm	1	50	0.01 kg
XT350048	4.8 mm	1	50	0.01 kg
XT350050	5.0 mm	1	50	0.01 kg
XT350055	5.5 mm	1	20	0.02 kg
XT350060	6.0 mm	1	50	0.02 kg
XT350065	6.5 mm	1	50	0.02 kg
XT350070	7.0 mm	1	50	0.03 kg
XT350075	7.5 mm	1	20	0.03 kg
XT350080	8.0 mm	1	10	0.04 kg
XT350085	8.5 mm	1	50	0.04 kg
XT350090	9.0 mm	1	20	0.05 kg
XT350095	9.5 mm	1	50	0.05 kg
XT350100	10 mm	1	10	0.06 kg
XT350105	10.5 mm	1	5	0.07 kg
XT350110	11 mm	1	20	0.08 kg
XT350115	11.5 mm	1	20	0.09 kg
XT350120	12 mm	1	5	0.1 kg
XT350125	12.5 mm	1	20	0.1 kg
XT350130	13 mm	1	20	0.11 kg

TWIST DRILL BIT FOR METAL HSS-R

STAVTOOL

HSS-R DIN 338

HSS drill is used for drilling ferrous and non-ferrous metals, can be re-ground.
The drill chuck is a cylindrical shank.

Order No.	Description	Package	Carton	Weight
ST24006	0.6 mm	10	100	0.001 kg
ST24008	0.8 mm	10	1000	0.001 kg
ST24010	1.0 mm	10	1000	0.001 kg
ST24015	1.5 mm	10	1000	0.001 kg
ST24020	2.0 mm	10	1000	0.002 kg
ST24025	2.5 mm	10	1500	0.003 kg
ST24030	3.0 mm	10	200	0.003 kg
ST24031	3.1 mm	10	5000	0.003 kg
ST24032	3.2 mm	10	1000	0.004 kg
ST24033	3.3 mm	10	2000	0.003 kg
ST24035	3.5 mm	10	2000	0.004 kg
ST24038	3.8 mm	10	500	0.005 kg
ST24040	4.0 mm	10	2000	0.005 kg
ST24041	4.1 mm	10	5000	0.007 kg
ST24042	4.2 mm	10	500	0.007 kg
ST24045	4.5 mm	10	1000	0.009 kg
ST24048	4.8 mm	10	1000	0.01 kg
ST24050	5.0 mm	10	1000	0.011 kg
ST24051	5.1 mm	10	1000	0.011 kg
ST24052	5.2 mm	10	500	0.012 kg
ST24055	5.5 mm	10	1000	0.013 kg
ST24060	6.0 mm	10	1000	0.015 kg
ST24065	6.5 mm	10	1000	0.018 kg
ST24068	6.8 mm	10	500	0.021 kg
ST24070	7.0 mm	10	500	0.021 kg
ST24075	7.5 mm	10	500	0.024 kg
ST24078	7.8 mm	10	500	0.03 kg
ST24080	8.0 mm	10	250	0.029 kg
ST24085	8.5 mm	10	1000	0.032 kg
ST24090	9.0 mm	10	300	0.038 kg
ST24095	9.5 mm	5	100	0.023 kg
ST24100	10 mm	5	500	0.052 kg
ST24102	10.2 mm	5	200	0.052 kg
ST24105	10.5 mm	5	100	0.056 kg
ST24110	11 mm	5	50	0.064 kg
ST24115	11.5 mm	5	100	0.068 kg
ST24120	12 mm	5	500	0.08 kg
ST24125	12.5 mm	5	800	0.086 kg
ST24130	13 mm	5	200	0.096 kg

TWIST DRILL BIT FOR METAL HSS-R, REDUSED SHANK

Twist drill bit for metal made of HSS (High Speed Steel) designed for drilling in ferrous and non-ferrous metals. Can be reground. Cylindrical shank clamping.

STAVTOOL

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
P11030A	1.0-10 mm, 19pcs, Metal package	1	50	0.52 kg
P11031A	1.0-13 mm, 25pcs, Metal package	1	20	1.08 kg

TWIST DRILL BIT FOR METAL EXTENDED HSS-R

STAVTOOL

HSS-R DIN 338

HSS drill is used for drilling ferrous and non-ferrous metals, can be re-ground.
The drill chuck is a cylindrical shank.

Order No.	Description	Package	Carton	Weight
ST24220	2.0 mm	10	500	0.004 kg
ST24225	2.5 mm	10	500	0.005 kg
ST24230	3.0 mm	10	500	0.006 kg
ST24235	3.5 mm	10	500	0.008 kg
ST24240	4.0 mm	10	500	0.01 kg
ST24245	4.5 mm	10	500	0.014 kg
ST24250	5.0 mm	10	500	0.015 kg
ST24255	5.5 mm	10	500	0.022 kg
ST24260	6.0 mm	10	500	0.023 kg
ST24270	7.0 mm	10	100	0.033 kg
ST24280	8.0 mm	10	500	0.022 kg
ST24290	9.0 mm	10	500	0.028 kg
ST24296	10 mm	5	500	0.036 kg

TWIST DRILL BIT FOR METAL HSS-R, REDUSED SHANK

STAVTOOL

HSS-R DIN 338

HSS drill is used for drilling ferrous and non-ferrous metals, can be re-ground.
The drill chuck is a cylindrical shank.

Order No.	Description	Package	Carton	Weight
ST24135	13.5 mm, R10	5	200	0.61 kg
ST24140	14 mm, R10	5	150	0.1 kg
ST24145	14.5 mm, R10	5	100	0.11 kg
ST24150	15 mm, R10	5	100	0.12 kg
ST24155	15.5 mm, R10	5	50	0.13 kg
ST24160	16 mm, R10	5	100	0.14 kg
ST24165	16.5 mm, R13	5	100	0.16 kg
ST24170	17 mm, R13	5	100	0.16 kg
ST24175	17.5 mm, R13	5	100	0.19 kg
ST24180	18 mm, R13	5	100	0.19 kg
ST24185	18.5 mm, R13	5	50	0.21 kg
ST24190	19 mm, R13	5	100	0.22 kg
ST24195	19.5 mm, R13	5	50	0.25 kg
ST24200	20 mm, R13	5	100	0.25 kg

TWIST DRILL BIT SET FOR METAL BLACK, HSS-R

Drill bit set for metal made of HSS (High Speed Steel) packed in PVC case. Can be reground.

STAVTOOL

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
P11013A	1.5-6.5 mm, 13pcs, PVC package	1	25	0.11 kg
P11018A	2.0-8.0 mm, 13pcs, PVC package	1	50	0.19 kg
P11029A	1.0-10 mm, 19pcs, PVC package	1	10	0.39 kg

TWIST DRILL BIT SET FOR METAL, GROUND HSS-G, 11PCS

Set of HSS-G ground drill bits made of high-speed steel according to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role. The individual dimensions of the drill bits in the set are graduated in 0.5 mm increments.

XTLINE PROFESSIONAL TOOLS

HSS-G, 4341 DIN 338

NEW

Technical parametres

Diameter	1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 mm		
Use	steel, aluminium, plastic, bronze, cast iron, brass	Sales packaging	metal box
Material	HSS-G, 4341	Angle of tip point	36°
Norm	DIN 338	Cutting direction	right-cut
Clamping	cylindrical shank	Peak angle	118°

Order No.	Description	Package	Carton	Weight
XT34014	1.5-6.5 mm, metal case	1	50	0.2 kg

TWIST DRILL BIT SET FOR METAL, GROUND HSS-G, 19PCs

XTLINE PROFESSIONAL TOOLS

HSS-G, 4341 DIN 338

NEW

Technical parametres

Diameter	1; 1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 6.5; 7; 7.5; 8; 8.5; 9; 9.5; 10 mm		
Use	steel, aluminium, plastic, bronze, cast iron, brass	Sales packaging	metal box
Material	HSS-G, 4341	Angle of tip point	36°
Norm	DIN 338	Cutting direction	right-cut
Clamping	cylindrical shank	Peak angle	118°

Order No.	Description	Package	Carton	Weight
XT34019	1.0-10 mm, metal case	1	20	0.6 kg

TWIST DRILL BIT SET FOR METAL, GROUND HSS-G, 25PCS

XTLINE PROFESSIONAL TOOLS

HSS-G, 4341 DIN 338

NEW

Technical parametres

Diameter	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5; 13 mm		
Use	steel, aluminium, plastic, bronze, cast iron, brass	Sales packaging	metal box
Material	HSS-G, 4341	Angle of tip point	36°
Norm	DIN 338	Cutting direction	right-cut
Clamping	cylindrical shank	Peak angle	118°

Order No.	Description	Package	Carton	Weight
XT34025	1.0-13 mm, metal case	1	10	1.3 kg

TWIST DRILL BIT FOR METAL, GROUND HSS-G

HSS-G high-speed steel drill bits made to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role.

XTLINE PROFESSIONAL TOOLS

HSS-G, 4341 DIN 338

NEW

Order No.	Description	Package	Carton	Weight
XT340010	1.0 mm	10	200	0.01 kg
XT340015	1.5 mm	10	200	0.01 kg
XT340020	2.0 mm	10	200	0.02 kg
XT340025	2.5 mm	10	200	0.03 kg
XT340030	3.0 mm	10	200	0.03 kg
XT340031	3.1 mm	10	200	0.04 kg
XT340032	3.2 mm	10	200	0.04 kg
XT340035	3.5 mm	10	200	0.05 kg
XT340040	4.0 mm	10	200	0.06 kg
XT340042	4.2 mm	10	100	0.08 kg
XT340045	4.5 mm	10	100	0.1 kg
XT340050	5.0 mm	10	100	0.1 kg
XT340055	5.5 mm	10	100	0.1 kg
XT340060	6.0 mm	10	100	0.2 kg
XT340065	6.5 mm	10	100	0.2 kg
XT340070	7.0 mm	10	100	0.2 kg
XT340075	7.5 mm	10	50	0.3 kg
XT340080	8.0 mm	10	50	0.4 kg
XT340085	8.5 mm	10	50	0.4 kg
XT340090	9.0 mm	5	40	0.3 kg
XT340095	9.5 mm	5	40	0.3 kg
XT340100	10 mm	5	40	0.3 kg
XT340105	10.5 mm	5	40	0.3 kg
XT340110	11 mm	5	40	0.4 kg
XT340115	11.5 mm	5	40	0.4 kg
XT340120	12 mm	5	40	0.5 kg
XT340125	12.5 mm	5	40	0.5 kg
XT340130	13 mm	5	40	0.6 kg

EXTENDED HSS METAL DRILL BIT HSS-R

The HSS steel drill bit is designed for drilling in steel, non-ferrous metals and plastics. It is characterized by its exceptional hardness and durability.

RUKO ICHMANN

HSS-R DIN 338

NEW

Order No.	Description	Package	Carton	Weight
PC9251	4x220 mm	1	1	0.2 kg
PC9253	5x245 mm	1	1	0.3 kg
PC9255	6x260 mm	1	1	0.4 kg
PC9257	8x305 mm	1	1	0.5 kg
PC9259	10x340 mm	1	1	0.7 kg

TWIST DRILL BIT SET FOR METAL HSS-R

STAVTOOL by XTLINE

HSS-R DIN 338

Technical parametres

P26207		P26213	
Diameter	1.5, 2, 3, 4, 5, 5.5, 6 mm	Diameter	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm
Clamping	hexagonal shank	Clamping	hexagonal shank

Order No.	Description	Package	Carton	Weight
P26207	1.5-6.0 mm, 7pcs	10	100	0.12 kg
P26213	1.5-6.5 mm, 13pcs	10	100	0.2 kg

TWIST DRILL BIT FOR METAL HSS-R

The metal drill is made of durable high-speed steel. It is designed for drilling holes in metals with higher hardness. Its coating makes it more resistant to high temperatures and wear, which increases its service life and improves drilling performance. The drill bit is clamped by a cylindrical shank.

RUKO

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
RU201003	0.3 mm	10	10	0.0001 kg
RU201004	0.4 mm	10	10	0.0004 kg
RU201005	0.5 mm	10	10	0.0004 kg
RU201006	0.6 mm	10	10	0.0004 kg
RU201008	0.8 mm	10	10	0.0006 kg
RU201010	1.0 mm	10	10	0.0006 kg
RU201011	1.1 mm	10	10	0.0006 kg
RU201012	1.2 mm	10	10	0.0006 kg
RU201013	1.3 mm	10	10	0.0008 kg
RU201014	1.4 mm	10	10	0.0008 kg
RU201015	1.5 mm	10	10	0.0008 kg
RU201016	1.6 mm	10	10	0.001 kg
RU201017	1.7 mm	10	10	0.001 kg
RU201018	1.8 mm	10	10	0.001 kg
RU201019	1.9 mm	10	10	0.001 kg
RU201020	2.0 mm	10	10	0.001 kg
RU201021	2.1 mm	10	10	0.002 kg
RU201022	2.2 mm	10	10	0.002 kg
RU201023	2.3 mm	10	10	0.002 kg
RU201024	2.4 mm	10	10	0.002 kg
RU201025	2.5 mm	10	10	0.002 kg
RU201026	2.6 mm	10	10	0.002 kg
RU201027	2.7 mm	10	10	0.003 kg
RU201028	2.8 mm	10	10	0.003 kg
RU201029	2.9 mm	10	10	0.003 kg
RU201030	3.0 mm	10	10	0.003 kg
RU201031	3.1 mm	10	10	0.003 kg
RU201032	3.2 mm	10	10	0.003 kg
RU201033	3.3 mm	10	10	0.003 kg
RU201034	3.4 mm	10	10	0.004 kg
RU201035	3.5 mm	10	10	0.004 kg
RU201036	3.6 mm	10	10	0.004 kg
RU201037	3.7 mm	10	10	0.004 kg
RU201038	3.8 mm	10	10	0.005 kg
RU201039	3.9 mm	10	10	0.005 kg
RU201040	4.0 mm	10	10	0.005 kg
RU201041	4.1 mm	10	10	0.006 kg
RU201042	4.2 mm	10	10	0.006 kg
RU201043	4.3 mm	10	10	0.007 kg
RU201044	4.4 mm	10	10	0.007 kg
RU201045	4.5 mm	10	10	0.007 kg
RU201046	4.6 mm	10	10	0.008 kg
RU201047	4.7 mm	10	10	0.008 kg
RU201048	4.8 mm	10	10	0.009 kg
RU201049	4.9 mm	10	10	0.009 kg
RU201050	5.0 mm	10	10	0.009 kg
RU201051	5.1 mm	10	10	0.009 kg
RU201052	5.2 mm	10	10	0.01 kg
RU201053	5.3 mm	10	10	0.011 kg
RU201054	5.4 mm	10	10	0.011 kg
RU201055	5.5 mm	10	10	0.012 kg
RU201056	5.6 mm	10	10	0.012 kg
RU201057	5.7 mm	10	10	0.013 kg
RU201058	5.8 mm	10	10	0.013 kg
RU201059	5.9 mm	10	10	0.014 kg
RU201060	6.0 mm	10	10	0.014 kg
RU201061	6.1 mm	10	10	0.016 kg
RU201062	6.2 mm	10	10	0.016 kg
RU201063	6.3 mm	10	10	0.016 kg
RU201064	6.4 mm	10	10	0.018 kg
RU201065	6.5 mm	10	10	0.018 kg
RU201066	6.6 mm	10	10	0.018 kg
RU201067	6.7 mm	10	10	0.019 kg
RU201068	6.8 mm	10	10	0.021 kg
RU201069	6.9 mm	10	10	0.022 kg
RU201071	7.1 mm	10	10	0.022 kg
RU201072	7.2 mm	10	10	0.023 kg
RU201073	7.3 mm	10	10	0.024 kg
RU201074	7.4 mm	10	10	0.024 kg
RU201075	7.5 mm	10	10	0.025 kg
RU201076	7.6 mm	10	10	0.028 kg
RU201077	7.7 mm	10	10	0.029 kg
RU201078	7.8 mm	10	10	0.029 kg
RU201079	7.9 mm	10	10	0.029 kg
RU201080	8.0 mm	10	10	0.03 kg
RU201081	8.1 mm	10	10	0.031 kg
RU201082	8.2 mm	10	10	0.032 kg
RU201083	8.3 mm	10	10	0.033 kg
RU201084	8.4 mm	10	10	0.033 kg
RU201085	8.5 mm	10	10	0.033 kg
RU201086	8.6 mm	10	10	0.036 kg
RU201087	8.7 mm	10	10	0.039 kg
RU201088	8.8 mm	10	10	0.043 kg
RU201089	8.9 mm	10	10	0.038 kg
RU201090	9.0 mm	10	10	0.04 kg
RU201091	9.1 mm	10	10	0.041 kg
RU201092	9.2 mm	10	10	0.041 kg
RU201093	9.3 mm	10	10	0.045 kg
RU201094	9.4 mm	10	10	0.045 kg
RU201095	9.5 mm	10	10	0.045 kg
RU201096	9.6 mm	10	10	0.049 kg
RU201097	9.7 mm	10	10	0.05 kg
RU201098	9.8 mm	10	10	0.048 kg
RU201099	9.9 mm	10	10	0.05 kg
RU201100	10 mm	10	10	0.051 kg
RU201105	10.5 mm	5	5	0.058 kg
RU201110	11 mm	5	5	0.066 kg
RU201115	11.5 mm	5	5	0.072 kg
RU201120	12 mm	5	5	0.082 kg
RU201125	12.5 mm	5	5	0.09 kg
RU201130	13 mm	5	5	0.096 kg
RU201135	13.5 mm	5	5	0.112 kg
RU201140	14 mm	5	5	0.124 kg
RU201145	14.5 mm	5	5	0.142 kg
RU201150	15 mm	5	5	0.15 kg
RU201155	15.5 mm	5	5	0.168 kg
RU201160	16 mm	5	5	0.18 kg
RU201165	16.5 mm	1	1	0.2 kg

TWIST DRILL BIT FOR METAL, REDUCED SHANK HSS-R

The metal drill with a quick-cutting steel shank is used for drilling steel, aluminium, plastic, brass, etc. The fitted shank ensures precise centering of the drill bit, reduced vibration and increased power transfer between the drill bit and the drill bit casing - more efficient and faster drilling of holes in metal materials.

RUKO

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
RU200130	13 mm, R10	1	1	0.09 kg
RU200135	13.5 mm, R10	1	1	0.09 kg
RU200140	14 mm, R10	1	1	0.1 kg
RU200145	14.5 mm, R10	1	1	0.12 kg
RU200150	15 mm, R10	1	1	0.13 kg
RU200155	15.5 mm, R10	1	1	0.15 kg
RU200160	16 mm, R10	1	1	0.14 kg
RU200170	17 mm, R13	1	1	0.18 kg
RU200180	18 mm, R13	1	1	0.19 kg
RU200185	18.5 mm, R13	1	1	0.21 kg
RU200190	19 mm, R13	1	1	0.23 kg
RU200195	19.5 mm, R13	1	1	0.3 kg
RU200200	20 mm, R13	1	1	0.25 kg

TWIST DRILL BIT SET FOR METAL HSS-R, 19PCS

19pcs Twist drill bit set DIN 338, type N. 1.0 - 10mm in increments of 0.5 mm.

RUKO

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
RU205212RO	1.0-10 mm, Plastic Case	1	1	0.54 kg

TWIST DRILL BIT SET FOR METAL HSS-R, 25PCS

25pcs Twist drill bit set DIN 338, type N. 1.0 - 13mm in increments of 0.5 mm.

RUKO

HSS-R DIN 338

Order No.	Description	Package	Carton	Weight
RU205213RO	1.0-13 mm, Plastic Case	1	1	1.08 kg

TWIST DRILL BIT SET FOR METAL HSS-G, GROUND, 19PCS

HSS-G high-speed steel drill bits made to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role.

RUKO

HSS-G DIN 338

Order No.	Description	Package	Carton	Weight
RU214214RO	1.0-10 mm, plastic box	1	1	0.57 kg

TWIST DRILL BIT FOR METAL HSS-G, GROUND

HSS-G high-speed steel drill bits made to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role.

RUKO

HSS-G DIN 338

Technical parametres

Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
RU214010	1.0 mm	10	10	0.0006 kg
RU214015	1.5 mm	10	10	0.001 kg
RU214020	2.0 mm	10	10	0.002 kg
RU214025	2.5 mm	10	10	0.002 kg
RU214030	3.0 mm	10	10	0.003 kg
RU214032	3.2 mm	10	10	0.003 kg
RU214035	3.5 mm	10	10	0.004 kg
RU214040	4.0 mm	10	10	0.006 kg
RU214042	4.2 mm	10	10	0.007 kg
RU214045	4.5 mm	10	10	0.008 kg
RU214048	4.8 mm	10	10	0.01 kg
RU214050	5.0 mm	10	10	0.01 kg
RU214055	5.5 mm	10	10	0.014 kg
RU214060	6.0 mm	10	10	0.016 kg
RU214065	6.5 mm	10	10	0.02 kg
RU214070	7.0 mm	10	10	0.026 kg
RU214075	7.5 mm	10	10	0.03 kg
RU214080	8.0 mm	10	10	0.035 kg
RU214085	8.5 mm	10	10	0.04 kg
RU214090	9.0 mm	10	10	0.046 kg
RU214095	9.5 mm	10	10	0.051 kg
RU214100	10 mm	10	10	0.059 kg
RU214105	10.5 mm	5	5	0.068 kg
RU214110	11 mm	5	5	0.078 kg
RU214115	11.5 mm	5	5	0.084 kg
RU214120	12 mm	5	5	0.098 kg
RU214125	12.5 mm	5	5	0.104 kg
RU214130	13 mm	5	5	0.114 kg

DOUBLE-ENDED TWIST DRILL BIT FOR METAL HSS-G

The double-sided drill is particularly short and stable. It is suitable for assembly work with thin-walled materials such as sheet, flat and profile steels. High resistance to breakage. The drill can be used on both sides. It has good centering and low resistance to sliding. The chip distribution improves chip evacuation.

RUKO

HSS-G DIN 338

Order No.	Description	Package	Carton	Weight
RU252030	3.0 mm	10	10	0.03 kg
RU252031	3.1 mm	10	10	0.03 kg
RU252032	3.2 mm	10	10	0.04 kg
RU252033	3.3 mm	10	10	0.04 kg
RU252040	4.0 mm	10	10	0.05 kg
RU252041	4.1 mm	10	10	0.05 kg
RU252042	4.2 mm	10	10	0.05 kg
RU252048	4.8 mm	10	10	0.08 kg
RU252050	5.0 mm	10	10	0.08 kg
RU252052	5.2 mm	10	10	0.08 kg
RU252060	6.0 mm	10	10	0.11 kg

TWIST DRILL BIT SET FOR METAL HSS-G, GROUND, 25PCS

HSS-G high-speed steel drill bits made to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role.

RUKO

HSS-G DIN 338

Order No.	Description	Package	Carton	Weight
RU214215RO	1.0-13 mm, plastic box	1	1	1.21 kg

TWIST DRILL BIT SET FOR METAL HSS-G, GROUND, 24PCS

HSS-G high-speed steel drill bits made to DIN 338 with a top angle of 118° for excellent drilling quality and precision. Suitable for drilling a variety of materials such as alloy and non-alloy steel, steel cast iron, tempered and ductile cast iron, aluminium alloys, bronze and many other materials where the accuracy of the drilled hole plays a major role.

RUKO

HSS-G DIN 338

NEW

Order No.	Description	Package	Carton	Weight
RU214216RO	1.0-10.5 mm, plastic box	1	1	0.85 kg

TWIST DRILL BIT SET FOR METAL COBALT HSSE-CO 5 19PCS

Set of 19pcs Twist drill bit DIN 338 type N. 1-10 mm in series of 0,5 mm. The drills are stored in a plastic box.

RUKO

HSSE-Co 5 DIN 338

Order No.	Description	Package	Carton	Weight
RU215214RO	1.0-10 mm, Plastic Case	1	1	0.57 kg

TWIST DRILL BIT SET FOR METAL COBALT HSSE-CO 5 25PCS

Set of 25 drill bits DIN 338 type N. 1-13 mm in series of 0,5 mm. The drills are stored in a plastic box.

RUKO

HSSE-Co 5 DIN 338

Order No.	Description	Package	Carton	Weight
RU215215RO	1.0-13 mm, Plastic Box	1	1	1.24 kg

TWIST DRILL BIT SET FOR METAL COBALT, TYPE VA, HSSE-CO 5 25PCS

Set of 24 cobalt drill bits according to DIN 338 type N. 1-10.5 mm in series of 0.5 mm + 3.3; 4.2; 6.8; 10.2 mm.

RUKO

HSSE-Co 5 DIN 338

NEW

Order No.	Description	Package	Carton	Weight
RU215216RO	1.0-10.5 mm, plastic box	1	1	0.87 kg

TWIST DRILL BIT FOR METAL COBALT HSSE-CO 5

Strong right-hand cutting high-performance drill bit with pronounced hot hardness resistance. Ideal for drilling stainless, acid and heat-resistant steel with high strength. High-performance high-speed steel with 5 % cobalt content. High toughness and heat resistance, for drilling in difficult-to-machine materials with a strength of up to 1100 N/mm^2.

RUKO

HSSE-Co 5 DIN 338

Order No.	Description	Package	Carton	Weight
RU215010	1.0 mm	10	10	0.0006 kg
RU215015	1,5 mm	10	10	0.001 kg
RU215020	2.0 mm	10	10	0.001 kg
RU215025	2,5 mm	10	10	0.002 kg
RU215030	3.0 mm	10	10	0.003 kg
RU215031	3.1 mm	10	10	0.003 kg
RU215032	3.2 mm	10	10	0.004 kg
RU215035	3.5 mm	10	10	0.005 kg
RU215037	3.7 mm	10	10	0.005 kg
RU215040	4.0 mm	10	10	0.006 kg
RU215042	4.2 mm	10	10	0.007 kg
RU215045	4.5 mm	10	10	0.009 kg
RU215050	5.0 mm	10	10	0.011 kg
RU215055	5.5 mm	10	10	0.014 kg
RU215060	6.0 mm	10	10	0.016 kg
RU215065	6.5 mm	10	10	0.021 kg
RU215070	7.0 mm	10	10	0.026 kg
RU215075	7.5 mm	10	10	0.03 kg
RU215080	8.0 mm	10	10	0.037 kg
RU215085	8.5 mm	10	10	0.04 kg
RU215090	9.0 mm	10	10	0.047 kg
RU215095	9.5 mm	10	10	0.054 kg
RU215100	10 mm	10	10	0.062 kg
RU215105	10.5 mm	5	5	0.07 kg
RU215110	11 mm	5	5	0.082 kg
RU215115	11.5 mm	5	5	0.09 kg
RU215120	12 mm	5	5	0.1 kg
RU215125	12.5 mm	5	5	0.11 kg
RU215130	13 mm	5	5	0.114 kg

STEP DRILL BIT

Step drill bit HSS (High Speed Steel) ground with CBN method, spiral flute and split point - standard: DIN 1412 C. Depth ground spiral flute provides high cutting-edge performance. The chip flow is optimized, so even long, non-breaking chips will be removed easily. The optimized chip flow protects the cutting edges and reduces built-up edges and cold weld marks. Conical shape allows easier withdrawal of the tool from the material.

RUKO

DIN 1412 C

Order No.	Description	Package	Carton	Weight
RU101051	4.0-20 mm 1, 9-Steps	1	1	0.06 kg
RU101052	4.0-30 mm 2, 14-Steps	1	1	0.18 kg
RU101053	6.0-38 mm 3, 12-Steps	1	1	0.29 kg
RU101056	4.0-39 mm, 5, 13-Steps	1	1	0.32 kg

BI-METAL HOLE SAW HSS

Bi-metal hole saw HSS with varied toothing. The varied toothing ensures smoother material cutting and requires less effort. The reduced vibration and heat development during cutting achieves up to three times the tool life. Suitable for unalloyed steel (tenacity class up to 700 N/mm2), non-ferrous and light metals, plastics, plasterboard and light construction boards, fibreboard, plywood, and wood.

HSS Bimetal

Technical parametres

Max. cutting depth	**38 mm**
Use	**steel, aluminium, plastic, wood, chipboard, plywood, plasterboard**

Order No.	Description	Package	Carton	Weight
RU106014	14 mm	1	1	0.04 kg
RU106016	16 mm	1	1	0.04 kg
RU106017	17 mm	1	1	0.04 kg
RU106019	19 mm	1	1	0.04 kg
RU106020	20 mm	1	1	0.05 kg
RU106021	21 mm	1	1	0.05 kg
RU106022	22 mm	1	1	0.05 kg
RU106024	24 mm	1	1	0.06 kg
RU106025	25 mm	1	1	0.07 kg
RU106027	27 mm	1	1	0.07 kg
RU106028	28 mm	1	1	0.08 kg
RU106029	29 mm	1	1	0.09 kg
RU106030	30 mm	1	1	0.09 kg
RU106032	32 mm	1	1	0.1 kg
RU106033	33 mm	1	1	0.1 kg
RU106035	35 mm	1	1	0.11 kg
RU106038	38 mm	1	1	0.08 kg
RU106040	40 mm	1	1	0.09 kg
RU106041	41 mm	1	1	0.09 kg
RU106043	43 mm	1	1	0.1 kg
RU106044	44 mm	1	1	0.1 kg
RU106046	46 mm	1	1	0.11 kg
RU106048	48 mm	1	1	0.12 kg
RU106050	50 mm	1	1	0.12 kg
RU106051	51 mm	1	1	0.13 kg
RU106052	52 mm	1	1	0.13 kg
RU106054	54 mm	1	1	0.15 kg
RU106057	57 mm	1	1	0.16 kg
RU106059	59 mm	1	1	0.17 kg
RU106060	60 mm	1	1	0.17 kg
RU106063	63 mm	1	1	0.18 kg
RU106064	64 mm	1	1	0.19 kg
RU106065	65 mm	1	1	0.19 kg
RU106067	67 mm	1	1	0.2 kg
RU106068	68 mm	1	1	0.21 kg
RU106070	70 mm	1	1	0.22 kg
RU106073	73 mm	1	1	0.24 kg
RU106076	76 mm	1	1	0.36 kg
RU106083	83 mm	1	1	0.3 kg
RU106086	86 mm	1	1	0.32 kg
RU106089	89 mm	1	1	0.34 kg
RU106092	92 mm	1	1	0.35 kg
RU106095	95 mm	1	1	0.38 kg
RU106098	98 mm	1	1	0.41 kg
RU106102	102 mm	1	1	0.43 kg
RU106105	105 mm	1	1	0.46 kg
RU106108	108 mm	1	1	0.5 kg
RU106111	111 mm	1	1	0.51 kg
RU106114	114 mm	1	1	0.53 kg
RU106121	121 mm	1	1	0.58 kg
RU106127	127 mm	1	1	0.64 kg
RU106140	140 mm	1	1	0.76 kg
RU106152	152 mm	1	1	0.88 kg
RU106160	160 mm	1	1	0.97 kg
RU106168	168 mm	1	1	1.08 kg
RU106200	210 mm	1	1	1.68 kg

BI-METAL FINE TOOTH HOLE SAW

Bi-metal hole saw HSS Co 8 with fine toothing. The fine toothing excels at cutting metal. It ensures smoother operation and requires less effort. Reduced heat development during cutting provides longer tool life, especially when cutting metal. Suitable for alloyed and regular steel (tenacity class up to 700 N/mm2), high-chromium steel, such as stainless steel, acid-resistant steel, non-ferrous materials, and light metals.

HSSE-Co 8

Technical parametres

Max. cutting depth	**38 mm**
Use	**steel, stainless steel, aluminium, brass, plastic, wood, plasterboard, plywood**

Order No.	Description	Package	Carton	Weight
RU126014	14 mm	1	1	0.04 kg
RU126016	16 mm	1	1	0.04 kg
RU126017	17 mm	1	1	0.04 kg
RU126019	19 mm	1	1	0.05 kg
RU126020	20 mm	1	1	0.05 kg
RU126021	21 mm	1	1	0.06 kg
RU126022	22 mm	1	1	0.06 kg
RU126024	24 mm	1	1	0.07 kg
RU126025	25 mm	1	1	0.08 kg
RU126027	27 mm	1	1	0.09 kg
RU126028	28 mm	1	1	0.09 kg
RU126029	29 mm	1	1	0.09 kg
RU126030	30 mm	1	1	0.09 kg
RU126032	32 mm	1	1	0.1 kg
RU126033	33 mm	1	1	0.1 kg
RU126035	35 mm	1	1	0.11 kg
RU126036	36 mm	1	1	0.13 kg
RU126037	37 mm	1	1	0.09 kg
RU126038	38 mm	1	1	0.09 kg
RU126040	40 mm	1	1	0.1 kg
RU126041	41 mm	1	1	0.1 kg
RU126043	43 mm	1	1	0.11 kg
RU126044	44 mm	1	1	0.11 kg
RU126046	46 mm	1	1	0.12 kg
RU126048	48 mm	1	1	0.12 kg
RU126050	50 mm	1	1	0.13 kg
RU126051	51 mm	1	1	0.13 kg
RU126052	52 mm	1	1	0.14 kg
RU126054	54 mm	1	1	0.15 kg
RU126055	55 mm	1	1	0.16 kg
RU126057	57 mm	1	1	0.16 kg
RU126059	59 mm	1	1	0.17 kg
RU126060	60 mm	1	1	0.18 kg
RU126063	63 mm	1	1	0.19 kg
RU126064	64 mm	1	1	0.2 kg
RU126065	65 mm	1	1	0.2 kg
RU126067	67 mm	1	1	0.21 kg
RU126068	68 mm	1	1	0.22 kg
RU126070	70 mm	1	1	0.23 kg
RU126073	73 mm	1	1	0.24 kg
RU126076	76 mm	1	1	0.27 kg
RU126079	79 mm	1	1	0.28 kg
RU126083	83 mm	1	1	0.31 kg
RU126086	86 mm	1	1	0.32 kg
RU126089	89 mm	1	1	0.34 kg
RU126092	92 mm	1	1	0.36 kg
RU126095	95 mm	1	1	0.38 kg
RU126098	98 mm	1	1	0.4 kg
RU126102	102 mm	1	1	0.43 kg
RU126105	105 mm	1	1	0.48 kg
RU126108	108 mm	1	1	0.5 kg
RU126111	111 mm	1	1	0.53 kg
RU126121	121 mm	1	1	0.61 kg
RU126127	127 mm	1	1	0.66 kg
RU126140	140 mm	1	1	0.7 kg
RU126152	152 mm	1	1	0.89 kg
RU126200	210 mm	1	1	1.6 kg

ARBOR HOLDER FOR HOLE SAW HSS-G

HSS-G

Order No.	Description	Package	Carton	Weight
RU106201	A1 14-30 mm	1	1	0.1 kg
RU106202	A2 32-210 mm	1	1	0.17 kg

PILOT DRILL, POLISHED HSS-G

HSS-G

Order No.	Description	Package	Carton	Weight
RU106206	6.35 x 82 mm	1	1	0.02 kg

DEBURRER WITH FIXED BLADE E100

Order No.	Description	Package	Carton	Weight
RU107052		1	1	0.03 kg

DEBURRER WITH INTERCHANGEABLE BLADE E100

Order No.	Description	Package	Carton	Weight
RU107054		1	1	0.06 kg

DEBURRING SET B, PLASTIC HANDLE

Order No.	Description	Package	Carton	Weight
RU107003		1	1	0.16 kg

DEBURRING SET E, PLASTIC HANDLE

Order No.	Description	Package	Carton	Weight
RU107006		1	1	0.17 kg

ACCESSORIES FOR THE DEBURR

Order No.	Description	Package	Carton	Weight
RU107010	Universal Handle	1	1	0.12 kg
RU107011	Steel Holder B	1	1	0.05 kg
RU107012	Deburring Spare Blade B10, 10pcs/pack	10	10	0.002 kg
RU107014	Deburring Spare Blade B20, 10pcs/pack	10	10	0.002 kg
RU107015	Deburring Spare Blade B30, 10pcs/pack	10	10	0.002 kg
RU107016	Reamer Deburrer B50, 1pcs/pack	1	1	0.02 kg
RU107017	Reamer Deburrer B60, 10pcs/pack	10	10	0.003 kg
RU107018	Reamer Deburrer B70 HM, 10pcs/pack	1	1	0.01 kg
RU107025	Steel Holder E	1	1	0.05 kg
RU107026	Deburrer Blade E100, 10pcs/pack	10	10	0.004 kg
RU107027	Deburrer Blade E200, 10pcs/pack	10	10	0.004 kg
RU107028	Deburrer Blade E300, 10pcs/pack	10	10	0.003 kg
RU107029	Deburrer Blade E350, 10pcs/pack	10	10	0.004 kg
RU107030	Deburrer Blade E600, 5pcs/pack	5	5	0.03 kg

SPRAY CAN WD-40

WD-40 Spray Oil is a world-wide popular must-have of every service man in various different fields. Its universality is unique and can be easily used for lubrication, rust removal and cleaning.

Order No.	Description	Package	Carton	Weight
WD750082	250 ml	1	36	0.28 kg
WD750083	400 ml	1	24	0.43 kg

SPRAY CAN SMART STRAW WD-40

WD-40 Spray Oil is a world-wide popular must-have of every service man in various different fields. Its universality is unique and can be easily used for lubrication, rust removal and cleaning. A real advantage is given by a flexible tube that allows access to hard-to-reach spots which require accurate application. Spray oil offers a large field of applications, such as garden tools, automotive components (exhaust piping, engine, spark plugs etc.), door locks, hinges and many more.

Order No.	Description	Package	Carton	Weight
WD75111	250 ml	1	36	0.28 kg
WD75112	450 ml	1	24	0.49 kg
WD750483	600 ml	1	6	0.62 kg

DRILL JIG

A Drill jig for accurate drilling in smooth surfaces in the desired spot. The suction cup ensures easy and stable fixation on the surface.

STAVTOOL

Technical parametres

Diameter	**4, 5, 6, 7, 8, 10, 12, 13 mm**

Order No.	Description	Package	Carton	Weight
ZN24780	4.0-13 mm	1	100	0.14 kg

WD75SPLIT | WD75SPPEN | WD75SPPTF | WD75SPSIL

WD75SPLIT
It ensures long-lasting lubricity, does not drip or run after application. Provides long-lasting lubricity. Works great under extreme pressure, especially on metal bearing joints. Ideal for metal-to-metal applications on components that cannot be lubricated regularly, especially outdoors.

WD75SPPEN
Penetrates into hard-to-reach places. Quickly loosens stuck fasteners as well as stuck or rusted moving parts. Highly waterproof. Used for bolts and nuts, screws, locks, pipes, taps, etc.

WD75SPPTF
It provides excellent lubrication and protection against corrosion, extending the life of tools and instruments. It has a multi-purpose use, can be used on a variety of surfaces, ideal for components and mechanisms exposed to water.

WD75SPSIL
It has high-quality lubricating properties, does not attract dirt and protects against moisture. It is suitable for use on metals, plastics, wood and rubber. Protects parts from sticking and can be used on high pressure equipment.

SCREW EXTRACTOR SET 5 PCS

5pcs Screw extractor set in plastic case.

STAVTOOL

Technical parametres

Size	**M3-M6, M6-M8, M8-M11, M11-M14, M14-M18**

Order No.	Description	Package	Carton	Weight
20385	M3-M18, 5pcs	1	100	0.12 kg

SCREW EXTRACTOR SET

RICHMANN

Cr-Mo

Technical parametres

Size PC9190	**M3-M6, M6-M8, M8-M11, M11-M14, M14-M18**
Size PC9191	**M3-M6, M6-M8, M8-M11, M11-M14, M14-M18, M18-M25**
Size PC9192	**M3-M6, M6-M8, M8-M11, M11-M14, M14-M18, M18-M25, M25-M33, M33-M50**

Order No.	Description	Package	Carton	Weight
PC9190	M3-M18 5pcs	1	100	0.12 kg
PC9191	M3-M25 6pcs	1	100	0.23 kg
PC9192	M3-M50 8pcs	1	100	0.71 kg

BI-METAL HOLE SAW

Bi-metal Hole saw is designed for accurate drilling into wood, chipboard, plastic and metal. The tool benefits from low overheating values and fast material cut. Side grooves for improved chip extraction. Suitable for all power drill types. Clamp the Hole saw to designated drill grooves. Innovative teeth for general use.

XTLINE PROFESSIONAL TOOLS

HSS

Technical parametres

Max. cutting depth	**45 mm**
Use	**wood, chipboard, plastic and soft metal**

Order No.	Description	Package	Carton	Weight
M25016	16 mm	10	100	0.04 kg
M25017	17 mm	25	100	0.05 kg
M25019	19 mm	10	100	0.04 kg
M25020	20 mm	10	100	0.05 kg
M25021	21 mm	10	100	0.05 kg
M25022	22 mm	10	100	0.05 kg
M25024	24 mm	10	100	0.06 kg
M25025	25 mm	10	100	0.06 kg
M25027	27 mm	10	100	0.08 kg
M25028	28 mm	10	100	0.08 kg
M25029	29 mm	10	100	0.08 kg
M25030	30 mm	10	100	0.09 kg
M25032	32 mm	10	100	0.1 kg
M25033	33 mm	10	100	0.1 kg
M25035	35 mm	10	100	0.11 kg
M25038	38 mm	10	100	0.09 kg
M25040	40 mm	5	50	0.09 kg
M25041	41 mm	10	100	0.1 kg
M25043	43 mm	10	100	0.11 kg
M25044	44 mm	5	50	0.11 kg
M25046	46 mm	10	100	0.11 kg
M25048	48 mm	10	100	0.12 kg
M25050	50 mm	5	50	0.13 kg
M25051	51 mm	5	50	0.14 kg
M25052	52 mm	10	50	0.14 kg
M25054	54 mm	10	50	0.15 kg
M25055	55 mm	10	50	0.15 kg
M25057	57 mm	5	50	0.16 kg
M25060	60 mm	5	50	0.17 kg
M25064	64 mm	5	50	0.21 kg
M25067	67 mm	5	50	0.21 kg
M25068	68 mm	5	50	0.22 kg
M25070	70 mm	5	50	0.24 kg
M25073	73 mm	5	50	0.25 kg
M25083	83 mm	5	50	0.31 kg
M25089	89 mm	5	20	0.36 kg
M25102	102 mm	5	20	0.45 kg

PILOT DRILL FOR BIMETAL HOLE SAW HSS-G

Pilot drill for accurate Hole saw setting.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
M25200	6.0x70 mm	10	100	0.02 kg

BI-METAL HOLE SAW SET 9PCS

A Hole saw is designed for accurate hole drilling in wood, dry masonry, plumbing pipes, door fittings etc. High endurance and low wear are the main features, followed by steel teeth to guarantee smoother and faster cut. The package includes an aluminum case, hole saw set and arbor holders.

XTLINE PROFESSIONAL TOOLS

HSS

Technical parametres

Diameter	**19, 22, 29, 38, 44, 57 mm**
Use	**wood, chipboard, plywood, plasterboard, plastic, rubber, soft metal up to 8 mm**

Order No.	Description	Package	Carton	Weight
M24750	19-57 mm, Aluminium box	1	10	1.09 kg

BI-METAL HOLE SAW SET 13pcs

XTLINE PROFESSIONAL TOOLS

HSS

Technical parametres

Diameter	**19, 22, 29, 35, 38, 44, 51, 57, 64 mm**
Use	**wood, chipboard, plywood, plasterboard, plastic, rubber, soft metal up to 8 mm**

Order No.	Description	Package	Carton	Weight
M24751	19-64 mm, Aluminium box	1	10	1.62 kg

ARBOR HOLDER FOR BIMETAL HOLE SAW

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
M25100	14-29 mm	10	100	0.08 kg
M25150	30-152 mm	5	50	0.22 kg

RATCHET TAP WRENCH

Ratchet tap wrench is used to work with hand taps. It is possible to set the direction of rotation (right, left, lock-position). The main benefit of the ratchet tap is accessibility to hard-to-reach spots. Suitable for clamping M3 – M8 hand taps.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT353008	M3-M8	1	60	0.19 kg
XT353012	M5-M12	1	60	0.29 kg

STEP DRILL BIT SET HSS TIN-TIALN 3PCS

For drilling round holes in sheet steel (and softer materials, such as wood, plastics etc). Smooth and burr-free drilling without material deformation. TiN and TiAlN combined coating grants higher wear resistance of the tool tip and flute. The surface coating makes the operation easier and increases the tool reliability.

XTLINE PROFESSIONAL TOOLS

HSS TiN-TiAlN

Technical parametres

Diameter	**4-12mm; 4-20mm; 4-32mm**
Use	**for drilling circular bore holes in steel sheet**
Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
XT36003	4.0 - 32 mm, plastic package	1	20	0.4 kg

CARBIDE HOLE SAW

Carbide Hole saw made of a single-steel piece with pilot drill designed for drilling circular holes in metal materials. Suitable for cordless/corded power drills.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P11516	16 mm	10	100	0.09 kg
P11518	18 mm	10	100	0.12 kg
P11520	20 mm	10	100	0.12 kg
P11522	22 mm	10	100	0.12 kg
P11525	25 mm	10	100	0.13 kg
P11530	30 mm	10	100	0.17 kg
P11532	32 mm	10	100	0.17 kg
P11535	35 mm	10	100	0.18 kg
P11540	40 mm	10	100	0.22 kg
P11544	45 mm	5	50	0.26 kg
P11550	50 mm	5	50	0.26 kg
P11555	55 mm	5	50	0.28 kg
P11560	60 mm	5	50	0.31 kg
P11565	65 mm	3	30	0.39 kg
P11570	70 mm	3	30	0.4 kg
P11575	75 mm	3	30	0.44 kg
P11580	80 mm	2	20	0.54 kg
P11585	85 mm	2	20	0.5 kg
P11590	90 mm	2	20	0.58 kg
P11595	95 mm	2	20	0.68 kg
P11596	100 mm	2	20	0.74 kg
P11597	105 mm	1	20	0.83 kg
P11598	110 mm	1	20	0.75 kg
P11599	115 mm	1	20	0.79 kg
P11600	120 mm	1	20	1 kg
P11601	125 mm	1	25	0.98 kg
P11602	130 mm	1	25	1.24 kg
P11603	135 mm	1	25	1.31 kg
P11604	140 mm	1	10	1.25 kg
P11606	145 mm	1	10	1.38 kg
P11607	150 mm	1	10	1.46 kg

STEP DRILL BIT HSS TIALN

The Step drill bit is designed for drilling round holes in sheet steel (and softer materials, such as wood, plastics etc). Smooth and burr-free drilling without material deformation. TiN and TiAlN combined coating grants higher wear resistance of the tool tip and flute. The surface coating makes the operation easier and increases the tool reliability.

XTLINE PROFESSIONAL TOOLS

HSS TiN-TiAlN

Technical parametres

Diameter XT36012	**4-6-8-10-12 mm**
Diameter XT36020	**4-6-8-10-12-14-16-18-20 mm**
Diameter XT36032	**4-6-8-10-12-14-16-18-20-22-24-26-28-30-32 mm**
Diameter XT36035	**5-6-8-10-12-14-16-18-20-22-24-26-28-30-32-35 mm**
Diameter XT36038	**6-9-13-16-19-21-23-26-29-32-35-38 mm**
Diameter XT36045	**10-15-20-25-30-35-40-45 mm**

Order No.	Description	Package	Carton	Weight
XT36012	4.0-12 mm, Size - 2 mm (HEX)	5	100	0.024 kg
XT36020	4.0-20 mm, Size - 2 mm (HEX)	5	60	0.054 kg
XT36032	4.0-32 mm, Size - 2 mm (TRI)	5	60	0.18 kg
XT36035	5.0-35 mm, Size - 2-4 mm (TRI)	5	60	0.2 kg
XT36038	6.0-38 mm, Size - 3 mm (TRI)	5	60	0.24 kg
XT36045	10-45 mm, Size - 5 mm (TRI)	5	60	0.38 kg

STEP DRILL BIT HSS

XTLINE PROFESSIONAL TOOLS

HSS

Technical parametres

Diameter XT35487	**4-6-8-10-12 mm**
Diameter XT35488	**4-6-8-10-12-14-16-18-20 mm**
Diameter XT35489	**4-6-8-10-12-14-16-18-20-22-24-26-28-30-32 mm**
Diameter XT35492	**6-9-13-16-19-21-23- 26-29-32-35-38 mm**

Order No.	Description	Package	Carton	Weight
XT35487	4.0-12 mm, Size - 2 mm (HEX)	5	100	0.03 kg
XT35488	4.0-20 mm, Size - 2 mm (HEX)	5	60	0.06 kg
XT35489	4.0-32 mm, Size - 2 mm (TRI)	5	60	0.18 kg
XT35492	6.0-38 mm, Size - 3 mm (TRI)	5	60	0.23 kg

STEP DRILL BIT SET HSS TIN 3PCS

XTLINE PROFESSIONAL TOOLS

HSS TiN

Technical parametres

Diameter	**4-12; 4-20, 4-32 mm**	Clamping	**cylindrical shank**
Use	**drilling steel, sheet metal of thickness up to 4 mm**		

Order No.	Description	Package	Carton	Weight
XT35500	4.0-32 mm, plastic package	1	20	0.39 kg

ROTARY BURR SET FOR METAL 6 MM, 5PCS

RICHMANN

Technical parametres

Dimension of router bits	**10x20, 10x20, 10x9, 10x20, 10x25 mm**

Order No.	Description	Package	Carton	Weight
PC8901	plastic package	1	10	0.325 kg

3-FLUTE COUNTERSINK DRILL BITS SET HSS, 6PCS

RICHMANN

HSS

NEW

Technical parametres

Dimension	**6.3-20.5 mm**	Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
PC8945	6.3-20.5 mm, metal package	1	1	0.5 kg

SPIRAL FLUTE STEP DRILL BIT HSS TIN

XTLINE PROFESSIONAL TOOLS

HSS TiN

Technical parametres

Diameter XT35512	**4-6-8-10-12 mm**
Diameter XT35520	**4-6-8-10-12-14-16-18-20 mm**
Diameter XT35532	**4-6-8-10-12-14-16-18-20-22-24-26-28-30-32 mm**
Diameter XT35535	**5-9-11-13-16-19-21-23-26-29-31-33-35 mm**
Diameter XT35538	**6-9-13-16-19-21-23-26-29-32-35-38 mm**
Diameter XT35545	**10-15-20-25-30-35-40-45 mm**

Order No.	Description	Package	Carton	Weight
XT35512	4.0-12 mm, Size - 2 mm (HEX)	5	100	0.03 kg
XT35520	4.0-20 mm, Size - 2 mm (HEX)	5	60	0.06 kg
XT35532	4.0-32 mm, Size - 2 mm (TRI)	5	60	0.17 kg
XT35535	5.0-35 mm, Size - 2-4 mm (TRI)	5	60	0.21 kg
XT35538	6.0-38 mm, Size - 3 mm (TRI)	5	60	0.26 kg
XT35545	10-45 mm, Size - 5 mm (TRI)	5	60	0.36 kg

ROTARY BURR FOR METAL, A-SHAPE, SHANK 6 mm

RICHMANN

Order No.	Description	Package	Carton	Weight
PC8905	Cylinder 8.0x20 mm	1	25	0.041 kg
PC8906	Cylinder 10x20 mm	1	25	0.05 kg
PC8907	Cylinder 12x25 mm	1	25	0.058 kg
PC8908	Cylinder 8.0x20 mm	1	25	0.043 kg
PC8909	Cylinder 10x20 mm	1	25	0.049 kg
PC8910	Cylinder 12x25 mm	1	25	0.054 kg
PC8911	Cylinder - Oval 8.0x20 mm	1	25	0.037 kg
PC8912	Cylinder - Oval 10x20 mm	1	25	0.045 kg
PC8913	Cylinder - Oval 12x25 mm	1	25	0.54 kg
PC8914	Ball 8.0x7 mm	1	25	0.032 kg
PC8915	Ball 10x9 mm	1	25	0.035 kg
PC8916	Ball 12x11 mm	1	25	0.054 kg
PC8917	Ball Nose 8x20 mm	1	25	0.04 kg
PC8918	Ball Nose 10x20 mm	1	25	0.044 kg
PC8919	Ball Nose 12x25 mm	1	25	0.054 kg
PC8920	Round Cone 8.0x22 mm	1	25	0.039 kg
PC8921	Round Cone 10x25 mm	1	25	0.041 kg
PC8922	Round Cone 12x28 mm	1	25	0.055 kg
PC8923	Point Cone 8.0x18 mm	1	25	0.033 kg
PC8924	Point Cone 10x20 mm	1	25	0.039 kg
PC8925	Point Cone 12x25 mm	1	25	0.06 kg

3-FLUTE COUNTERSINK DRILL BITS HSS

RICHMANN

HSS

NEW

Order No.	Description	Package	Carton	Weight
PC8936	6.3x45x5.0 mm	1	1	0.01 kg
PC8937	8.3x50x6.0 mm	1	1	0.01 kg
PC8938	10.4x50x6.0 mm	1	1	0.02 kg
PC8939	12.4x56x8.0 mm	1	1	0.02 kg
PC8940	16.5x60x8.0 mm	1	1	0.05 kg
PC8941	20.5x63x10 mm	1	1	0.06 kg
PC8942	25x67x10 mm	1	1	0.08 kg
PC8943	31x71x12 mm	1	1	0.1 kg

HAND TAP AND ROUND DIE SET 32PCS

STAVTOOL by XTLINE

Technical parametres

Hand tap	**M3, M4, M5, M6, M8, M10, M12**	Drive handle for round die	**25x9 mm**
Thread gauge	**1x**	Handle for hand taps	**M3-M12**
Round die	**M3, M4, M5, M6, M8, M10, M12**	Screwdriver	**1x**

Order No.	Description	Package	Carton	Weight
P19182	M3-M12	1	10	1.42 kg

HAND TAP AND ROUND DIE SET 60PCS

RICHMANN

Technical parametres

Hand taps	**M3x0.5; M4x0.7; M5x0.8; M6x1; M8x1.25; M10x1.5; M12x1.75**	Round die handle	**1x**
Fine thread hand taps	**M3x0.35; M4x0.5; M5x0.5; M6x0.75; M8x1; M10x1; M10x1.25; M12x1.25; M12x1.5**	Hand tap handle	**1x**
Fine threads die casts	**M3x0.35; M4x0.5; M5x0.5; M6x0.75; M8x1; M10x1; M10x1.25; M12x1.25; M12x1.5**	Ratchet drive bar	**1x**
Thread jaws	**M3x0.5; M4x0.7; M5x0.8; M6x1; M8x1.25; M10x1.5; M12x1.75**	Screwdriver	**1x**
Thread gauges	**1x**		

Order No.	Description	Package	Carton	Weight
PC9184	M3-M12, metal box	1	5	2.65 kg

HAND TAP AND ROUND DIE SET 32PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Hand tap	**M3, M4, M5, M6, M8, M10, M12**	Drive handle inserts	**25/20 mm, 38/30 mm**
Round die	**M3, M4, M5, M6, M8, M10, M12**	Dimension of product	**345x200x3.2 mm**
Drive handle for round die	**25,38 mm**	Weight	**2.2 kg**
Handle for hand taps	**2.5-7.1**		

Order No.	Description	Package	Carton	Weight
XT37100	M3-M12, metal box	1	10	1.8 kg

HAND TAP AND ROUND DIE SET 54PCS

RICHMANN

Technical parametres

Hand tap	**M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20**	Drive handle for round die	**6x**
Thread gauge	**1x**	Handle for hand taps	**2x**
Round die	**M3, M4, M5, M6, M8, M10, M12, M14, M16, M18, M20**	Screwdriver	**1x**

Order No.	Description	Package	Carton	Weight
PC9183	M3-M20	1	10	7.93 kg

HAND TAP AND ROUND DIE SET 32 PCS

RICHMANN

Technical parametres

Hand tap	**M3, M4, M5, M6, M8, M10, M12**	Drive handle for round die	**25x9 mm**
Thread gauge	**1x**	Handle for hand taps	**M3-M12**
Round die	**M3, M4, M5, M6, M8, M10, M12**	Screwdriver	**1x**

Order No.	Description	Package	Carton	Weight
PC9182	M3-M12, metal box	1	24	1.4 kg

HAND TAP SET 22 PCS

RICHMANN

Si-Cr DIN 352

Technical parametres

Hand tap	**M3, M4, M5, M6, M8, M10, M12**
Folding drive handle	**1x**

Order No.	Description	Package	Carton	Weight
PC9181	M3-M12, metal package	1	50	0.75 kg

DIE STOCK

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT37325	25/20 mm	1	100	0.17 kg
XT37328	38/30 mm	1	50	0.43 kg

ROUND DIE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT37203	M3x0.5	1	500	0.1 kg
XT37204	M4x0.7	1	500	0.1 kg
XT37205	M5x0.8	1	500	0.12 kg
XT37206	M6x1	1	500	0.12 kg
XT37208	M8x1.25	1	500	0.024 kg
XT37210	M10x1.5	1	250	0.04 kg
XT37212	M12x1.75	1	250	0.08 kg

ALPHABET LETTER PIN PUNCH

STAVTOOL XTLINE

HRC50

Order No.	Description	Package	Carton	Weight
P19764	4.0 mm	1	10	0.46 kg
P19766	6.0 mm	1	12	0.93 kg
P19768	8.0 mm	1	20	1.37 kg

NUMBER PIN PUNCH

STAVTOOL XTLINE

HRC50

Order No.	Description	Package	Carton	Weight
P19774	4.0 mm	1	20	0.17 kg
P19776	6.0 mm	1	100	0.29 kg
P19778	8.0 mm	1	60	0.46 kg

ADJUSTABLE TAP WRENCH

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT37312	M3-M12	1	168	0.12 kg

HAND TAP

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT37103	M3x0.5 mm	1	500	0.02 kg
XT37104	M4x0.7 mm	1	500	0.02 kg
XT37105	M5x0.8 mm	1	500	0.03 kg
XT37106	M6x1 mm	1	500	0.04 kg
XT37108	M8x1.25 mm	1	250	0.06 kg
XT37110	M10x1.5 mm	1	250	0.08 kg
XT37112	M12x1.75 mm	1	150	0.12 kg

SINGLE-CUT HAND TAP SET

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9071	M4x0.5 mm	1	1	0.01 kg
PC9072	M5x0.5 mm	1	1	0.02 kg
PC9073	M6x0.75 mm	1	1	0.02 kg
PC9074	M8x0.75 mm	1	1	0.03 kg
PC9075	M8x1 mm	1	1	0.03 kg
PC9076	M10x0.75 mm	1	1	0.05 kg
PC9077	M10x1 mm	1	1	0.05 kg
PC9078	M10x1.25 mm	1	1	0.05 kg
PC9079	M12x1 mm	1	1	0.08 kg
PC9080	M12x1.25 mm	1	1	0.08 kg
PC9081	M12x1.5 mm	1	1	0.08 kg

THREADED MOUNT METAL KEYLESS DRILL CHUCK

The Keyless drill chuck with CLICK-LOCK SYSTEM, which allows fast bit replacement with no need for a chuck key, prevents the bit from coming out of the chuck and reduces vibration while working. Full metal chuck made of hardened steel provides long life-span and accurate drilling operation. Solid carbide clamping facets allow hammer drilling operation.

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
P09120	2.0-13 mm, 1/2" x 20 UNF	1	20	0.3 kg
P09520	2.0-13 mm, 3/8" x 24 UNF	1	20	0.31 kg

THREADED MOUNT KEYLESS DRILL CHUCK

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9218	0.8-10 mm, 3/8"-20UNF	5	60	0.16 kg
PC9220	2.0-13 mm, 3/8"-20UNF	5	60	0.29 kg
PC9221	2.0-13 mm, 1/2"-20UNF	5	60	0.26 kg

THREADED MOUNT KEYED DRILL CHUCK

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P04105	1.5-13 mm, 1/2"-20 UNF	1	20	0.35 kg
P11010	1.5-13 mm, 1/2-20UNF	5	40	0.33 kg
PC9202	1/2", 1.5-16 mm	5	60	0.6 kg

CHUCK KEY

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
PA23363	B 10	1	200	0.04 kg
PA23364	B 13	1	100	0.05 kg

THREADED KEYLESS DRILL CHUCK

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P05168	1/2"-20UNF CLICK-LOCK, 1,5-13 mm	1	20	0.33 kg

HEAVY DUTY METAL KEYLESS DRILL CHUCK, TAPERED, CLICK-LOCK

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P06301	1.0-13 mm, B16	1	20	0.74 kg
P08301	1.0-16 mm, B18	1	20	1.14 kg

THREADED KEYLESS DRILL CHUCK

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9225	2.0-13 mm, 1/2" x 20 UNF + Adapter SDS PLUS	4	60	0.29 kg

BEVEL TOOTH DRILL CHUCK

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9206	1.5-13 mm B16	5	30	0.32 kg
PC9207	3.0-16 mm B16	5	60	0.58 kg

THREADED TOOTH DRILL CHUCK

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9200	1/2"-20 UNF 1.0-10 mm	5	18	0.2 kg
PC9209	1/2"-20UNF 1.5-13 mm + SDS-PLUS Adapter	5	30	0.38 kg

SDS-PLUS ADAPTER, THREAD 1/2"

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
KL27300		1	500	0.05 kg

90° ANGLE ADAPTER

Technical parametres

Diameter of drill bit	**0.8 - 10 mm**	Length of arm	**10 cm**
Max. speed	**3000 rpm**	Clamping	**HEX**

Order No.	Description	Package	Carton	Weight
XT102202	with Chuck 0.8-10 mm	1	24	0.49 kg

90° ANGLE ADAPTER WITH BIT HOLDER 1/4"

Technical parametres

Max. speed	**3000 rpm**
Clamping	**1/4" - 1/4"**

Order No.	Description	Package	Carton	Weight
XT102206		1	24	0.28 kg

ANGLE GRINDER STAND HOLDER 115, 125 mm

The Drill stand is made of aluminum with steel base that provides good enough stability when working.

Technical parametres

Use	**angle grinders 115/125 mm**
Weight	**2.1 kg**

Order No.	Description	Package	Carton	Weight
XT105415		1	8	2.8 kg

ANGLE GRINDER STAND HOLDER 180, 230 mm

The Drill stand is made of aluminum with steel base that provides good enough stability when working.

Technical parametres

Use	**angle grinders 180/230 mm**
Weight	**5.25 kg**

Order No.	Description	Package	Carton	Weight
XT105430		1	8	4.08 kg

DRILL STAND 38 - 43 mm

The Drill stand is made of aluminum with steel base that provides good enough stability when working.

Technical parametres

Working length	**60 mm**	Weight	**1.6 kg**
Clamping hole	**38 - 43 mm**	Height of stand	**500 mm**

Order No.	Description	Package	Carton	Weight
XT106135		1	8	1.6 kg

WOOD AUGER DRILL BIT SET, 6 PCS

Auger wood drill bit set with threaded tip for accurate material penetration. HEX shank; wooden box.

STAVTOOL XTLINE

Technical parametres

P11160		P11161	
Diameter	**10, 12, 14, 16, 18, 20 mm**	Diameter	**10, 12, 14, 16, 18, 20 mm**
Clamping	**HEX**	Clamping	**HEX**

Order No.	Description	Package	Carton	Weight
P11160	460 mm, wood box	1	5	2.09 kg
P11161	230 mm, wood box	1	10	1.1 kg

WOOD AUGER DRILL BIT

For drilling deep holes in soft and hard wood. Threaded tip for easier material penetration.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
KL274006/230	6.0x230 mm	1	100	0.05 kg
KL274008/230	8.0x230 mm	1	100	0.08 kg
KL274010/230	10x230 mm	1	100	0.11 kg
KL274012/230	12x230 mm	1	100	0.12 kg
KL274014/230	14x230 mm	1	100	0.16 kg
KL274016/230	16x230 mm	1	100	0.2 kg
KL27418/260	18x260 mm	1	50	0.25 kg
KL27420/260 N	20x260 mm	1	50	0.3 kg
KL27422/260 N	22x260 mm	1	50	0.32 kg
KL27424/260 N	24x260 mm	1	50	0.35 kg
KL27426/260 N	26x260 mm	1	50	0.4 kg
KL274006/450	6.0x450 mm	1	100	0.1 kg
KL274008/450	8.0x450 mm	1	100	0.14 kg
KL274010/450	10x450 mm	1	100	0.2 kg
KL274012/450	12x450 mm	1	100	0.26 kg
KL274014/450	14x450 mm	1	100	0.29 kg
KL274016/450	16x450 mm	1	50	0.38 kg
KL274018/450	18x450 mm	1	50	0.39 kg
KL274020/450	20x450 mm	1	50	0.51 kg
KL27422/450	22x450 mm	1	50	0.59 kg
KL27424/450	24x450 mm	1	50	0.66 kg
KL27426/450	26x450 mm	1	50	0.67 kg
KL27428/450	28x450 mm	1	20	0.84 kg
KL27430/450	30x450 mm	1	25	0.97 kg
KL27412/600	12x600 mm	1	50	0.31 kg
KL27414/600	14x600 mm	1	50	0.37 kg
KL27416/600	16x600 mm	1	50	0.48 kg
KL27418/600	18x600 mm	1	25	0.61 kg
KL27420/600	20x600 mm	1	50	0.71 kg
KL27422/600	22x600 mm	1	25	0.72 kg
KL27424/600	24x600 mm	1	20	0.86 kg
KL27426/600	26x600 mm	1	20	1.05 kg
KL27428/600	28x600 mm	1	10	1.19 kg
KL27430/600	30x600 mm	1	10	1.34 kg

WOOD DRILL BIT SET 5 PCS

Wood Drill bit set with self-centering tip and ground faset.

STAVTOOL XTLINE

Technical parametres

Diameter	**4, 5, 6, 8, 10 mm**	Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
P11150	4.0-10 mm, PVC package	1	100	0.1 kg

WOOD DRILL BIT SET 7PCS

Extended wood drill bit with self-centering tip and ground faset.

STAVTOOL XTLINE



Technical parametres

Diameter	**4, 5, 6, 7, 8, 10, 12 mm**	Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
P11158	300 mm, PVC package	1	25	0.5 kg

WOOD DRILL BIT SET, 8pcs

STAVTOOL XTLINE

DIN 7487

Technical parametres

Diameter	**3, 4, 5, 6, 7, 8, 9, 10 mm**	Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
ST23800	3.0-10 mm, PVC package	10	100	0.21 kg

EXTENDED DRILL BIT FOR WOOD

Extended wood drill bit with self-centering tip and ground faset.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
20731	8.0x400 mm	1	100	0.11 kg
20736	8.0x600 mm	1	100	0.16 kg
20730	10x400 mm	1	100	0.16 kg
20737	10x600 mm	1	100	0.24 kg
20732	12x400 mm	1	100	0.22 kg
20738	12x600 mm	1	60	0.34 kg
20733	14x400 mm	1	75	0.29 kg
20739	14x600 mm	1	50	0.49 kg
20734	16x400 mm	1	60	0.39 kg
20740	16x600 mm	1	30	0.59 kg
20735	18x400 mm	1	50	0.47 kg
20741	18x600 mm	1	25	0.73 kg

WOOD DRILL BIT, REDUCED SHANK

High performance wood drill bit made of wear resistant CV steel. Suitable for soft and hard wood, plywood, chipboard, blockboard, hard fiber materials, veneer.

RUKO

Order No.	Description	Package	Carton	Weight
RU208030	3.0x61 mm	1	1	0.0006 kg
RU208040	4.0x73 mm	1	1	0.0006 kg
RU208050	5.0x86 mm	1	1	0.001 kg
RU208060	6.0x91 mm	1	1	0.002 kg
RU208080	8.0x116 mm	1	1	0.003 kg
RU208100	10x132 mm	1	1	0.005 kg
RU208120	12x150 mm	1	1	0.008 kg
RU208130	13x152 mm	1	1	0.008 kg
RU208140	14x160 mm	1	1	0.01 kg
RU208160	16x160 mm	1	1	0.012 kg

ROTARY RASP SET FOR WOOD, 6PCS

The Rotary rasp is suitable for work with soft wood and power drill clamping.

XTLINE PROFESSIONAL TOOLS

HCS 45

Technical parametres

Use	**sanding/machining of wood and wooden materials**
Clamping	**cylidrical shank 6 mm**

Order No.	Description	Package	Carton	Weight
XT181006		1	60	0.2 kg

MILLING DRILL BIT FOR WOOD AND PLASTIC HSS

The Milling drill bit is suitable to use with wood or plastics and can be clamped in power drill or driver. The drill bit is made of HSS (High Speed Steel).

XTLINE PROFESSIONAL TOOLS

Technical parametres

XT352690		XT352890	
Diameter	**6 mm**	Diameter	**8 mm**
Use	**drilling wood (drywall), plastic**	Use	**drilling wood (drywall), plastic**

Order No.	Description	Package	Carton	Weight
XT352690	6.0x90 mm	1	200	0.03 kg
XT352890	8.0x90 mm	1	200	0.04 kg

FLAT WOOD DRILL BIT

XTLINE PROFESSIONAL TOOLS

HSS

NEW

SHANK 1/4"

Order No.	Description	Package	Carton	Weight
XT67014	14x150 mm	1	1	0.05 kg
XT67016	16x150 mm	1	x	0.05 kg
XT67018	18x150 mm	1	x	0.1 kg
XT67020	20x150 mm	1	x	0.1 kg
XT67022	22x150 mm	1	x	0.1 kg
XT67025	22x150 mm	1	x	0.1 kg
XT67030	30x150 mm	1	x	0.1 kg
XT67032	32x150 mm	1	x	0.1 kg
XT67035	35x150 mm	1	x	0.1 kg

SET OF FLAT DRILL BITS 6PCS

XTLINE PROFESSIONAL TOOLS

HSS

NEW

SHANK 1/4"

Technical parametres

Diameter	**16, 18, 20, 22, 25, 32 mm**
Clamping	**hexagonal shank 1/4"**

Order No.	Description	Package	Carton	Weight
XT67006	16-32 mm, plastic package	1	x	0.71 kg

SPADE WOOD DRILL BIT SET 6PCS

The Spade wood drill bit set with HEX shank.

STAVTOOL by XTLINE

Technical parametres

Dimension	**10, 13, 16, 19, 22, 25 mm**
Clamping	**HEX shank**

Order No.	Description	Package	Carton	Weight
P11170	10-25 mm, PVC package	1	100	0.24 kg

DRILL BIT FOR CONFIRMAT SCREWS

Order No.	Description	Package	Carton	Weight
PC3398	4.0 / 6.4 mm	10	32	0.04 kg
PC3399	7.0 / 5.0 mm	10	10	0.04 kg

TWIST DRILL BIT FOR WOOD

DIN 7487

Order No.	Description	Package	Carton	Weight
ST23030	3.0 mm	10	500	0.004 kg
ST23040	4.0 mm	10	500	0.006 kg
ST23050	5.0 mm	10	500	0.01 kg
ST23060	6.0 mm	10	500	0.02 kg
ST23070	7.0 mm	10	500	0.02 kg
ST23080	8.0 mm	10	250	0.03 kg
ST23090	9.0 mm	10	250	0.04 kg
ST23100	10 mm	10	250	0.05 kg
ST23110	11 mm	10	250	0.06 kg
ST23120	12 mm	10	100	0.08 kg
ST23130	13 mm	10	100	0.08 kg
ST23140	R13, 14 mm	10	100	0.11 kg
ST23160	R13, 16 mm	10	100	0.11 kg

SPARE PARTS SET (DRILL BIT, BRACKET), FOR P11804, P11807

Order No.	Description	Package	Carton	Weight
P11803	drill, drill bit	1	1	0.01 kg

COUNTERSINK DRILL BIT SET 4pcs

Technical parametres

Diameter of countersink bit	15 mm	Diameter	3, 4, 5, 6 mm
Drill bit length	60, 75, 85, 90 mm		

Order No.	Description	Package	Carton	Weight
P11145	3.0-6.0 mm, blister package	1	25	0.21 kg

HOLE SAW SET FOR WOOD 16 PCS

The Hole saw allows cutting in wood, drywall, plywood etc.

Technical parametres

Max. cutting depth	28 mm, with drill bit 4,5 mm	Use	wood, plasterboard, rubber, plastic
Diameter	19,22,29,32,38,44,51,64,76,89,102, 127 mm	Package includes	2x arbor holder,pilot drill bit, HEX key, hole saws 19-127 mm

Order No.	Description	Package	Carton	Weight
P11804	19-127 mm, plastic box	1	20	0.94 kg

HOLE SAW SET FOR WOOD 8PCS

Technical parametres

Diameter	51, 57, 67, 76, 89, 102 mm	Package includes	arbor holder with pilot drill bit, HEX key, hole saws
Use	wood, plasterboard, rubber, plastic, laminate		

Order No.	Description	Package	Carton	Weight
P11807	51-102 mm, plastic box	1	20	0.67 kg

HOLE SAW SET FOR WOOD 10PCS

Technical parametres

Průměr	19, 22, 25, 28, 38, 44, 51, 64 mm	Součást balení	držák korunek s vodícím vrtákem, imbus klíč, vykružovací korunky
Použití	dřevo, sádrokarton, guma, plast		

Order No.	Description	Package	Carton	Weight
P11808	19-64 mm, plastic box	1	40	0.42 kg

COUNTERSINK BIT SET 90°, 3PCS

Technical parametres

Diameter	12, 16, 19 mm	Clamping	6 mm

Order No.	Description	Package	Carton	Weight
P11144	blister package	1	25	0.1 kg

HOLE SAW

The Hole saw is designed for drilling round holes in various materials, such as wood, plywood, laminate, plasterboard, plastics, rubber etc.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. cutting depth	**25 mm**
Use	**wood, plywood, laminate, plasterboard, plastic, rubber**
Clamping	**HEX Shank**

Order No.	Description	Package	Carton	Weight
XT11819	19 mm	10	100	0.09 kg
XT11822	22 mm	10	100	0.09 kg
XT11835	35 mm	10	100	0.12 kg
XT11851	51 mm	10	100	0.14 kg
XT11860	60 mm	10	100	0.16 kg
XT11868	68 mm	10	100	0.16 kg
XT11873	73 mm	10	100	0.17 kg
XT11883	83 mm	10	20	0.19 kg
XT11903	102 mm	10	50	0.23 kg
XT11915	115 mm	10	50	0.23 kg
XT11927	127 mm	10	20	0.29 kg
XT11952	152 mm	10	50	0.23 kg

ADJUSTABLE HOLE SAW

STAVTOOL by XTLINE

Technical parametres

Diameter	**30-120 mm**
Use	**wood, plastic, plasterboard**

Order No.	Description	Package	Carton	Weight
P11806	30-120 mm	5	50	0.33 kg

FORSTNER BIT FOR WOOD WITH CARBIDE TEETH

STAVTOOL by XTLINE

BLISTER

Technical parametres

Use	**wood**
Clamping	**cylindrical shank (8 mm)**

Order No.	Description	Package	Carton	Weight
7011015	15 mm	10	100	0.06 kg
7011020	20 mm	10	100	0.06 kg
7011025	25 mm	10	100	0.07 kg
7011030	30 mm	10	100	0.09 kg
7011035	35 mm	10	100	0.1 kg
7011040	40 mm	10	100	0.12 kg
7011045	45 mm	10	100	0.14 kg
7011050	50 mm	10	100	0.15 kg

HOLE SAW SET 9PCS

7pcs Hole saw set with pilot drill bit and a pair of clamping shanks is fully made of HSS (High Speed Steel). The included hex key provides easy and fast tool replacement. It is designed for drilling holes in wood, plywood, laminate, plasterboard, plastics and rubber.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. cutting depth	**25 mm**
Diameter	**19, 22, 35, 51, 60, 68, 73 mm**
Use	**wood, chipboard, laminate, plasterboard, plastic, rubber**
Package includes	**clamping shank, clamping shank with guide drill bit (HEX)**

Order No.	Description	Package	Carton	Weight
XT11809	19-73 mm, Plastic box	6	24	0.63 kg

HOLE SAW SET 14PCS

STAVTOOL by XTLINE

Technical parametres

Max. cutting depth	**25 mm**
Diameter	**19, 22, 35, 51, 60, 68, 73, 83, 102,127 mm**
Use	**wood, plywood, laminate, plasterboard, plastic, rubber**
Package includes	**Clamping shank 1/4", clamping shank 3/8" with 6 mm drill bit, collet, HEX key**

Order No.	Description	Package	Carton	Weight
XT11812	19-127 mm, Plastic box	1	20	1.04 kg

FORSTNER BIT SET, TUNGSTEN CARBIDE 5PCS

STAVTOOL

Technical parametres

Diameter	**15, 20, 25, 30, 35 mm**	Use	**wood**
Total length (L)	**90 mm**	Clamping	**cylindrical shank (10 mm)**
Working length	**60 mm**		

Order No.	Description	Package	Carton	Weight
P11135/SK	15-35 mm, wood box	1	40	0.49 kg

FORSTNER BIT SET FOR WOOD 5PCS

STAVTOOL

HSS

Technical parametres

Diameter	**15, 20, 25, 30, 35 mm**	Use	**wood**
Total length (L)	**90 mm**	Clamping	**cylindrical shank (10 mm)**
Working length	**60 mm**		

Order No.	Description	Package	Carton	Weight
P11135	15-35 mm, wood box	1	20	0.46 kg

ROUTER BIT SET FOR WOOD 50PCS

STAVTOOL

Technical parametres

Clamping	**shank 8 mm**

Order No.	Description	Package	Carton	Weight
P11142	aluminium box	1	5	3.13 kg

ROUTER BIT SET FOR WOOD 35PCS

STAVTOOL



Technical parametres

Clamping	**shank 8 mm**

Order No.	Description	Package	Carton	Weight
P11141	aluminium box	1	10	2.08 kg

ROUTER BIT SET FOR WOOD, 24PCS

STAVTOOL

Technical parametres

Clamping	**shank 8 mm**

Order No.	Description	Package	Carton	Weight
P11130	aluminium box	1	20	1.26 kg

ROUTER BIT SET FOR WOOD 12PCS

STAVTOOL

Technical parametres

Clamping	**shank 8mm**

Order No.	Description	Package	Carton	Weight
P11137	wooden box	1	20	0.51 kg

ROUTER BIT SET FOR WOOD 6PCS

STAVTOOL

Technical parametres

Clamping	**shank 8 mm**

Order No.	Description	Package	Carton	Weight
P11138	wooden box	1	50	0.28 kg

PLUG CUTTER BIT SET FOR WOOD 5PCS

STAVTOOL

Technical parametres

Diameter	**15, 20, 25, 30, 35 mm**
Clamping	**cylindrical shank (15-30 mm / 13 mm; 35 mm / 16 mm)**

Order No.	Description	Package	Carton	Weight
P11134	15-35 mm	1	10	1.33 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70303	9,4x48 mm	5	100	0.04 kg
P70304	9,4x50 mm	5	100	0.05 kg
P70305	9,4x52 mm	5	100	0.05 kg
P70306	9,4x54 mm	5	100	0.06 kg
P70307	9,4x57 mm	5	100	0.07 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70701	3.17x49 mm	5	100	0.04 kg
P70702	3.97x50 mm	5	100	0.04 kg
P70706	9.5x58.5 mm	5	100	0.07 kg
P70707	11.1x60 mm	5	100	0.07 kg
P70708	12.7x62 mm	5	100	0.08 kg
P70717	14.3x62 mm	5	100	0.08 kg
P70718	15.9x63 mm	5	100	0.08 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70805	31.5x40 mm	5	100	0.05 kg
P70806	31.5x41 mm	5	100	0.06 kg
P70807	31.5x44 mm	5	100	0.07 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P72002	R1 3.96, R2 5,55 mm	5	100	0.06 kg
P72004	R1 7,13 R2 5,55 mm	5	100	0.08 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70101	7x68 mm	5	100	0.04 kg
P70102	8x68 mm	5	100	0.04 kg
P70103	10x68 mm	5	100	0.04 kg
P70104	12x67 mm	5	100	0.05 kg
P70105	12x60,5 mm	5	100	0.04 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70201	6x58 mm	5	100	0.03 kg
P70202	8x58 mm	5	100	0.04 kg
P70203	10x58 mm	5	100	0.04 kg
P70204	12x51 mm	5	100	0.04 kg
P70205	14x53 mm	5	100	0.04 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70401	9,5x80 mm	15	100	0.04 kg
P70402	9,5x93 mm	15	300	0.05 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70605	9,52x52 mm	5	100	0.05 kg
P70606	12,7x55 mm	5	100	0.06 kg
P70607	15,9x58 mm	5	100	0.08 kg

ROUTER BIT FOR WOOD, SHANK 8 mm

STAVTOOL

Order No.	Description	Package	Carton	Weight
P70905	7.96x53 mm	5	100	0.05 kg
P70906	9.52x55 mm	5	100	0.07 kg
P70907	11.1x60mm	5	100	0.07 kg

HAND AUGER DRILL BIT SET, 4PCS



Technical parametres

Diameter	**2, 3, 4, 5 mm**

Order No.	Description	Package	Carton	Weight
PA102239	4pcs	1	1	0.08 kg

MASONRY DRILL BIT SDS-PLUS, 2 CUTTERS

Designed for drilling in bricks, concrete blocks, masonry, concrete and granite. A 28% expanded helix is capable of very fast chip extraction. Extra short cutting head guarantees direct helix chip and debris extraction and reduced risk of jamming. Self-centering point provides easier drill start. More aggressive cutting angles and specifically ground carbide drill bit insert for fast drilling.

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
XT70411	5.0x110 mm	10	200	0.04 kg
XT70416	5.0x160 mm	10	100	0.04 kg
XT70421	5.0x210 mm	10	100	0.05 kg
XT70511	5.5x110 mm	10	100	0.04 kg
XT70516	5.5x160 mm	10	200	0.04 kg
XT70521	5.5x210 mm	10	100	0.05 kg
XT70526	5.5x260 mm	10	100	0.06 kg
XT70610	6.0x110 mm	10	200	0.04 kg
XT70616	6.0x160 mm	10	200	0.05 kg
XT70621	6.0x210 mm	10	100	0.06 kg
XT70626	6.0x260 mm	10	100	0.06 kg
XT70631	6.0x310 mm	10	100	0.07 kg
XT70716	6.5x160 mm	10	100	0.05 kg
XT70721	6.5x210 mm	10	100	0.05 kg
XT70726	6.5x260 mm	10	100	0.06 kg
XT70731	6.5x310 mm	10	100	0.07 kg
XT70737	7.0x310 mm	10	100	0.07 kg
XT70811	8.0x110 mm	10	100	0.05 kg
XT70816	8.0x160 mm	10	50	0.06 kg
XT70821	8.0x210 mm	10	50	0.07 kg
XT70826	8.0x260 mm	10	100	0.08 kg
XT70831	8.0x310 mm	10	100	0.09 kg
XT70845	8.0x460 mm	10	100	0.12 kg
XT71016	10x160 mm	10	200	0.07 kg
XT71021	10x210 mm	10	200	0.08 kg
XT71026	10x260 mm	10	100	0.1 kg
XT71031	10x310 mm	10	100	0.11 kg
XT71035	10x350 mm	10	100	0.13 kg
XT71045	10x460 mm	10	100	0.15 kg
XT71060	10x600 mm	1	25	0.12 kg
XT71100	10x1,000 mm	10	50	0.12 kg
XT71210	12x1,000 mm	1	25	0.12 kg
XT71216	12x160 mm	10	200	0.08 kg
XT71221	12x210 mm	10	100	0.1 kg
XT71226	12x260 mm	10	100	0.11 kg
XT71231	12x310 mm	10	100	0.13 kg
XT71235	12x350 mm	10	100	0.15 kg
XT71245	12x460 mm	20	50	0.18 kg
XT71260	12x600 mm	1	25	0.24 kg
XT71421	14x210 mm	10	100	0.11 kg
XT71426	14x260 mm	10	100	0.14 kg
XT71435	14x350 mm	10	50	0.18 kg
XT71445	14x460 mm	10	50	0.24 kg
XT71460	14x600 mm	1	25	0.32 kg
XT71491	14x1000 mm	1	25	0.51 kg
XT71621	16x210 mm	10	50	0.13 kg
XT71626	16x260 mm	10	50	0.16 kg
XT71635	16x350 mm	10	50	0.22 kg
XT71645	16x460 mm	10	50	0.31 kg
XT71660	16x600 mm	1	25	0.41 kg
XT71691	16x1,000 mm	10	25	0.68 kg
XT71821	18x210 mm	10	50	0.17 kg
XT71826	18x260 mm	10	50	0.22 kg
XT71835	18x350 mm	1	25	0.3 kg
XT71845	18x460 mm	10	25	0.41 kg
XT71860	18x600 mm	10	25	0.54 kg
XT71891	18x1,000 mm	1	10	0.92 kg
XT72045	20x460 mm	1	25	0.48 kg
XT72060	20x600 mm	10	25	0.65 kg
XT72091	20x1000 mm	1	15	1.12 kg
XT72100	22x1000 mm	10	20	1.33 kg
XT72245	22x450 mm	10	10	0.56 kg
XT72260	22x600 mm	10	20	0.72 kg
XT72445	24x450 mm	1	10	0.66 kg
XT72460	24x600 mm	10	10	0.87 kg
XT72491	24x1,000 mm	1	15	1.54 kg
XT72645	26x450 mm	1	10	0.78 kg
XT72660	26x600 mm	10	10	1.05 kg
XT72691	26x1000 mm	5	10	1.87 kg
XT72860	28x600 mm	5	5	1.16 kg
XT72891	28x1000 mm	5	5	2.01 kg
XT73060	30x600 mm	5	5	1.48 kg
XT73100	30x1,000 mm	5	5	2.57 kg

MASONRY DRILL BIT SDS-PLUS SET, 5PCS

Designed for drilling in bricks, concrete blocks, masonry, concrete and granite. A 28% expanded helix is capable of very fast chip extraction. Extra short cutting head guarantees direct helix chip and debris extraction and reduced risk of jamming. Self-centering point provides easier drill start. More aggressive cutting angles and specifically ground carbide drill bit insert for fast drilling.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Dimension	**5x110, 6x110, 8x160, 10x160, 12x160 mm**
Use	**brick, concrete blocks, masonry, concrete, granite**
Clamping	**SDS PLUS**

Order No.	Description	Package	Carton	Weight
XT70600	5.0-12 mm, PVC package	1	50	0.29 kg

MASONRY DRILL BIT SDS-MAX, 4 CUTTERS

SDS-MAX 4-Cutter Tip Drill bit for uniform drilling in construction materials (concrete, masonry, granite etc). Double helix for chip and debris extraction.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT81234	12x340 mm	1	25	0.33 kg
XT81254	12x540 mm	1	25	0.41 kg
XT81280	12x800 mm	1	25	0 kg
XT81434	14x340 mm	1	25	0.36 kg
XT81454	14x540 mm	1	25	0.47 kg
XT81480	14x800 mm	1	25	0.37 kg
XT81534	15x340 mm	1	25	0.38 kg
XT81554	15x540 mm	1	25	0.49 kg
XT81580	15x800 mm	1	25	0.51 kg
XT81634	16x340 mm	1	25	0.4 kg
XT81654	16x540 mm	1	25	0.53 kg
XT81680	16x800 mm	1	25	0.7 kg
XT81691	16x1000 mm	1	25	0.8 kg
XT81834	18x340 mm	1	25	0.46 kg
XT81854	18x540 mm	1	25	0.64 kg
XT81880	18x800 mm	1	25	0.8 kg
XT81891	18x1000 mm	1	10	1.06 kg
XT82034	20x340 mm	1	20	0.5 kg
XT82054	20x540 mm	1	10	0.7 kg
XT82080	20x800 mm	1	10	0.9 kg
XT82091	20x1,000 mm	1	10	1.19 kg
XT82234	22x340 mm	1	25	0.53 kg
XT82254	22x540 mm	1	10	0.76 kg
XT82280	22x800 mm	1	10	0 kg
XT82291	22x1000 mm	1	10	1.39 kg
XT82434	24x340 mm	1	25	0.58 kg
XT82454	24x540 mm	1	10	0.89 kg
XT82480	24x800 mm	1	10	0 kg
XT82491	24x1000 mm	1	10	0 kg
XT82534	25x340 mm	1	10	0.59 kg
XT82554	25x540 mm	1	20	0.89 kg
XT82580	25x800 mm	1	10	0 kg
XT82591	25x1,000 mm	1	10	1.61 kg
XT82837	28x370 mm	1	10	0.79 kg
XT82857	28x570 mm	1	10	1.15 kg
XT82880	28x800 mm	1	10	0 kg
XT82891	28x1,000 mm	1	10	1.98 kg
XT83037	30x370 mm	1	10	0.92 kg
XT83057	30x570 mm	1	10	1.45 kg
XT83080	30x800 mm	1	5	0 kg
XT83091	30x1,000 mm	1	10	2.4 kg
XT83237	32x370 mm	1	10	0.99 kg
XT83257	32x570 mm	1	10	1.55 kg
XT83280	32x800 mm	1	5	0 kg
XT83291	32x1,000 mm	1	5	2.55 kg
XT83537	35x370 mm	1	10	1.13 kg
XT83557	35x570 mm	1	10	1.77 kg
XT83580	35x800 mm	1	5	0 kg
XT83591	35x1,000 mm	1	5	3.13 kg
XT83837	38x370 mm	1	10	1.33 kg
XT83857	38x570 mm	1	10	2.75 kg
XT83880	38x800 mm	1	5	0 kg
XT83891	38x1,000 mm	1	5	3.93 kg
XT84037	40x370 mm	1	10	1.36 kg
XT84057	40x570 mm	1	5	2.9 kg
XT84080	40x800 mm	1	5	0 kg
XT84091	40x1,000 mm	1	5	4.1 kg

MASONRY DRILL BIT SDS-PLUS, 4 CUTTERS

4-Cutter Tip Drill bit for easier, uniform drilling. Double helix for chip and debris extraction.

STAVTOOL XTLINE

Technical parametres

Use	brick, concrete blocks, masonry, concrete, granite

Order No.	Description	Package	Carton	Weight
P80511	5.0x110 mm	10	100	0.04 kg
P80516	5.0x160 mm	10	500	0.04 kg
P80521	5.0x210 mm	10	200	0.05 kg
P80526	5.0x260 mm	10	200	0.05 kg
P80611	6.0x110 mm	10	500	0.04 kg
P80616	6.0x160 mm	10	500	0.05 kg
P80621	6.0x210 mm	10	350	0.06 kg
P80626	6.0x260 mm	10	250	0.07 kg
P80631	6.0x310 mm	10	200	0.07 kg
P80726	6.5x260 mm	10	250	0.06 kg
P80811	8.0x110 mm	10	50	0.05 kg
P80816	8.0x160 mm	10	250	0.06 kg
P80821	8.0x210 mm	10	250	0.07 kg
P80826	8.0x260 mm	10	250	0.09 kg
P80831	8.0x310 mm	10	250	0.1 kg
P80835	8.0x350 mm	10	250	0.11 kg
P80840	8.0x400 mm	10	250	0.2 kg
P80845	8.0x450 mm	10	100	0.13 kg
P80860	8.0x600 mm	10	25	0.16 kg
P80880	8.0x800 mm	10	100	0.2 kg
P81010	10x1,000 mm	10	50	0.37 kg
P81011	10x110 mm	10	100	0.05 kg
P81016	10x160 mm	10	250	0.07 kg
P81021	10x210 mm	10	250	0.09 kg
P81026	10x260 mm	10	250	0.1 kg
P81031	10x310 mm	10	200	0.12 kg
P81035	10x350 mm	10	100	0.14 kg
P81040	10x400 mm	10	100	0.15 kg
P81045	10x450 mm	10	100	0.17 kg
P81060	10x600 mm	10	100	0.19 kg
P81080	10x800 mm	10	100	0.28 kg
P81210	12x1,000 mm	10	50	0.46 kg
P81211	12x110 mm	10	50	0.06 kg
P81216	12x160 mm	10	300	0.08 kg
P81221	12x210 mm	10	100	0.1 kg
P81226	12x260 mm	10	250	0.12 kg
P81231	12x310 mm	10	250	0.14 kg
P81235	12x350 mm	10	200	0.17 kg
P81240	12x400 mm	10	100	0.18 kg
P81245	12x450 mm	10	100	0.21 kg
P81260	12x600 mm	10	100	0.28 kg
P81280	12x800 mm	10	100	0.32 kg
P81410	14x1,000 mm	10	50	0.65 kg
P81421	14x210 mm	10	40	0.14 kg
P81426	14x260 mm	10	200	0.17 kg
P81431	14x310 mm	10	100	0.2 kg
P81435	14x350 mm	10	100	0.22 kg
P81440	14x400 mm	10	100	0.23 kg
P81445	14x450 mm	10	100	0.27 kg
P81460	14x600 mm	10	100	0.37 kg
P81480	14x800 mm	10	50	0.5 kg
P81610	16x1,000 mm	10	50	0.72 kg
P81621	16x210 mm	10	100	0.16 kg
P81626	16x260 mm	10	100	0.19 kg
P81631	16x310 mm	10	100	0.23 kg
P81635	16x350 mm	10	100	0.27 kg
P81640	16x400 mm	10	100	0.28 kg
P81645	16x450 mm	10	100	0.34 kg
P81660	16x600 mm	10	70	0.46 kg
P81680	16x800 mm	10	50	0.6 kg
P81810	18x1,000 mm	10	50	0.99 kg
P81821	18x210 mm	10	100	0.2 kg
P81826	18x260 mm	10	100	0.25 kg
P81831	18x310 mm	10	100	0.29 kg
P81840	18x400 mm	10	50	0.37 kg
P81845	18x450 mm	10	50	0.44 kg
P81860	18x600 mm	5	50	0.58 kg
P81880	18x800 mm	5	50	0.69 kg
P82010	20x1,000 mm	5	25	1.14 kg
P82040	20x400 mm	5	50	0.49 kg
P82060	20x600 mm	5	50	0.72 kg
P82080	20x800 mm	5	25	0.97 kg
P82210	22x1,000 mm	5	25	1.36 kg
P82240	22x400 mm	5	50	0.54 kg
P82260	22x600 mm	5	50	0.81 kg
P82280	22x800 mm	5	25	1.06 kg
P82410	24x1,000 mm	5	25	1.85 kg
P82440	24x400 mm	5	30	0.67 kg
P82445	24x450 mm	5	25	0.82 kg
P82460	24x600 mm	5	25	1.14 kg
P82480	24x800 mm	5	25	1.43 kg
P82610	26x1,000 mm	5	20	1.8 kg
P82640	26x400 mm	5	30	0.73 kg
P82645	26x450 mm	5	25	0.84 kg
P82660	26x600 mm	5	25	1.14 kg
P82680	26x800 mm	5	25	1.48 kg
P82810	28x1,000 mm	5	20	1.95 kg
P82860	28x600 mm	5	25	1.21 kg
P82880	28x800 mm	5	20	1.59 kg
P83010	30x1,000 mm	5	10	2.67 kg
P83060	30x600 mm	5	20	1.51 kg
P83080	30x800 mm	5	20	2.2 kg

MASONRY DRILL BIT SDS-MAX, 4 CUTTERS

STAVTOOL XTLINE

Technical parametres

Use	brick, concrete blocks, masonry, concrete, granite

Order No.	Description	Package	Carton	Weight
P91610	16x1,000 mm	5	30	0.83 kg
P91640	16x400 mm	5	30	0.43 kg
P91660	16x600 mm	5	40	0.59 kg
P91680	16x800 mm	5	30	0.69 kg
P91810	18x1,000 mm	5	25	1.02 kg
P91840	18x400 mm	5	30	0.51 kg
P91860	18x600 mm	5	25	0.67 kg
P91880	18x800 mm	5	20	0.91 kg
P92010	20x1,000 mm	5	20	1.31 kg
P92040	20x400 mm	5	30	0.6 kg
P92060	20x600 mm	5	25	0.83 kg
P92080	20x800 mm	5	20	1.07 kg
P92210	22x1,000 mm	5	25	1.6 kg
P92240	22x400 mm	5	25	0.68 kg
P92260	22x600 mm	5	20	1 kg
P92280	22x800 mm	5	20	1.3 kg
P92410	24x1,000 mm	5	15	1.92 kg
P92440	24x400 mm	5	20	0.78 kg
P92460	24x600 mm	5	20	1.18 kg
P92480	24x800 mm	5	15	1.53 kg
P92610	26x1,000 mm	2	20	1.98 kg
P92640	26x400 mm	5	20	0.77 kg
P92660	26x600 mm	5	20	1.18 kg
P92680	26x800 mm	5	25	1.58 kg
P92810	28x1,000 mm	2	20	2.06 kg
P92840	28x400 mm	5	30	0.84 kg
P92860	28x600 mm	5	20	1.26 kg
P92880	28x800 mm	5	20	1.64 kg
P93010	30x1,000 mm	5	10	2.72 kg
P93060	30x600 mm	2	10	1.59 kg
P93080	30x800 mm	5	10	2.13 kg
P93210	32x1,000 mm	5	10	3.3 kg
P93260	32x600 mm	5	10	1.84 kg
P93280	32x800 mm	5	10	2.67 kg
P93610	36x1,000 mm	5	10	3.68 kg
P93660	36x600 mm	5	10	2.18 kg
P93680	36x800 mm	5	10	2.98 kg
P93810	38x1,000 mm	5	10	4.19 kg
P93860	38x600 mm	5	10	2.45 kg
P93880	38x800 mm	5	10	3.46 kg
P94010	40x1,000 mm	2	10	4.6 kg
P94060	40x600 mm	5	10	2.5 kg
P94080	40x800 mm	5	10	3.52 kg

MASONRY HOLE SAW SDS-PLUS

Designed for drilling in bricks, concrete blocks, masonry, concrete and granite. A 28% expanded helix is capable of very fast chip extraction. Extra short cutting head guarantees direct helix chip and debris extraction and reduced risk of jamming. Self-centering point provides easier drill start. More aggressive cutting angles and specifically ground carbide drill bit insert for fast drilling.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Diameter	**75 mm**	Use	**brick, concrete blocks, masonry, concrete, granite**
Total length (L)	**110 mm**	Thread	**M16**

Order No.	Description	Package	Carton	Weight
XT1750110	75 mm	1	10	1.44 kg

MASONRY HOLE SAW + ADAPTER SDS-PLUS

Drill bit body made of quality steel with helix for fast chip and debris extraction. Self-centering tip for accurate drill start.

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**
Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11830	65, 80 mm	1	20	1.2 kg

MASONRY HOLE SAW + ADAPTER SDS-PLUS

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**
Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11829	65, 80 mm	1	10	1.63 kg

ARBOR HOLDER FOR HOLE SAW

XTLINE PROFESSIONAL TOOLS

Technical parametres

XT1750180	Thread	**M16**	XT1750190	Thread	**M16**

Order No.	Description	Package	Carton	Weight
XT1750180	SDS MAX, 275 mm	1	50	0.19 kg
XT1750190	SDS-PLUS, 220 mm	1	50	0.19 kg

ARBOR HOLDER FOR HOLE SAW

STAVTOOL by XTLINE

Technical parametres

P11830B	Thread	**M22**	P11849	Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11830B	SDS-PLUS, 300 mm	1	25	0.73 kg
P11849	SDS-MAX, 300 mm	1	25	0.69 kg

MASONRY HOLE SAW, TOOL ONLY

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**
Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11841	75 mm	1	20	0.6 kg
P11845	115 mm	1	20	1.18 kg
P11847	125 mm	1	20	1.33 kg
P11848	150 mm	1	10	1.65 kg

MASONRY HOLE SAW SDS-PLUS

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**
Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11843	100 mm / 110 mm	1	20	1.24 kg

MASONRY HOLE SAW SDS-PLUS

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**
Thread	**M22**

Order No.	Description	Package	Carton	Weight
P11825	65 mm / 100 mm	1	20	0.74 kg
P11828	80 mm / 100 mm	1	20	0.93 kg
P11842	75 mm / 110 mm	1	20	0.88 kg

MASONRY HOLE SAW, HEX SHANK

STAVTOOL by XTLINE

Technical parametres

Use	**masonry, bricks, concrete blocks**	Thread	**M22**
Clamping	**HEX shank**		

Order No.	Description	Package	Carton	Weight
P11826	80 mm / 100 mm	1	20	0.9 kg
P11827	65 mm / 100 mm	1	20	0.75 kg

ADAPTER SDS-MAX / SDS-PLUS

SDS-MAX to SDS-PLUS clamping adapter.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT10010	200 mm	1	5	0.58 kg

ARBOR HOLDER FOR HOLE SAW

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P11840	110 mm, Thread M22	10	100	0.23 kg

UNIVERSAL DRILL BIT, HEXAGONAL SHANK

XTLINE PROFESSIONAL TOOLS

40Cr (45-50 HRC)

NEW

SHANK 1/4"

Technical parametres

Use	steel, concrete, masonry, bricks, tiles, wood, plastic, non-ferrous metals, etc.	Clamping	hexagonal shank

Order No.	Description	Package	Carton	Weight
XT680415	4.0 mm	10	500	0.02 kg
XT680515	5.0 mm	10	500	0.02 kg
XT680615	6.0 mm	10	500	0.03 kg
XT680815	8.0 mm	10	500	0.04 kg
XT681015	10 mm	10	300	0.1 kg
XT681215	12 mm	10	250	0.1 kg

UNIVERSAL DRILL BIT SET, HEXAGONAL SHANK

XTLINE PROFESSIONAL TOOLS

40Cr (45-50 HRC)

NEW

SHANK 1/4"

Technical parametres

Use	steel, concrete, masonry, bricks, tiles, wood, plastic, non-ferrous metals, etc.	Clamping	hexagonal shank

Order No.	Description	Package	Carton	Weight
XT680512	5-12 mm, plastic package	10	100	0.2 kg

MASONRY DRILL BIT, CYLINDRICAL SHANK

More aggressive cutting angles and specially ground carbide tip to ensure faster drilling.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	brick, concrete blocks, masonry, concrete, granite	Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
XT69036	3.0x60 mm	10	200	0.006 kg
XT69047	4.0x70 mm	10	200	0.008 kg
XT69058	5.0x85 mm	10	200	0.01 kg
XT69060	6.0x100 mm	10	200	0.02 kg
XT69061	6.0x150 mm	10	200	0.03 kg
XT69062	6.0x200 mm	10	200	0.03 kg
XT69070	7.0x100 mm	10	200	0.02 kg
XT69080	8.0x110 mm	10	200	0.03 kg
XT69081	8.0x150 mm	10	200	0.04 kg
XT69082	8.0x200 mm	10	100	0.05 kg
XT69084	8.0x400 mm	10	100	0.05 kg
XT69100	10x110 mm	10	100	0.04 kg
XT69101	10x150 mm	10	200	0.06 kg
XT69102	10x200 mm	10	100	0.07 kg
XT69104	10x400 mm	10	100	0.07 kg
XT69121	12x150 mm	10	100	0.07 kg
XT69122	12x200 mm	10	100	0.09 kg
XT69123	12x300 mm	10	100	0.05 kg
XT69124	12x400 mm	10	100	0.05 kg
XT69141	14x150 mm	10	100	0.09 kg
XT69161	16x150 mm	10	100	0.12 kg

MASONRY DRILL BIT SET, CYLINDRICAL SHANK 7PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Diameter	4, 5, 6, 7, 8, 10, 12 mm	Clamping	cylindrical shank
Use	brick, concrete blocks, masonry, concrete, granite		

Order No.	Description	Package	Carton	Weight
XT69700	4.0-12 mm, plastic package	5	100	0.3 kg

MASONRY DRILL BIT SET, CYLINDRICAL SHANK

STAVTOOL by XTLINE

Technical parametres

P11407		P11410	
Diameter	4, 5, 6, 8, 10 mm	Diameter	3, 4, 5, 6, 7, 8, 9, 10 mm
Clamping	cylindrical shank	Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
P11407	4.0-10 mm, 5pcs, PVC package	1	200	0.11 kg
P11410	3.0-10 mm, 8pcs, PVC package	1	100	0.16 kg

UNIVERSAL DRILL BIT TIN, SPEAR POINT

The universal drill bit is designed for drilling various materials, such as glass, ceramics, plastics etc.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	glass, ceramics, plastic	Clamping	cylindrical shank

Order No.	Description	Package	Carton	Weight
XT23004	4.0 mm	1	50	0.008 kg
XT23005	5.0 mm	1	50	0.012 kg
XT23006	6.0 mm	1	50	0.014 kg
XT23008	8.0 mm	1	50	0.02 kg
XT23010	10 mm	1	50	0.03 kg
XT23012	12 mm	1	50	0.04 kg
XT23014	14 mm	1	50	0.042 kg

UNIVERSAL DRILL BIT SET TIN 5PCS, SPEAR POINT

XTLINE PROFESSIONAL TOOLS

Technical parametres

Diameter	4, 5, 6, 8, 10 mm	Clamping	cylindrical shank
Use	glass, ceramics, plastic		

Order No.	Description	Package	Carton	Weight
XT23100	4.0-10.0 mm, wood package	1	50	0.16 kg

SPEAR POINT DRILL BIT FOR GLASS AND TILES

The best result is achieved when using low drilling speed and proper coolant, such as water, vinegar, turpentine or kerosene. It is ideal for drilling glass panes, mirrors, bottles, porcelain, tiling, ceramics etc.

RUKO

Order No.	Description	Package	Carton	Weight
RU223003	3.0x80 mm	1	1	0.01 kg
RU223004	4.0x90 mm	1	1	0.01 kg
RU223005	5.0x90 mm	1	1	0.01 kg
RU223006	6.0x100 mm	1	1	0.02 kg
RU223008	8.0x100 mm	1	1	0.03 kg
RU223010	10x120 mm	1	1	0.06 kg
RU223012	12x120 mm	1	1	0.08 kg

DIAMOND HOLE SAW SET 8PCS

Diamond hole saw is designed for accurate, fast drilling in floor and wall tiling. Make sure to clean the hole saw blade regularly to maintain effective operation. The product is designed to use with angle grinders.

XTLINE PROFESSIONAL TOOLS

M14

Technical parametres

Max. cutting depth	**25 mm**	Height of diamond coating layer	**10 mm**
Diameter	**6, 8, 10, 20, 30, 35, 50, 68 mm**	Clamping	**M14**
Use	**wall and floor tiling**	Weight	**1.4 kg**

Order No.	Description	Package	Carton	Weight
XT170000	6.0-68 mm, Aluminium box	1	10	1.52 kg

ADJUSTABLE TILE HOLE SAW

RICHMANN

Technical parametres

Use	**floor and wall tiling**	Clamping	**HEX shank**

Order No.	Description	Package	Carton	Weight
PC8231	30-110 mm	10	250	0.1 kg
PC8235	replacement blades for PC8231	5	20	0.01 kg

DIAMOND HOLE SAW, ASSEMBLED

The Diamond hole saw is designed for drilling in extremely hard materials, such as ceramic floor and wall tiling, basalt tiling etc.

STAVTOOL by XTLINE

Technical parametres

Use	**floor and wall tiling**

Order No.	Description	Package	Carton	Weight
ZN24746	103 mm	1	20	0.59 kg

DIAMOND HOLE SAW SET 6PCS

STAVTOOL by XTLINE

Technical parametres

Diameter	**33, 53, 67, 73 mm**	Package includes	**arbor holder, drill bit**
Use	**floor and wall tiling**		

Order No.	Description	Package	Carton	Weight
P11832/4	33-73 mm	1	20	0.74 kg

DIAMOND HOLE SAW

XTLINE PROFESSIONAL TOOLS

M14

Technical parametres

Max. cutting depth	**25 mm**	Height of diamond coating layer	**10 mm**
Use	**wall and floor tiling**	Clamping	**M14**

Order No.	Description	Package	Carton	Weight
XT170006	6.0 mm	1	100	0.06 kg
XT170008	8.0 mm	1	100	0.06 kg
XT170010	10 mm	1	100	0.07 kg
XT170012	12 mm	1	100	0.07 kg
XT170016	16 mm	1	100	0.07 kg
XT170020	20 mm	1	100	0.07 kg
XT170025	25 mm	1	100	0.12 kg
XT170030	30 mm	1	100	0.14 kg
XT170035	35 mm	1	100	0.15 kg
XT170045	45 mm	1	50	0.2 kg
XT170050	50 mm	1	50	0.22 kg
XT170055	55 mm	1	50	0.24 kg
XT170068	68 mm	1	50	0.33 kg
XT170073	73 mm	1	25	0.38 kg
XT170083	83 mm	1	25	0.42 kg

ADJUSTABLE TILE HOLE SAW

Technical parametres

Use	**floor and wall tiling**	Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
ZN24725	20-100 mm	1	120	0.1 kg

DIAMOND HOLE SAW

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**floor and wall tiling**
Clamping	**cylindrical shank**

Order No.	Description	Package	Carton	Weight
ZN24770	4.0 mm, 2pcs/pack	1	1000	0.01 kg
ZN24771	6.0 mm, 2pcs/pack	1	500	0.01 kg
ZN24772	8.0 mm, 2pcs/pack	1	500	0.02 kg
ZN24773	10 mm, 2pcs/pack	1	1000	0.02 kg
ZN24774	12 mm, 2pcs/pack	1	1000	0.02 kg

DIAMOND TILE HOLE SAW SET 8PCS

Hole saw for smooth and accurate drilling of round holes in floor or wall tiling.

STAVTOOL by XTLINE

Technical parametres

Diameter	**33, 53, 67, 73, 83 mm**	Package includes	**drill bit, arbor holder, file**
Use	**floor and wall tiling**		

Order No.	Description	Package	Carton	Weight
P11838	33-83 mm, PVC box	1	20	1.63 kg

ALUMINUM HOLE SAW HOLDER

The Diamond hole saw holder for easy clamping using the groove system.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
ZN24748	Hole Saw Holder 33-83 mm	1	100	0.15 kg
ZN24749	guide drill bit	1	200	0.07 kg
ZN24750	Hole Saw Holder 33-103 mm	1	100	0.075 kg

DIAMOND HOLE SAW

The Diamond hole saw is designed for drilling in extremely hard materials, such as ceramic floor and wall tiling, basalt tiling etc.

STAVTOOL by XTLINE

Technical parametres

Use	**floor and wall tiling**

Order No.	Description	Package	Carton	Weight
ZN24735	33 mm	1	100	0.08 kg
ZN24736	43 mm	1	100	0.11 kg
ZN24737	53 mm	1	100	0.14 kg
ZN24738	67 mm	1	100	0.18 kg
ZN24739	73 mm	1	100	0.2 kg
ZN24740	83 mm	1	100	0.23 kg
ZN24741	103 mm	1	50	0.27 kg

FLAT CHISEL BIT SDS-PLUS

Designed for cutting masonry, concrete and other construction materials using SDS-PLUS and SDS-MAX clamping system compatible with all types, length and width parameters. The main operations are cutting, demolition works, through drilling/cutting etc.

XTLINE PROFESSIONAL TOOLS

SDS plus

Order No.	Description	Package	Carton	Weight
XT1725020	14x250x20 mm	1	75	0.25 kg
XT1725040	14x250x40 mm	1	70	0.27 kg
XT1740020	14x400x20 mm	1	50	0.42 kg
XT1740040	14x400x40 mm	1	50	0.45 kg

FLAT CHISEL BIT SDS-MAX

Designed for cutting masonry, concrete and other construction materials using SDS-PLUS and SDS-MAX clamping system compatible with all types, length and width parameters. The main operations are cutting, demolition works, through drilling/cutting etc.

XTLINE PROFESSIONAL TOOLS

SDS max

Order No.	Description	Package	Carton	Weight
XT1828025	18x280x25 mm	1	25	0.5 kg
XT1828040	18x280x40 mm	1	25	0.53 kg
XT1840025	18x400x25 mm	1	25	0.73 kg
XT1840040	18x400x40 mm	1	25	0.76 kg
XT1860025	18x600x25 mm	1	20	1.13 kg
XT1860040	18x600x40 mm	1	10	1.15 kg

POINTED CHISEL BIT SDS-PLUS

XTLINE PROFESSIONAL TOOLS

SDS plus

Order No.	Description	Package	Carton	Weight
XT1725000	14x250 mm	1	75	0.24 kg
XT1740000	14x400 mm	1	50	0.42 kg

POINTED CHISEL BIT SDS-MAX

XTLINE PROFESSIONAL TOOLS

SDS max

Order No.	Description	Package	Carton	Weight
XT1828000	18x280 mm	1	25	0.48 kg
XT1840000	18x400 mm	1	25	0.72 kg
XT1860000	18x600 mm	1	20	1.11 kg

GROOVE CHISEL BIT SDS-PLUS

XTLINE PROFESSIONAL TOOLS

SDS plus

Order No.	Description	Package	Carton	Weight
XT1725050	14x250x20 mm	1	70	0.28 kg
XT1740050	14x400x20 mm	1	25	0.44 kg

GROOVE CHISEL BIT SDS-MAX

XTLINE PROFESSIONAL TOOLS

SDS max

Order No.	Description	Package	Carton	Weight
XT1830025	18x300x25 mm	1	25	0.5 kg

DIAMOND CUTTING DISC SEGMENTED, TURBO LASER

Diamond segmented turbo cutting disc for wet and dry cutting in concrete, reinforced concrete, masonry, stone, bricks, floor and wall tiling. The disc design allows very fast cutting with long segment lifespan. Laser machined turbo segments and colling cut-offs provide increased heat resistance.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**brick, tiling, reinforced concrete, masonry, stone, sandstone, heat resistant materials**
Height of segment	**10 mm**
Clamping	**22.2 mm**

Order No.		Description	Package	Carton	Weight
XT165115		115x2.2x10x22.2 mm	1	100	0.12 kg
XT165125		125x2.2x10x22.2 mm	1	100	0.15 kg
XT165150		150x2.2x10x22.2 mm	1	50	0.23 kg
XT165180		180x2.4x10x22.2 mm	1	50	0.34 kg
XT165230		230x2.4x10x22.2 mm	1	25	0.63 kg
XT165350	N	350x3,15x10x25,4 mm	1	25	0.63 kg

DIAMOND CUTTING DISC, TURBO FAST CUT

Diamond segmented turbo cutting disc for wet and dry cutting in concrete, reinforced concrete, masonry, stone, bricks, floor and wall tiling. The disc design allows very fast cutting with long segment lifespan. Laser machined turbo segments and colling cut-offs provide increased heat resistance.

XTLINE PROFESSIONAL TOOLS



Technical parametres

Use	**reinforced concrete, bricks, tiles, masonry, stone**
Height of segment	**10 mm**
Clamping	**22.2 mm**

Order No.	Description	Package	Carton	Weight
XT167115	115x2.0x10x22.2 mm	1	25	0.17 kg
XT167125	125x2.2x10x22.2 mm	1	100	0.2 kg
XT167150	150x2.3x10x22.2 mm	1	100	0.31 kg
XT167230	230x2.8x10x22.2 mm	1	50	0.84 kg

DIAMOND CUTTING DISC FOR CONCRETE

RICHMANN

Technical parametres

Use	**concrete, reinforced concrete, interlocking paving, stone**
Height of segment	**10 mm**
Clamping	**25,4 mm**

Order No.	Description	Package	Carton	Weight
PC4895	350x25.4 mm	1	10	1.83 kg
PC4896	400x25.4 mm	1	10	1.83 kg

DIAMOND CUTTING DISC FOR ASPHALT

RICHMANN

Technical parametres

Use	**concrete, asphalt**
Height of segment	**10 mm**
Clamping	**25,4 mm**

Order No.	Description	Package	Carton	Weight
PC4898	350x25.4 mm	1	10	1.86 kg

DIAMOND HYBRID DISC (CUTTING AND GRINDING)

Diamond segmented turbo cutting disc for wet and dry cutting in concrete, reinforced concrete, masonry, stone, bricks, floor and wall tiling. The disc design allows very fast cutting with long segment lifespan. Laser machined turbo segments and colling cut-offs provide increased heat resistance.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Thickness	**1.4 mm**
Use	**tiles, tiles, ceramics, stone, glaze, etc.**
Height of segment	**10 mm**
Clamping	**22.2 mm**

Order No.	Description	Package	Carton	Weight
XT168115	115x1,4x10x22,2 mm	1	100	0.1 kg
XT168125	125x1.4x10x22.2 mm	1	100	0.1 kg

DIAMOND CUTTING DISC, TURBO

The thinnest diamond full rim cutting disc for clean and accurate cutting of tiles, hard floor tiling, sintered tiling. The extra thin segment for smooth, sharp-edge cut without tear-out is an irreplaceable, professional tool for tilers, creating mosaics, cutting in glass, slate or other fragile materials.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**tiles, sandstone, ceramics, glaze, glass, porcelain**

Order No.		Description	Package	Carton	Weight
XT169115		115x1.4x10x22.2 mm	1	100	0.13 kg
XT169115S	N	115x0,8/1,2x22,2x10 mm SLIM CUT	x	x	0 kg
XT169125		125x1.4x10x22.2 mm	1	100	0.15 kg
XT169150		150x1.6x10x22.2 mm	1	100	0.24 kg
XT169180	N	180x2x25,4/22,2 mm	1	50	0.5 kg
XT169200		200x2.0x10x22.2 mm	1	50	0.5 kg
XT169230		230x2.0x10x22.2 mm	1	50	0.7 kg
XT169250		250x2.2x10x22.2 mm	1	50	0.82 kg

DIAMOND CUTTING DISC, TURBO

The Diamond full rim cutting disc for cutting concrete, bricks, roof tiles and construction blocks.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**concrete, brick, tiling, masonry, stone, concrete blocks etc.**

Order No.	Description	Package	Carton	Weight
HTS115	115x2.2x22.2 mm	1	100	0.14 kg
HTS125	125x2.4x22.2 mm	1	100	0.16 kg
HTS150	150x2.6x22.2 mm	1	50	0.24 kg
HTS180	180x2.8x22.2 mm	1	50	0.35 kg
HTS230	230x3.1x22.2 mm	1	25	0.63 kg

DIAMOND CUTTING DISC FULL RIM

The Diamond full rim cutting disc for wet cutting of construction materials. High content of diamond dust.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**tiles, ceramics, stone, glaze, etc.**

Order No.	Description	Package	Carton	Weight
HCO115	115x2.0x22.2 mm	1	100	0.14 kg
HCO125	125x2.1x22.2 mm	1	100	0.17 kg
HCO150	150x2.2x22.2 mm	1	50	0.24 kg
HCO180	180x2.5x22.2 mm	1	50	0.38 kg
HCO230	230x2.7x22.2 mm	1	25	0.68 kg

DIAMOND CUTTING DISC SEGMENTED

The Diamond segmented cutting disc for dry and wet cutting of construction materials. High content of diamond dust.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**concrete, brick, roof tile, concrete blocks, masonry, stone, tiling etc.**

Order No.		Description	Package	Carton	Weight
HDS115		115x2.0x22.2 mm	1	100	0.12 kg
HDS125		125x2.1x22.2 mm	1	100	0.16 kg
HDS150		150x2.2x22.2 mm	1	50	0.23 kg
HDS180		180x2.5x22.2 mm	1	50	0.38 kg
HDS230		230x2.7x22.2 mm	1	25	0.67 kg
HDS350	N	350x3.15x25.4 mm	1	10	0.67 kg

DOUBLE-ROW DIAMOND GRINDING DISC

Double-row diamond grinding disc is ideal for grinding hard materials (marble, granite, stone etc.). It is designed for angle grinders. The disc may be used for both dry and wet operation.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**concrete, brick, marble, granite, masonry, stone etc.**

Order No.	Description	Package	Carton	Weight
HBD115	115x5x22.2 mm	1	50	0.37 kg
HBD125	125x5x22.2 mm	1	50	0.44 kg
HBD150	150x5x22.2 mm	1	20	0.55 kg

SINGLE-ROW DIAMOND GRINDING DISC

The Diamond grinding disc is designed for accurate wet or dry machining and grinding of hard materials (aerated concrete, concrete, ceramics, bricks etc.). It is designed to use with angle grinders or concrete grinder.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**concrete, brick, marble, granite, masonry, stone etc.**

Order No.	Description	Package	Carton	Weight
HBS115	115x22.2 mm	1	50	0.27 kg
HBS125	125x22.2 mm	1	50	0.33 kg
HBS150	150x22.2 mm	1	20	0.44 kg

UNIVERSAL CUTTING DISC FOR WOOD, PLASTIC

The Universal cutting disc is designed for cutting wood and plastics and is compatible with angle grinder.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**wood, plastic**

Order No.	Description	Package	Carton	Weight
XT161115	115x1.2x22.2 mm	1	50	0.09 kg
XT161125	125x1.2x22.2 mm	1	50	0.11 kg

DIAMOND GRINDING DISC

The Grinding disc is designed for fast surface levelling, old paint and material removal. The disc benefits from high grinding efficiency and long lifespan.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**concrete, brick, marble, granite, masonry, stone etc.**

Order No.	Description	Package	Carton	Weight
HBL115	115x22.2 mm	1	50	0.42 kg
HBL125	125x22.2 mm	1	50	0.54 kg
HBL150	150x22.2 mm	1	20	0.72 kg

UNIVERSAL CUTTING DISC FOR WOOD, MASONRY, STEEL

The Universal cutting disc is designed for cutting wood and plastics and is compatible with angle grinder.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**wood, stone, steel**

Order No.	Description	Package	Carton	Weight
XT162115	115x1.2x22.2 mm	1	50	0.1 kg
XT162125	125x1.2x22.2 mm	1	50	0.11 kg

UNIVERSAL CUTTING DISC FOR STEEL

The Universal cutting disc is designed for cutting wood and plastics and is compatible with angle grinder.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**steel, non ferrous metals**

Order No.	Description	Package	Carton	Weight
XT163115	115x1.2x22.2 mm	1	50	0.1 kg
XT163125	125x1.2x22.2 mm	1	50	0.12 kg

TCT COMBINATION SAW BLADE

The TCT combination saw blade is designed for work with a manual circular saw. It is used for cross and rip cutting of construction lumber, timber and board materials. Teeth made of tungsten carbide (TCT) ensure longer lifetime of the blade and improve its cutting properties.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Use	softwood and hardwood

Order No.	Description	Package	Carton	Weight
TCT16024KMB	160x1.0x16 mm, 24T	1	50	0.2 kg
TCT16524KMB	165x1.0x20 mm, 24T	x	x	0 kg

TCT COMBINATION SAW BLADE

XTLINE PROFESSIONAL TOOLS

NEW

Technická specifikace

Use	softwood and hardwood

Order No.	Description	Package	Carton	Weight
TCT19050KMB	190x1.0x20 mm, 50T	1	50	0.3 kg

TUNGSTEN CARBIDE SAW BLADE, TCG

The Saw blade with tungsten carbide tips for cutting wood (trapeze type – triple chip – are specially designed for cutting laminated chipboard and aluminum). Suitable for rip and cross cutting of soft and hard wood compatible with all saw types. Great choice of diameters and number of teeth according to the material used – the harder the material, the higher the number of teeth. The notches prevent the saw blade from deformation and overheating and cutting tips allow more quality cutting action.

XTLINE PROFESSIONAL TOOLS

EN 847-1



Order No.	Description	Package	Carton	Weight
TCT14040	140x1.4x20 mm, 40T	1	50	0.24 kg
TCT15040	150x1.4x20 mm, 40T	1	50	0.26 kg
TCT16060	160x1.6x20 mm, 60T	1	50	0.36 kg
TCT17060	170x1.6x30 mm, 60T	1	50	0.34 kg
TCT18060	180x1.6x30 mm, 60T	1	50	0.48 kg
TCT18560	185x1.6x30 mm, 60T	1	50	0.51 kg
TCT19060	190x1.8x30 mm, 60T	1	50	0.57 kg
TCT20060	200x2.0x30 mm, 60T	1	50	0.61 kg
TCT21060	210x2.0x30 mm, 60T	1	50	0.68 kg
TCT25080	250x2.5x30 mm, 80T	1	20	1.05 kg
TCT25580	255x2.5x30 mm, 80T	1	20	1.1 kg
TCT30100	300x2.5x30 mm, 100T	1	20	1.37 kg
TCT30510	305x2.5x30 mm, 100T	1	20	1.47 kg
TCT35100	350x2.5x30 mm, 100T	1	20	2.02 kg
TCT40100	400x2.8x30 mm, 100T	1	10	2.91 kg
TCT45100	450x2.8x30 mm, 100T	1	5	3.82 kg
TCT50100	500x3.0x30 mm, 100T	1	5	4.77 kg

TUNGSTEN CARBIDE SAW BLADE (ATB)

The Saw blade with tungsten carbide tips for cutting wood (trapeze type – triple chip – are specially designed for cutting laminated chipboard and aluminum). Suitable for rip and cross cutting of soft and hard wood compatible with all saw types. Great choice of diameters and number of teeth according to the material used – the harder the material, the higher the number of teeth. The notches prevent the saw blade from deformation and overheating and cutting tips allow more quality cutting action.

XTLINE PROFESSIONAL TOOLS

EN 847-1



Order No.	Description	Package	Carton	Weight
TCT14016	140x1.4x20 mm, 16T	1	50	0.21 kg
TCT14024	140x1.4x20 mm, 24T	1	50	0.22 kg
TCT14030	140x1.4x20 mm, 30T	1	50	0.22 kg
TCT15018	150x1.4x20 mm, 18T	1	50	0.24 kg
TCT15024	150x1.4x20 mm, 24T	1	50	0.25 kg
TCT15030	150x1.4x20 mm, 30T	1	50	0.25 kg
TCT16018	160x1.6x20 mm, 18T	1	50	0.33 kg
TCT16024	160x1.6x20 mm, 24T	1	50	0.34 kg
TCT16030	160x1.6x20 mm, 30T	1	50	0.35 kg
TCT16048	160x1.6x20 mm, 48T	1	50	0.35 kg
TCT16520	165x1.4x20 mm, 24T	1	50	0.24 kg
TCT16548	165x1.4x20 mm, 48T	1	50	0.24 kg
TCT16560	165x1.4x20 mm, 60T	1	50	0.24 kg
TCT17024BD	170x1.6x20 mm, 24T	1	50	0.36 kg
TCT17040BD	170x1.6x20 mm, 40T	1	50	0.38 kg
TCT18024	180x1.6x30 mm, 24T	1	50	0.45 kg
TCT18040	180x1.6x30 mm, 40T	1	50	0.47 kg
TCT18524	185x1.6x30 mm, 24T	1	50	0.46 kg
TCT18540	185x1.6x30 mm, 40T	1	50	0.49 kg
TCT19024	190x1.6x30 mm, 24T	1	50	0.55 kg
TCT19040	190x1.6x30 mm, 40T	1	50	0.57 kg
TCT20024	200x1.6x30 mm, 24T	1	50	0.6 kg
TCT20040	200x1.6x30 mm, 40T	1	50	0.6 kg
TCT21024	210x1.6x30 mm, 24T	1	50	0.63 kg
TCT21040	210x1.6x30 mm, 40T	1	50	0.66 kg
TCT25020	250x1.8x30 mm, 20T	1	20	0.96 kg
TCT25040	250x1.8x30 mm, 40T	1	20	1.04 kg
TCT25060	250x1.8x30 mm, 60T	1	20	1.06 kg
TCT25540	255x1.8x30 mm, 40T	1	20	1.1 kg
TCT25560	255x1.8x30 mm, 60T	1	20	1.1 kg
TCT30024	300x2.5x30 mm, 24T	1	20	1.3 kg
TCT30040	300x2.5x30 mm, 40T	1	10	1.35 kg
TCT30060	300x2.5x30 mm, 60T	1	10	1.38 kg
TCT30540	305x2.5x30 mm, 40T	1	20	1.4 kg
TCT30560	305x2.5x30 mm, 60T	1	20	1.4 kg
TCT35028	350x2.5x30 mm, 28T	1	20	1.79 kg
TCT35040	350x2.5x30 mm, 40T	1	20	1.83 kg
TCT35060	350x2.5x30 mm, 60T	1	10	1.88 kg
TCT35080	350x2.5x30 mm, 80T	1	20	1.91 kg
TCT40032	400x2.8x30 mm, 32T	1	10	2.78 kg
TCT40040	400x2.8x30 mm, 40T	1	10	2.94 kg
TCT40060	400x2.8x30 mm, 60T	1	10	2.84 kg
TCT40080	400x2.8x30 mm, 80T	1	10	2.91 kg
TCT45060	450x2.8x30 mm, 60T	1	10	3.55 kg
TCT45080	450x2.8x30 mm, 80T	1	5	3.74 kg
TCT50040	500x3.0x30 mm, 40T	1	5	4.76 kg
TCT50060	500x3.0x30 mm, 60T	1	5	4.53 kg
TCT50080	500x3.0x30 mm, 80T	1	5	4.46 kg
TCT60056	600x3.0x30 mm, 56T	1	5	6.48 kg
TCT60060	600x3.0x30 mm, 60T	1	5	6.54 kg
TCT60080	600x3.0x30 mm, 80T	1	5	6.42 kg

SAW BLADE REDUCTION RING SET

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
TCT0001		1	1	0.01 kg

JIG SAW BLADE SET 10 PCS

A 10pcs jig saw blade set for cutting wood, metal and plastics.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Package includes	T144D: 2x; T101D: 2x; T101B: 2x; T101A0: 1x; T218A: 1x; T118A: 1x; T127D: 1x

Order No.	Description	Package	Carton	Weight
T08SET	plastic package	1	5	0.11 kg

JIG SAW BLADES

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
T101A0	HCS 50 mm, 20 Tpi (5pcs/pack)	10	10	0.002 kg
T101B	HCS 75 mm, 10 Tpi (5pcs/pack)	10	10	0.004 kg
T101BR	HCS 75 mm, 10 Tpi (5pcs/pack)	10	10	0.004 kg
T101D	HCS 75 mm, 6 Tpi (5pcs/pack)	10	500	0.004 kg
T111C	HCS 75 mm, 8 Tpi (5pcs/pack)	10	400	0.004 kg
T118A	HSS 50 mm, 21 Tpi (5pcs/pack)	10	300	0.004 kg
T144D	HCS 75 mm, 6 Tpi (5pcs/pack)	10	500	0.004 kg
T318A	HSS 105 mm, 21 Tpi (5pcs/pack)	10	400	0.004 kg

JIG SAW BLADES

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
U101B	HCS 75 mm 10 Tpi (package/5pcs)	10	10	0.04 kg
U111C	HCS 75 mm 8 Tpi (package/5pcs)	10	10	0.04 kg
U118A	HSS 105 mm, 21 Tpi (package/5pcs)	10	10	0.04 kg

Order No.				Use
T118A		A=1.2mm • 21tpi B=50mm • 2 ″ C=76mm • 3 ″	METAL HSS	Straight cutting of thin materials, sheets, colored metals and aluminum.
T218A		A=1.2mm • 21tpi B=50mm • 2 ″ C=76mm • 3 ″	METAL HSS	Arc cutting of thin sheets, non-ferrous metals and aluminum.
T318A		A=1.2mm • 21tpi B=110mm • 4 1/2 ″ C=132mm • 5 1/2 ″	ALU METAL HSS	Straight cutting of filled materials, non-ferrous metals and aluminium.
T144D		A=4mm • 6tpi B=75mm • 3 ″ C=100mm • 4 ″	fast CUT HCS	Fast straight cutting of hardwood, laminate boards.
T101A0		A=1.4mm • 20tpi B=50mm • 2 ″ C=76mm • 3 ″	PVC clean CUT HCS	Clean and precise arc cutting of hard wood, soft wood wood, laminate boards, fiber boards and plastics.
T101B		A=2.5mm • 10tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC clean CUT HCS	Clean and precise straight cutting of hardwood, softwood, laminate boards, fiber boards and plastics.
T101BR		A=2.5mm • 10tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC clean CUT HCS	Clean and precise straight cutting of hardwood, softwood, laminate boards, fiber boards and plastics.
T101D		A=4mm • 6tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC clean CUT HCS	Clean and precise straight cutting of hardwood, softwood, laminate boards, fiber boards and plastics.
T111C		A=3.0mm • 8tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC fast CUT HCS	Fast straight cutting of hard and soft wood and plastics.

Order No.				Use
U118A		A=1.2mm • 21tpi B=50mm • 2 ″ C=76mm • 3 ″	METAL HSS	Straight cutting of thin materials, sheets, non-ferrous metals and aluminum
U101B		A=2.5mm • 10tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC clean CUT HCS	Clean and precise straight cutting of hardwood, softwood, laminate boards, fiber boards and plastics.
U111C		A=3mm • 8tpi B=75mm • 3 ″ C=100mm • 4 ″	PVC fast CUT HCS	Fast straight cutting of hard and soft wood and plastics.

BI-METAL RECIPROCATING SAW BLADE SET 5PCS

Bi-metal reciprocating saw blades with 8% cobalt admixture are ideal for cutting hard materials. The saw blade body is made of flexible, yet very tough steel in combination with teeth made of HSS (High Speed Steel). This increases the blade wear resistance significantly and offers great tooth durability. Compatible with brands: XTLINE, AEG, Bosch, Dewalt, Hitachi, Black&Decker, Makita, Metabo, Flex, Atlas/Copco, Skil, Milwaukee.

XTLINE PROFESSIONAL TOOLS

Technical parametres

XTS611DF	**1pcs**	XTS922AF	**1pcs**
XTS644D	**2pcs**	XTS922HF	**1pcs**

Order No.	Description	Package	Carton	Weight
XTS-STR1	blister package	10	40	0.13 kg

RECIPROCATING SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150

Technical parametres

Capacity of cut	**sheet metal: 1-8 mm / pipes, profiles: 5-100 mm**		
Length blade sheet	**152 mm**	Working length	**126 mm**
Blade thickness	**0.9 mm**	Use	**metal**
Height of saw blade	**19 mm**	Tooth height	**1.8-3.0 mm**
Tooth pitch	**8-14 Tpi**	Material	**Bimetal, M42+6150**

Order No.	Description	Package	Carton	Weight
XTS123XF	152x19x0.9mm, 8-14 Tpi (5pcs/pack)	20	100	0.1 kg

RECIPROCATING SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150

Technical parametres

Capacity of cut	**wood: 5.0-10 mm / metal: 5.0-10 mm**		
Length blade sheet	**152 mm**	Working length	**126 mm**
Blade thickness	**0,9 mm**	Use	**wood, metal**
Height of saw blade	**19 mm**	Tooth height	**1.8-2.6 mm**
Tooth pitch	**10-14 Tpi**	Material	**Bimetal, M42+6150**

Order No.	Description	Package	Carton	Weight
XTS922VF	150x19.0x0.9mm, 10 Tpi (5pcs/pack)	5	100	0.1 kg

RECIPROCATING SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150

Technical parametres

Capacity of cut	**wood: 5.0-175 mm / metal: 5.0-175 mm**		
Length blade sheet	**228 mm**	Working length	**203 mm**
Blade thickness	**0.9 mm**	Use	**wood, metal**
Height of saw blade	**19 mm**	Tooth height	**2.5 mm**
Tooth pitch	**10 Tpi**	Material	**Bimetal, M42+6150**

Order No.	Description	Package	Carton	Weight
XTS1122HF	228x19.0x0.9mm, 10 Tpi (5pcs/pack)	20	100	0.15 kg

RECIPROCATING SAW BLADE BI-METAL

Fine cutting of sheet metal of thickness within 1.0 – 3.0mm, piping and profiles of diameters within 5.0 – 100mm.

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150

Technical parametres

Prořez	**plech: 0,7-3 mm / trubky, profily: 5-100 mm**		
Délka plátku	**152 mm**	Pracovní délka	**126 mm**
Tloušťka plátku	**0,9 mm**	Použití	**kov**
Výška plátku	**19 mm**	Výška zubu	**1 mm**
Rozteč zubů	**24 Tpi**	Materiál	**Bimetal, M42+6150**

Order No.	Description	Package	Carton	Weight
XTS922AF	150x19.0x0.9mm, 24 Tpi (5pcs/pack)	20	100	0.1 kg

RECIPROCATING SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150



Technical parametres

Capacity of cut	**sheet metal: 3.0-8.0 mm**	Working length	**74 mm**
Length blade sheet	**100 mm**	Use	**metal**
Blade thickness	**0.9 mm**	Tooth height	**1.8 mm**
Height of saw blade	**19 mm**	Material	**Bimetal, M42+6150**
Tooth pitch	**14 Tpi**		

Order No.	Description	Package	Carton	Weight
XTS522BF	100x19.0x0.9mm, 14 Tpi (5pcs/pack)	20	100	0.06 kg

RECIPROCATING SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, M42+6150



Technical parametres

Capacity of cut	**sheet metal: 3.0-8.0 mm / pipes, profiles: <175 mm**		
Length blade sheet	**228 mm**	Working length	**203 mm**
Blade thickness	**0.9 mm**	Use	**metal**
Height of saw blade	**19 mm**	Tooth height	**1.8 mm**
Tooth pitch	**14 Tpi**	Material	**Bimetal, M42+6150**

Order No.	Description	Package	Carton	Weight
XTS1122BF	228x19x0.9mm, 14 Tpi (5pcs/pack)	20	100	0.15 kg

RECIPROCATING SAW BLADE HCS

XTLINE PROFESSIONAL TOOLS

HCS

NEW

Technical parametres

Capacity of cut	**wood: 10-100 mm / metal: 1-10 mm**		
Length blade sheet	**152 mm**	Working length	**126 mm**
Blade thickness	**1.27 mm**	Use	**wood, metal**
Height of saw blade	**19 mm**	Tooth height	**4.3 mm**
Tooth pitch	**6 Tpi**	Material	**HCS**

Order No.	Description	Package	Carton	Weight
XTS611DF	150x19.0x1.27 mm (pack/5pcs)	20	100	0.1 kg

RECIPROCATING SAW BLADE, TC BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal, YG8+50CRV

PAPER BOX YTONG

Technical parametres

XTS1243HM		XTS2243HM	
Length blade sheet	**305 mm**	Length blade sheet	**455 mm**
Blade thickness	**1.5 mm**	Blade thickness	**1.5 mm**
Height of saw blade	**50 mm**	Height of saw blade	**50 mm**
Tooth pitch	**2.0 Tpi**	Tooth pitch	**2 Tpi**
Working length	**250 mm**	Working length	**400 mm**
Use	**porous concrete, ytong**	Use	**porous concrete, ytong**
Tooth height	**12.7 mm**	Tooth height	**12.7 mm**
Material	**Bimetal, YG8+50CRV**	Material	**Bimetal, YG8+50CRV**

Order No.	Description	Package	Carton	Weight
XTS1243HM	305x50x1,5 mm, 2 Tpi (pack/5pcs)	1	100	0.1 kg
XTS2243HM	455x50x1,5 mm, 2 Tpi (pack/5pcs)	1	100	0.1 kg

RECIPROCATING SAW BLADE

RUKO

Order No.	Description	Package	Carton	Weight
RU33189015	HSS, 152x18x0,9 mm 10 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189045	HCS, 300x18x1,3 mm 6 Tpi (pack/5pcs)	1	1	0.046 kg
RU33189085	HSS, 150x18x0,9 mm 18 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189095	HSS, 203x18x0,9 mm 10 Tpi (pack/5pcs)	1	1	0.026 kg
RU33189105	HSS, 305x18x0.9 mm, 10-14 Tpi (pack/5pcs)	1	1	0.042 kg
RU33189135	HSS, 228x18.4x0.9 mm, 18 Tpi (pack/5pcs)	1	1	0.03 kg
RU33189155	HSS, 150x18x0.9 mm, 14 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189165	HSS, 228x18.4x0.9 mm, 14 Tpi (pack/5pcs)	1	1	0.03 kg
RU33189175	HSS, 152x18x1.25 mm, 6 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189185	HSS, 203x17.8x1.25 mm, 6 Tpi (pack/5pcs)	1	1	0.036 kg
RU33189225	HSS, 240x18x1.6 mm, 5 Tpi (pack/5pcs)	1	1	0.042 kg
RU33189235	HSS, 225x18x1.25 mm, 18 Tpi (pack/5pcs)	1	1	0.038 kg
RU33189245	HCS, 152x18.1x1.25 mm, 6 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189335	HSS, 228x18x1.25 mm, 10-14 Tpi (pack/5pcs)	1	1	0.04 kg
RU33189365	HSS, 228x18x1.25 mm, 6 Tpi (pack/5pcs)	1	1	0.032 kg
RU33189405	HSS, 152x18x0.9 mm, 8-18 Tpi (pack/5pcs)	1	1	0.02 kg
RU33189435	HSS, 203x18x1.25 mm, 6-12 Tpi (pack/5pcs)	1	1	0.032 kg
RU33189445	HCS, 203x18.1x1.25 mm, 6-10 Tpi (pack/5pcs)	1	1	0.032 kg
RU33189855	HSS, 152x21x1.6 mm, 6 Tpi (pack/5pcs)	1	1	0.032 kg
RU33189865	HSS, 152x21x1.6 mm, 8-10 Tpi (pack/5pcs)	1	1	0.032 kg
RU33189885	HSS, 228x21x1.6 mm, 6 Tpi (pack/5pcs)	1	1	0.052 kg
RU33189895	HSS, 228x21x1.6 mm, 8-10 Tpi (pack/5pcs)	1	1	0.052 kg

SEGMENT SAW BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

Bimetal

Technical parametres

Use	**metal, wood, plastic**

Order No.	Description	Package	Carton	Weight
XTFM0001	88 mm	10	50	0.06 kg

SEGMENT SAW BLADE TUNGSTEN CARBIDE

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**tiles, ceramics, tiles**

Order No.	Description	Package	Carton	Weight
XTFM0024	65 mm	5	50	0.078 kg

BACKING PAD PLATE DELTA

Backing pad plate for multi-tool machine.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT106203	93x93x93 mm	1	6	0.06 kg

TRIANGLE RASP TUNGSTEN CARBIDE

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**tiles, ceramics**

Order No.	Description	Package	Carton	Weight
XTFM0023	80 mm	10	50	0.08 kg

SAND PAPER DELTA SET FOR WOOD AND METAL

XTLINE PROFESSIONAL TOOLS



Technical parametres

Dimension	**93x93x93 mm**	Clamping	**suchý zip**
Use	**wood and metal**	Package includes	**5x P40, 5xP60, 5xP80, 5xP120**

Order No.	Description	Package	Carton	Weight
XT106205	93x93x93 mm, pack/20pcs	1	100	0.11 kg

ROUND-EDGE SCRAPER BLADE HSS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**starý nátěr, lak**

Order No.	Description	Package	Carton	Weight
XTFM0018	50 mm	10	50	0.05 kg

CUTTER BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

HSS Bimetal

Technical parametres

Use	**metal**

Order No.	Description	Package	Carton	Weight
XTFM0002	65 mm, Thickness 1.2 mm	10	50	0.05 kg

CUTTER BLADE BI-METAL

XTLINE PROFESSIONAL TOOLS

HSS Bimetal

Technical parametres

Use	**metal**

Order No.	Description	Package	Carton	Weight
XTFM0003	33 mm, Thickness 1.4 mm	10	50	0.03 kg

CUTTER BLADE HCS

XTLINE PROFESSIONAL TOOLS

HCS

Technical parametres

Use	**wood**

Order No.	Description	Package	Carton	Weight
XTFM0013	45 mm, Thickness 1.2 mm	10	50	0.05 kg

CUTTER BLADE HCS

XTLINE PROFESSIONAL TOOLS

HCS

Technical parametres

Use	**wood**

Order No.	Description	Package	Carton	Weight
XTFM0014	34 mm, Thickness 2.5 mm	10	50	0.03 kg

MULTI-TOOL ACCESSORY SET HSS, 4PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Firm scraper	**30 mm**		
Plunge saw blade	**20, 34 mm**		
Segmented saw blade	**88 mm**		

Order No.	Description	Package	Carton	Weight
XT106204	4pcs, blister package	1	20	0.16 kg

MULTI-TOOL ACCESSORY SET HSS, 8PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Spatulas	**52 mm (2pcs)**	HCS plunge saw blade	**34 mm**
Bimetal plunge saw blade	**34 mm**	Segmented saw blade	**88 mm**
Delta sanding pad	**1x**	TC cutting wheel	**65 mm**
Delta TC sanding pad	**1x**		

Order No.	Description	Package	Carton	Weight
XT106208	8pcs, blister package	1	20	0.44 kg

CUTTING DISC FOR STAINLESS STEEL / STEEL

The Cutting discs for angle grinders have a great range of use, e.g., cutting steel, stainless steel, sheet metal, profiles etc. A high-density grit combined with quality binding ensures long lifespan. The disc is made in accordance to all safety standards and is fully certificated.

XTLINE PROFESSIONAL TOOLS

WA60 TBF

Technical parametres

Use	steel, stainless steel
Clamping	22.2 mm

Order No.	Description	Package	Carton	Weight
SARN11510	115x1.0x22 mm	50	500	0.03 kg
SARN11516	115x1.6x22 mm	50	500	0.04 kg
SARN12510	125x1.0x22 mm	50	500	0.03 kg
SARN12516	125x1.6x22 mm	50	500	0.04 kg
SARN15010	150x1.0x22 mm	50	200	0.05 kg
SARN15016	150x1.6x22 mm	50	200	0.07 kg
SARN18022	180x2.2x22 mm	50	100	0.12 kg
SARN23022	230x2.2x22 mm	25	100	0.21 kg

GRINDING DISC FOR STEEL

The Grinding disc for steel is designed for smoothing of weldings, burrs etc.

XTLINE PROFESSIONAL TOOLS

A46 TBF

Technical parametres

Use	steel
Clamping	22.2 mm

Order No.	Description	Package	Carton	Weight
SABK11560	115x6.0x22.2 mm	25	100	0.15 kg
SABK12560	125x6.0x22.2 mm	25	100	0.18 kg
SABK15060	150x6.0x22.2 mm	25	60	0.26 kg
SABK18060	180x6.0x22.2 mm	25	50	0.37 kg
SABK23060	230x6.0x22.2 mm	5	25	0.6 kg

CUTTING DISC FOR STEEL

The Cutting discs for angle grinders have a great range of use, e.g., cutting steel, stainless steel, sheet metal, profiles etc. A high-density grit combined with quality binding ensures long lifespan. The disc is made in accordance to all safety standards and is fully certificated.

XTLINE PROFESSIONAL TOOLS

A60 TBF

Technical parametres

Use	steel
Clamping	22.2 mm

Order No.	Description	Package	Carton	Weight
SARK11516	115x1.6x22.2 mm	50	500	0.03 kg
SARK11520	115x2.0x22.2 mm	50	400	0.05 kg
SARK11525	115x2.5x22.2 mm	50	200	0.06 kg
SARK12516	125x1.6x22.2 mm	50	500	0.04 kg
SARK12520	125x2.0x22.2 mm	50	400	0.06 kg
SARK12525	125x2.5x22.2 mm	25	600	0.07 kg
SARK15016	150x1.6x22.2 mm	50	200	0.06 kg
SARK15020	150x2.0x22.2 mm	50	200	0.08 kg
SARK15025	150x2.5x22.2 mm	50	200	0.09 kg
SARK18030	180x3.0x22.2 mm	25	100	0.18 kg
SARK23030	230x3.0x22.2 mm	25	50	0.27 kg
SARK30030	300x3.0x32 mm	5	25	0.47 kg

CUTTING DISC STEEL/STAINLESS STEEL A 46 TZ SPECIAL

Thin, high-performance cutting disc suitable for thin kerf cutting. Very hard. Special quality class. To use with stainless steel.

Technical parametres

Use	**steel, stainless steel**

Order No.	Description	Package	Carton	Weight
KLI187170	115x1.6x22.2 mm	25	25	0.04 kg
KLI187171	125x1.6x22.2 mm	25	25	0.04 kg
KLI241472	150x1.6x22.2 mm	25	25	0.06 kg
KLI221161	180x1.6x22.2 mm	25	25	0.09 kg
KLI224084	230x1.9x22.2 mm	25	25	0.19 kg
KLI265044	230x1.9x22.2 mm (rounded)	25	25	0.18 kg

CUTTING DISC STEEL A 346 EXTRA

Fibreglass ensures stability and increases the safety of the cutting wheel. The more glass fibre the cutting wheel contains, the higher its lateral stability. The potentially higher lateral load on the cutting wheel is generally encountered in manual cutting.

Technical parametres

Use	**steel**

Order No.	Description	Package	Carton	Weight
KLI340936	115x1.6x22.2 mm	25	25	0.03 kg
KLI340938	125x1.6x22.2 mm	25	25	0.04 kg

CUTTING DISC STEEL/STAINLESS STEEL A 36 SUPRA

Thin, high-performance cutting disc suitable for thin kerf cutting. Very hard. Special quality class. To use with stainless steel.

Technical parametres

Use	**steel, stainless steel**

Order No.	Description	Package	Carton	Weight
KLI126849	125x2.0x22.2 mm	25	25	0.05 kg
KLI202400	115x1,0x22,2 mm	x	25	0.02 kg
KLI251752	150x2x22,2 mm	25	25	0.08 kg
KLI123833	230x2.5x22.2 mm	25	25	0.24 kg

CUTTING DISC STEEL/STAINLESS STEEL A 660 SUPRA

Thin, high-performance cutting disc suitable for thin kerf cutting. Very hard. Special quality class. To use with stainless steel.

Technical parametres

Use	**steel, stainless steel**

Order No.	Description	Package	Carton	Weight
KLI328905	115x1.0x22.2 mm	25	25	0.03 kg
KLI328906	125x1.0x22.2 mm	25	25	0.03 kg

CUTTING DISC STEEL/STAINLESS STEEL A 60 EXTRA

The glass fibre provides stability and increases safety of the cutting disc. The higher the glass fibre content, the better the side stability. The higher the potential side load of the cutting disc gets (handheld tools show higher side load than stationary tools), the higher or more stable glass fibre content is required.

Technical parametres

Use	**metal, stainless steel**

Order No.	Description	Package	Carton	Weight
KLI262936	115x1.0x22.2 mm	25	25	0.03 kg
KLI262937	125x1.0x22.2 mm	25	25	0.03 kg

CUTTING DISC, A 24 EXTRA A - STEEL

Technical parametres

Use	**steel**

Order No.	Description	Package	Carton	Weight
KLA242137	125x2.5x22.2 mm	25	25	0.06 kg
KLA242138	230x2.0x22.2 mm	25	25	0.07 kg
KLA235375	150x2.5x22.2 mm	25	25	0.1 kg
KLA286456	230x2.0x22.2 mm	25	25	0.2 kg
KLA13492	230x3.0x22.2 mm	25	25	0.29 kg
KLA6793	300x3.0x25.4 mm	10	10	0.54 kg

CUTTING DISC A 60 TZ STEEL/STAINLESS STEEL

Thin, high-performance cutting disc suitable for thin kerf cutting. Very hard. Special quality class. To use with stainless steel.

Technical parametres

Use	**steel, stainless steel**

Order No.	Description	Package	Carton	Weight
KLI202400	115x1,0x22,2 mm	x	25	0.02 kg
KL202401	125x1.0x22.2 mm	x	25	0.03 kg

GRINDING DISC A 24 EXTRA A-STEEL

The glass fibre provides stability and increases safety of the cutting disc. The higher the glass fibre content, the better the side stability. The higher the potential side load of the cutting disc gets (handheld tools show higher side load than stationary tools), the higher or more stable glass fibre content is required.

Technical parametres

Use	**metal**

Order No.	Description	Package	Carton	Weight
KLB13444	180x6.0x22.2 mm	10	10	0.38 kg
KLB13447	230x6.0x22.2 mm	10	10	0.63 kg
KLB188465	115x6.0x22.2 mm	10	10	0.15 kg
KLB188466	125x6.0x22.2 mm	10	10	0.18 kg
KLB235371	150x6.0x22.2 mm	10	10	0.25 kg

RUBBER BACKING PAD VELCRO WITH SHANK

Rubber Velcro backing pad for circular abrasive discs.

STAVTOOL XTLINE

Technical parametres

Clamping	**thread M14 / cylindrical shank 8 mm**

Order No.	Description	Package	Carton	Weight
P10005	115 mm	1	100	0.12 kg
P10004	125 mm	1	100	0.13 kg
P10006	150 mm	1	80	0.19 kg

SANDPAPER HOLDER SHANK

Technical parametres

Clamping	**thread M14 / cylindrical shank 8 mm**

Order No.	Description	Package	Carton	Weight
KL04007	M14 / shank 8 mm	1	1	0.03 kg

RUBBER BACKING PAD FIRM

KLINGSPOR

Technical parametres

Thread of arbour	**M14**

Order No.	Description	Package	Carton	Weight
KL70433	115 mm	1	1	0.09 kg
KL70434	125 mm	1	1	0.1 kg
KL70436	150 mm	1	1	0.14 kg

POLISHING FELT PAD VELCRO

Technical parametres

Clamping	**Velcro**

Order No.	Description	Package	Carton	Weight
KL04019	115 mm	1	1	0.04 kg
KL04013	125 mm	1	10	0.04 kg
KL04014	150 mm	1	10	0.05 kg

FIBER BACKING PAD

Technical parametres

Clamping	**thread M14**

Order No.	Description	Package	Carton	Weight
KL18901	115 mm	1	25	0.09 kg
KL18902	125 mm	1	1	0.1 kg
KL18903	150 mm	1	1	0.16 kg

FIBER BACKING PAD - AIR COOLED

LUGA ABRASIV

Technical parametres

Clamping	**thread M14**

Order No.	Description	Package	Carton	Weight
LU10115	115 mm	1	1	0.07 kg
LU10125	125 mm	1	1	0.09 kg
LU10150	150 mm	1	1	0.08 kg

WOOL POLISHING PAD

STAVTOOL XTLINE

Technical parametres

Clamping	**lanyard**

Order No.	Description	Package	Carton	Weight
KL04015	125 mm	1	100	0.03 kg
KL04016	150 mm	1	100	0.05 kg

WOOL POLISHING PAD, VELCRO

STAVTOOL XTLINE

Technical parametres

Clamping	**Velcro**

Order No.	Description	Package	Carton	Weight
KL04017	125 mm	1	100	0.04 kg
KL04018	150 mm	1	100	0.05 kg

NYLON STRIP DISC WITH SHANK

Technical parametres

Use	**metal**

Order No.	Description	Package	Carton	Weight
PC4653	100x13 mm, Shank 5.5 mm	1	10	0.05 kg
PC4654	100x26 mm, Shank 5.5 mm	1	10	0.097 kg

NYLON STRIP DISC

nylon

NEW

Technical parametres

Diameter	**125 mm**	Material	**nylon**
Thickness	**15 mm**	Clamping	**shank 5.5 mm**
Use	**metal**		

Order No.	Description	Package	Carton	Weight
XT380125	125x22,2x15 mm	10	200	0.1 kg

POLISHING FOAM DISC FOR POLISHER

Technical parametres

Diameter	**150 mm**	Clamping	**Velcro**
Thickness	**25 mm**	Rigidity	**soft**

Order No.	Description	Package	Carton	Weight
XT395030	Blue (soft) 150 mm	1	40	0.03 kg

POLISHING FOAM DISC FOR POLISHER

Technical parametres

Diameter	**150 mm**	Clamping	**Velcro**
Thickness	**25 mm**	Rigidity	**hard**

Order No.	Description	Package	Carton	Weight
XT395050	Orange (hard) 150 mm	1	40	0.03 kg

POLISHING FOAM DISC FOR POLISHER

Technical parametres

Diameter	**150 mm**	Clamping	**Velcro**
Thickness	**25 mm**	Rigidity	**medium**

Order No.	Description	Package	Carton	Weight
XT395040	Yellow (medium hard) 150 mm	1	40	0.03 kg



NYLON ABRASIVE WHEEL BRUSH (NON-WOVEN)

Nylon abrasive wheel brush suitable for grinding and structuring metal surfaces. To use in combination with wheel brush sander XT105350.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**metal satin plating**

Order No.	Description	Package	Carton	Weight
XT390120	120x100 mm gr. 120	1	10	0.57 kg
XT390180	120x100 mm gr. 180	1	20	0.58 kg
XT390240	120x100 mm gr. 240	1	20	0.54 kg
XT397120	120x50 mm gr. 120	1	40	0.3 kg
XT397180	120x50 mm gr. 180	1	40	0.3 kg
XT397200	120x50 mm gr. 240	1	40	0.27 kg

ABRASIVE LAMELLAR WHEEL BRUSH

Abrasive lamellar wheel brush for grinding metal. To use in combination with wheel brush sander XT105350.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**grinding metal, wood**

Order No.	Description	Package	Carton	Weight
XT391060	120x100 mm gr. 60	1	20	0.93 kg
XT391080	120x100 mm gr. 80	1	20	0.99 kg
XT391120	120x100 mm gr. 120	1	20	0.97 kg
XT396060	120x50 mm gr. 60	1	40	0.48 kg
XT396080	120x50 mm gr. 80	1	40	0.45 kg
XT396120	120x50 mm gr. 120	1	40	0.46 kg

NYLON ABRASIVE WHEEL BRUSH

Nylon abrasive wheel brush suitable for rustic wood structuring or final-touch smoothing of stainless-steel surfaces. To use in combination with wheel brush sander XT105350.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**wood structuring**

Order No.	Description	Package	Carton	Weight
XT392080	120x100 mm gr. 80	1	10	0.43 kg
XT398080	120x50 mm gr. 80	1	20	0.25 kg

STEEL WIRE WHEEL BRUSH

Wire brush wheel suitable for wire brushing, rust and old paint removal. To use in combination with wheel brush sander XT105350.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Použití	**kartáčování, odrezování a odstraňování barev**

Order No.	Description	Package	Carton	Weight
XT393003	120x100x0.3 mm	1	20	1.88 kg
XT399003	120x50x0.3 mm	1	20	0.82 kg

NYLON STRIP WHEEL BRUSH

Nylon abrasive wheel brush suitable for rustic wood structuring or final-touch smoothing of stainless-steel surfaces. To use in combination with wheel brush sander XT105350.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Use	**metal grinding, paint removal, corrosion**

Order No.	Description	Package	Carton	Weight
XT392090	120x100 mm	1	50	0.6 kg

COTTON POLISHING WHEEL BRUSH

Wire brush wheel suitable for wire brushing, rust and old paint removal. To use in combination with wheel brush sander XT105345.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Use	**polishing of metals, plastics, glass, marble**

Order No.	Description	Package	Carton	Weight
XT399095	120x100 mm	1	20	0.6 kg

WOOD RASP DISC FINE

The Wood rasp disc is used for grinding soft and hardwood. Suitable for angle grinders with diameter of 125mm.

Technical parametres

Max. speed	**13000 rpm**	Use	**wood, plasterboard, plastic etc.**
Diameter	**125 mm**	Clamping	**22.2 mm**
Thickness	**3 mm**		

Order No.	Description	Package	Carton	Weight
XT164121	125x3x22.2 mm	1	80	0.33 kg

WOOD RASP DISC COARSE

The Wood rasp disc is used for grinding soft and hardwood. Suitable for angle grinders with diameter of 125mm.

Technical parametres

Max. speed	**13000 rpm**	Use	**wood, plasterboard, plastic etc.**
Diameter	**125 mm**	Clamping	**22.2 mm**
Thickness	**3 mm**		

Order No.	Description	Package	Carton	Weight
XT164123	125x3x22.2 mm	1	80	0.33 kg

WOOD RASP DISC MEDIUM COARSE

The Wood rasp disc is used for grinding soft and hardwood. Suitable for angle grinders with diameter of 125mm.

Technical parametres

Max. speed	**13000 rpm**	Use	**wood, plasterboard, plastic etc.**
Diameter	**125 mm**	Clamping	**22.2 mm**
Thickness	**3 mm**		

Order No.	Description	Package	Carton	Weight
XT164122	125x3x22.2 mm	1	80	0.33 kg

WOOD RASP / SAW DISC

The teeth rasp wheel for angle grinders is suitable for grinding, cutting-off or grooving wooden materials, plastics, plasterboard, etc.

NEW

Technical parametres

Max. speed	**13 000 ot/min**	Use	**wood, plastic, plasterboard**
Diameter	**125 mm**	Clamping	**22,2 mm**
Thickness	**3 mm**		

Order No.	Description	Package	Carton	Weight
XT164124	125x3x22.2 mm	1	80	0.26 kg

FLAP DISC ZIRCON

The Zirconium abrasive flap disc for grinding larger areas, edges, weldings, metal burrs, plastics, wood or old paint and rust removal. The concave body allows grinding in hard-to-reach spots. High number of quality lamellas grants the disc long lifespan. The construction reduces the overall vibration.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**steel, stainless steel**
Clamping	**22.2 mm**

Order No.	Description	Package	Carton	Weight
BZ115040	115 mm gr. 40	x	10	0.08 kg
BZ115060	115 mm gr. 60	x	10	0.07 kg
BZ115080	115 mm gr. 80	x	10	0.07 kg
BZ115100	115 mm gr. 100	x	5	0.07 kg
BZ115120	115 mm gr. 120	x	5	0.07 kg
BZ125040	125 mm gr. 40	x	5	0.09 kg
BZ125060	125 mm gr. 60	x	5	0.08 kg
BZ125080	125 mm gr. 80	x	5	0.08 kg
BZ125100	125 mm gr. 100	x	5	0.08 kg
BZ125120	125 mm gr. 120	x	5	0.09 kg
BZ150040	150 mm gr. 40	x	5	0.16 kg
BZ150060	150 mm gr. 60	x	5	0.13 kg
BZ150080	150 mm gr. 80	x	5	0.14 kg
BZ150100	150 mm gr. 100	x	5	0.14 kg
BZ150120	150 mm gr. 120	x	5	0.13 kg

ABRASIVE FLAP DISC ZIRCON SMT 624

KLINGSPOR

Technical parametres

Use	**steel, stainless steel**
Clamping	**22.2 mm**

Order No.	Description	Package	Carton	Weight
KL322764	115 mm gr. 36	x	10	0.08 kg
KL322765	115 mm gr. 40	x	10	0.07 kg
KL322767	115 mm gr. 60	x	10	0.07 kg
KL322768	115 mm gr. 80	x	10	0.06 kg
KL322769	115 mm gr. 120	x	10	0.05 kg
KL322771	125 mm gr. 36	x	10	0.09 kg
KL322772	125 mm gr. 40	x	10	0.09 kg
KL322774	125 mm gr. 60	x	10	0.08 kg
KL322775	125 mm gr. 80	x	10	0.07 kg
KL322776	125 mm gr. 120	x	10	0.08 kg
KL322778	150 mm gr. 40	x	10	0.12 kg
KL322779	150 mm gr. 60	x	10	0.12 kg
KL322780	150 mm gr. 80	x	10	0.11 kg

FLAP DISC CORUNDUM

XTLINE PROFESSIONAL TOOLS

Technical parametres

Use	**steel, non-ferrous metals, wood**
Clamping	**22.2 mm**

Order No.	Description	Package	Carton	Weight
BS115040	115 mm gr. 40	x	10	0.07 kg
BS115060	115 mm gr. 60	x	10	0.07 kg
BS115080	115 mm gr. 80	x	10	0.06 kg
BS115100	115 mm gr. 100	x	25	0.06 kg
BS115120	115 mm gr. 120	x	25	0.06 kg
BS125040	125 mm gr. 40	x	25	0.08 kg
BS125060	125 mm gr. 60	x	5	0.08 kg
BS125080	125 mm gr. 80	x	5	0.08 kg
BS125100	125 mm gr. 100	x	5	0.09 kg
BS125120	125 mm gr. 120	x	5	0.07 kg
BS150040	150 mm gr. 40	x	5	0.15 kg
BS150060	150 mm gr. 60	x	5	0.13 kg
BS150080	150 mm gr. 80	x	5	0.13 kg
BS150100	150 mm gr. 100	x	5	0.12 kg
BS150120	150 mm gr. 120	x	5	0.13 kg

ABRASIVE LAMELLAR WHEEL BRUSH WITH SHANK

Technical parametres

Use	**steel, non-ferrous metals, wood**
Clamping	**shank 6 mm**

Order No.	Description	Package	Carton	Weight
BS252040	25x20x6.0 mm gr. 40	20	20	0.02 kg
BS252060	25x20x6.0 mm gr. 60	20	20	0.02 kg
BS252080	25x20x6.0 mm gr. 80	40	40	0.02 kg
BS252100	25x20x6.0 mm gr. 100	20	20	0.02 kg
BS252120	25x20x6.0 mm gr. 120	20	20	0.02 kg
BS301040	30x15x6.0 mm gr. 40	20	20	0.02 kg
BS301060	30x15x6.0 mm gr. 60	10	10	0.02 kg
BS301080	30x15x6.0 mm gr. 80	20	20	0.02 kg
BS301100	30x15x6.0 mm gr. 100	20	20	0.02 kg
BS301120	30x15x6.0 mm gr. 120	20	20	0.02 kg
BS303040	30x30x6.0 mm gr. 40	20	20	0.03 kg
BS303060	30x30x6.0 mm gr. 60	20	20	0.03 kg
BS303080	30x30x6.0 mm gr. 80	20	20	0.03 kg
BS303100	30x30x6.0 mm gr. 100	20	20	0.03 kg
BS303120	30x30x6.0 mm gr. 120	20	20	0.03 kg
BS403040	40x30x6.0 mm gr. 40	10	10	0.05 kg
BS403060	40x30x6.0 mm gr. 60	10	10	0.05 kg
BS403080	40x30x6.0 mm gr. 80	10	10	0.05 kg
BS403100	40x30x6.0 mm gr. 100	10	10	0.05 kg
BS403120	40x30x6.0 mm gr. 120	10	10	0.05 kg
BS503040	50x30x6.0 mm gr. 40	20	20	0.06 kg
BS503060	50x30x6.0 mm gr. 60	20	20	0.06 kg
BS503080	50x30x6.0 mm gr. 80	10	10	0.06 kg
BS503100	50x30x6.0 mm gr. 100	10	10	0.06 kg
BS503120	50x30x6.0 mm gr. 120	20	20	0.06 kg
BS604040	60x40x6.0 mm gr. 40	10	10	0.1 kg
BS604060	60x40x6.0 mm gr. 60	10	10	0.1 kg
BS604080	60x40x6.0 mm gr. 80	20	20	0.1 kg
BS604100	60x40x6.0 mm gr. 100	10	10	0.1 kg
BS604120	60x40x6.0 mm gr. 120	10	10	0.1 kg

ABRASIVE NON-WOVEN WHEEL ON SHANK

NEW

Technical parametres

Use	metal, wood, plastic, rust, old coatings and paints
Clamping	cylindrical shank 6 mm

Order No.	Description	Package	Carton	Weight
BKA40206CRSE	40x20x6 mm, gr. 80, coarse	1	20	0.078 kg
BKA40206FINE	40x20x6 mm, gr. 180, fine	1	20	0.078 kg
BKA40206MEDE	40x20x6 mm, gr. 120, medium	1	20	0.078 kg
BKA40206UFNE	40x20x6 mm, gr. 320, ultra fine	1	20	0.078 kg
BKA40206VFNE	40x20x6 mm, gr. 240, very fine	1	20	0.078 kg
BKA50306CRSE	50x30x6 mm, gr. 80, coarse	1	20	0.078 kg
BKA50306FINE	50x30x6 mm, gr. 180, fine	1	20	0.078 kg
BKA50306MEDE	50x30x6 mm, gr. 120, medium	1	20	0.078 kg
BKA50306UFNE	50x30x6 mm, gr. 320, ultra fine	1	20	0.078 kg
BKA50306VFNE	50x30x6 mm, gr. 240, very fine	1	20	0.078 kg
BKA60506CRSE	60x50x6 mm, gr. 80, coarse	1	20	0.078 kg
BKA60506FINE	60x50x6 mm, gr. 180, fine	1	20	0.078 kg
BKA60506MEDE	60x50x6 mm, gr. 120, medium	1	20	0.078 kg
BKA60506UFNE	60x50x6 mm, gr. 320, ultra fine	1	20	0.078 kg
BKA60506VFNE	60x50x6 mm, gr. 240, very fine	1	20	0.078 kg
BKA80506CRSE	80x50x6 mm, gr. 80, coarse	1	20	0.078 kg
BKA80506FINE	80x50x6 mm, gr. 180, fine	1	20	0.078 kg
BKA80506MEDE	80x50x6 mm, gr. 120, medium	1	20	0.078 kg
BKA80506UFNE	80x50x6 mm, gr. 320, ultra fine	1	20	0.078 kg
BKA80506VFNE	80x50x6 mm, gr. 240, very fine	1	20	0.078 kg

ABRASIVE NON-WOVEN FLAP WHEEL ON SHANK

NEW

Technická specifikace

Use	metal, wood, plastic, rust, old coatings and paints
Clamping	cylindrical shank 6 mm

Order No.	Description	Package	Carton	Weight
BKK40206CRSE	40x20x6 mm, zr. 80, coarse	1	20	0.078 kg
BKK40206FINE	40x20x6 mm, zr. 180, fine	1	20	0.078 kg
BKK40206MEDE	40x20x6 mm, zr. 120, medium	1	20	0.078 kg
BKK40206VFNE	40x20x6 mm, zr. 240, very fine	1	20	0.078 kg
BKK50306CRSE	50x30x6 mm, zr. 80, coarse	1	20	0.078 kg
BKK50306FINE	50x30x6 mm, zr. 180, fine	1	20	0.078 kg
BKK50306MEDE	50x30x6 mm, zr. 120, medium	1	20	0.078 kg
BKK50306VFNE	50x30x6 mm, zr. 240, very fine	1	20	0.078 kg
BKK60506CRSE	60x50x6 mm, zr. 80, coarse	1	20	0.078 kg
BKK60506FINE	60x50x6 mm, zr. 180, fine	1	20	0.078 kg
BKK60506MEDE	60x50x6 mm, zr. 120, medium	1	20	0.078 kg
BKK60506VFNE	60x50x6 mm, zr. 240, very fine	1	20	0.078 kg
BKK80506CRSE	80x50x6 mm, zr. 80, coarse	1	20	0.078 kg
BKK80506FINE	80x50x6 mm, zr. 180, fine	1	20	0.078 kg
BKK80506MEDE	80x50x6 mm, zr. 120, medium	1	20	0.078 kg
BKK80506VFNE	80x50x6 mm, zr. 240, very fine	1	20	0.078 kg

LAMELLAR FELT WHEEL ON SHANK

The felt flop disc is ideal for polishing operations. The disc is clamped by a 6mm cylindrical shank.

NEW

Technical parametres

Use	metal, plastic, glass, marble, etc.
Clamping	cylindrical shank 6 mm

Order No.	Description	Package	Carton	Weight
BKF40206FLE	40x20x6 mm	1	20	0.078 kg
BKF50306FLE	50x30x6 mm	1	20	0.078 kg
BKF60506FLE	60x50x6 mm	1	20	0.078 kg
BKF80506FLE	80x50x6 mm	1	20	0.078 kg

ABRASIVE FIBER DISC CS561

A perfect disc for rough grinding operations, rust removal, deburring or welding and fine metal smoothing.

Technical parametres

Use	steel, non-ferrous metals, wood
Clamping	22.2 mm

Order No.	Description	Package	Carton	Weight
KL10977	115 mm gr. 16	25	25	0.04 kg
KL10978	115 mm gr. 24	25	25	0.03 kg
KL10980	115 mm gr. 36	25	25	0.02 kg
KL10981	115 mm gr. 40	25	25	0.02 kg
KL10982	115 mm gr. 50	25	25	0.02 kg
KL10983	115 mm gr. 60	25	25	0.02 kg
KL10984	115 mm gr. 80	25	25	0.02 kg
KL10985	115 mm gr. 100	25	25	0.01 kg
KL10986	115 mm gr. 120	25	25	0.01 kg
KL10987	115 mm gr. 150	25	25	0.01 kg
KL10988	115 mm gr. 180	25	25	0.01 kg
KL10990	115 mm gr. 240	25	25	0.01 kg
KL11009	125 mm gr. 16	25	25	0.04 kg
KL11010	125 mm gr. 24	25	25	0.03 kg
KL11012	125 mm gr. 36	25	25	0.03 kg
KL11013	125 mm gr. 40	25	25	0.02 kg
KL11014	125 mm gr. 50	25	25	0.02 kg
KL11015	125 mm gr. 60	25	25	0.02 kg
KL11016	125 mm gr. 80	25	25	0.02 kg
KL11017	125 mm gr. 100	25	25	0.02 kg
KL11018	125 mm gr. 120	25	25	0.01 kg
KL11019	125 mm gr. 150	25	25	0.01 kg
KL11020	125 mm gr. 180	25	25	0.01 kg
KL11022	125 mm gr. 240	25	25	0.01 kg
KL11024	125 mm gr. 320	25	25	0.01 kg
KL11042	150 mm gr. 24	25	25	0.05 kg
KL11044	150 mm gr. 36	25	25	0.04 kg
KL11045	150 mm gr. 40	25	25	0.03 kg
KL11047	150 mm gr. 60	25	25	0.03 kg
KL11048	150 mm gr. 80	25	25	0.03 kg
KL11050	150 mm gr. 120	25	25	0.02 kg

ABRASIVE SHEET - VELCRO, TYPE PL 28 CK



Technical parametres

Use	**wood, color, lacquer, filler**
Clamping	**Velcro**

Order No.	Description	Package	Carton	Weight
KL270660	115 mm gr. 40	50	50	0.01 kg
KL270667	115 mm gr. 60	50	50	0.008 kg
KL270674	115 mm gr. 80	50	50	0.006 kg
KL270683	115 mm gr. 100	50	50	0.006 kg
KL270690	115 mm gr. 120	50	50	0.006 kg
KL270703	115 mm gr. 180	50	50	0.004 kg
KL270713	115 mm gr. 240	50	50	0.004 kg
KL270698	115 mm gr. 150	50	50	0.006 kg
KL270659	125 mm gr. 36	50	50	0.01 kg
KL270661	125 mm gr. 40	50	50	0.01 kg
KL270668	125 mm gr. 60	50	50	0.01 kg
KL270676	125 mm gr. 80	50	50	0.008 kg
KL270685	125 mm gr. 100	50	50	0.006 kg
KL270692	125 mm gr. 120	50	50	0.008 kg
KL270700	125 mm gr. 150	50	50	0.006 kg
KL270705	125 mm gr. 180	50	50	0.006 kg
KL270715	125 mm gr. 240	50	50	0.006 kg
KL270663	150 mm gr. 40	50	50	0.02 kg
KL270670	150 mm gr. 60	50	50	0.01 kg
KL270677	150 mm gr. 80	50	50	0.01 kg
KL270686	150 mm gr. 100	50	50	0.01 kg
KL270693	150 mm gr. 120	50	50	0.01 kg
KL270701	150 mm gr. 150	50	50	0.01 kg
KL270548	150 mm gr. 180	50	50	0.01 kg
KL270599	150 mm gr. 240	50	50	0.008 kg

ABRASIVE SHEET - BOSCH TYPE PL 28 CK

Abrasive sheet with dust extraction holes, semi-open coating, great material removal to achieve uniform wood and metal sanding operation.



GLS3

GLS5

Technical parametres

Use	**wood, color, lacquer, filler**

Order No.	Description	Package	Carton	Weight
KL293657	115 mm gr. 40, GLS5	50	50	0.01 kg
KL293658	115 mm gr. 60, GLS5	50	50	0.006 kg
KL270678	115 mm gr. 80, GLS5	50	50	0.006 kg
KL293659	115 mm gr. 100, GLS5	50	50	0.006 kg
KL293660	115 mm gr. 120, GLS5	50	50	0.006 kg
KL270664	125 mm gr. 40, GLS5	50	50	0.01 kg
KL270671	125 mm gr. 60, GLS5	50	50	0.008 kg
KL270679	125 mm gr. 80, GLS5	50	50	0.008 kg
KL270687	125 mm gr. 100, GLS5	50	50	0.008 kg
KL270694	125 mm gr. 120, GLS5	50	50	0.006 kg
KL270702	125 mm gr. 150, GLS5	50	50	0.006 kg
KL270707	125 mm gr. 180, GLS5	50	50	0.006 kg
KL270606	125 mm gr. 240, GLS5	50	50	0.006 kg
KL270289	150 mm gr. 40, GLS3	50	50	0.008 kg
KL270346	150 mm gr. 60, GLS3	50	50	0.008 kg
KL270403	150 mm gr. 80, GLS3	50	50	0.008 kg
KL270451	150 mm gr. 100, GLS3	50	50	0.008 kg
KL270496	150 mm gr. 120, GLS3	50	50	0.008 kg

ABRASIVE SHEET - VELCRO, TYPE BOSCH

Technical parametres

Use	**wood, metal**	Clamping	**Velcro**

Order No.	Description	Package	Carton	Weight
KL04040	125 mm gr. 40, 6pcs/pack	1	100	0.08 kg
KL04060	125 mm gr. 60, 6pcs/pack	1	200	0.07 kg
KL04080	125 mm gr. 80, 6pcs/pack	1	200	0.06 kg
KL04100	125 mm gr. 100, 6pcs/pack	1	200	0.06 kg
KL04120	125 mm gr. 120, 6pcs/pack	1	200	0.06 kg

ABRASIVE SHEET - VELCRO



Technical parametres

Use	**plasterboard**	Clamping	**Velcro**

Order No.		Description	Package	Carton	Weight
KL044208	N	225 mm, gr. 80, 6pcs/pack	1	50	0.19 kg
KL044210	N	225 mm, gr. 100, 6pcs/pack	1	50	0.19 kg
KL044212	N	225 mm, gr. 120, 6pcs/pack	1	50	0.19 kg
KL04604		125 mm gr. 40, 6pcs/pack	1	50	0.06 kg
KL04606		125 mm gr. 60, 6pcs/pack	1	50	0.06 kg
KL04608		125 mm gr. 80, 6pcs/pack	1	50	0.06 kg
KL04610		125 mm gr. 100, 6pcs/pack	1	50	0.06 kg
KL04612		125 mm gr. 120, 6pcs/pack	1	50	0.06 kg

ABRASIVE BELT

Technical parametres

Use	**metal, wood, plastic**

Order No.	Description	Package	Carton	Weight
KL04204	75x533 mm gr. 40, 3pcs/pack	1	10	0.18 kg
KL04206	75x533 mm gr. 60, 3pcs/pack	1	10	0.17 kg
KL04208	75x533 mm gr. 80, 3pcs/pack	1	10	0.17 kg
KL04210	75x533 mm gr. 100, 3pcs/pack	1	10	0.14 kg
KL04212	75x533 mm gr. 120, 3pcs/pack	1	10	0.13 kg
KL044704	40x760 mm gr. 40, 3pcs/pack	1	50	0.16 kg
KL044706	40x760 mm gr. 60, 3pcs/pack	1	50	0.13 kg
KL044708	40x760 mm gr. 80, 3pcs/pack	1	50	0.12 kg
KL044710	40x760 mm gr. 100, 3pcs/pack	1	50	0.11 kg
KL044712	40x760 mm gr. 120, 3pcs/pack	1	50	0.11 kg
KL044945	13x457mm gr. 40-100, 20pcs/pack	1	100	0.15 kg
KL044953	30x533mm gr. 40-100, 20pcs/pack	1	50	0.41 kg

ABRASIVE BELT LS307X

Technical parametres

Use	wood, metal, color, lacquer, non-ferrous metals

Order No.	Description	Package	Carton	Weight
KL268648	75x533 mm gr. 40	10	10	0.38 kg
KL268657	75x533 mm gr. 60	10	10	0.33 kg
KL268666	75x533 mm gr. 80	10	10	0.3 kg
KL268675	75x533 mm gr. 100	10	10	0.26 kg
KL268683	75x533 mm gr. 120	10	10	0.25 kg
KL268688	75x533 mm gr. 150	10	10	0.24 kg
KL268690	75x533 mm gr. 180	10	10	0.23 kg

SANDPAPER ROLL PS30

Technical parametres

Use	paint, varnish, putty, wood, metal

Order No.	Description	Package	Carton	Weight
KL174086	115x50,000mm gr. 40	1	1	2.84 kg
KL174088	115x50,000mm gr. 60	1	1	2.46 kg
KL174089	115x50,000 mm gr. 80	1	1	2.11 kg
KL174090	115x50,000 mm gr. 100	1	1	2.06 kg
KL174091	115x50,000 mm gr. 120	1	1	1.87 kg
KL174092	115x50,000 mm gr. 150	1	1	1.9 kg
KL182419	115x50,000 mm gr. 320	1	1	1.49 kg

SANDPAPER CLOTH ROLL KL 381 J

Technical parametres

Use	metal, wood

Order No.	Description	Package	Carton	Weight
KL266197	150x30000 mm gr. 40	1	1	4.33 kg
KL266236	150x50,000 mm gr. 60	1	1	5.84 kg
KL266270	150x50,000 mm gr. 80	1	1	5.14 kg
KL266299	150x50,000 mm gr. 100	1	1	4.7 kg
KL266327	150x50,000 mm gr. 120	1	1	4.55 kg
KL266387	150x50,000 mm gr. 320	1	1	3.21 kg

ABRASIVE BELT LS 309 XH

Technical parametres

Use	wood, metal, non-ferrous metals, paint, varnish, sealant

Order No.	Description	Package	Carton	Weight
KL37269	75x457 mm gr. 40	10	10	0.032 kg
KL38825	75x457 mm gr. 60	10	10	0.027 kg
KL40345	75x457 mm gr. 80	10	10	0.024 kg
KL41560	75x457 mm gr. 100	10	10	0.023 kg
KL42627	75x457 mm gr. 120	10	10	0.022 kg
KL43020	75x457 mm gr. 150	10	10	0.02 kg
KL4121	75x480 mm gr. 100	10	10	0.024 kg
KL4137	75x533 mm gr. 40	10	10	0.04 kg
KL4139	75x533 mm gr. 60	10	10	0.033 kg
KL4140	75x533 mm gr. 80	10	10	0.029 kg
KL4141	75x533 mm gr. 100	10	10	0.026 kg
KL4142	75x533 mm gr. 120	10	10	0.025 kg
KL4143	75x533 mm gr. 150	10	10	0.024 kg
KL4144	75x533 mm gr. 180	10	10	0.023 kg
KL43614	75x533 mm gr. 240	10	10	0.021 kg
KL43302	100x610 mm gr. 180	10	10	0.035 kg
KL4478	100x610 mm gr. 40	10	10	0.058 kg
KL4480	100x610 mm gr. 60	10	10	0.046 kg
KL4481	100x610 mm gr. 80	10	10	0.044 kg
KL4482	100x610 mm gr. 100	10	10	0.042 kg
KL4483	100x610 mm gr. 120	10	10	0.039 kg
KL4484	100x610 mm gr. 150	10	10	0.035 kg
KL4106	65x410 mm gr. 40	10	10	0.026 kg
KL4114	64x410 mm gr. 60	10	10	0.022 kg
KL4120	65x410 mm gr. 80	10	10	0.019 kg
KL4124	65x410 mm gr. 100	10	10	0.018 kg

NYLON ABRASIVE BELT NON-WOVEN

Technical parametres

Use	metal, wood, plastic

Order No.	Description	Package	Carton	Weight
KL049708	40x760 mm gr. 80 (3pcs/pack)	1	50	0.27 kg
KL049712	40x760 mm gr. 120 (3pcs/pack)	1	50	0.26 kg
KL049718	40x760 mm gr. 180 (3pcs/pack)	1	50	0.24 kg
KL049724	40x760 mm gr. 240 (3pcs/pack)	1	50	0.15 kg

SANDPAPER CLOTH ROLL PS 18 E

Technical parametres

Use	wood

Order No.	Description	Package	Carton	Weight
KL267224	150x30,000 mm gr. 40	1	10	3.32 kg
KL267246	150x50,000 mm gr. 60	1	10	4.39 kg
KL267274	150x50,000 mm gr. 80	1	10	3.88 kg
KL267300	150x50,000 mm gr. 100	1	10	3.31 kg
KL267323	150x50,000 mm gr. 120	1	10	3.1 kg

SANDPAPER SHEET WATERPROOF

Order No.	Description	Package	Carton	Weight
KL25221-2808.00	230x280 mm gr. 60	50	50	0.02 kg
KL25221-2809.00	230x280 mm gr. 80	50	50	0.02 kg
KL25221-2810.00	230x280 mm gr. 100	50	50	0.02 kg
KL25221-2812.00	230x280 mm gr. 120	50	50	0.02 kg
KL25221-2815.00	230x280 mm gr. 150	50	50	0.02 kg
KL25221-2818.00	230x280 mm gr. 180	50	50	0.02 kg
KL25221-2824.00	230x280 mm gr. 240	50	50	0.02 kg
KL25221-2832.00	230x280 mm gr. 320	50	50	0.02 kg
KL25221-2840.00	230x280 mm gr. 400	50	50	0.01 kg
KL25221-2860.00	230x280 mm gr. 600	50	50	0.01 kg
KL25221-2880.00	230x280 mm gr. 800	50	50	0.01 kg
KL25221-2890.00	230x280 mm gr. 1000	50	50	0.01 kg
KL25221-2892.00	230x280 mm gr. 1200	50	50	0.01 kg
KL25221-2895.00	230x280 mm gr. 1500	50	50	0.01 kg
KL25221-2897.00	230x280 mm gr. 2000	50	50	0.01 kg

SANDPAPER SHEET

Order No.	Description	Package	Carton	Weight
KL21111-2804.00	230x280 mm gr. 30	50	50	0.02 kg
KL21111-2806.00	230x280 mm gr. 40	50	50	0.02 kg
KL21111-2807.00	230x280 mm gr. 50	50	50	0.02 kg
KL21111-2808.00	230x280 mm gr. 60	50	50	0.02 kg
KL21111-2809.00	230x280 mm gr. 80	50	50	0.02 kg
KL21111-2810.00	230x280 mm gr. 100	50	50	0.02 kg
KL21111-2812.00	230x280 mm gr. 120	50	50	0.02 kg
KL21111-2815.00	230x280 mm gr. 150	50	50	0.02 kg
KL21111-2818.00	230x280 mm gr. 180	50	50	0.02 kg

ABRASIVE CLOTH

Order No.	Description	Package	Carton	Weight
KL26121-2804.00	230x280 mm gr. 30	50	50	0.03 kg
KL26121-2805.00	230x280 mm gr. 36	50	50	0.03 kg
KL26121-2806.00	230x280 mm gr. 40	50	50	0.03 kg
KL26121-2807.00	230x280 mm gr. 50	50	50	0.03 kg
KL26121-2808.00	230x280 mm gr. 60	50	50	0.03 kg
KL26121-2809.00	230x280 mm gr. 80	50	50	0.03 kg
KL26121-2810.00	230x280 mm gr. 100	50	50	0.03 kg
KL26121-2812.00	230x280 mm gr. 120	50	50	0.03 kg
KL26121-2815.00	230x280 mm gr. 150	50	50	0.03 kg
KL26121-2818.00	230x280 mm gr. 180	50	50	0.03 kg
KL26121-2822.00	230x280 mm gr. 220	50	50	0.03 kg
KL26121-2824.00	230x280 mm gr. 240	50	50	0.03 kg
KL26121-2828.00	230x280 mm gr. 280	50	50	0.03 kg
KL26121-2832.00	230x280 mm gr. 320	50	50	0.03 kg

ABRASIVE NON-WOVEN SHEET

NEW

Order No.	Description	Package	Carton	Weight
BAAPA2934E	100x230 mm, gr. 80, coarse	1	20	0.078 kg
BAAPA2941E	100x230 mm, gr. 120, medium	1	20	0.078 kg
BAAPA2958E	100x230 mm, gr. 180, fine	1	20	0.078 kg
BAAPA2965E	100x230 mm, gr. 240, very fine	1	20	0.078 kg
BAAPA2972E	100x230 mm, gr. 320, ultra fine	1	20	0.078 kg

ABRASIVE SHEET - VELCRO

STAVTOOL

Technical parametres

Use	**wood, metal, plastic**

Order No.	Description	Package	Carton	Weight
KL04404	93x185 mm gr. 40 (5pcs/pack)	1	200	0.1 kg
KL04406	93x185 mm gr. 60 (5pcs/pack)	1	200	0.1 kg
KL04408	93x185 mm gr. 80 (5pcs/pack)	1	200	0.08 kg
KL04410	93x185 mm gr. 100 (5pcs/pack)	1	200	0.08 kg
KL04412	93x185 mm gr. 120 (5pcs/pack)	1	200	0.07 kg

ABRASIVE SHEET - VELCRO, TYPE BOSCH

STAVTOOL

Technical parametres

Use	**wood, metal, plastic**

Order No.	Description	Package	Carton	Weight
KL04304	93x185 mm gr. 40 (5pcs/pack)	1	50	0.11 kg
KL04306	93x185 mm gr. 60 (5pcs/pack)	1	50	0.09 kg
KL04308	93x185 mm gr. 80 (5pcs/pack)	1	50	0.08 kg
KL04310	93x185 mm gr. 100 (5pcs/pack)	1	50	0.07 kg
KL04312	93x185 mm gr. 120 (5pcs/pack)	1	50	0.07 kg

SHARPENING STONE



Order No.	Description	Package	Carton	Weight
45045	200x50x25 mm, gr. 180 / 240	1	1	0.49 kg

SCYTHE SHARPENING STONE

STAVTOOL

Order No.	Description	Package	Carton	Weight
P13937	230 mm	1	100	0.16 kg

DREMEL ROTARY SANDING BIT SET, 5PCS

Technical parametres

Clamping	**cylindrical shank 6 mm**

Order No.	Description	Package	Carton	Weight
21540	blister package	1	12	0.12 kg

SANDING BLOCK, PLASTIC

Order No.	Description	Package	Carton	Weight
K22075	210x105 mm	1	10	0.18 kg
K22076	160x85 mm	1	10	0.14 kg

ABRASIVE SPONGE FIRM



Order No.	Description	Package	Carton	Weight
K22100	90x70x20 mm gr. 60	1	250	0.02 kg
K22101	90x70x20 mm gr. 80	1	250	0.02 kg
K22102	90x70x20 mm gr. 100	1	250	0.02 kg
K22103	90x70x20 mm gr. 120	1	250	0.02 kg
K22104	90x70x20 mm gr. 150	1	250	0.02 kg
K22105	90x70x20 mm gr. 220	1	250	0.02 kg
K22106	90x70x20, gr.150	1	250	0.02 kg

ABRASIVE SPONGE SOFT



Order No.	Description	Package	Carton	Weight
K22110	120x95x10 mm, gr. 80	1	1	0.01 kg
K22111	120x95x10 mm, gr. 120	1	1	0.01 kg
K22112	120x95x10 mm, gr. 180	1	1	0.01 kg
K22113	120x95x10 mm, gr. 220	1	1	0.01 kg
K22114	120x95x10 mm, gr. 150	1	1	0.01 kg

DREMEL ROTARY BIT SET 146PCS

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Clamp	**3x**	Diamond engraving tools	**7x**
Use	**metal, wood, plastic, etc.**	Milling cutter	**1x**
Spanner	**1x**	Brushes	**2x**
Drill bit	**2x**	Circular sand paper	**24x0.4 mm (36 pcs) / 20x3.2 mm (40 pcs)**
Polishing paste	**1x**	Fleece polishing bullet	**9.5x19 mm (1 pc)**
Jade grinder with shank	**6x**	Fleece polishing wheel	**25.4x6.6 mm (1 pc) / 12,7x6,3 mm (4 pcs)**
Fiber grinding wheel	**32x1.2 mm (5 pcs)**	Polishing wheel	**20x3.5 mm (1 pc)**
Grinding wheel	**20 mm (12 pcs)**	Polishing cloth wheel	**25.4x4.5 mm (1 pc)**
Grindstone cuboid	**1x**	Holder for grinding wheels	**2x**
Sanding paper ring	**6.3x12.7 mm (8 pcs), 12,7x12,7 mm (8 pcs)**	Holder for fleece wheels	**1x**

Order No.	Description	Package	Carton	Weight
XT107146	plastic box	1	20	0.5 kg

WIRE CRIMPED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22001	100 mm	1	100	0.18 kg

CIRCULAR WIRE CRIMPED WHEEL BRUSH

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT22008	125 mm	1	50	0.32 kg
XT22009	150 mm	1	40	0.6 kg
XT22010	175 mm	1	20	0.82 kg
XT22011	200 mm	1	20	1.03 kg

WIRE CUP CRIMPED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22002	75 mm	1	100	0.21 kg
XT22003	100 mm	1	50	0.36 kg

WIRE CUP CRIMPED WHEEL BRUSH, STAINLESS STEEL M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22055	75 mm	1	100	0.2 kg
XT22056	100 mm	1	50	0.36 kg

WIRE CUP KNOTTED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22004	65 mm	1	100	0.19 kg
XT22005	80 mm	1	80	0.27 kg
XT22006	100 mm	1	50	0.46 kg

WIRE CUP KNOTTED WHEEL BRUSH, STAINLESS STEEL M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22037	65 mm	1	100	0.19 kg
XT22038	80 mm	1	100	0.26 kg

WIRE CUP KNOTTED WHEEL BRUSH DOUBLE-ROW M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22005/2	80 mm	1	40	0.38 kg

WIRE CUP KNOTTED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22005-5	80 mm, Fe 0.5 mm	1	40	0.46 kg
XT22005-8	80 mm, Fe 0.8 mm	1	40	0.47 kg
XT22006-8	100 mm, Fe 0.8 mm	1	50	0.87 kg

WIRE CRIMPED KNOTTED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22017	100 mm	1	50	0.24 kg

WIRE CRIMPED KNOTTED WHEEL BRUSH, STAINLESS STEEL M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22057	100 mm	1	50	0.23 kg

WIRE CUP KNOTTED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22024	75 mm	1	100	0.18 kg

WIRE CRIMPED KNOTTED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22025	75 mm	1	40	0.12 kg

FLAT END KNOTTED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22023	75 mm	1	100	0.12 kg

FLAT END KNOTTED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22021	19 mm	1	250	0.05 kg
XT22022	22 mm	1	100	0.07 kg

RADIAL WIRE KNOTTED WHEEL BRUSH M14

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22012	100 mm	1	100	0.23 kg
XT22013	115 mm	1	50	0.26 kg
XT22014	125 mm	1	50	0.35 kg
XT22015	150 mm	1	40	0.64 kg
XT22016	178 mm	1	20	0.72 kg

RADIAL WIRE KNOTTED WHEEL BRUSH, STAINLESS STEEL M14

XTLINE PROFESSIONAL TOOLS

M14

Order No.	Description	Package	Carton	Weight
XT22039	100 mm	1	100	0.22 kg
XT22040	125 mm	1	100	0.34 kg

FLAT END CRIMPED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22018	12 mm	1	250	0.03 kg
XT22019	17 mm	1	250	0.04 kg
XT22020	25 mm	1	100	0.06 kg

WIRE CUP CRIMPED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22030	65 mm	1	100	0.1 kg
XT22031	75 mm	1	100	0.13 kg

RADIAL WIRE CRIMPED WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22026	50 mm	1	100	0.05 kg
XT22027	65 mm	1	100	0.06 kg
XT22028	75 mm	1	100	0.09 kg
XT22029	100 mm	1	100	0.15 kg

RADIAL NYLON WHEEL BRUSH, CYLINDRICAL SHANK

XTLINE PROFESSIONAL TOOLS

SHANK 6.0 mm

Order No.	Description	Package	Carton	Weight
XT22032	100 mm	1	100	0.11 kg

HAND STEEL WIRE BRUSH, WOOD HANDLE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT701111039	3-row, smooth steel 0.3	12	120	0.09 kg
XT701111054	5-row, smooth steel 0,3	12	120	0.14 kg
XT701111056	4-row, smooth steel 0.3	12	120	0.13 kg

HAND STEEL WIRE BRUSH CRIMPED

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT22034	270 mm, PVC handle	1	120	0.11 kg

HAND STEEL WIRE BRUSH CRIMPED BRASS-COATED

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT22035	270 mm, PVC handle	1	120	0.11 kg

HAND STAINLESS STEEL WIRE BRUSH CRIMPED

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT22036	270 mm, PVC handle	1	120	0.11 kg

HAND STEEL WIRE BRUSH 4-ROW, PVC HANDLE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT11844	270 mm	12	120	0.15 kg

BRASS HAND WIRE BRUSH 3-ROW, WOOD

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
K22078	200 mm	24	144	0.028 kg

HAND WIRE BRUSH 4-ROW, PLASTIC

KART

Order No.	Description	Package	Carton	Weight
11002	270 mm	1	70	0.13 kg

HAND WIRE BRUSH SET 3PCS, PVC HANDLE

Order No.	Description	Package	Carton	Weight
P11846	220 mm	12	100	0.2 kg

FLAT END NYLON BRUSH, HEXAGONAL SHANK

XTLINE PROFESSIONAL TOOLS

NEW

SHANK 6.0 mm

Technical parametres

Clamping	**hexagonal shank 1/4"**

Order No.	Description	Package	Carton	Weight
XT22060	25 mm, gr. 80	10	100	0.05 kg
XT22061	30 mm, gr. 80	10	100	0.06 kg

CUP NYLON BRUSH, HEXAGONAL SHANK

XTLINE PROFESSIONAL TOOLS

NEW

SHANK 6.0 mm

Technical parametres

Clamping	**hexagonal shank 1/4"**

Order No.	Description	Package	Carton	Weight
XT22070	50 mm, gr. 80	10	100	0.06 kg
XT22071	63 mm, gr. 80	10	100	0.1 kg
XT22072	75 mm, gr. 80	10	100	0.1 kg

SET OF NYLON BRUSHES, HEXAGONAL SHANK 5PCS

XTLINE PROFESSIONAL TOOLS

NEW

SHANK 6.0 mm

Technical parametres

Package includes	**Flat End Nylon Brush 25 mm, 2x Circular Nylon Wheel Brush 50 / 75 mm, 2x Cup Nylon Brush 50 / 75 mm**

Order No.	Description	Package	Carton	Weight
XT22080	gr. 80	25	40	0.3 kg

RADIAL NYLON WHEEL BRUSH, HEXAGONAL SHANK

XTLINE PROFESSIONAL TOOLS

NEW

SHANK 6.0 mm

Technical parametres

Clamping	**hexagonal shank 1/4"**

Order No.	Description	Package	Carton	Weight
XT22066	50 mm, gr. 80	10	100	0.05 kg
XT22067	63 mm, gr. 80	10	100	0.06 kg
XT22068	75 mm, gr. 80	10	100	0.08 kg
XT22069	100 mm, gr. 80	10	100	0.1 kg

CUP NYLON BRUSH M14

XTLINE PROFESSIONAL TOOLS

NEW

M14

Order No.	Description	Package	Carton	Weight
XT22075	75 mm, gr. 80	1	100	0.2 kg
XT22076	100 mm, gr. 80	1	50	0.3 kg
XT22077	125 mm, gr. 80	1	24	0.5 kg

WORKSHOP

109 - 122 SOCKET SETS

123 - 133 TOOL CABINETS

134 - 147 SOCKET SETS ACCESSORIES

148 - 168 SPANNERS AND ACCESSORIES

168 - 174 SCREWDRIVERS

175 - 176 VDE SCREWDRIVERS
VOLTAGE TESTERS

177 - 179 DRIVER BITS

180 - 181 BIT AND SOCKET
TOOL KITS

HONIDRIVER
THE BEST OF HONITON

The **HONIDRIVER** patent is an example of the **multifunctionality** of spanners and sockets.

Honidriver goes beyond the limits of a regular spanner. Each edge of the drive it has its role for the correct fitting and loosening of the given bolt.

With the **Honidriver** wrench, you can loosen any fastener, even with a damaged head.

Applicable to bolts and nuts of the following types:
METRIC, SAE, 3PT, 4PT, 6PT, TORX, SPLINE, RIBE SQUARE.

can be used on up to 6 different types of bolts and nuts



Dimensional conversion table

SIZE	METRIC	INCH	TRX	SIZE	METRIC	INCH	TRX
3,2	3,2	1/8"	E4	16	16	5/8"	E20
4	4	5/32"	E5	17	17	21/32"	
4,5	4,5			18	18	11/16"	E22
5	5	3/16"	E6	19	19	3/4"	E24
5,5	5,5	7/32"	E7	20	20	25/32"	
6	6		E8	21	21	13/16"	E26
1/4"		1/4"	E8	22	22	7/8"	E28
7	7	9/32"		23	23	29/32"	E28
8	8	5/16"	E10	24	24	15/16"	E30
9	9	11/32"	E11	25	25	31/32"	E32
10	10	3/8"	E12	26	26	1"	E32
11	11	7/16"	E14	27	27	1-1/16"	E34
12	12	15/32"		28	28	1-3/32"	E36
13	13	1/2"	E16	29	29	1-1/8"	E36
14	14	9/16"	E18	30	30	1-3/16"	E38
15	15	19/32"		32	32	1-1/4"	E40

SOCKET SET 1/4" 20PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Sockets 1/4"	**3.2, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm**
	Ratchet	**1/4" (36T)**
	Extension	**1/4": 50, 150 mm**
	Universal joint	**1/4"**
	Tap wrench	**1/4"**
	Socket screwdriver	**1/4"**

Order No.	Description	Package	Carton	Weight
H1120	40CrV, plastic box	1	20	0.85 kg

SOCKET SET 1/2", 27PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Sockets 1/2"	**8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm**
	Spark plug spanners	**1/2": 16, 21 mm**
	Ratchet	**1/2" (36T)**
	Extension	**1/2": 125, 250 mm**
	Universal joint	**1/2"**
	Tap wrench	**1/2"**

Order No.	Description	Package	Carton	Weight
H4027	40CrV, plastic box	1	4	4.88 kg

SOCKET SET 1/4"-3/8"-1/2" 99PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Sockets 1/4"	3.2, 4, 4.5, 5, 5.5, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 3/8"	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	Sockets 1/2"	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2, PZ3; SL4, SL5.5, SL7; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T10, T15, T20, T25, T30, T40
	Driver bits 5/16"	PH3, PH4; PZ3,PZ4; SL8, SL10, SL12; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T40, T45, T50, T55
	Spark plug sockets	3/8": 14,18 mm; 1/2": 15,21 mm
	Spanners	HEX: 1.5, 2, 2.5 mm
	Ratchet	1/4" (36T), 1/2" (36T), 3/8" (36T)
	Extension	1/4": 50, 150 mm; 3/8": 75, 150 mm; 1/2": 125, 150 mm
	Universal joint	1/4", 3/8", 1/2"
	Adapter	3/8"-1/4", 3/8"-1/2", 1/2"-3/8"
	Adapter with handle	1/4"
	Weight	6.8 kg

Order No.	Description	Package	Carton	Weight
H4399	40CrV, plastic box	1	3	6.83 kg

SOCKET SET 1/4", 3/8", 1/2", 111PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Sockets 1/4"	3.2, 4, 4.5, 5, 5.5, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 3/8"	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	Sockets 1/2"	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2, PZ3; SL4, SL5.5, SL7; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T10, T15, T20, T25, T30, T40
	Driver bits 5/16"	PH3, PH4; PZ3,PZ4; SL8, SL10, SL12; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T40, T45, T50, T55
	Spark plug sockets	3/8": 14, 18 mm; 1/2": 15, 21 mm
	Spanners	HEX: 1.5, 2, 2.5 mm
	Combination spanners	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	Ratchet	1/4" (36T); 1/2" (36T); 3/8" (36T)
	Extension	1/4": 50, 150 mm; 3/8": 75, 150 mm; 1/2": 125, 150 mm
	Universal joint	1/4", 3/8", 1/2"
	Adapters	3/8"-1/4", 3/8"-1/2", 1/2"-3/8"
	Adapter with handle	1/4"
	Weight	7.9 kg

Order No.	Description	Package	Carton	Weight
H4321	40CrV, plastic box	1	3	7.87 kg

SOCKET SET 1/4"-1/2", 68PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Sockets 1/4"	3.2, 4, 4.5, 5, 5.5, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2, PZ3; SL4, SL4.5, SL7; HEX: 3, 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30, T40
	Spark plug sockets	1/2": 15, 21 mm
	Spanners	HEX: 1.5, 2, 2.5 mm
	Combination spanners	10, 11, 12, 13, 14, 15, 17, 19 mm
	Ratchet	1/4" (36T), 1/2" (36T)
	Extension	1/4": 50, 150 mm; 1/2": 125, 150 mm
	Universal joint	1/4", 1/2"
	Handle drive	1/2"
	Adapter with handle	1/4"
	Weight	5.5 kg

Order No.	Description	Package	Carton	Weight
H4368	40CrV, plastic box	1	4	5.5 kg

SOCKET SET 1/4" 11PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Size	1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 mm

Order No.	Description	Package	Carton	Weight
H2200	40CrV, plastic holder	20	120	0.18 kg

SOCKET SET 3/8", 10PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Size	3/8": 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

Order No.	Description	Package	Carton	Weight
H2300	40CrV, plastic holder	10	60	0.38 kg

SOCKET SET 1/2", 10PCS HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Technical parametres

	Size	1/2": 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm

Order No.	Description	Package	Carton	Weight
H2400	40CrV, plastic holder	8	32	0.74 kg



SOCKET SET 1/4", 33PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Bit sockets 1/4"	SL3, SL4, SL5, SL6, SL7, SL8; PH1, PH2; HEX: 3, 4, 5, 6, 8 mm
	Spanners	HEX: 1, 1.5, 2 mm
	Ratchet	1/4" (36T)
	Universal joint	1/4"
	Tap wrench	1/4"
	Attachment	1/4": 50, 100 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H1133	metal box	1	20	1.09 kg

SOCKET SET 3/8", 58PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 3/8"	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; TRX-E: E6, E8, E10, E11, E12, E14, E16
	Deep sockets 3/8"	8, 10, 11, 12, 13, 14, 15, 17, 19 mm
	Bit socket heads 3/8"	PH2,PH3; PZ2, PZ3; SL5.5, SL8; HEX: 4, 5, 6, 7 ,8 mm; TRX: T20, T25, T27, T30, T40, T45, T50
	Spark plug socket wrench	3/8": 16,21 mm
	Ratchet	3/8" (72T)
	Universal joint	3/8"
	Attachment	3/8": 75, 150 mm

Order No.	Description	Package	Carton	Weight
H13058	plastic box	1	5	6.37 kg

SOCKET SET 1/4", 43PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Bit socket heads 1/4"	PH1, PH2, PH3; SL4, SL5.5, SL7; PZ1, PZ2, PZ3; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T10, T15, T20, T25, T30, T40
	Drive handle head	1ks
	Spanners	HEX: 1, 1.5, 2 mm
	Ratchet	1/4" (36T)
	Reduction	1/4"-3/8"
	Universal joint	1/4"
	Spring adapter	1/4"
	Attachment	1/4": 50, 100 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H1143	metal box	1	10	1.55 kg

SOCKET SET 1/2", 25PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Spark plug socket wrench	1/2": 16, 21 mm
	Ratchet	1/2" (36T)
	Universal joint	1/2"
	Tap wrench	1/2"
	Attachment	1/2": 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4054	metal box	1	4	4.364 kg

SOCKET SET 3/8", 22 PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 3/8"	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
	Spark plug sockets	3/8": 16, 21 mm
	Ratchet	3/8" (36T)
	Universal joint	3/8"
	Tap wrench	3/8"
	Attachment	3/8": 75, 150 mm

Order No.	Description	Package	Carton	Weight
H1322	metal box	1	10	2.35 kg

SOCKET SET 1/2", 28PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Spark plug socket wrench	1/2": 16, 21 mm
	Ratchet	1/2" (36T)
	Universal joint	1/2"
	Tap wrench	1/2"
	Attachment	1/2": 125, 250 mm
	Drive speed handle	1/2"

Order No.	Description	Package	Carton	Weight
H4028	metal box	1	4	5.38 kg

SOCKET SET 12PT, 1/2", 25PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Spark plug socket wrench	1/2": 21 mm
	Ratchet	1/2" (36T)
	Universal joint	1/2"
	Universal joint drive bar	1/2"
	Tap wrench	1/2"
	Attachment	1/2" 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4052	metal box	1	4	5.88 kg

SOCKET SET 1/4"-1/2", 59PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2; SL4, SL5.5, SL7; HEX: 4, 5, 6, 8 mm; TRX: T10, T15, T20, T25, T27, T30
	Drive handle head	1x
	Spark plug sockets	16, 21 mm
	Spanners	HEX: 1.5, 2, 2.5 mm
	Ratchet	1/2" (36T), 1/4" (36T)
	Reduction	1/2"-3/8"
	Universal joint	1/2"; 1/4"
	Tap wrench	1/4"
	Attachment	1/4": 100 mm; 1/2": 125,250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4059	metal box	1	4	5.13 kg

SOCKET SET 1/2", 17PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24 mm
	Drive handle head	1x
	Spark plug socket wrench	1/2": 21 mm
	Ratchet	1/2" (36T)
	Reduction	3/8"-1/2"
	Universal joint	1/2"
	Tap wrench	1/2"
	Attachment	1/2": 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4017	plastic box	1	5	2.94 kg

SOCKET SET 12PT, 1/2", 13PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	8, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22 mm
	Ratchet	1/2" (36T)
	Attachment	1/2": 125 mm

Order No.	Description	Package	Carton	Weight
H4030	metal box	1	10	1.95 kg

SOCKET SET 1/4", 46PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	Bit socket heads 1/4"	PH1, PH2, PH3; SL5.5, SL6.5, SL8; HEX: 3, 4, 5, 6, 7, 8, 10 mm; TRX: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55
	Spanners	HEX: 1.25, 1.5, 2, 2.5 mm
	Ratchet	1/4" (36T)
	Universal joint	1/4"
	Tap wrench	1/4"
	Driver bit adapter	1/4"
	Spring adapter	1/4"
	Attachment	1/4": 50, 100 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H1160	plastic box	1	10	1.2 kg

SOCKET SET 1/2", 25PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/2"	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
	Spark plug socket wrench	1/2": 16, 21 mm
	Ratchet	1/2" (36T)
	Universal joint	1/2"
	Tap wrench	1/2"
	Attachment	1/2": 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4025	plastic box	1	4	4.3 kg

SOCKET SET 1/4"-1/2", 56PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PZ1, PZ2; SL4, SL5.5, SL7; TRX: T10, T15, T20, T25, T30; HEX: 3, 4, 5, 6 mm
	Spanners	HEX: 1, 1.5, 2, 2.5 mm
	Spark plug spanners	1/2": 16, 21 mm
	Ratchet	1/4" (36T); 1/2" (36T)
	Reduction	3/8"-1/2"
	Universal joint	1/4"; 1/2"
	Tap wrench	1/4"
	Attachment	1/4": 100 mm; 1/2": 125, 250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4060	plastic box	1	4	4.25 kg

SOCKET SET 1/4"-3/8"-1/2", 99PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	3.2, 4, 4.5, 5, 5.5, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 3/8"	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	Sockets 1/2"	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2, PZ3; SL4, SL5.5, SL7; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T10,T15,T20,T25,T30,T40
	Driver bits 5/16"	PH3, PH4; PZ3, PZ4; SL8, SL10, SL12; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T40, T45, T50, T55
	Spanners	HEX: 1.5; 2; 2.5 mm
	Spark plug socket wrench	1/2": 15, 21 mm; 3/8": 14, 18 mm
	Ratchet	1/4" (36T), 1/2" (36T), 3/8" (36T)
	Reduction	3/8"-1/2", 1/2"-3/8", 3/8"-1/4"
	Universal joint	1/4", 3/8", 1/2"
	Attachment	1/4": 50, 150 mm; 3/8": 75, 150 mm; 1/2": 125, 250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4099	plastic box	1	3	6.78 kg

SOCKET SET 1/4"-3/8"-1/2", 111PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	3.2, 4, 4.5, 5, 5.5, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 3/8"	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	Sockets 1/2"	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Bit sockets 1/4"	PH1, PH2, PH3; PZ1, PZ2, PZ3; SL4, SL5.5, SL7; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T10, T15, T20, T25, T30, T40
	Driver bits 5/16"	PH3, PH4; PZ3, PZ4; SL8, SL10, SL12; HEX: 3, 4, 5, 6, 7, 8 mm; TRX: T40, T45, T50, T55
	Spanners	HEX: 1.5; 2, 2.5 mm
	Spark plug socket wrench	3/8": 14, 18 mm; 1/2": 15, 21 mm
	Combination spanners	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
	Ratchet	1/4" (36T), 3/8" (36T), 1/2" (36T)
	Reduction	3/8"-1/2", 1/2"-3/8", 3/8"-1/4"
	Universal joint	1/4", 3/8", 1/2"
	Attachment	1/4": 50, 150 mm, 3/8": 75, 150 mm, 1/2": 125, 250 mm
	Adapter with handle	1/4"
	Weight	7.8 kg

Order No.	Description	Package	Carton	Weight
H4421	plastic box	1	3	7.83 kg

SOCKET SET 1/4"-1/2", 94PCS

The best-selling HONITON tool kit that should be a part of every workshop. The set contains complete 1/4" and 1/2" selections of sockets, driver bits and adapters which makes it an irreplaceable kit to accompany your projects. All components are made of tough CrV steel certified by the engineering testing body. Content: Well combined set in practical case. Bit sockets PH, SL, HEX and TRX. Spark plug sockets 16mm and 21mm. Technology: Ratchets with selection lever and locking button. Material: Most common socket dimensions 1/4" and 1/2" made of quality CrV steel.

HONITON PROFESSIONAL TOOLS

DIN 3124

BENEFITS
A very well-combined set in a clear case

GEAR
Plug-in screw heads PH, SL, Imbus and TRX

TECHNOLOGY
Ratchets with toggle lever and release button

MATERIAL
The most commonly used dimensions are ¼" and ½" of high-quality sockets and chrome-vanadium steel

GEAR
Wrench for spark plugs 16 and 21 mm

SOCKET SET 1/4"-1/2", 94PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Deep sockets 1/4"	6, 7, 8, 9, 10, 11, 12, 13 mm
	Deep sockets 1/2"	14, 15, 17, 19 mm
	Bit sockets 1/4"	PH1, PH2; SL4, SL5.5, SL7; PZ1, PZ2; HEX: 3, 4, 5, 6 mm; TRX: T8, T10, T15, T20, T25, T30
	Driver bits 8 mm	PH3, PH4; SL8, SL10, SL12; PZ3, PZ4; HEX: 8, 10, 12, 14 mm; TRX: T40, T45, T50, T55
	Drive handle head	1/2"
	Spanners	HEX: 1.5, 2, 2.5 mm
	Spark plug socket wrench	1/2": 16, 21 mm
	Ratchet	1/4" (36T); 1/2" (36T)
	Reduction	3/8"-1/2"
	Universal joint	1/4"; 1/2"
	Tap wrench	1/4"; 1/2"
	Adapter	1/2"- 5/16"
	Spring adapter	1/4": 150 mm
	Attachment	1/4": 50, 150 mm; 1/2": 125, 250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4056	plastic box	1	3	6.21 kg

SOCKET SET 1/4"-1/2", 94PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

NEW



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Deep sockets 1/4"	6, 7, 8, 9, 10, 11, 12, 13 mm
	Deep sockets 1/2"	14, 15, 17, 19 mm
	Bit sockets 1/4"	PH1, PH2; SL4, SL5.5, SL7; PZ1, PZ2; HEX: 3, 4, 5, 6 mm; TRX: T8, T10, T15, T20, T25, T30
	Driver bits 8 mm	PH3, PH4; SL8, SL10, SL12; PZ3, PZ4; HEX: 8, 10, 12, 14 mm; TRX: T40, T45, T50, T55
	Drive handle head	1x
	Spanners	HEX: 1.5, 2, 2.5 mm
	Spark plug socket wrench	1/2" - 16, 21 mm
	Ratchet	1/4" (36T); 1/2" (36T)
	Reduction	3/8"-1/2"
	Universal joint	1/4"; 1/2"
	Tap wrench	1/4"; 1/2"
	Adapter	1/2"- 5/16"
	Spring adapter	1/4": 150 mm
	Attachment	1/4" - 50, 150 mm; 1/2" - 125, 250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4056B	plastic box	1	3	6.1 kg

SOCKET SET 1/2", 64PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/2"	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm; E10, E11, E12, E14, E15, E17, E19; 77 mm: 10, 11, 12, 13, 14, 15, 17, 19 mm
	Impact sockets 1/2"	17, 19, 21, 24 mm
	Driver bits 8 mm	PH3, PH4; PZ3, PZ4; SL8, SL10, SL12; HEX: 8, 10, 12, 14 mm; TRX: T40, T45, T50, T55
	Spark plug sockets	1/2": 16, 21 mm
	Ratchet	1/2" (72T)
	Driver bit reduction	1/2"
	Universal joint	1/2"
	Tap wrench	1/2"
	Attachment	1/2": 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4064	plastic box	1	4	6.6 kg

SOCKET SET 1/4"-1/2", 94PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
	Deep sockets 1/4"	6, 7, 8, 9, 10, 11, 12, 13 mm
	Deep sockets 1/2"	14, 15, 17, 19, 22 mm
	Bit sockets 1/4"	PH1, PH2; SL4, SL5.5, SL7; PZ1, PZ2; HEX: 3, 4, 5, 6 mm; TRX: T8, T10, T15, T20, T25, T27, T30
	Driver bits 8 mm	PH3, PH4; SL8, SL10, SL12; PZ3, PZ4; HEX: 7, 8, 10, 12, 14 mm; TRX: T40, T45, T50, T55
	Drive handle head	1x
	Spanners	HEX: 1.5, 2, 2.5 mm
	Spark plug socket wrench	1/2": 16, 21 mm
	Ratchet	1/4" (24T); 1/2" (36T)
	Reduction	3/8"-1/2"
	Universal joint	1/4"; 1/2"
	Tap wrench	1/4"; 1/2"
	Adapter	1/2"-5/16"
	Spring adapter	1/4": 150 mm
	Attachment	1/4": 50, 150 mm; 1/2": 125, 250 mm
	Adapter with handle	1/4"

Order No.	Description	Package	Carton	Weight
H4040	plastic box	1	3	6.39 kg

SOCKET SET 3/4", 14PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 3/4"	22, 24, 30, 32, 36, 38, 41, 46, 50 mm
	Ratchet	3/4"
	Tap wrench	3/4"
	Attachment	3/4": 100, 200 mm

Order No.	Description	Package	Carton	Weight
H6014	plastic box	1	1	10.6 kg

SOCKET SET 3/4", 21PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 3/4"	19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
	Ratchet	3/4" (24T)
	Tap wrench	3/4"
	Attachment	3/4": 100, 200, 400 mm

Order No.	Description	Package	Carton	Weight
H6021	plastic box	1	1	13.37 kg

SOCKET SET 1/4"-3/8"-1/2", 155PCS

A well-designed professional 1/4", 3/8" and 1/2" (metric) socket set. Rich in accessory – driver bits, HEX and TORX sockets, extensions, spark plug sockets and telescopic ratchet sets ideal for car service workshops.

HONITON PROFESSIONAL TOOLS

DIN 3124

Adjustable length



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; TRX-E: E4, E5, E6, E7, E8
	Sockets 3/8"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; TRX-E: E10, E12, E14, E16, E18
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm; TRX-R: E20, E22, E24
	Deep sockets 1/4"	4, 5, 6, 7, 8, 9, 10 mm
	Deep sockets 3/8"	10, 11, 12, 13, 14, 15 mm
	Deep sockets 1/2"	14, 15, 17, 19, 22 mm
	Bit sockets 1/4"	PH0, PH1, PH2, PH3; SL3, SL4, SL4.5, SL5, SL5.5, SL6, SL6.5, SL7; HEX: 3, 4, 5, 6, 7 mm; TRX: T8, T9, T10, T15, T20, T25, T27, T30, T40
	Bit sockets 3/8"	TRX: T45, T47, T50, T55, T60
	Driver bits 10/30 mm	TH: TH20, TH25, TH30, TH40, TH45, TH50, TH55; PH2, PH3; XZN: M5, M6, M8, M10, M12; HEX: 4, 5, 6, 7, 8, 10, 12 mm
	Spanners	HEX: 1.25, 1.5, 2, 2.5, 3 mm
	Spark plug socket wrench	3/8": 16 mm; 1/2": 16, 21 mm
	Ratchet	1/4" (72T); 3/8" (72T); 1/2" (72T)
	Extension	1/4" 50-100mm; 3/8": 75-150mm; 1/2": 125-250mm
	Driver bit reduction	10mm: 1/2"; 3/8"
	Universal joint	1/4"; 3/8"; 1/2"
	Socket screwdriver	1/4"

Order No.	Description	Package	Carton	Weight
H4455	plastic box	1	2	9.67 kg

SOCKET SET 12PT, 3/4", 14PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 3/4"	22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
	Ratchet	3/4"
	Tap wrench	3/4"
	Attachment	3/4": 100, 200 mm

Order No.	Description	Package	Carton	Weight
H6014M	metal box	1	1	11.5 kg

SOCKET SET 12PT, 3/4", 21PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 3/4"	19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
	Ratchet	3/4"
	Tap wrench	3/4"
	Attachment	100, 200, 400 mm

Order No.	Description	Package	Carton	Weight
H6021M	metal box	1	1	15 kg

SOCKET SET 1", 14PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1"	36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm
	Ratchet	1" (24T)
	Tap wrench	1x
	Attachment	200,400 mm

Order No.	Description	Package	Carton	Weight
H8014	metal box	1	1	30.5 kg

TOOL AND SOCKET SET 1/4"-1/2", 73PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Sockets 1/2"	10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm
	Driver bits 1/4"	SL3, SL4, SL5, SL6, SL7; PH1, PH2, PH3; PZ1, PZ2, PZ3; HEX: 3, 4, 5, 6, 7 mm; TRX: T10, T15, T20, T25, T30
	Spark plug socket wrench	16,21 mm
	Open-end spanners	10, 11, 12, 13, 14, 15, 17, 19 mm
	Ratchet	1/2"
	Driver bit reduction	PH, PZ, SL, TRX, HEX
	Universal joint	1/2"
	Attachment	1/2"
	Combination pliers	160 mm
	Tongue and groove pliers	250 mm
	Screwdriver	SL, PH
	Hammer	300 g

Order No.	Description	Package	Carton	Weight
H4073	plastic box	1	3	5.88 kg

TOOL AND SOCKET SET 1/4"-3/8", 112PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	4, 5, 6, 7, 8, 9, 10, 11, 13 mm
	Sockets 3/8"	10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
	Driver bits	PH, PZ, SL, TRX, HEX
	Adjustable wrench	150 mm
	Spark plug socket wrench	16, 21 mm
	Open-end spanners	8, 10, 12, 13, 14, 15 mm
	Ratchet	3/8" (36T)
	Driver bit reduction	1x
	Attachment	3/8"
	Combination pliers	160 mm
	Crimping pliers + connectors	1ks
	Screwdriver	SL, PH

Order No.	Description	Package	Carton	Weight
H1320	plastic box	1	4	4.13 kg

SOCKET SET 1/4", 27PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Bit socket heads 1/4"	PH1, PH2; SL4, SL5.5, SL7; HEX: 3, 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30
	Ratchet	1/4" (36T)

Order No.	Description	Package	Carton	Weight
H1127	plastic holder	5	30	0.64 kg

SOCKET SET 1/2", 19PCS

HONITON PROFESSIONAL TOOLS

DIN 3124



Technical parametres

	Sockets 1/2"	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24, 27, 30, 32 mm
	Ratchet	1/2" (36T)

Order No.	Description	Package	Carton	Weight
H4019	plastic holder	5	10	2.35 kg

SOCKET SET 1/4", 11PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

Size: 1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 mm

Order No.	Description	Package	Carton	Weight
H1111	plastic holder	10	120	0.175 kg

SOCKET SET 1/2", 10PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

Size: 1/2": 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm

Order No.	Description	Package	Carton	Weight
H4010	plastic holder	8	32	0.73 kg

DEEP SOCKET SET 1/2", 6PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

Size: 1/2": 10, 12, 13, 14, 17, 19 mm

Order No.	Description	Package	Carton	Weight
H4006	plastic holder	8	32	0.69 kg

HANGING METAL SOCKET HOLDER

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HA0012290	1/2", 10pcs, 290 mm	1	1	0.02 kg
HA0014185	1/4", 12pcs, 185 mm	1	1	0.02 kg
HA0012330	1/2", 11pcs, 330 mm	1	1	0.02 kg

SOCKET SET 3/8" TRX, 8PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

Size: 3/8": E6, E7, E8, E10, E11, E12, E14, E16

Order No.	Description	Package	Carton	Weight
H3008	plastic holder	10	80	0.27 kg

BIT SOCKET SET TRX 1/2", 9PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

Size: 1/2": E10, E11, E12, E14, E16, E18, E20, E22, E24

Order No.	Description	Package	Carton	Weight
H4009	plastic holder	8	32	0.706 kg

SOCKET EXTENSION SWIVEL BAR SET 1/2", 3PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Technical parametres

Size: 1/2": 75, 150, 200 mm

Order No.	Description	Package	Carton	Weight
H4003	plastic holder	10	20	0.76 kg

SOCKET EXTENSION SWIVEL BAR SET

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Technical parametres

Attachment: 1/4": 50, 100, 225 mm; 3/8": 75, 150, 225 mm; 1/2": 50, 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4329	plastic plate	1	16	1.406 kg

SOCKET EXTENSION SWIVEL BAR SET 1/4"-3/8"-1/2", 9PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Technická specifikace

Size: 1/4": 100, 150, 225 mm; 3/8": 75, 150, 225 mm; 1/2": 50, 125, 250 mm

Order No.	Description	Package	Carton	Weight
H4309	plastic holder	1	10	1.19 kg

BIT SOCKET SET HEX 1/2", 9PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Size	1/2" HEX: 4, 5, 6, 7, 8, 10, 12, 14, 17 mm

Order No.	Description	Package	Carton	Weight
H4008	metal box	1	20	1.3 kg

SOCKET SET TRX 1/4"- 3/8"-1/2", 11PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Sockets 1/4"	TRX-E: E4, E5, E6
	Sockets 3/8"	TRX-E: E7, E8, E10, E11, E12
	Sockets 1/2"	TRX-E : E14, E18, E20

Order No.	Description	Package	Carton	Weight
H4311	metal box	1	20	0.8 kg

BIT SOCKET SET TRX 1/2", 9PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Size	1/2": T20, T25, T27, T30, T40, T45, T50, T55, T60

Order No.	Description	Package	Carton	Weight
H4007	metal box	1	20	1.175 kg

BIT SOCKET SET TRX 1/2", 20PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Bit socket heads 1/2"	55 mm TRX: T15, T20, T25, T27, T30, T40, T45, T50, T55, T60; 140 mm TRX: T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Order No.	Description	Package	Carton	Weight
H4020	metal box	1	6	3.33 kg

BIT SOCKET SET TRX 1/4"-3/8"-1/2", 12PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Hlavice zástrčné 1/4"	T8, T10, T15
	Hlavice zástrčné 3/8"	T20, T25, T27, T30
	Hlavice zástrčné 1/2"	T40, T45, T50, T55, T60

Order No.	Description	Package	Carton	Weight
H4312	metal box	1	20	1.06 kg

BIT SOCKET EXTENSION BAR SET HEX 1/2", 16PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Bit socket heads 1/2"	55 mm HEX: 5, 6, 7, 8, 10, 12, 14, 17, 19 mm; 140 mm HEX: 5, 6, 7, 8, 10, 12 mm

Order No.	Description	Package	Carton	Weight
H0016	metal box	1	6	2.9 kg

BIT SOCKET SET XZN 1/2" 7PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Size	1/2": M6, M8, M10, M12, M14, M16, M18

Order No.	Description	Package	Carton	Weight
H4005	metal box	1	20	1.3 kg

DRIVER BIT ADAPTER SET XZN 1/2" 11PCS

HONITON PROFESSIONAL TOOLS

DIN 3126

Technical parametres

	Driver bits	10/30mm XZN: M5, M6, M8, M10, M12; 10/75mm XZN: M5, M6, M8, M10, M12
	Driver bit reduction	1/2"

Order No.	Description	Package	Carton	Weight
H4011	plastic box	1	20	0.65 kg

DRIVER BIT ADAPTER SET 1/2" HEX, 15PCS

HONITON PROFESSIONAL TOOLS

DIN 3126

Technical parametres

	Driver bits	10/30mm HEX: 4, 5, 6, 7, 8, 10, 12 mm; 10/75mm HEX: 4, 5, 6, 7, 8, 10, 12 mm
	Driver bit reduction	1/2"

Order No.	Description	Package	Carton	Weight
H4014	plastic box	1	20	0.9 kg

DRIVER BIT ADAPTER SET 1/2" TRX, 15PCS

HONITON PROFESSIONAL TOOLS

DIN 3126

Technical parametres

	Driver bits	10/30mm TRX: T20, 725, T30, T40, T45, T50, T55; 10/75mm TRX: T20, 725, T30, T40, T45, T50, T55
	Driver bit reduction	1/2": 10 mm

Order No.	Description	Package	Carton	Weight
H4015	plastic box	1	20	0.9 kg

BIT SOCKET SET TRX, HEX 1/4"-1/2", 36PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

Technical parametres

	Bit socket heads 1/4"	HEX: 2.5, 3, 4, 5, 6 mm; TRX: E4,E5,E6,E8; TRX: T8, T10, T15, T20, T25, T27, T30, T40
	Bit socket heads 1/2"	TRX: E10, E12, E14, E18; HEX: 7, 8, 10, 12, 14 mm; TRX: T45, T50, T55, T60
	Deep bit socket heads	1/2": HEX: 6, 7, 8, 10, 12 mm
	Spanners	HEX: 1.25, 1.5, 2, 3 mm

Order No.	Description	Package	Carton	Weight
H0204	plastic box	1	5	2.4 kg

IMPACT SOCKET 1/2"

HONITON PROFESSIONAL TOOLS

40CrV DIN 3129

Order No.	Description	Package	Carton	Weight
H1815	15 mm	6	72	0.17 kg
H1817	17 mm	6	72	0.219 kg
H1819	19 mm	6	72	0.248 kg
H1821	21 mm	10	80	0.272 kg
H1822	22 mm	6	72	0.272 kg
H1824	24 mm	6	72	0.301 kg

IMPACT SOCKET SET 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Technical parametres

H1803		H1804	
Size	1/2": 17, 19, 21 mm	Size	1/2": 17, 19, 21, 22 mm
Max. load	535 / 650 / 650 Nm	Max. load	535 / 650 / 650 / 650 Nm

Order No.	Description	Package	Carton	Weight
H1803	plastic box	1	20	0.925 kg
H1804	plastic box	1	20	1.13 kg

DEEP IMPACT SOCKET SET 3/4" 8PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Technical parametres

Size	3/4": 19, 22, 24, 27, 30, 32, 36, 41 mm	

Order No.	Description	Package	Carton	Weight
H6008L	metal box	1	2	6.75 kg

DEEP IMPACT SOCKET SET 1/2", 10PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3124

Technical parametres

Size	1/2": 11, 12, 13, 14, 16, 17, 19, 21, 22, 24 mm	

Order No.	Description	Package	Carton	Weight
H5-40010L	plastic box	1	6	2.6 kg

SOCKET REDUCTION SET 1/4"-3/8"-1/2"-3/4", 6PCS

HONITON PROFESSIONAL TOOLS

CrV DIN 2124

Technical parametres

Reduction	1/4"- 3/8", 3/8"- 1/2", 1/2"- 3/4"; 3/8"- 1/4", 1/2"- 3/8", 3/4"- 1/2"	

Order No.	Description	Package	Carton	Weight
H5-6432AD	plastic box	1	20	0.65 kg

IMPACT SOCKET REDUCTION SET 1/4"-3/8"-1/2"-3/4", 6PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 2124

Technical parametres

Reduction	1/4"- 3/8", 3/8"- 1/2", 1/2"- 3/4"; 3/8"- 1/4", 1/2"- 3/8", 3/4"- 1/2"	

Order No.	Description	Package	Carton	Weight
H5-643206IAD	plastic box	1	20	0.91 kg

IMPACT SOCKET SET 1/2" HEX, 6PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Technical parametres

Sockets 1/2"	30, 32, 36 mm; HEX: 14, 17, 19 mm	

Order No.	Description	Package	Carton	Weight
H6006L	plastic box	1	10	1.85 kg

IMPACT BIT SOCKET SET 1/2" XZN, 5PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3124

Technical parametres

Size	1/2": M05, M06, M08, M10, M12	

Order No.	Description	Package	Carton	Weight
H5-IBS40005M	plastic box	1	20	2.6 kg

IMPACT BIT SOCKET SET 1/2" HEX, 9PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3124

Technical parametres

Size	1/2" HEX: 5, 6, 7, 8, 10, 12, 14, 17, 19 mm	

Order No.	Description	Package	Carton	Weight
H5-IBS40009H	plastic box	1	10	2.6 kg

IMPACT BIT SOCKET SET 1/2" TRX, 9PCS

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3124

Technical parametres

Size	1/2" TRX: T25, T27, T30, T40, T45, T50, T55, T60, T70	

Order No.	Description	Package	Carton	Weight
H5-IBS40009T	plastic box	1	20	2.6 kg

BIT SOCKET SET TRX 1/2" 6PCS

Technical parametres

	Size	T55, T60, T70, T80, T90, T100

Order No.	Description	Package	Carton	Weight
PC6920	T55-T100, 100 mm	4	4	1.3 kg

BIT SOCKET SET HEX 1/2" 6PCS

Technical parametres

	Size	14,17,19, 22, 24 mm

Order No.	Description	Package	Carton	Weight
PC6921	14-24 mm, 100 mm	5	12	1.49 kg

BIT SOCKET SET HEX 1/2" 10PCS

Technical parametres

	Size	5,6,7,8,9,10,12,13,14,17 mm

Order No.	Description	Package	Carton	Weight
PC6922	5-17 mm, 100 mm	4	12	1.4 kg

BIT SOCKET SET TRX 1/2" 8PCS

Technical parametres

	Size	T20, T25, T27, T30, T35, T40, T45, T50, T55

Order No.	Description	Package	Carton	Weight
PC6923	T20-T50, 100 mm	5	15	0.81 kg

BIT SOCKET SET RIBE 1/2" 10PCS

Technical parametres

	Size	M4,M5,M6,M8,M9 M10,M12,M14,M16

Order No.	Description	Package	Carton	Weight
PC6925	M4-M16, 100 mm	4	12	1.28 kg

BIT SOCKET SET XZN 1/2" 9PCS

Technical parametres

	Size	M4,M5,M6,M8,M9 M10,M12,M14,M16

Order No.	Description	Package	Carton	Weight
PC6924	M4-M16, 100 mm	5	15	1.17 kg

DRIVER BIT ADAPTER SET TRX, HEX, XZN 42PCS

Classic and extension driver bit adapters in metal box.

Technical parametres

	Driver bits 10/30 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T45, T50, T55, T60; XZN: M5, M6, M8, M10, M12
	Driver bits 10/75 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T45, T50, T55, T60; XZN: M5, M6, M8, M10, M12
	Driver bit reduction	10 mm: 3/8", 1/2"

Order No.	Description	Package	Carton	Weight
P16644	metal box	1	20	1.8 kg

DRIVER BIT IMPACT ADAPTER SET TRX, HEX, XZN, 40PCS

Technical parametres

	Driver bits 10/30 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T45, T50, T55; XZN: M5, M6, M8, M10, M12
	Driver bits 10/75 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T45, T50, T55; XZN: M5, M6, M7, M10, M12
	Attachment	10mm: 3/8"; 1/2"

Order No.	Description	Package	Carton	Weight
H4350	metal box	1	6	1.77 kg

ROLLER TOOL CABINET - METAL PA4007 + FULLY EQUIPPED HA230 215PCS

Metal roller tool cabinet with 7 drawers in total. The cabinet is equipped with one pair of fixed and one pair of rotatable rollers with brake. The drawers can be extended up to 40cm distance. Top working surface and drawers are covered with an anti-slip pad. The transport handle can be attached from either left or right side. There are five "low" and two "high" lockable drawers.

HONITON PROFESSIONAL TOOLS

Technical parametres

HA001	**Socket set HEX 1/2" 27pcs**
HA003	**Socket set HEX 1/4" 53pcs**
HA015	**Combination spanner set 16pcs, matte, plastic plate**
HA020	**Combination spanner set 4pcs, matte, plastic plate**
HA021-1	**C-shape ring spanner set 5pcs - matte, plastic plate**
HA030-001	**Plier set 3pcs, plastic plate**
HA040-001	**Plier set 4pcs, plastic plate**
HA068	**Ring spanner set 8pcs, matte, plastic plate**
HA071	**Flare nut spanner set 6pcs - matte, plastic plate**
HA077	**Spark plug socket set 3/4" and 1/2" 5pcs, plastic plate**
HA078	**T-handle HEX screwdriver set, 8pcs, plastic plate**
HA079	**TRX screwdriver set 9pcs, plastic plate**
HA080	**Socket bit set TRX 1/2" 20pcs, plastic plate**
HA081	**Socket bit set HEX 1/2" 16pcs, plastic plate**
HA082	**Socket bit set SPLINE 1/2" 12pcs, plastic plate**
HA090-001	**Tool set 9pcs, plastic plate**
HA100-001	**Screwdriver set 10pcs, plastic plate**
Outer dimension	**680x458x860 mm**
Dimension (2 large drawers)	**573x406x154 mm**
Dimension (5 small drawers)	**573x406x75 mm**
Drawer pull-out capacity	**40 cm**
Max load capacity	**140 kg**
Drawer load capacity	**20 kg**
Weight	**57 kg**

Order No.	Description	Package	Carton	Weight
HA230	680x458x860 mm	1	1	85 kg





ROLLER TOOL CABINET METAL HA104 + FULLY EQUIPPED 215PCS

Metal roller tool cabinet with 7 drawers in total. The cabinet is equipped with one pair of fixed and one pair of rotatable rollers with brake. The drawers can be extended up to 40cm distance. Top working surface and drawers are covered with an anti-slip pad. The transport handle can be attached from either left or right side. There are five "low" and two "high" lockable drawers.

HONITON PROFESSIONAL TOOLS

Technical parametres

HA001	**Socket set HEX 1/2" 27pcs**
HA003	**Socket set HEX 1/4" 53pcs**
HA015	**Combination spanner set 16pcs, matte, plastic plate**
HA020	**Combination spanner set 4pcs, matte, plastic plate**
HA021-1	**C-shape ring spanner set 5pcs - matte, plastic plate**
HA031	**Plier set 3pcs, plastic plate**
HA040-001	**Plier set 4pcs, plastic plate**
HA068	**Ring spanner set 8pcs, matte, plastic plate**
HA071	**Flare nut spanner set 6pcs - matte, plastic plate**
HA077	**Spark plug socket set 3/4" a 1/2" 5pcs, plastic plate**
HA078	**T-handle HEX screwdriver set, 8pcs, plastic plate**
HA079	**TRX screwdriver set 9pcs, plastic plate**
HA080	**Socket bit set TRX 1/2" 20pcs, plastic plate**
HA081	**Socket bit set HEX 1/2" 16pcs, plastic plate**
HA082	**Socket bit set SPLINE 1/2" 12pcs, plastic plate**
HA090-001	**Tool set 9pcs, plastic plate**
HA100-001	**Screwdriver set 10pcs, plastic plate**
Outer dimension	**677x459x1000 mm**
Dimension (2 drawers)	**569x397x157 mm**
Dimension (5 drawers)	**569x397x75 mm**
Drawer pull-out capacity	**40 cm**
Max load capacity	**450 kg**
Drawer load capacity	**64 kg**
Weight	**63 kg**

Order No.	Description	Package	Carton	Weight
HA230-104	677x459x1000 mm	1	1	52.5 kg





ROLLER TOOL CABINET METAL HA104 + FULLY EQUIPPED 231PCS

Metal roller tool cabinet with 7 drawers in total. The cabinet is equipped with one pair of fixed and one pair of rotatable rollers with brake. The drawers can be extended up to 40cm distance. Top working surface and drawers are covered with an anti-slip pad. The transport handle can be attached from either left or right side. There are five "low" and two "high" lockable drawers.

HONITON PROFESSIONAL TOOLS

Technical parametres

HA001	**Socket set HEX 1/2" 27pcs**
HA003	**Socket set HEX 1/4" 53pcs**
HA015	**Combination spanner set 16pcs, matte, plastic plate**
HA020	**Combination spanner set 4pcs, matte, plastic plate**
HA021-1	**C-shape ring spanner set 5pcs - matte, plastic plate**
HA031	**Plier set 3pcs, plastic plate**
HA040-001	**Plier set 4pcs, plastic plate**
HA041	**Impact socket set 1/2" 20pcs, plastic plate**
HA068	**Ring spanner set 8pcs, matte, plastic plate**
HA071	**Flare nut spanner set 6pcs - matte, plastic plate**
HA076	**Circlip pliers set 4pcs, plastic plate**
HA077	**Spark plug socket set 3/4" a 1/2" 5pcs, plastic plate**
HA078	**T-handle HEX screwdriver set, 8pcs, plastic plate**
HA079	**TRX screwdriver set 9pcs, plastic plate**
HA085	**Socket bit set 10mm SPLINE, TRX, HEX 3/8"1/2" 40pcs, plastic plate**
HA090-001	**Tool set 9pcs, plastic plate**
HA100-001	**Screwdriver set 10pcs, plastic plate**
Outer dimension	**677x459x1000 mm**
Dimension (2 large drawers)	**569x397x157 mm**
Dimension (5 small drawers)	**569x397x75 mm**
Drawer pull-out capacity	**40 cm**
Max load capacity	**450 kg**
Drawer load capacity	**64 kg**
Weight	**63 kg**

Order No.	Description	Package	Carton	Weight
HA250-104	677x459x1000 mm	1	1	61 kg





ROLLER TOOL CABINET - METAL, FULLY EQUIPPED HA250 231PCS

Metal roller tool cabinet with 7 drawers in total. The cabinet is equipped with one pair of fixed and one pair of rotatable rollers with brake. The drawers can be extended up to 40cm distance. Top working surface and drawers are covered with an anti-slip pad. The transport handle can be attached from either left or right side. There are five "low" and two "high" lockable drawers.

HONITON PROFESSIONAL TOOLS

Technical parametres

HA001	**Socket set HEX 1/2" 27pcs**
HA003	**Socket set HEX 1/4" 53pcs**
HA015	**Combination spanner set 16pcs, matte, plastic plate**
HA020	**Combination spanner set 4pcs, matte, plastic plate**
HA021-1	**C-shape ring spanner set 5pcs - matte, plastic plate**
HA030-001	**Plier set 3pcs, plastic plate**
HA040-001	**Plier set 4pcs, plastic plate**
HA041	**Impact socket set 1/2" 20pcs, plastic plate**
HA068	**Ring spanner set 8pcs, matte, plastic plate**
HA071	**Flare nut spanner set 6pcs - matte, plastic plate**
HA076	**Circlip pliers set 4pcs, plastic plate**
HA077	**Spark plug socket set 3/4" a 1/2" 5pcs, plastic plate**
HA078	**T-handle HEX screwdriver set, 8pcs, plastic plate**
HA079	**TRX screwdriver set 9pcs, plastic plate**
HA085	**Socket bit set 10mm SPLINE, TRX, HEX 3/8"1/2" 40pcs, plastic plate**
HA090-001	**Tool set 9pcs, plastic plate**
HA100-001	**Screwdriver set 10pcs, plastic plate**
Outer dimension	**680x458x860 mm**
Dimension (2 large drawers)	**573x406x154 mm**
Dimension (5 small drawers)	**573x406x75 mm**
Drawer pull-out capacity	**40 cm**
Max load capacity	**140 kg**
Drawer load capacity	**20 kg**
Weight	**57 kg**

Order No.	Description	Package	Carton	Weight
HA250	680x458x860 mm	1	1	83 kg





SOCKET SET 1/2" HEX, 27PCS

HONITON PROFESSIONAL TOOLS

40CrV

B

Technical parametres

	Sockets 1/2"	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	Ratchet	1/2" (36T)
	Universal joint	1/2"
	Tap wrench	1/2": 250 mm
	Attachment	1/2": 72, 125, 250 mm
	Material	40CrV

Order No.	Description	Package	Carton	Weight
HA001	plastic plate B	1	4	4.71 kg

RING SPANNER SET, 11PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838



E

Technical parametres

	Velikost	8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
HA011	plastic plate E	1	5	4.69 kg

COMBINATION SPANNER SET, 16PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113



A

Technical parametres

	Size	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm

Order No.	Description	Package	Carton	Weight
HA015	plastic plate A	1	10	1.74 kg

C-SHAPE RING SPANNER SET, 5PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

B

Technical parametres

	Size	10x12, 11x13, 14x16, 17x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
HA021-1	plastic plate B	1	10	1.05 kg

C-SHAPE RING SPANNER SET, 5PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

A

Technical parametres

	Size	10x12, 11x13, 14x16, 17x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
HA051	plastic plate A	1	10	0.93 kg

SOCKET SET 1/4" HEX, 53PCS

HONITON PROFESSIONAL TOOLS

40CrV

A

Technical parametres

	Sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	Deep sockets 1/4"	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
	Driver bits	1/4" 25mm: SL4, PH5.5, PH7; PH1, PH2, PH3; PZ1, PZ2, PZ3; HEX: 3, 4, 5, 6 mm; TRX: T8, T10, T15, T25, T27, T30, T40
	Driver bit holder	1/4"
	Ratchet	1/4" (36T)
	Driver bit reduction	1/4"
	Universal joint	1/4"
	Tap wrench	1/4"
	Attachment	1/4": 50, 150 mm
	Material	40CrV

Order No.	Description	Package	Carton	Weight
HA003	plastic plate A	1	1	1.46 kg

SOCKET SET 3/8" HEX, 54PCS

HONITON PROFESSIONAL TOOLS

40CrV

B

Technical parametres

	Sockets 3/8"	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; TRX: E7, E8, E10, E11, E12, E14, E18, E20
	Bit sockets 3/8"	PH1, PH2, PH3; PZ1, PZ2; PL4, PL5.5, PL7; IMBUS: 4, 5, 6, 8 mm; TRX: T10, T15, T20, T25, T27, T30, T40, T45, T50
	Ratchet	3/8" (36T)
	Extension	3/8": 75,150 mm
	Universal joint	3/8"
	Tap wrench	3/8": 250 mm
	Rotatable handle	3/8"

Order No.	Description	Package	Carton	Weight
HA004	plastic plate B	1	4	3.17 kg

COMBINATION SPANNER SET, 4PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

A

Technical parametres

	Size	27, 28, 30, 32 mm

Order No.	Description	Package	Carton	Weight
HA020	plastic plate A	1	10	2.06 kg

COMBINATION RATCHET SPANNER SET 12PCS

HONITON PROFESSIONAL TOOLS

40CrV ISO 691

A

Technical parametres

	Size	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Order No.	Description	Package	Carton	Weight
HA025-21	plastic plate A	1	10	1.6 kg

PLIER SET, 3PCS

HONITON PROFESSIONAL TOOLS

40CrV

A

Technical parametres

Adjustable wrench	250 mm	Tongue and groove pliers	250 mm
Self-locking pliers	220 mm		

Order No.	Description	Package	Carton	Weight
HA030-001	plastic plate A	1	10	1.45 kg

PLIER SET, 3PCS

HONITON PROFESSIONAL TOOLS

NEW

A

Technical parametres

Adjustable spanner/wrench	250 mm	Tongue and groove pliers	250 mm
Self-locking pliers	220 mm		

Order No.	Description	Package	Carton	Weight
HA031	plastic plate A	1	10	1.49 kg

PLIER SET, 4PCS

HONITON PROFESSIONAL TOOLS

40CrV

A

Technical parametres

Side cutting pliers	180 mm	Long nose pliers	180 mm
Combination pliers	180 mm	Bent pliers	180 mm

Order No.	Description	Package	Carton	Weight
HA040-001	plastic plate A	1	10	1.31 kg

IMPACT SOCKET SET 1/2" HEX, 20PCS

HONITON PROFESSIONAL TOOLS

DIN 3129

1/2" A

Technical parametres

Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
Attachment	125 mm (1/2")
O-ring and pin	L20, L25

Order No.	Description	Package	Carton	Weight
HA041	plastic plate A	1	5	2.61 kg

BOX SOCKET SET 12PT, 6PCS

HONITON PROFESSIONAL TOOLS

DIN 838

A

Technical parametres

Size	8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm

Order No.	Description	Package	Carton	Weight
HA060	plastic plate A	1	10	1.6 kg

DOUBLE OPEN-END SPANNER SET, 11PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3110

A

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Order No.	Description	Package	Carton	Weight
HA066	plastic plate A	1	10	2.03 kg

RING SPANNER SET, 8PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

A

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
HA068	plastic plate A	1	10	1.56 kg

RING SPANNER SET, 4PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

A

Technical parametres

Size	21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
HA069	plastic plate A	1	10	2.5 kg

FLARE NUT SPANNER SET, 6PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3118

A

Technical parametres

Size	8x9, 10x11, 12x13, 14x17, 19x22, 24x27 mm

Order No.	Description	Package	Carton	Weight
HA071	plastic plate A	1	10	1.28 kg

NEEDLE NOSE PLIER SET, 4PCS

HONITON PROFESSIONAL TOOLS

DIN 5254



A

Technical parametres

Pliers - straight, external	1x	Pliers - straight, internal	1x
Pliers - bent, external	1x	Pliers - bent, internal	1x

Order No.	Description	Package	Carton	Weight
HA076	plastic plate A	1	10	0.87 kg

SPARK PLUG SOCKET SET 1/2", 3/4", 5PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

A

Technical parametres

	Spark plug socket wrench	1/2": 16,21 mm; 3/8": 14,18 mm
	Adapter	1/2"-3/8"

Order No.	Description	Package	Carton	Weight
HA077	plastic plate A	1	10	0.65 kg

T-HANDLE TRX SCREWDRIVER SET, 9PCS

HONITON PROFESSIONAL TOOLS

DIN 5261

C

Technical parametres

Size	T10, T15, T20, T25, T27, T30, T40, T45, T50

Order No.	Description	Package	Carton	Weight
HA079	plastic plate C	1	10	1.38 kg

BIT SOCKET SET 1/2" TRX, 20PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

A

Technical parametres

	Bit socket heads 1/2"	55 mm: T15, T20, T25, T27, T30, T40, T45, T50, T55, T60,; 140 mm: T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Order No.	Description	Package	Carton	Weight
HA080	plastic plate A	1	5	2.59 kg

BIT SOCKET SET 1/2" XZN, 12PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

A

Technical parametres

	Bit socket heads 1/2"	55 mm XZN: M6, M8, M10, M12, M14, M16; 100 mm XZN: M6, M8, M10, M12, M14, M16

Order No.	Description	Package	Carton	Weight
HA082	plastic plate A	1	10	1.76 kg

T-HANDLE SOCKET EXTENSION SET, 8PCS

HONITON PROFESSIONAL TOOLS

E

Technical parametres

	Size	390mm: 7, 8, 10, 12, 13, 14, 17, 19 mm
	T-handle	2x

Order No.	Description	Package	Carton	Weight
HA083	plastic plate E	1	5	2.59 kg

T-HANDLE HEX SCREWDRIVER SET, 8PCS

HONITON PROFESSIONAL TOOLS

C

Technical parametres

Size	2, 2.5, 3, 4, 5, 6, 8, 10 mm

Order No.	Description	Package	Carton	Weight
HA078	plastic plate C	1	10	1.26 kg

BIT SOCKET SET 1/2" HEX, 16PCS

HONITON PROFESSIONAL TOOLS

DIN 3124

A

Technical parametres

	Bit socket heads 1/2"	55 mm HEX: 5, 6, 7, 8, 9, 10, 12, 14, 17, 19 mm; 140 mm HEX: 5, 6, 7, 8, 10, 12 mm

Order No.	Description	Package	Carton	Weight
HA081	plastic plate A	1	5	2.21 kg

BIT SOCKET SET 3/8", 1/2" HEX, TRX, XZN, 40PCS

HONITON PROFESSIONAL TOOLS

A

Technical parametres

	Bit socket heads 10/30 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T50, T55; M5, M6, M8, M10, M12
	Bit socket heads 10/75 mm	HEX: 4, 5, 6, 7, 8, 10, 12 mm; TRX: T20, T25, T30, T40, T50, T55; M5, M6, M8, M10, M12
	Adapter	1/2": 10 mm; 3/8": 10 mm

Order No.	Description	Package	Carton	Weight
HA085	plastic plate A	1	10	1.49 kg

SOCKET SET 3/4" HEX, 11PCS

HONITON PROFESSIONAL TOOLS

D

Technical parametres

	Sockets 3/4"	32, 33, 34, 36, 41, 46, 50, 55 mm
	Ratchet	3/4" (24T)
	Attachment	3/4": 125, 250 mm

Order No.	Description	Package	Carton	Weight
HA002	plastic plate D	1	1	10.38 kg

HAND TOOL KIT, 9PCS

HONITON PROFESSIONAL TOOLS

A

Technical parametres

Center punch	6 mm	Cold flat chisel	15 mm
Pin punches	3, 4, 5 mm	Mallet	32 mm
Cold chisel	6 mm	Pointed cold chisel	5 mm
Hammer	300 g		

Order No.	Description	Package	Carton	Weight
HA090-001	plastic plate A	1	10	1.66 kg

METAL TOOL BOX, FULLY EQUIPPED 68PCS

HONITON PROFESSIONAL TOOLS

1/2"

Technical parametres

Dimension of tool box	465x215x235 mm	Side cutting pliers	180 mm
Center punch	6 mm	Combination pliers	180 mm
Pin punches	3, 4, 5, 6, 8 mm	Long nose pliers	200 mm
Flat cold chisel	15 mm	Self-locking pliers	224 mm
Point cold chisel	5 mm	Tongue and groove pliers	240 mm
Sockets	1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 28, 30, 32 mm	Short screwdriver	5,5x25, 6,5x25, 1x25, 2x25
Adjustable wrench	250 mm	Utility knife	165 mm
Combination spanners	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 mm	Measuring tape	3 m
Ratchet	1/2"	Machinist hammer	300 g
Extension	1/2": 75, 125, 250 mm	Mallet	32 mm
Universal joint	1/2"	Screwdriver PH	PH0x60, PH1x80, PH2x100
Tap wrench	1/2"	Screwdriver Slotted SL	SL5.5x125, SL6.5x150, SL3.0x75, SL4.0x100

Order No.	Description	Package	Carton	Weight
HA106	metal box	1	1	15.9 kg

HAND TOOL KIT, 15PCS

HONITON PROFESSIONAL TOOLS

Technical parametres

Center punch	2x	Tongue and groove pliers	250 mm
Pin punches	3, 4, 5 mm	Hammer	300 g
Cold chisel	6 mm	Measuring tape	1x
Flat cold chisel	15 mm	Dimension of plate	460x210 mm
Point cold chisel	5 mm	Mallet	32 mm
Adjustable wrench	250 mm	Utility safety knife	1x
Self-locking pliers	250 mm		

Order No.	Description	Package	Carton	Weight
HA150	plastic holder	1	5	3.2 kg

PLIER SET, 3PCS

HONITON PROFESSIONAL TOOLS

Technical parametres

Combination pliers	1x	Pliers - side cutting	1x
Long nose pliers	1x		

Order No.	Description	Package	Carton	Weight
HA030	plastic plate	1	10	1.03 kg

SCREWDRIVER SET, 10PCS

HONITON PROFESSIONAL TOOLS

A

Technical parametres

SL	SL3x75, SL3.5x100, SL4x100, SL5.5x125, SL6.5x150, SL8x175 mm
SL-mini	5.5x25 mm
PH	PH1x80, PH2x100 mm
PH-mini	2x25 mm

Order No.	Description	Package	Carton	Weight
HA100-001	plastic plate A	1	10	1.01 kg

SOCKET SET 1/2" HEX, 24PCS

HONITON PROFESSIONAL TOOLS

1/2"

Technical parametres

Sockets 1/2"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 28, 30, 32 mm
Ratchet	1/2" (36T)
Extension	1/2": 75, 125, 250 mm
Universal joint	1/2"
Tap wrench	1/2": 250 mm

Order No.	Description	Package	Carton	Weight
HA140	plastic plate	1	4	3.78 kg

COMBINATION SPANNER SET, 15PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

Size	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 mm

Order No.	Description	Package	Carton	Weight
HA101	plastic plate	1	10	2.15 kg

SCREWDRIVER SET, 11PCS

HONITON PROFESSIONAL TOOLS

Technical parametres

SL	SL5.5x125 mm, SL6.5x150 mm, SL3x75 mm, SL4x100 mm; SL5.5x25, SL6.5x25 mm
PH	PH0x60; PH1x80; PH2x100 mm; PH1x25, PH2x25 mm

Order No.	Description	Package	Carton	Weight
HA110	plastic plate	1	10	0.87 kg

PLASTIC CASE FOR A-TYPE MODULE

HONITON PROFESSIONAL TOOLS

plastic

Technical parametres

Dimension	390x130x40 mm
Use	for storing A-type set

Order No.	Description	Package	Carton	Weight
HA600	390x130x40 mm	1	10	0.69 kg

ROLLER TOOL CABINET - METAL, EMPTY

HONITON PROFESSIONAL TOOLS

Technical parametres

Outer dimension	**716x495x1009 mm**	Max load capacity	**550 kg**
Dimension (2 large drawers)	**569x397x154 mm**	Drawer load capacity	**40 kg**
Dimension (5 small drawers)	**569x397x75 mm**	Other features	**2 wheels with brakes**
Drawer pull-out capacity	**40 cm**	Weight	**78 kg**

Order No.	Description	Package	Carton	Weight
HA102	716x495x1009 mm	1	1	78 kg

ROLLER TOOL CABINET - METAL, EMPTY

HONITON PROFESSIONAL TOOLS

Technical parametres

Outer dimension	**677x459x1000 mm**	Max load capacity	**450 kg**
Dimension (2 large drawers)	**569x397x157 mm**	Drawer load capacity	**64 kg**
Dimension (5 small drawers)	**569x397x75mm**	Other features	**2 wheels with brakes**
Drawer pull-out capacity	**40 cm**	Weight	**63 kg**

Order No.	Description	Package	Carton	Weight
HA104	677x459x1000 mm	1	1	64 kg

DRAWER TOOL CHEST METAL EMPTY

HONITON PROFESSIONAL TOOLS

Technical parametres

Outer dimension	**716x495x437 mm**	Max load capacity	**160 kg**
Dimension (4 drawers)	**569x397x75 mm**	Drawer load capacity	**40 kg**
Drawer pull-out capacity	**40 cm**	Weight	**41.6 kg**

Order No.	Description	Package	Carton	Weight
HA202	716x495x437 mm	1	1	40 kg

METAL TOOL BOX - METAL EMPTY

HONITON PROFESSIONAL TOOLS

Technical parametres

Number of compartments	**5**	Dimension of product	**465x215x235 mm**

Order No.	Description	Package	Carton	Weight
HA105	465x215x235 mm	1	1	6.18 kg

ROLLER TOOL CABINET, EMPTY

HONITON PROFESSIONAL TOOLS

Technical parametres

Outer dimension	**680x458x860 mm**	Max load capacity	**140 kg**
Dimension (2 large drawers)	**573x406x154 mm**	Drawer load capacity	**20 kg**
Dimension (5 small drawers)	**573x406x75 mm**	Weight	**57 kg**
Drawer pull-out capacity	**40 cm**		

Order No.	Description	Package	Carton	Weight
PA4007	680x458x860 mm	1	1	57 kg

ROLLER TOOL CABINET - METAL

Metal roller tool cabinet with 7 drawers in total. The cabinet is equipped with one pair of fixed and one pair of rotatable rollers with brake. The drawers can be extended up to 40cm distance. Top working surface and drawers are covered with an anti-slip pad. The transport handle can be attached from either left or right side. There are five "low" and two "high" lockable drawers.

Technical parametres

Outer dimension	**690x465x970 mm**	Max load capacity	**140 kg**
Dimension (2 drawers)	**532x395x154 mm**	Drawer load capacity	**20 kg**
Dimension (5 drawers)	**532x395x75 mm**	Weight	**54 kg**
Drawer pull-out capacity	**40 cm**		

Order No.	Description	Package	Carton	Weight
PWT200B	690x465x970 mm, Empty	1	1	46 kg
PWT220B	690x465x970 mm, 234pcs, Fully Equipped	1	1	53 kg

Technical parametres

Plate	Gear
PWT105	**1/4" set of heads: ratchet, gimbal, beam 110mm, extension 50,110mm, head: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm**
PWT110	**3/8" set of heads: ratchet, gimbal, beam 160 mm, extension 75,150 mm, spark plug wrenches 16.21 mm, head: 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22 mm, TRX-E head: E10,E11,E12,E14,E16,E18,E20**
PWT115	**1/2" set of heads: ratchet, gimbal, beam 250mm, extension 125,250mm, head: 8,9,10,11,12,13,15,17,19,20,21,22,24,27,30,32 mm**
PWT120	**bitset: spline: 5,6,8,10,12; Allen key: 4,5,6,7,8,10; torx: T20, T25, T30, T40, T45, T50, T55, T60; torx security: T20, T25, T30, T40, T45, T50, T55, T60; 1/4" bits: spline: 5,6,8,10,12; allen key: 4,5,6,7,8,10; torx: T20, T25, T30, T40, T45, T50, T55, T60; torx security: T20,T25,T30,T40,T45,T50,T55,T60**
PWT125	**screwdrivers PH: PH1x100,PH2x100,PH2x125,PH0x75,PH3x150,PH2x38,PH3x200 mm**
PWT130	**screwdrivers PL: PL6x38,PL8x175,PL6x150,PL5x100,PL4x100,PL4X75,PL3x75 mm**
PWT135	**segre pliers: straight internal, external; curved inner, outer**
PWT140	**pliers: side splitting 180mm, combined 200mm, curved 200mm**
PWT145	**siko pliers, self-locking pliers**
PWT150	**allen T-keys: 2x100, 2.5x100, 3x100, 4x150, 5x150, 6x150 mm**
PWT155	**locksmith's hammer 300g, nylon mallet**
PWT160	**files for metal: flat, round, semi-round, triangle, square**
PWT165	**bent socket wrenches: 6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22 mm**
PWT170	**open-end wrenches: 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22 mm**
PWT175	**1/4" extended head: 5,6,7,8,9,10,11,12,13 mm; allen set: 1.5,2,2.5,3,4,5,6,8,10 mm; 1/4" bits: PH1,PH2,PH3,PZ1,PZ2,PZ3, flat: 4.5.5.7 mm; IMBUS: 3,4,5,6,7,8 mm; TRX: T8,T10,T15,T20,T25,T27,T30,T40**

Order No.	Description	Package	Carton	Weight
PWT105	Ratcheting Socket Wrench and Socket Set 1/4" HEX 19pcs	1	4	0.79 kg
PWT110	Ratcheting Socket Wrench and Socket Set 3/8" HEX 31pcs	1	10	1.84 kg
PWT115	Ratcheting Socket Wrench and Socket Set 1/2" HEX 22pcs	1	10	3.38 kg
PWT120	Bit Socket Set HEX, TRX, XZN, 60pcs	1	10	2.13 kg
PWT125	Screwdriver Set PH, 7pcs	1	10	1.09 kg
PWT130	Screwdriver Set SL, 7pcs	1	10	0.94 kg
PWT135	Needle Nose Plier Set, 4pcs	1	10	0.87 kg
PWT140	Plier Set, 3pcs	1	10	1.07 kg
PWT145	Plier Set, 2pcs	1	10	1.13 kg
PWT150	L-handle HEX Screwdriver Set, 6pcs	1	10	0.56 kg
PWT155	Hammer and Mallet Set, 2pcs	1	10	1.24 kg
PWT160	File Set, 5pcs	1	10	1.1 kg
PWT165	Ring Spanner Set, 8pcs	1	10	1.22 kg
PWT170	Combination Spanner Set, 17pcs	1	10	1.69 kg
PWT175	Bit Socket and Bit Set, 41pcs	1	10	1.18 kg

PWT105

PWT110

PWT115

PWT120

PWT125

PWT130

PWT135

PWT140

PWT145

PWT150

PWT155

PWT160

PWT165

PWT170

PWT175

LARGE TOOL KIT, ROLLER CASE 188PCS

A 188pcs tool kit that comes in an aluminum roller case. All components stored in their individual respective mouldings to prevent mixing and falling out while transporting. Essential tool kit of every DIYer, handywoman or assembly worker, ideal for transportation.

STAVTOOL

BLOCK 1
2pcs plastic clamp
60pcs of nails and screws
1pcs of winding 5 meters
1pcs spirit level
1pcs carpenter's hammer
1pcs metal breaking knife
1pcs self-locking pliers
1pcs connector pliers
1pcs electrician's tape
1pcs scissors

BLOCK 2
12pcs screwdriver
6pcs mini screwdriver (carbon steel)
1pcs voltage tester 100V-250V
30 bits 25mm in PVC holder
1pcs Y-bit
1pcs magnetic attachment
1pcs ratchet screwdriver
9pcs allen key

BLOCK 3
13pcs 1/4" head 4-14mm
17pcs 1/2" head 8-24mm
1pcs 1/4" shaft (CR-V)
1pcs 1/2" shaft (CR-V)
1pcs 1/4"x 50mm extension (CR-V)
1pcs 1/4"x 100mm extension (CR-V)
1pcs 1/2"x 125mm extension (CR-V)
2pcs spark plug wrench 16mm, 21mm
1pcs 1/4" ratchet
1pcs 1/2" ratchet

BLOCK 4
1pcs side splitting pliers
1pcs of combined pliers
1pcs of pliers siko
1pcs of extended pliers
1pcs adjustable combi pliers
10pcs open-end wrench 6-17mm

Order No.	Description	Package	Carton	Weight
PWT188	370x210x520 mm, aluminium box	1	10	12.7 kg

HAND TOOL KIT, TEXTILE CASE 18PCS

An 18pcs tool kit in a case. All components firmly fixed in an organiser to prevent mixing and falling out while transporting. Essential tool kit of every DIYer, handyman or assembly worker, ideal for transportation.

STAVTOOL



Technical parametres

Adjustable wrench	**150 mm**	Tongue and groove pliers	**225 mm**
Spanners - combination	**8, 10, 11, 12, 13, 14, 17 mm**	Set of screwdrivers	**SL5x75, SL6x100, SL8x150; PH1x80, PH2x100 mm**
Set of spanners	**HEX: 2, 2.5, 3, 4, 5, 6 mm**	Hammer	**300g**
Combination pliers	**160 mm**	Voltage tester	**140 mm**

Order No.	Description	Package	Carton	Weight
PWT018	textile package	1	4	2.64 kg

SOCKET SET 3/4" 21PCS

STAVTOOL

Technical parametres

	Sockets 3/4"	**19, 21, 22, 23, 24, 26, 27, 30, 32, 34, 36, 38, 41, 46, 48, 50 mm**
	Ratchet	**3/4"**
	Tap wrench	**3/4"**
	Attachment	**3/4": 100, 200 mm**

Order No.	Description	Package	Carton	Weight
P16456	19-50 mm, metal box	1	2	12.34 kg

Ratchet with 36 teeth and toggle lever. Rubberized, non-slip handle. Corrosion-resistant chrome finish. The locking firmly holds the head on the square and prevents spontaneous release. Quick and easy replacement of the head with the help of a button.

RATCHETING SOCKET WRENCH 36T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H9723	1/4" / 148 mm	20	120	0.117 kg
H9733	3/8" / 200 mm	10	60	0.267 kg
H9743	1/2" / 250 mm	6	36	0.542 kg

RATCHETING SOCKET WRENCH 36T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8336	1/4" / 148 mm	20	120	0.117 kg
H8337	3/8" / 200 mm	10	60	0.26 kg
H8347	1/2" / 250 mm	6	36	0.533 kg

RATCHETING SOCKET WRENCH 36T, FULL METAL

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8712	1/4" / 150 mm	25	150	0.14 kg
H8713	1/2" / 250 mm	10	40	0.575 kg
H8731	3/8" / 200 mm	15	60	0.27 kg

RATCHETING SOCKET WRENCH 36T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8436	1/4" / 145 mm	20	120	0.127 kg
H8437	3/8" / 200 mm	10	60	0.303 kg
H8501	1/2" / 255 mm	6	36	0.587 kg

RATCHETING SOCKET WRENCH 72T, EXTENDABLE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8623	1/4" 145-200 mm	20	120	0.11 kg
H8633	3/8" 220-320 mm	15	30	0.44 kg
H8643	1/2" 300-445 mm	10	20	0.925 kg

RATCHETING SOCKET WRENCH 72T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8342	1/2" / 250 mm	6	36	0.445 kg

RATCHETING SOCKET WRENCH EXTENDED 36T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8443	1/2" / 410 mm	10	20	0.88 kg

RATCHETING SOCKET WRENCH 72T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H83252	1/4" / 145 mm	25	150	0.117 kg
H83352	3/8" / 200 mm	15	60	0.213 kg
H83452	1/2" / 250 mm	10	40	0.48 kg

RATCHETING SOCKET WRENCH FULL METAL 24T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8561	3/4" / 510 mm	10	10	2.7 kg

RATCHETING SOCKET WRENCH FULL METAL 24T

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8581	1" / 670 mm	5	5	4.4 kg

RATCHETING SOCKET WRENCH

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H8206	2in1 1/4" - bits 1/4", 115 mm	20	100	0.15 kg
H8306	2in1, 3/8" - bits 1/4", 168 mm	15	60	0.37 kg
H8410	2in1 1/2" bit 1/4", 173 mm	10	x	0.38 kg
H8411	1/2" / 168 mm	1	10	0.38 kg

SQUARE DRIVE UNIT FOR RATCHETING SOCKET WRENCH 1/2"

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
H8838	square to ratchet 1/2"	1	500	0.08 kg
H8843	1/2" / 272 mm	10	40	0.5 kg

RATCHETING SOCKET WRENCH 72T

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC8429	1/4" / 145 mm	6	72	0.11 kg
PC8439	3/8" / 200 mm	6	72	0.23 kg
PC8449	1/2" / 250 mm	6	48	0.48 kg

TORQUE WRENCH

A Torque wrench allows tightening of bolts to the specific desired or stated tensile stress. The set torque is adjusted using a rotatable ring at the end of the handle. The torque wrench is factory calibrated.

HONITON PROFESSIONAL TOOLS

DIN 3120

Order No.	Description	Package	Carton	Weight
H402-25	1/4" 5-25 Nm	1	10	1.2 kg
H402-50	3/8" 10-50 Nm	1	10	1.2 kg
H402-100	1/2" 20-100 Nm	1	10	1.2 kg
H402	1/2" 40-200 Nm	1	10	1.63 kg

TORQUE WRENCH

A Torque wrench allows tightening of bolts to the specific desired or stated tensile stress. The set torque is adjusted using a rotatable ring at the end of the handle. The torque wrench is factory calibrated.

XTLINE PROFESSIONAL TOOLS

DIN 3120

NEW

Order No.	Description	Package	Carton	Weight
XT61210	1/4" 5-25 Nm	1	20	1.2 kg
XT61220	1/2" 40-210 Nm	1	2	8.12 kg

TORQUE WRENCH

HONITON PROFESSIONAL TOOLS

DIN 3120

Order No.	Description	Package	Carton	Weight
H404-025	1/4" 5-25 Nm	1	20	1.2 kg
H404-110	3/8" 20-110 Nm	1	20	1.2 kg
H404	1/2" 42-210 Nm	1	12	1.2 kg
H404-350	1/2" 70-350 Nm	1	6	1.2 kg
H404-450	3/4" 65-450 Nm	1	4	4.6 kg
H404-750	3/4" 140-700 Nm	1	2	7.5 kg
H404-980	3/4" 140-980 Nm	1	2	8.12 kg

TORQUE ADAPTER FOR RATCHETING SOCKET WRENCH 1/2" + ADAPTER 1/4", 3/8"

A Digital torque adapter for ratcheting socket wrench allows adjusting an exact torque setup. Reaching the desired torque is indicated by the sound and LED signals as well as a percentage indicator. Rotatable mechanism provides comfortable reading of values. Battery indicator to show the battery capacity.

HONITON PROFESSIONAL TOOLS

DIN 3120

Technical parametres

Range of measuring	**20-200 Nm**	Clockwise/counter clockwise direction	**YES**
Resolution	**0,1**	Doublesided rotating display	**YES**
Accuracy	**+/- 2%**	LED indicator	**YES**
Optional units	**YES**	Digital value of torque	**YES**
Sound indication	**YES**	Automatic shutdown time - 3 min idle	**YES**

Order No.	Description	Package	Carton	Weight
H403	20-200Nm + reduction 1/4", 3/8"	1	20	0.39 kg

TORQUE MULTIPLIER

A professional torque multiplier is used to significantly increase the torque when loosening car or bus wheel bolts and nuts. It is suitable for loosening corroded or overtightened bolts. 1" square drive, torque can be easily regulated, all stored together with sockets in a plastic case. Technology – square drive for socket mounting, a lever for prying over the wheel rim, achieves great torque values with very little effort. Content – 1" sockets 32mm and 33mm; extension adapter.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. torque	**4800 Nm**	Package includes	**1" socket 32, 33 mm**
Total length (L)	**330 mm**	Weight	**8.8 kg**
Multiplication	**1x68**		

Order No.	Description	Package	Carton	Weight
XT10068	1" 4800 Nm + Socket Set 32, 33 mm	1	10	8.48 kg

UNIVERSAL JOINT DRIVE HANDLE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H4600	1/2" / 600 mm	1	20	1.4 kg
H6750	3/4" / 750 mm	1	10	2.85 kg
H8100	1" / 1000 mm	1	5	3.82 kg

UNIVERSAL JOINT DRIVE HANDLE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H03250	3/8" / 250 mm	25	100	0.33 kg
H4375	1/2" / 375 mm	1	25	0.8 kg
H6510	3/4" / 510 mm	10	10	1.87 kg

DRIVE L-HANDLE

HONITON PROFESSIONAL TOOLS

40CrV DIN 3123

Order No.	Description	Package	Carton	Weight
H4300	1/2" / 300 mm	20	40	0.55 kg
H6450	3/4" / 450 mm	10	10	1.88 kg

DRIVE SPEED HANDLE SPRING

HONITON PROFESSIONAL TOOLS

40CrV DIN 3122

Order No.	Description	Package	Carton	Weight
H401	1/2" / 400 mm	10	40	0.55 kg

DRIVE HANDLE WITH BUTTON

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H4252	1/2" / 250 mm	12	48	0.352 kg

DRIVE HANDLE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
H2115	1/4" / 115 mm	48	384	0.035 kg
H3165	3/8" / 165 mm	24	144	0.155 kg
H4251	1/2" / 250 mm	12	48	0.365 kg
H6460	3/4" / 460 mm	20	20	1.322 kg
H8550	1" / 550 mm	10	10	3.21 kg

SPARE JOINT

HONITON PROFESSIONAL TOOLS

40CrV DIN 3122

Order No.	Description	Package	Carton	Weight
H4604	1/2" for Drive Handle H4600	10	20	0.1 kg
H6756	3/4" for Drive Handle H6750	5	10	0.55 kg
H8108	1" for Drive Handle H8100	5	30	0.58 kg

EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H2250	1/4" / 50 mm	48	576	0.025 kg
H2075	1/4" / 75 mm	48	576	0.035 kg
H2100	1/4" / 100 mm	50	100	0.045 kg
H2125	1/4" / 225 mm	24	144	0.096 kg
H2150	1/4" / 150 mm	24	288	0.065 kg
H3075	3/8" / 75 mm	24	288	0.075 kg
H3125	3/8" / 125 mm	24	144	0.095 kg
H3150	3/8" / 150 mm	24	96	0.14 kg
H3250	3/8" / 225 mm	24	96	0.23 kg
H4050	1/2" / 50 mm	12	144	0.097 kg
H4075	1/2" / 75 mm	12	96	0.138 kg
H4125	1/2" / 125 mm	12	96	0.222 kg
H4200	1/2" / 200 mm	12	48	0.346 kg
H4250	1/2" / 250 mm	12	48	0.428 kg
H6100	3/4" 100 mm	10	40	0.423 kg
H6200	3/4" / 200 mm	10	20	0.805 kg
H6400	3/4" / 400 mm	10	10	1.554 kg
H8200	1" / 200 mm	5	10	1.35 kg
H8400	1" / 400 mm	5	10	1.57 kg

SWIVEL EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H0075	1/2" / 75 mm	12	144	0.15 kg
H0150	1/2" / 125 mm	12	96	0.2 kg
H0200	1/2" / 200 mm	12	48	0.32 kg

SWIVEL EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H01075	1/4", 75 mm	48	576	0.035 kg
H01150	1/4" / 150 mm	50	200	0.065 kg
H01225	1/4" / 225 mm	24	144	0.096 kg

SWIVEL EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H03075	3/8" / 75 mm	24	288	0.08 kg
H03150	3/8" / 150 mm	24	96	0.14 kg
H03200	3/8" / 200 mm	24	96	0.19 kg

MAGNETIC EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H5250	1/2"/ 250 mm	12	48	0.422 kg

QUICK-RELEASE EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H5075	1/2" / 75 mm	12	144	0.146 kg
H5125	1/2" / 125 mm	12	96	0.236 kg

SOCKET SCREWDRIVER 1/4"

HONITON PROFESSIONAL TOOLS

40CrV DIN 3126

Order No.	Description	Package	Carton	Weight
H150	150 mm, Through-handle Hole	50	200	0.102 kg
H151	1/4" 150 mm	50	200	0.067 kg

FLEXIBLE EXTENSION BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H2050	1/4" / 145 mm	48	288	0.07 kg
H4150	1/2" / 200 mm	24	48	0.27 kg

SOCKET ADAPTER

HONITON PROFESSIONAL TOOLS

40CrV DIN 3123

Order No.	Description	Package	Carton	Weight
H230	1/4"-3/8" / 26 mm	48	576	0.019 kg
H320	3/8"-1/4" / 28 mm	48	576	0.02 kg
H340	3/8" - 1/2" / 36 mm	24	480	0.066 kg
H430	1/2" - 3/8" / 36 mm	24	288	0.045 kg
H460	1/2"-3/4" / 48 mm	12	144	0.155 kg
H640	3/4"-1/2" / 56 mm	12	96	0.33 kg
H680	3/4"-1" / 56 mm	48	576	0.019 kg
H860	1"-3/4" / 56 mm	48	576	0.019 kg

BIT SOCKET ADAPTER 1/4"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
H206	1/4"-1/4"	20	60	0.025 kg
H306	3-8" to bits 1/4"	24	288	0.025 kg

SPARK PLUG SOCKET 12PT WITH MAGNET

HONITON PROFESSIONAL TOOLS

40CrV DIN3124

Order No.	Description	Package	Carton	Weight
H4114	14 mm, 3/8", 65 mm	12	144	0.09 kg
H411409	14 mm / 90 mm	12	144	0.142 kg
H411425	14 mm / 250 mm	12	144	0.142 kg
H411430	14 mm / 300 mm	12	144	0.142 kg
H4116	16 mm 3/8" 65 mm	12	144	0.096 kg
H4118	18 mm 3/8" 65 mm	12	144	0.142 kg
H4121	21 mm 1/2" 67 mm	12	144	0.146 kg

IMPACT SOCKET ADAPTER

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H2460	1/2"-3/4" / 48 mm	12	144	0.147 kg
H2640	3/4"-1/2" / 58 mm	12	72	0.33 kg
H2680	3/4"-1" / 63 mm	10	40	0.37 kg
H2860	1"-3/4" / 75 mm	10	20	0.61 kg

BIT SOCKET ADAPTER

HONITON PROFESSIONAL TOOLS

40CrV DIN 3126

Order No.	Description	Package	Carton	Weight
H406	1/4" to bits 1/4"	50	500	0.015 kg
H307	3/8" to bits 1/4"	24	288	0.025 kg
H407	3/8" to bits 5/16"	24	288	0.025 kg
H408	1/2" to bits 5/16"	24	288	0.042 kg
H409	1/2" to bits 1/4"	24	288	0.04 kg
H410	1/2" to bits 10 mm"	24	96	0.05 kg
H405	3/8" to bits 10 mm	24	288	0.025 kg

UNIVERSAL JOINT

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3123

Order No.	Description	Package	Carton	Weight
H040	1/4"	48	384	0.027 kg
H050	3/8"	24	288	0.051 kg
H070	1/2"	12	96	0.155 kg
H061	3/4"	10	40	0.508 kg

HEAD ADAPTER

HONITON PROFESSIONAL TOOLS

DIN 3129

Order No.	Description	Package	Carton	Weight
H041	1/4"	48	576	0.032 kg
H042	3/8"	24	288	0.069 kg
H043	1/2"	24	288	0.07 kg
H088	1"	5	30	0.6 kg

SPARK PLUG SOCKET 1/2"

HONITON PROFESSIONAL TOOLS

40CrV DIN 3124

Order No.	Description	Package	Carton	Weight
H4016	16 mm L 65 mm	12	144	0.097 kg
H4021	21 mm L 65 mm	12	144	0.141 kg

SOCKET HONIDRIVER 1/4"

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Order No.	Description	Package	Carton	Weight
H2232	3.2 mm, 1/8", E4 25 mm	48	576	0.012 kg
H2240	4.0 mm, 5/32", E5 25 mm	48	576	0.012 kg
H2245	4.5 mm 25 mm	48	576	0.012 kg
H2250H	5.0 mm, 3/16", E6 25 mm	48	576	0.012 kg
H2255	5.5 mm, 7/32", E7 25 mm	48	576	0.012 kg
H2206	6.0 mm, E8 25 mm	48	576	0.012 kg
H2207	7.0 mm, 9/32" 25 mm	48	576	0.012 kg
H2208	8.0 mm, 5/16", E8 25 mm	48	576	0.012 kg
H2209	9.0 mm, 11/32", E11 25 mm	48	576	0.017 kg
H2210	10 mm, (3/8"), E12 25 mm	48	576	0.019 kg
H2211	11 mm, 7/16", E14 25 mm	48	576	0.021 kg
H2212	12 mm, 15/32" 25 mm	48	576	0.024 kg
H2213	13 mm, 1/2", E16 25 mm	48	576	0.028 kg
H2214	14 mm, 9/16", E18 25 mm	48	576	0.025 kg

SOCKET HONIDRIVER 3/8"

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Order No.	Description	Package	Carton	Weight
H2308	8.0 mm (5/16"), E10 L 28 mm	24	288	0.024 kg
H2309	9.0 mm, 11/32", E11 L 28 mm	24	288	0.024 kg
H2310	10 mm, 3/8", E12 L 28 mm	24	288	0.024 kg
H2311	11 mm, 7/16", E14 L 28 mm	24	288	0.026 kg
H2312	12 mm, 15/32" L 28 mm	24	288	0.028 kg
H2313	13 mm, 1/2", E16 L 28 mm	24	288	0.029 kg
H2314	14 mm (9/16"), E18 L 28 mm	24	288	0.029 kg
H2315	15 mm (19/32") L 28 mm	24	288	0.034 kg
H2316	16 mm (5/8"), E20 L 28 mm	24	288	0.038 kg
H2317	17 mm (21/32") L 30 mm	24	288	0.05 kg
H2318	18 mm (11/16"), E22 L 30 mm	24	192	0.054 kg
H2319	19 mm (3/4"), E24 L 30 mm	24	192	0.061 kg

SOCKET HONIDRIVER 1/2"

HONIDRIVER
THE BEST OF HONITON

40CrV DIN 3124

Order No.	Description	Package	Carton	Weight
H2408	8.0 mm (5/16"), E24 L 38 mm	24	288	0.048 kg
H2409	9.0 mm (11/32"), E11 L 38 mm	24	288	0.051 kg
H2410	10 mm (3/8"), E12 L 38 mm	24	288	0.053 kg
H2411	11 mm (7/16"), E14 L 38 mm	24	288	0.054 kg
H2412	12 mm (15/32") L 38 mm	24	288	0.055 kg
H2413	13 mm (1/2"), E16 L 38 mm	24	288	0.056 kg
H2414	14 mm (9/16"), E18 L 38 mm	24	288	0.059 kg
H2415	15 mm (19/32") L 38 mm	24	288	0.063 kg
H2416	16 mm (5/8"), E20 L 38 mm	24	288	0.07 kg
H2417	17 mm (21/32") L 38 mm	24	288	0.074 kg
H2418	18 mm (11/16"), E22 L 38 mm	24	288	0.075 kg
H2419	19 mm (3/4"), E24 L 38 mm	24	288	0.07 kg
H2420	20 mm (25/32") L 40 mm	24	288	0.086 kg
H2421	21 mm (13/16"), E26 L 40 mm	24	288	0.095 kg
H2422	22 mm (7/8") E28 L 40 mm	12	144	0.096 kg
H2423	23 mm (29/32"), E28 L 40 mm	12	144	0.107 kg
H2424	24 mm (15/16"), E30 L 42 mm	12	144	0.122 kg
H2425	25 mm (15/16"), E30 L 42 mm	12	144	0.122 kg
H2426	26 mm (15/16"), E30 L 42 mm	12	144	0.122 kg
H2427	27 mm (1-1/16"), E34 L 44 mm	12	144	0.173 kg
H2428	28 mm (1-3/32"), E36 L 44 mm	12	144	0.151 kg
H2429	29 mm (1-1/8"), E36 L 44 mm	12	144	0.186 kg
H2430	30 mm (1-3/16"), E38 L 45 mm	12	96	0.193 kg
H2432	32 mm (1-1/4"), E40 L 45 mm	12	96	0.225 kg

SOCKET TRX-E 1/4"

HONITON
PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HS1204	E4 L 25 mm	48	576	0.01 kg
HS1205	E5 L 25 mm	48	576	0.01 kg
HS1206	E6 L 25 mm	48	576	0.01 kg
HS1207	E7 L 25 mm	48	576	0.011 kg
HS1208	E8 L 25 mm	48	576	0.011 kg
HS1210	E10 L 25 mm	48	576	0.016 kg
HS1211	E11 L 25 mm	48	576	0.02 kg
HS1204L	E4 Extended L 50 mm	48	576	0.014 kg
HS1205L	E5 Extended L 50 mm	48	576	0.016 kg
HS1206L	E6 Extended L 50 mm	48	576	0.02 kg
HS1207L	E7 Extended L 50 mm	48	576	0.02 kg
HS1208L	E9 Extended L 50 mm	48	576	0.024 kg
HS1210L	E10 Extended L 50 mm	48	384	0.036 kg

SOCKET TRX-E 3/8"

HONITON
PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HS1306	E6 L 25 mm	24	288	0.02 kg
HS1307	E7 L 25 mm	24	288	0.02 kg
HS1308	E8 L 25 mm	24	288	0.02 kg
HS1310	E10 L 25 mm	24	288	0.02 kg
HS1311	E11 L 25 mm	24	288	0.02 kg
HS1312	E12 L 25 mm	24	288	0.02 kg
HS1314	E14 L 25 mm	24	288	0.02 kg
HS1316	E16 L 25 mm	24	288	0.02 kg
HS1318	E18 L 25 mm	24	288	0.02 kg

SOCKET ADAPTER TRX-E 1/2"

HONITON
PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1910	E10 L 38 mm	24	288	0.048 kg
H1911	E11 L 38 mm	24	288	0.05 kg
H1912	E12 L 38 mm	24	288	0.05 kg
H1914	E14 L 38 mm	24	288	0.054 kg
H1916	E16 L 38 mm	24	288	0.056 kg
H1918	E18 L 38 mm	24	288	0.077 kg
H1920	E20 L 38 mm	24	192	0.09 kg
H1922	E22 L 38 mm	24	192	0.084 kg
H1924	E24 L 38 mm	24	192	0.088 kg

SOCKET HEX 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1204	4.0 mm L 25 mm	48	576	0.01 kg
H1245	4.5 mm L 25 mm	48	576	0.01 kg
H1205	5.0 mm L 25 mm	48	576	0.01 kg
H1255	5.5 mm L 25 mm	48	576	0.01 kg
H1206	6.0 mm L 25 mm	48	576	0.011 kg
H1207	7.0 mm L 25 mm	48	576	0.011 kg
H1208	8.0 mm L 25 mm	48	576	0.012 kg
H1209	9.0 mm L 25 mm	48	576	0.015 kg
H1210	10 mm L 25 mm	48	576	0.016 kg
H1211	11 mm L 25 mm	48	576	0.023 kg
H1212	12 mm L 25 mm	48	576	0.025 kg
H1213	13 mm L 25 mm	48	576	0.029 kg
H1214	14 mm L 25 mm	48	576	0.036 kg

SOCKET HEX 3/8"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1310MB	10 mm L 28 mm	24	288	0.02 kg
H1311MB	11 mm L 28 mm	24	288	0.02 kg
H1312MB	12 mm L 28 mm	24	288	0.03 kg
H1313MB	13 mm L 28 mm	24	288	0.04 kg
H1314MB	14 mm L 28 mm	24	288	0.04 kg
H1315MB	15 mm L 28 mm	24	288	0.04 kg
H1316MB	16 mm L 28 mm	24	288	0.064 kg
H1317MB	17 mm L 28 mm	24	288	0.07 kg
H1318MB	18 mm L 30 mm	24	288	0.07 kg
H1319MB	19 mm L 30 mm	24	288	0.07 kg
H1310MBL	10 mm Extended L 63 mm	24	288	0.05 kg
H1311MBL	11 mm Extended L 63 mm	24	288	0.05 kg
H1312MBL	12 mm Extended L 63 mm	24	288	0.064 kg
H1313MBL	13 mm Extended L 63 mm	24	288	0.06 kg
H1314MBL	14 mm Extended L 63 mm	24	192	0.07 kg
H1315MBL	15 mm Extended L 63 mm	24	192	0.07 kg
H1316MBL	16 mm Extended L 63 mm	24	192	0.08 kg
H1317MBL	17 mm Extended L 63 mm	24	192	0.08 kg
H1318MBL	18 mm Extended L 63 mm	24	144	0.07 kg
H1319MBL	19 mm Extended L 63 mm	24	144	0.118 kg

SOCKET HEX 1/2"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1408	8.0 mm L 38 mm	24	288	0.047 kg
H1409	9.0 mm L 38 mm	24	288	0.048 kg
H1410	10 mm L 38 mm	24	288	0.048 kg
H1411	11 mm L 38 mm	24	288	0.05 kg
H1412	12 mm L 38 mm	24	288	0.05 kg
H1413	13 mm L 38 mm	24	288	0.053 kg
H1414	14 mm L 38 mm	24	288	0.054 kg
H1415	15 mm L 38 mm	24	288	0.056 kg
H1416	16 mm L 38 mm	24	288	0.053 kg
H1417	17 mm L 38 mm	24	288	0.061 kg
H1418	18 mm L 38 mm	24	192	0.079 kg
H1419	19 mm L 38 mm	24	192	0.065 kg
H1420	20 mm L 38 mm	24	192	0.079 kg
H1421	21 mm L 38 mm	24	192	0.077 kg
H1422	22 mm L 38 mm	12	144	0.094 kg
H1423	23 mm L 38 mm	12	72	0.104 kg
H1424	24 mm L 40 mm	12	144	0.107 kg
H1425	25 mm L 40 mm	12	144	0.14 kg
H1426	26 mm L 40 mm	12	144	0.131 kg
H1427	27 mm L 42 mm	12	144	0.145 kg
H1428	28 mm L 42 mm	12	96	0.177 kg
H1429	29 mm L 42 mm	12	96	0.164 kg
H1430	30 mm L 45 mm	12	96	0.193 kg
H1432	32 mm L 45 mm	12	96	0.212 kg
H1434	34 mm L 45 mm	10	60	0.23 kg
H1436	36 mm L 46 mm	10	60	0.31 kg

SOCKET 12PT 1/2"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1708/P	8.0 mm L 38 mm	24	288	0.047 kg
H1709/P	9.0 mm L 38 mm	24	288	0.048 kg
H1710/P	10 mm L 38 mm	24	288	0.048 kg
H1711	11 mm L 38 mm	24	288	0.05 kg
H1712/P	12 mm L 38 mm	24	288	0.05 kg
H1713	13 mm L 38 mm	24	288	0.053 kg
H1714/P	14 mm L 38 mm	24	288	0.054 kg
H1715	15 mm L 38 mm	24	288	0.056 kg
H1716	16 mm L 38 mm	24	288	0.054 kg
H1717/P	17 mm L 38 mm	24	288	0.061 kg
H1718	18 mm L 38 mm	24	192	0.079 kg
H1719	19 mm L 38 mm	24	192	0.065 kg
H1720	20 mm L 38 mm	24	192	0.079 kg
H1721	21 mm L 38 mm	24	192	0.077 kg
H1722	22 mm L 38 mm	12	144	0.094 kg
H1723	23 mm L 38 mm	12	144	0.104 kg
H1724	24 mm L 40 mm	12	144	0.107 kg
H1725	25 mm L 42 mm	12	144	0.14 kg
H1726	26 mm L 42 mm	12	144	0.131 kg
H1727	27 mm L 42 mm	12	144	0.145 kg
H1728	28 mm L 42 mm	12	96	0.177 kg
H1729	29 mm L 42 mm	12	96	0.164 kg
H1730	30 mm L 45 mm	12	96	0.193 kg
H1732	32 mm L 45 mm	12	96	0.212 kg
H1734	34 mm L 45 mm	12	48	0.212 kg
H1736	36 mm L 45 mm	10	60	0.31 kg

SOCKET HEX 3/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1617	17 mm L 50 mm	10	40	0.18 kg
H1619	19 mm L 50 mm	10	40	0.165 kg
H1621	21 mm L 50 mm	10	40	0.165 kg
H1622	22 mm L 50 mm	10	40	0.215 kg
H1623	23 mm L 50 mm	10	40	0.22 kg
H1624	24 mm L 51 mm	10	40	0.225 kg
H1626	25 mm L 52 mm	10	40	0.225 kg
H1627	27 mm L 52 mm	10	40	0.225 kg
H1629	29 mm L 52 mm	10	40	0.225 kg
H1630	30 mm L 54 mm	10	40	0.285 kg
H1632	32 mm L 56 mm	10	40	0.305 kg
H1633	33 mm L 56 mm	10	60	0.33 kg
H1634	34 mm L 56 mm	10	40	0.32 kg
H1636	36 mm L 58 mm	10	30	0.425 kg
H1638	38 mm L 60 mm	10	20	0.49 kg
H1641	41 mm L 64 mm	10	30	0.56 kg
H1646	46 mm L 68 mm	10	20	0.66 kg
H1648	48 mm L 68 mm	10	20	0.66 kg
H1651	50 mm L 72 mm	10	30	0.815 kg
H1654	54 mm L 74 mm	10	20	0.94 kg
H1655H	55 mm L 74 mm	10	20	1.05 kg
H1656	56 mm L 76 mm	10	20	1.1 kg
H1661	60 mm L 78 mm	10	10	1.1 kg
H1665	65 mm L 82 mm	5	10	1.2 kg

SOCKET HEX 1"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1836	36 mm L 65 mm	2	24	0.49 kg
H1841	41 mm L 70 mm	2	24	0.54 kg
H1846	46 mm L 75 mm	2	24	0.87 kg
H1850	50 mm L 75 mm	2	16	1.06 kg
H1855	55 mm L 80 mm	2	16	1.22 kg
H1860	60 mm L 84 mm	2	16	1.39 kg
H1865	65 mm L 84 mm	1	10	1.55 kg
H1870	70 mm L 93 mm	1	10	1.99 kg
H1875	75 mm L 97 mm	1	8	2.14 kg
H1880	80 mm L 103 mm	1	8	2.24 kg

DEEP SOCKET HEX 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1304	4.0 mm L 50 mm	48	576	0.02 kg
H1305	5.0 mm L 50 mm	48	576	0.02 kg
H1306	6.0 mm L 50 mm	48	576	0.02 kg
H1307	7.0 mm L 50 mm	48	576	0.02 kg
H1308	8.0 mm L 50 mm	48	576	0.024 kg
H1309	9.0 mm L 50 mm	48	576	0.03 kg
H1310	10 mm L 50 mm	48	480	0.036 kg
H1311	11 mm L 50 mm	48	384	0.046 kg
H1312	12 mm L 50 mm	48	384	0.05 kg
H1313	13 mm L 50 mm	48	288	0.052 kg
H1314	14 mm L 50 mm	48	288	0.054 kg

SOCKET 12PT 3/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1617MC	17 mm L 50 mm	10	120	0.18 kg
H1619MC	19 mm L 50 mm	10	120	0.065 kg
H1621MC	21 mm L 50 mm	10	120	0.065 kg
H1622MC	22 mm L 50 mm	10	80	0.065 kg
H1624MC	24 mm L 51 mm	10	80	0.065 kg
H1626MC	26 mm L 52 mm	10	80	0.065 kg
H1627MC	27 mm L 52 mm	10	80	0.065 kg
H1630MC	30 mm L 54 mm	10	60	0.285 kg
H1632MC	32 mm L 56 mm	10	60	0.3 kg
H1633MC	33 mm L 56 mm	10	60	0.33 kg
H1634MC	34 mm L 56 mm	10	60	0.32 kg
H1635MC	35mm L 56 mm	10	60	0.33 kg
H1636MC	36 mm L 58 mm	10	60	0.425 kg
H1638MC	38 mm L 60 mm	10	40	0.49 kg
H1641MC	41 mm L 64 mm	10	40	0.56 kg
H1646MC	46 mm L 68 mm	10	40	0.66 kg
H1648MC	48 mm L 68 mm	10	20	0.33 kg
H1651MC	50 mm L 72 mm	10	20	0.8 kg
H1654MC	54 mm L 74 mm	10	20	0.94 kg
H1655MC	55 mm L 74 mm	10	20	0.916 kg
H1661MC	60 mm L 78 mm	5	10	1.1 kg

DEEP SOCKET HEX 1/2"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1508	8.0 mm L 77 mm	12	144	0.096 kg
H1509	9.0 mm L 77 mm	12	144	0.099 kg
H1510	10 mm L 77 mm	12	144	0.085 kg
H1511	11 mm L 77 mm	12	144	0.093 kg
H1512	12 mm L 77 mm	12	144	0.099 kg
H1513	13 mm L 77 mm	12	144	0.109 kg
H1514	14 mm L 77 mm	12	144	0.114 kg
H1515	15 mm L 77 mm	12	144	0.11 kg
H1516	16 mm L 77 mm	12	144	0.099 kg
H1517	17 mm L 77 mm	12	144	0.121 kg
H1518	18 mm L 77 mm	12	96	0.15 kg
H1519	19 mm L 77 mm	12	96	0.135 kg
H1520	20 mm L 77 mm	12	96	0.162 kg
H1521	21 mm L 77 mm	12	96	0.159 kg
H1522	22 mm L 77 mm	6	72	0.187 kg
H1524	24 mm L 77 mm	6	72	0.211 kg
H1527	27 mm L 77 mm	6	72	0.27 kg
H1530	30 mm L 77 mm	6	48	0.384 kg
H1532	32 mm L 77 mm	6	48	0.386 kg

IMPACT SOCKET FOR LOCKING BOLTS 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H6317	17 mm L 38 mm	10	120	0.093 kg
H6318	18 mm L 38 mm	10	120	0.096 kg
H6321	21.5 mm L 38 mm	10	120	0.142 kg
H6326	26 mm L 38 mm	10	120	0.133 kg

IMPACT SOCKET HEX 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H0408	8.0 mm L 38 mm	24	288	0.057 kg
H0409	9.0 mm L 38 mm	24	288	0.057 kg
H0410	10 mm L 38 mm	24	288	0.057 kg
H0411	11 mm L 38 mm	24	288	0.061 kg
H0412	12 mm L 38 mm	24	288	0.061 kg
H0413	13 mm L 38 mm	24	288	0.063 kg
H0414	14 mm L 38 mm	24	288	0.067 kg
H0415	15 mm L 38 mm	24	288	0.072 kg
H0416	16 mm L 38 mm	24	288	0.069 kg
H0417	17 mm L 40 mm	24	96	0.089 kg
H0418	18 mm L 40 mm	24	96	0.111 kg
H0419	19 mm L 40 mm	24	192	0.102 kg
H0420	20 mm L 40 mm	24	192	0.113 kg
H0421	21 mm L 40 mm	24	192	0.108 kg
H0422	22 mm L 40 mm	12	144	0.119 kg
H0423	23 mm L 40 mm	12	144	0.136 kg
H0424	24 mm L 42 mm	12	144	0.132 kg
H0427	27 mm L 45 mm	12	144	0.182 kg
H0430	30 mm L 46 mm	12	96	0.212 kg
H0432	32 mm L 46 mm	12	96	0.22 kg

IMPACT SOCKET HEX 1"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H8022	22 mm L 57 mm	2	24	0.6 kg
H8024	24 mm L 57 mm	2	24	0.6 kg
H8026	26 mm L 57 mm	2	24	0.62 kg
H8027	27 mm L 57 mm	2	10	0.64 kg
H8030	30 mm L 62 mm	2	24	0.41 kg
H8032	32 mm L 62 mm	2	24	0.66 kg
H8033	33 mm L 62 mm	2	24	0.66 kg
H8036	36 mm L 62 mm	2	24	0.69 kg
H8041	41 mm L 66 mm	1	12	0.82 kg
H8046	46 mm L 70 mm	1	12	0.97 kg
H8050	50 mm L 70 mm	1	12	1.025 kg
H8055	55 mm L 82 mm	1	8	1.3 kg
H8060	60 mm L 85 mm	1	8	1.6 kg
H8065	65 mm L 85 mm	1	8	1.9 kg
H8070	70 mm L 90 mm	1	6	2.1 kg
H8075	75 mm L 90 mm	1	6	2.3 kg
H8080	80 mm L 95 mm	1	6	2.5 kg

IMPACT UNIVERSAL JOINT

HONITON PROFESSIONAL TOOLS

CrMoV 440 DIN 3129

Order No.	Description	Package	Carton	Weight
H071	1/2" L 64 mm	12	96	0.163 kg
H062	3/4" L 97 mm	10	40	0.55 kg

IMPACT SOCKET HEX 3/4"

HONITON PROFESSIONAL TOOLS

CrMoV DIN3129

Order No.	Description	Package	Carton	Weight
H6017	17 mm L 50 mm	10	60	0.32 kg
H6019	19 mm L 50 mm	10	60	0.33 kg
H6020	21 mm L 50 mm	10	60	0.344 kg
H6022	22 mm L 50 mm	10	60	0.35 kg
H6023	23 mm L 50 mm	10	60	0.354 kg
H6024	24 mm L 50 mm	10	60	0.36 kg
H6025	25 mm L 50 mm	10	60	0.365 kg
H6026	26 mm L 50 mm	10	60	0.37 kg
H6027	27 mm L 50 mm	10	60	0.38 kg
H6028	28 mm L 50 mm	10	40	0.385 kg
H6029	29 mm L 53 mm	10	40	0.396 kg
H6030	30 mm L 53 mm	10	40	0.41 kg
H6032	32 mm L 53 mm	10	40	0.43 kg
H6033	33 mm L 55 mm	10	40	0.45 kg
H6034	34 mm L 55 mm	10	40	0.46 kg
H6035	35 mm L 55 mm	10	40	0.47 kg
H6036	36 mm L 55 mm	10	40	0.49 kg
H6038	38 mm L 57 mm	10	40	0.53 kg
H6041	41 mm L 57 mm	10	40	0.59 kg
H6046	46 mm L 62 mm	10	20	0.71 kg
H6050	50 mm L 62 mm	10	20	0.91 kg

SOCKET LOCKING PIN AND RING SET

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
H0405	1/2" D 19 mm L 20 mm	10	10	0.004 kg
H0406	1/2" D 24 mm L 25 mm	10	10	0.004 kg
H6105	3/4" D 36 mm L 35 mm	20	20	0.008 kg
H8105	1" D 45 mm L 45 mm	10	10	0.14 kg

DEEP IMPACT SOCKET HEX 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H0508	8.0 mm L 78 mm	12	144	0.116 kg
H0509	9.0 mm L 78 mm	12	144	0.118 kg
H0510	10 mm L 78 mm	12	144	0.121 kg
H0511	11 mm L 78 mm	12	144	0.127 kg
H0512	12 mm L 78 mm	12	144	0.136 kg
H0513	13 mm L 78 mm	12	144	0.136 kg
H0514	14 mm L 78 mm	12	144	0.152 kg
H0515	15 mm L 78 mm	12	144	0.165 kg
H0516	16 mm L 78 mm	12	144	0.156 kg
H0517	17 mm L 78 mm	12	144	0.19 kg
H0518	18 mm L 78 mm	12	96	0.227 kg
H0519	19 mm L 78 mm	12	96	0.223 kg
H0520	20 mm L 78 mm	6	96	0.247 kg
H0521	21 mm L 78 mm	6	96	0.229 kg
H0522	22 mm L 78 mm	6	72	0.26 kg
H0523	23 mm L 78 mm	6	72	0.292 kg
H0524	24 mm L 78 mm	6	72	0.273 kg
H0527	27 mm L 78 mm	6	48	0.338 kg
H0530	30 mm L 78 mm	6	48	0.388 kg
H0532	32 mm L 78 mm	6	48	0.432 kg

DEEP IMPACT SOCKET HEX 3/4"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H6117 N	17mm L 90 mm	5	40	0.52 kg
H6119	19 mm L 90 mm	5	40	0.52 kg
H6121	21 mm L 90 mm	5	40	0.56 kg
H6122	22 mm L 90 mm	5	20	0.577 kg
H6124	24 mm L 90 mm	5	20	0.65 kg
H6126	26 mm L 90 mm	5	20	0.65 kg
H6127	27 mm L 90 mm	5	20	0.66 kg
H6130	30 mm L 90 mm	5	20	0.67 kg
H6132	32 mm L 90 mm	5	20	0.74 kg
H6133	33 mm L 90 mm	5	20	0.76 kg
H6134	34 mm L 90 mm	5	20	0.78 kg
H6136	36 mm L 90 mm	5	20	0.82 kg
H6138	38 mm L 90 mm	5	20	0.866 kg
H6141	41 mm L 90 mm	5	20	0.94 kg
H6146	46 mm L 90 mm	5	20	1.1 kg
H6150	50 mm L 90 mm	5	10	1.18 kg

DEEP IMPACT SOCKET HEX 1"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H8122	22 mm 108 mm	2	20	0.91 kg
H8124	24 mm 108 mm	2	20	0.96 kg
H8127	27 mm 108 mm	2	10	1 kg
H8130	30 mm 108 mm	2	10	1 kg
H8132	32 mm 108 mm	2	10	1 kg
H8133	33 mm 108 mm	2	10	1.08 kg
H8134	34 mm 108 mm	2	10	1.14 kg
H8136	36 mm 108 mm	2	10	1.2 kg
H8138	38 mm 108 mm	1	10	1.22 kg
H8141	41 mm 108 mm	1	10	1.28 kg
H8146	46 mm 108 mm	1	10	1.4 kg
H8150	50 mm 108 mm	1	10	1.5 kg
H8155	55 mm 108 mm	1	10	1.7 kg
H8160	60 mm 108 mm	1	10	1.85 kg
H8165	65 mm 108 mm	1	10	2.3 kg
H8170	70 mm 108 mm	1	10	2.3 kg

IMPACT BIT SOCKET HEX 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H78HX05	5.0 mm 78 mm	12	240	0.07 kg
H78HX06	6.0 mm 78 mm	12	144	0.07 kg
H78HX07	7.0 mm 78 mm	12	192	0.084 kg
H78HX08	8.0 mm 78 mm	12	144	0.09 kg
H78HX10	10 mm 78 mm	12	144	0.106 kg
H78HX12	12 mm 78 mm	12	144	0.122 kg
H78HX14	14 mm 78 mm	12	96	0.142 kg
H78HX17	17 mm 78 mm	12	96	0.205 kg
H78HX19	19 mm 78 mm	12	96	0.24 kg

IMPACT SOCKET 1" HEX

RICHMANN

Order No.	Description	Package	Carton	Weight
PC1695	85 mm L 100 mm	1	1	3.89 kg
PC1696	90 mm L 105 mm	1	1	4.34 kg
PC1697	95 mm L 105 mm	1	1	4.4 kg
PC1698	100 mm L 105 mm	1	1	4.47 kg
PC1699	105 mm L 105 mm	1	1	5.55 kg

EXTENSION IMPACT SOCKET 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV 440 DIN 3129

Order No.	Description	Package	Carton	Weight
H4075A	75 mm	12	96	0.147 kg
H4125A	125 mm	12	72	0.228 kg
H4250A	250 mm	12	48	0.432 kg

IMPACT SOCKET ENTENSION 3/4"

HONITON PROFESSIONAL TOOLS

CrMoV 440 DIN 3129

Order No.	Description	Package	Carton	Weight
H6100A	100 mm	10	30	0.58 kg
H6175A	175 mm	10	20	0.87 kg
H6250A	250 mm	10	10	1.16 kg
H6325A	325 mm	10	10	1.46 kg

IMPACT SOCKET ENTENSION 1"

HONITON PROFESSIONAL TOOLS

CrMoV 440 DIN 3129

Order No.	Description	Package	Carton	Weight
H8175	175 mm	5	10	1.4 kg
H8250	250 mm	5	10	1.9 kg
H8325	325 mm	5	10	2.4 kg

IMPACT BIT SOCKET TRX 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H78T25	T25x78 mm 78 mm	12	240	0.07 kg
H78T27	T27x78 mm 78 mm	12	240	0.07 kg
H78T30	T30x78 mm 78 mm	12	240	0.075 kg
H78T40	T40x78 mm 78 mm	12	240	0.078 kg
H78T45	T45x78 mm 78 mm	12	192	0.082 kg
H78T50	T50x78 mm 78 mm	12	192	0.096 kg
H78T55	T55x78 mm 78 mm	12	144	0.102 kg
H78T60	T60x78 mm 78 mm	12	144	0.117 kg
H78T70	T70x78 mm 78 mm	12	144	0.123 kg

IMPACT BIT SOCKET XZN 1/2"

HONITON PROFESSIONAL TOOLS

CrMoV DIN 3129

Order No.	Description	Package	Carton	Weight
H78M05	M5x78 mm	12	240	0.07 kg
H78M06	M6x78 mm	12	240	0.073 kg
H78M08	M8x78 mm	12	192	0.086 kg
H78M10	M10x78 mm	12	192	0.09 kg
H78M12	M12x78 mm	12	144	0.104 kg
H78M14	M14x78 mm	10	60	0.118 kg
H78M16	M16x78 mm	12	96	0.139 kg

BIT SOCKET HEX 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HEX2-3	3.0 mm L 32 mm	48	576	0.012 kg
HEX2-4	4.0 mm L 32 mm	48	576	0.012 kg
HEX2-5	5.0 mm L 32 mm	48	576	0.014 kg
HEX2-6	6.0 mm L 32 mm	48	576	0.014 kg
HEX2-7	7.0 mm L 32 mm	48	576	0.016 kg
HEX2-8	8.0 mm L 32 mm	48	576	0.016 kg

BIT SOCKET SL 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HPL2-3	3 mm L 32 mm	48	576	0.012 kg
HPL2-4	4 mm L 32 mm	48	576	0.012 kg
HPL2-45	4,5 mm L 32 mm	48	576	0.012 kg
HPL2-55	5,5 mm L 32 mm	48	576	0.012 kg
HPL2-6	6.0 mm L 32 mm	48	576	0.012 kg
HPL2-65	6.5 mm L 32 mm	48	576	0.012 kg
HPL2-7	7.0 mm L 32 mm	48	576	0.012 kg

BIT SOCKET PH 3/8"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HPH3-1	PH1 L 48 mm	24	288	0.014 kg
HPH3-2	PH2 L 48 mm	24	288	0.014 kg
HPH3-3	PH3 L 48 mm	24	288	0.014 kg

BIT SOCKET PZ 3/8"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HPZ3-1	PZ1 L 48 mm	24	288	0.014 kg
HPZ3-2	PZ2 L 48 mm	24	288	0.014 kg
HPZ3-3	PZ3 L 48 mm	24	288	0.014 kg

BIT SOCKET TRX 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HTRX2-08	T8 L 32 mm	48	576	0.012 kg
HTRX2-09	T9 L 32 mm	48	576	0.012 kg
HTRX2-10	T10 L 32 mm	48	576	0.016 kg
HTRX2-15	T15 L 32 mm	48	576	0.014 kg
HTRX2-20	T20 L 32 mm	48	576	0.014 kg
HTRX2-25	T25 L 32 mm	48	576	0.014 kg
HTRX2-27	T27 L 32 mm	48	576	0.014 kg
HTRX2-30	T30 L 32 mm	48	576	0.014 kg
HTRX2-40	T40 L 32 mm	48	576	0.014 kg

BIT SOCKET PH 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HPH2-1	PH1 L 32 mm	48	576	0.014 kg
HPH2-2	PH2 L 32 mm	48	576	0.15 kg
HPH2-3	PH3 L 32 mm	48	576	0.014 kg

BIT SOCKET PZ 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H2-0	PZ0 L 32 mm	60	960	0.014 kg
H2-1	PZ1 L 32 mm	48	960	0.014 kg
H2-2	PZ2 L 32 mm	48	960	0.067 kg
H2-3	PZ3 L 32 mm	48	576	0.014 kg

BIT SOCKET SL 3/8"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HPL3-4	4.0 mm L 48 mm	24	288	0.012 kg
HPL3-5	5.0 mm L 48 mm	24	288	0.012 kg
HPL3-6	6.0 mm L 48 mm	24	288	0.014 kg
HPL3-7	7.0 mm L 48 mm	24	288	0.014 kg
HPL3-8	8.0 mm L 48 mm	24	288	0.014 kg

BIT SOCKET HEX 3/8"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HEX3-03	3.0 mm L 48 mm	24	288	0.035 kg
HEX3-04	4.0 mm L 48 mm	24	288	0.035 kg
HEX3-05	5.0 mm L 48 mm	24	288	0.035 kg
HEX3-06	6.0 mm L 48 mm	24	288	0.035 kg
HEX3-07	7.0 mm L 48 mm	24	288	0.039 kg
HEX3-08	8.0 mm L 48 mm	24	288	0.042 kg
HEX3-09	9.0 mm L 48 mm	24	288	0.044 kg
HEX3-10	10 mm L 48 mm	24	288	0.047 kg

BIT SOCKET TRX 3/8”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HTRX3-10	T10 L 48 mm	24	288	0.014 kg
HTRX3-15	T15 L 48 mm	24	288	0.014 kg
HTRX3-20	T20 L 48 mm	24	288	0.014 kg
HTRX3-25	T25 L 48 mm	24	288	0.014 kg
HTRX3-27	T27 L 48 mm	24	288	0.014 kg
HTRX3-30	T30 L 48 mm	24	288	0.014 kg
HTRX3-40	T40 L 48 mm	24	288	0.014 kg
HTRX3-45	T45 L 48 mm	24	288	0.014 kg
HTRX3-50	T50 L 48 mm	24	288	0.014 kg
HTRX3-55	T55 L 48 mm	24	288	0.014 kg
HTRX3-60	T60 L 48 mm	24	288	0.014 kg

BIT SOCKET TRX 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1610	T10 L 55 mm	24	192	0.065 kg
H1615	T15 L 55 mm	24	192	0.065 kg
H1620	T20 L 55 mm	24	192	0.175 kg
H1625	T25 L 55 mm	24	192	0.225 kg
H1628	T27 L 55 mm	24	192	0.265 kg
H1631	T30 L 55 mm	24	192	0.085 kg
H1635	T35 L 55 mm	24	192	0.3 kg
H1640	T40 L 55 mm	24	192	0.085 kg
H1645	T45 L 55 mm	24	192	0.085 kg
H1650	T50 L 55 mm	24	192	0.085 kg
H1655	T55 L 55 mm	24	192	0.087 kg
H1660	T60 L 55 mm	24	192	0.104 kg
H1670	T70 L 55 mm	24	192	0.099 kg

BIT SOCKET WITH PIN HOLE TRX 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1620TH	T20 L 55 mm	24	192	0.065 kg
H1625TH	T25 L 55 mm	24	192	0.065 kg
H1628TH	T27 L 55 mm	24	192	0.14 kg
H1631TH	T30 L 55 mm	24	192	0.14 kg
H1635TH	T35 L 55 mm	24	192	0.14 kg
H1640TH	T40 L 55 mm	24	192	0.065 kg
H1645TH	T45 L 55 mm	24	192	0.065 kg
H1650TH	T50 L 55 mm	24	192	0.065 kg
H1655TH	T55 L 55 mm	24	192	0.087 kg
H1660TH	T60 L 55 mm	24	192	0.104 kg
H1670TH	T70 L 55 mm	24	192	0.122 kg

BIT SOCKET XZN 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HB4M06L	M6x100 mm	24	96	0.15 kg
HB4M08L	M8x100 mm	24	72	0.15 kg
HB4M10L	M10x100 mm	24	72	0.18 kg
HB4M12L	M12x100 mm	24	96	0.15 kg
HB4M14L	M14x100 mm	24	96	0.17 kg
HB4M16L	M16x100 mm	24	96	0.2 kg
HB4M18L	M18x100 mm	24	96	0.2 kg

BIT SOCKET HEX 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1704	4.0 mm L 55 mm	25	200	0.085 kg
H1705	5.0 mm L 55 mm	25	200	0.085 kg
H1706	6.0 mm L 55 mm	24	120	0.085 kg
H1707	7.0 mm L 55 mm	25	200	0.085 kg
H1708	8.0 mm L 55 mm	24	144	0.085 kg
H1709	9.0 mm L 55 mm	25	200	0.048 kg
H1710	10 mm L 55 mm	25	200	0.088 kg
H1712	12 mm L 55 mm	24	120	0.099 kg
H1714	14 mm L 55 mm	20	60	0.134 kg
H1717	17 mm L 55 mm	25	100	0.146 kg
H1719HX N	19 mm L 55 mm	x	x	0.065 kg

BIT SOCKET XZN 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
H1806	M6 L 55 mm	24	192	0.084 kg
H1808	M8 L 55 mm	24	192	0.084 kg
H1810	M10 L 55 mm	24	192	0.088 kg
H1812	M12 L 55 mm	24	192	0.09 kg
H1814	M14 L 55 mm	24	192	0.096 kg
H1816	M16 L 55 mm	24	120	0.23 kg
H1818	M18 L 55 mm	24	144	0.096 kg

BIT SOCKET HEX 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HB4HX05LL	5 mm / 140 mm	24	96	0.14 kg
HB4HX06LL	6 mm / 140 mm	20	60	0.14 kg
HB4HX07LL	7 mm / 140 mm	24	96	0.14 kg
HB4HX08LL	8 mm / 140 mm	20	60	0.116 kg
HB4HX10LL	10 mm / 140 mm	20	60	0.15 kg
HB4HX12LL	12 mm / 140 mm	24	72	0.145 kg

BIT SOCKET TRX 1/2”

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HB4T10LL	T10x140 mm	24	96	0.112 kg
HB4T15LL	T15x140 mm	24	96	0.112 kg
HB4T20LL	T20x140 mm	24	96	0.112 kg
HB4T25LL	T25x140 mm	24	96	0.112 kg
HB4T27LL	T27x140 mm	24	96	0.112 kg
HB4T30LL	T30x140 mm	24	48	0.112 kg
HB4T40LL	T40x140 mm	24	96	0.112 kg
HB4T45LL	T45x140 mm	24	96	0.112 kg
HB4T50LL	T50x140 mm	24	96	0.112 kg

DRIVER BIT SL 5/16"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HPL8-07	SL7x30 mm	10	120	0.012 kg
HPL8-08	SL8x30 mm	10	120	0.012 kg
HPL8-10	SL10x30 mm	10	60	0.012 kg
HPL8-12	SL12x30 mm	10	120	0.012 kg
HPL8-45	SL4.5x30 mm	10	120	0.012 kg
HPL8-55	SL5.5x30 mm	10	120	0.012 kg

DRIVER BIT PZ 5/16"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HPZ8-3	PZ3x30 mm	60	120	0.01 kg
HPZ8-4	PZ4x30 mm	60	120	0.01 kg

DRIVER BIT TRX 5/16"

HONITON PROFESSIONAL TOOLS

DIN 3126



Order No.	Description	Package	Carton	Weight
H8-20	T20x30 mm	10	60	0.008 kg
H8-25	T25x30 mm	10	60	0.008 kg
H8-27	T27x30 mm	10	60	0.008 kg
H8-30	T30x30 mm	10	60	0.092 kg
H8-40	T40x30 mm	10	60	0.092 kg
H8-45	T45x30 mm	10	60	0.012 kg
H8-50	T50x30 mm	10	60	0.012 kg
H8-55	T55x30 mm	10	60	0.014 kg
H9-20	T20x75 mm	10	60	0.03 kg
H9-25	T25x75 mm	10	60	0.03 kg
H9-27	T27x75 mm	10	60	0.008 kg
H9-30	T30x75 mm	10	60	0.03 kg
H9-40	T40x75 mm	60	60	0.03 kg
H9-45	T45x75 mm	60	60	0.03 kg
H9-50	T50x75 mm	60	60	0.03 kg
H9-55	T55x75 mm	60	60	0.03 kg

DRIVER BIT TRX 10 MM

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HTRX10-20	T20x30 mm	10	120	0.014 kg
HTRX10-25	T25x30 mm	10	120	0.014 kg
HTRX10-27	T27x30 mm	10	120	0.014 kg
HTRX10-30	T30x30 mm	10	120	0.014 kg
HTRX10-40	T40x30 mm	10	120	0.014 kg
HTRX10-45	T45x30 mm	10	120	0.016 kg
HTRX10-50	T50x30 mm	10	120	0.016 kg
HTRX10-55	T55x30 mm	10	120	0.018 kg
HTRX11-20	T20x75 mm	10	120	0.042 kg
HTRX11-25	T25x75 mm	10	120	0.042 kg
HTRX11-27	T27x75 mm	10	120	0.014 kg
HTRX11-30	T30x75 mm	10	120	0.042 kg
HTRX11-40	T40x75 mm	10	120	0.044 kg
HTRX11-45	T45x75 mm	10	120	0.044 kg
HTRX11-50	T50x75 mm	10	120	0.046 kg
HTRX11-55	T55x75 mm	10	120	0.048 kg

DRIVER BIT PH 5/16"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HPH8-2	PH2x30 mm	60	120	0.01 kg
HPH8-3	PH3x30 mm	60	120	0.01 kg
HPH8-4	PH4x30 mm	60	120	0.01 kg

DRIVER BIT HEX 5/16"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HEX8-3	3.0 mm / 30 mm	10	60	0.012 kg
HEX8-4	4.0 mm / 30 mm	10	60	0.012 kg
HEX8-5	5.0 mm / 30 mm	10	60	0.012 kg
HEX8-6	6.0 mm / 30 mm	10	60	0.012 kg
HEX8-7	7.0 mm / 30 mm	10	60	0.012 kg
HEX8-8	8.0 mm / 30 mm	10	60	0.012 kg
HEX8-10	10 mm / 30 mm	10	60	0.012 kg
HEX8-12	12 mm / 30 mm	10	60	0.012 kg
HEX8-14	14 mm / 30 mm	10	60	0.012 kg

DRIVER BIT HEX 10 MM

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HEX10-4	4.0 mm / 30 mm	10	60	0.014 kg
HEX10-5	5.0 mm / 30 mm	10	60	0.014 kg
HEX10-6	6.0 mm / 30 mm	10	60	0.014 kg
HEX10-7	7.0 mm / 30 mm	10	60	0.014 kg
HEX10-8	8.0 mm / 30 mm	10	60	0.018 kg
HEX10-10	10 mm / 30 mm	10	60	0.02 kg
HEX10-12	12 mm / 30 mm	10	60	0.024 kg
HEX11-4	4.0 mm / 75 mm	10	60	0.042 kg
HEX11-5	5.0 mm / 75 mm	10	60	0.044 kg
HEX11-6	6.0 mm / 75 mm	10	60	0.044 kg
HEX11-7	7.0 mm / 75 mm	10	60	0.044 kg
HEX11-8	8.0 mm / 75 mm	10	60	0.044 kg
HEX11-10	10 mm / 75 mm	10	60	0.044 kg
HEX11-12	12 mm / 75 mm	10	60	0.054 kg

DRIVER BIT XZN 3/8"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HXZN10-5	M5x30 mm	10	120	0.092 kg
HXZN10-6	M6x30 mm	10	120	0.117 kg
HXZN10-8	M8x30 mm	10	120	0.117 kg
HXZN10-10	M10x30 mm	10	120	0.024 kg
HXZN10-12	M12x30 mm	10	120	0.03 kg
HXZN10-14	M14x30 mm	10	120	0.034 kg
HXZN10-16	M16x30 mm	10	120	0.038 kg
HXZN10-18	M18x30 mm	10	120	0.04 kg
HXZN11-5	M5x75 mm	10	120	0.175 kg
HXZN11-6	M6x75 mm	10	120	0.175 kg
HXZN11-8	M8x75 mm	10	120	0.175 kg
HXZN11-10	M10x75 mm	10	120	0.175 kg
HXZN11-12	M12x75 mm	10	120	0.117 kg
HXZN11-14	M14x75 mm	10	120	0.117 kg
HXZN11-16	M16x75 mm	10	120	0.117 kg
HXZN11-18	M18x75 mm	10	120	0.117 kg

HONIDRIVER
THE BEST OF HONITON

The **HONIDRIVER** patent is an example of the **multifunctionality** of spanners and sockets. **Honidriver** goes beyond the limits of a regular key. Each edge of the key has its role for the correct insertion and loosening of the given bolt. With the **Honidriver** wrench, you can loosen any fastener, even with a damaged head.

Applicable to bolts and nuts of the following types:
METRIC, SAE, 3PT, 4PT, 6PT, TORX, SPLINE, RIBE SQUARE

Dimensional conversion table

SIZE	METRI	INCH	TRX	SIZE	METRIC	INCH	TRX
3,2	3,2	1/8"	E4	16	16	5/8"	E20
4	4	5/32"	E5	17	17	21/32"	
4,5	4,5			18	18	11/16"	E22
5	5	3/16"	E6	19	19	3/4"	E24
5,5	5,5	7/32"	E7	20	20	25/32"	
6	6		E8	21	21	13/16"	E26
1/4"		1/4"	E8	22	22	7/8"	E28
7	7	9/32"		23	23	29/32"	E28
8	8	5/16"	E10	24	24	15/16"	E30
9	9	11/32"	E11	25	25	31/32"	E32
10	10	3/8"	E12	26	26	1"	E32
11	11	7/16"	E14	27	27	1-1/16"	E34
12	12	15/32"		28	28	1-3/32"	E36
13	13	1/2"	E16	29	29	1-1/8"	E36
14	14	9/16"	E18	30	30	1-3/16"	E38
15	15	19/32"		32	32	1-1/4"	E40

COMBINATION SPANNER HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV

možno použít až na 6 různých typů šroubů a matic

BLISTER

Order No.	Description	Package	Carton	Weight
H2006	6.0 mm E8 L 105 mm	12	360	0.019 kg
H2007	7.0 mm 9/32" E8 L 115 mm	12	360	0.023 kg
H2008	8.0 mm 5/16" E10 L 125 mm	12	360	0.022 kg
H2009	9.0 mm 11/32" E11 L 135 mm	12	36	0.033 kg
H2010	10 mm 3/8" E12 L 145 mm	12	288	0.038 kg
H2011	11 mm 7/16" E14 L 155 mm	12	288	0.046 kg
H2012	12 mm 15/32" E14 L 165 mm	12	240	0.058 kg
H2013	13 mm 1/2" E16 L 175 mm	12	192	0.067 kg
H2014	14 mm 9/16" E18 L 185 mm	12	192	0.08 kg
H2015	15 mm 19/32" E18 L 195 mm	12	144	0.096 kg
H2016	16 mm 5/8" E20 L 205 mm	12	144	0.113 kg
H2017	17 mm 21/32" E20 L 215 mm	12	96	0.125 kg
H2018	18 mm 11/16" E22 L 225 mm	12	96	0.142 kg
H2019	19 mm 3/4" E24 L 235 mm	12	72	0.176 kg
H2021	21 mm 13/16" E26 L 255 mm	12	72	0.201 kg
H2022	22 mm 7/8" E28 L 265 mm	12	48	0.221 kg
H2023	23 mm 29/32" E28 L 275 mm	12	48	0.241 kg
H2024	24 mm 15/16" E30 L 285 mm	12	48	0.264 kg
H2025	25 mm 31/32" E32 L 295 mm	12	48	0.329 kg
H2026	26 mm 1" E32 L 305 mm	12	48	0.351 kg
H2027	27 mm 1-1/16" E34 L 315 mm	12	48	0.384 kg
H2028	28 mm 1-3/32" E36 L 325 mm	12	24	0.388 kg
H2029	29 mm 1-1/8" E36 L 335 mm	12	24	0.483 kg
H2030	30 mm 1-3/16" E38 L 345 mm	12	24	0.498 kg
H2032	32 mm 1-1/14" E40 L 365 mm	12	24	0.6 kg

COMBINATION SPANNER MATTE

HONIDRIVER
THE BEST OF HONITON

CrV 6140 DIN 3113

BLISTER

Order No.	Description	Package	Carton	Weight
HG21506	6.0 mm L 105 mm	12	360	0.017 kg
HG21507	7.0 mm L 115 mm	12	360	0.018 kg
HG21508	8.0 mm L 125 mm	12	360	0.026 kg
HG21509	9.0 mm L 135 mm	12	360	0.029 kg
HG21510	10 mm L 115 mm	12	240	0.039 kg
HG21511	11 mm L 155 mm	12	120	0.047 kg
HG21512	12 mm L 165 mm	12	120	0.056 kg
HG21513	13 mm L 175 mm	12	120	0.068 kg
HG21514	14 mm L 185 mm	12	120	0.087 kg
HG21515	15 mm L 195 mm	12	96	0.102 kg
HG21516	16 mm L 205 mm	12	96	0.11 kg
HG21517	17 mm L 215 mm	12	96	0.126 kg
HG21518	18 mm L 225 mm	12	96	0.141 kg
HG21519	19 mm L 235 mm	12	48	0.165 kg
HG21520	20 mm L 245 mm	12	48	0.186 kg
HG21521	21 mm L 255 mm	12	48	0.195 kg
HG21522	22 mm L 265 mm	12	48	0.21 kg
HG21523	23 mm L 275 mm	12	48	0.248 kg
HG21524	24 mm L 285 mm	12	48	0.275 kg
HG21525	25 mm L 295 mm	12	48	0.301 kg
HG21526	26 mm L 305 mm	12	48	0.314 kg
HG21527	27 mm L 315 mm	12	48	0.369 kg
HG21528	28 mm L 325 mm	12	24	0.403 kg
HG21529	29 mm L 335 mm	12	24	0.438 kg
HG21530	30 mm L 345 mm	12	24	0.465 kg
HG21532	32 mm L 365 mm	12	24	0.508 kg

COMBINATION SPANNER, MATTE

GK TOOLS

31CrV3 DIN 3113

BLISTER

Order No.	Description	Package	Carton	Weight
P16406	6.0 mm L 100 mm	25	500	0.03 kg
P16407	7.0 mm L 105 mm	25	500	0.03 kg
P16408	8.0 mm L 120 mm	25	500	0.04 kg
P16409	9.0 mm L 130 mm	25	500	0.05 kg
P16410	10 mm L 130 mm	20	500	0.05 kg
P16411	11 mm L 140 mm	25	400	0.06 kg
P16412	12 mm L 150 mm	25	250	0.07 kg
P16413	13 mm L 170 mm	25	250	0.09 kg
P16414	14 mm L 180 mm	20	250	0.1 kg
P16415	15 mm L 190 mm	10	200	0.12 kg
P16416	16 mm L 200 mm	10	200	0.12 kg
P16417	17 mm L 210 mm	10	100	0.134 kg
P16418	18 mm L 220 mm	20	100	0.15 kg
P16419	19 mm L 230 mm	10	100	0.17 kg
P16420	20 mm L 240 mm	20	100	0.21 kg
P16421	21 mm L 250 mm	10	100	0.23 kg
P16422	22 mm L 260 mm	10	100	0.26 kg
P16423	23 mm L 270 mm	10	80	0.25 kg
P16424	24 mm L 280 mm	10	80	0.33 kg
P16426	26 mm L 300 mm	10	60	0.36 kg
P16427	27 mm L 310 mm	10	50	0.38 kg
P16428	28 mm L 320 mm	10	50	0.37 kg
P16430	30 mm L 320 mm	10	50	0.47 kg
P16432	32 mm L 350 mm	10	30	0.54 kg
P16434	34 mm L 380 mm	5	25	0.545 kg
P16436	36 mm L 395 mm	5	20	0.88 kg
P16438	38 mm L 395 mm	5	20	0.87 kg
P16441	41 mm L 445 mm	5	20	1.17 kg
P16442	42 mm L 445 mm	5	20	1.2 kg
P16446	46 mm L 500 mm	2	10	1.64 kg
P16448	48 mm L 540 mm	2	10	2.38 kg
P16450	50 mm L 540 mm	2	10	2.11 kg

COMBINATION SPANNER, CHROME

GK TOOLS

31CrV3

Order No.	Description	Package	Carton	Weight
GK10307	7.0 mm L 120 mm	25	500	0.03 kg
GK10308	8.0 mm L 120 mm	25	500	0.04 kg
GK10309	9.0 mm L 130 mm	25	500	0.04 kg
GK10310	10 mm L 130 mm	25	500	0.04 kg
GK10311	11 mm L 140 mm	25	250	0.05 kg
GK10312	12 mm L 150 mm	25	250	0.06 kg
GK10313	13 mm L 170 mm	25	250	0.06 kg
GK10314	14 mm L 180 mm	25	150	0.09 kg
GK10315	15 mm L 190 mm	10	150	0.1 kg
GK10316	16 mm L 200 mm	10	100	0.11 kg
GK10317	17 mm L 210 mm	10	100	0.12 kg
GK10318	18 mm L 220 mm	10	100	0.14 kg
GK10319	19 mm L 230 mm	10	100	0.14 kg
GK10320	20 mm L 240 mm	10	100	0.17 kg
GK10321	21 mm L 250 mm	10	100	0.2 kg
GK10322	22 mm L 260 mm	10	100	0.23 kg
GK10324	24 mm L 280 mm	10	50	0.26 kg
GK10327	27 mm L 310 mm	10	50	0.34 kg
GK10330	30 mm L 320 mm	10	40	0.42 kg
GK10332	32 mm L 350 mm	10	40	0.54 kg

COMBINATION SPANNER CHROME

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC7334	34 mm L 445 mm	5	100	1.02 kg
PC7336	36 mm L 450 mm	5	20	1.03 kg
PC7338	38 mm L 470 mm	5	20	1.16 kg
PC7339	42 mm L 500 mm	4	20	1.49 kg
PC7341	41 mm L 500 mm	5	20	1.32 kg
PC7346	46 mm L 540 mm	3	12	1.71 kg
PC7350	50 mm L 630 mm	3	12	2.07 kg
PC7355	55 mm L 620 mm	1	12	2.43 kg
PC7360	60 mm L 650 mm	3	10	3.11 kg
PC7365	65 mm L 680 mm	3	6	3.72 kg

DOUBLE OPEN-END SPANNER

GK TOOLS

CrV3 DIN 895

Order No.	Description	Package	Carton	Weight
P10407	6.0x7.0 mm L 95 mm	20	500	0.02 kg
P10408	8.0x9.0 mm L 105 mm	25	300	0.03 kg
P10410	8.0x10 mm L 115 mm	25	500	0.03 kg
P10411	10x11 mm L 120 mm	25	500	0.04 kg
P10412	10x13 mm L 120 mm	20	500	0.04 kg
P10413	12x13 mm L 140 mm	25	400	0.05 kg
P10414	14x17 mm L 150 mm	10	250	0.08 kg
P10415	13x15 mm L 150 mm	10	200	0.08 kg
P10416	14x15 mm L 150 mm	10	250	0.08 kg
P1041617	16x17 mm L 150 mm	10	250	0.09 kg
P10417	13x17 mm L 160 mm	10	250	0.08 kg
P10418	16x18 mm L 160 mm	10	250	0.09 kg
P10419	17x19 mm L 170 mm	10	200	0.11 kg
P10420	18x19 mm L 170 mm	10	200	0.12 kg
P10421	21x23 mm L 215 mm	10	100	0.2 kg
P10422	19x22 mm L 190 mm	10	100	0.16 kg
P10423	20x22 mm L 190 mm	10	100	0.18 kg
P10424	22x24 mm L 215 mm	10	100	0.21 kg
P10427	24x27 mm L 264 mm	10	100	0.26 kg
P10432	30x32 mm L 270 mm	10	50	0.35 kg
P10441	36x41 mm L 345 mm	5	20	0.73 kg
P10450	46x50 mm L 420 mm	5	20	1.29 kg

IMPACT RING SPANNER 12PT

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC7301	17 mm L 340 mm	10	20	0.15 kg
PC7302	19 mm L 340 mm	10	100	0.15 kg
PC7369	21 mm L 160 mm	10	100	0.19 kg
PC7370	22 mm L 160 mm	10	100	0.18 kg
PC7371	24 mm L 160 mm	1	100	0.26 kg
PC7372	26 mm L 180 mm	1	40	0.35 kg
PC7373	27 mm L 180 mm	1	40	0.34 kg
PC7374	30 mm L 190 mm	1	40	0.45 kg
PC7375	32 mm L 195 mm	1	40	0.43 kg
PC7376	34 mm L 195 mm	1	40	0.41 kg
PC7377	36 mm L 200 mm	1	40	0.57 kg
PC7378	38 mm L 200 mm	1	20	0.56 kg
PC7379	41 mm L 200 mm	1	20	0.74 kg
PC7380	46 mm L 235 mm	1	20	0.99 kg
PC7381	50 mm L 235 mm	1	20	1.18 kg
PC7382	55 mm L 265 mm	1	12	1.5 kg
PC7383	60 mm L 265 mm	1	12	1.61 kg
PC7384	65 mm L 317 mm	1	8	2.1 kg
PC7385	70 mm L 317 mm	1	8	2.77 kg
PC7386	75 mm L 317 mm	1	6	2.54 kg
PC7387	80 mm L 340 mm	1	6	3.98 kg
PC7388	85 mm L 340 mm	1	4	3.71 kg
PC7389	90 mm L 340 mm	1	4	5.24 kg
PC7390	95 mm L 340 mm	1	4	5.05 kg
PC7391	100 mm L 340 mm	1	4	6.55 kg
PC7392	105 mm L 340 mm	1	3	6.26 kg

COMBINATION SPANNER SET 6PCS

RICHMANN

Technical parametres

Size	34x34, 36x36, 38x38, 41x41, 46x46, 50x50 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
PC6346	34-50 mm, textile package	1	2	8.81 kg

DOUBLE OPEN-END SPANNER MATTE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3110

Order No.	Description	Package	Carton	Weight
HDEW0607E	6.0x7.0 mm L 123 mm	25	500	0.02 kg
HDEW0809E	8.0x9.0 mm L 140 mm	25	500	0.03 kg
HDEW1011E	10x11 mm L 156 mm	25	300	0.047 kg
HDEW1213E	12x13 mm L 156 mm	25	300	0.068 kg
HDEW1415E	14x15 mm L 190 mm	25	200	0.1 kg
HDEW1617E	16x17 mm L 204 mm	25	150	0.126 kg
HDEW1819E	18X19 mm L 221 mm	25	100	0.178 kg
HDEW2022E	20x22 mm L 237 mm	25	100	0.205 kg
HDEW2123E	21x23 mm L 247 mm	25	50	0.233 kg
HDEW2427E	24x27 mm L 263 mm	25	50	0.324 kg
HDEW3032E	30x32 mm L 298 mm	25	50	0.439 kg

COMBINATION RATCHET SPANNER HONIDRIVER

HONIDRIVER
THE BEST OF HONITON

40CrV ISO 691

Order No.	Description	Package	Carton	Weight
H3108	8.0 mm 5/16" E10 L 139 mm	12	300	0.037 kg
H3109	9.0 mm 11/32" E11 L 149 mm	12	300	0.047 kg
H3110	10 mm 3/8" E12 L 159 mm	12	240	0.054 kg
H3111	11 mm 7/16" E14 L 164 mm	12	240	0.069 kg
H3112	12 mm 15/32" E14 L 170 mm	10	200	0.081 kg
H3113	13 mm 1/2" E16 L 178 mm	10	160	0.101 kg
H3114	14 mm 9/16" E18 L 190 mm	12	120	0.121 kg
H3115	15 mm 19/32" E18 L 198 mm	12	120	0.125 kg
H3116	16 mm 5/8" E20 L 208 mm	10	100	0.152 kg
H3117	17 mm 21/32" E20 L 225 mm	10	100	0.182 kg
H3118	18 mm 11/16" E22 L 235 mm	10	80	0.201 kg
H3119	19 mm 3/4" E24 L 247 mm	12	60	0.241 kg
H3121	21 mm 13/16" E26 L 290 mm	12	36	0.315 kg
H3122	22 mm 7/8" E28 L 290 mm	12	36	0.38 kg
H3124	24 mm 15/16" E30 L 321 mm	12	48	0.355 kg
H3127	27 mm 11/16" E34 L 360 mm	12	24	0.62 kg
H3130	30 mm 13/16" E38 L 388 mm	10	20	0.765 kg
H3132	32 mm 13/4" E40 L 413 mm	10	10	0.955 kg

COMBINATION RATCHET SPANNER 72T

XTLINE
PROFESSIONAL TOOLS

CrV

Order No.	Description	Package	Carton	Weight
KL344008	8.0 mm L 140 mm	10	100	0.05 kg
KL344009	9.0 mm L 155 mm	10	100	0.07 kg
KL344010	10 mm L 160 mm	10	100	0.08 kg
KL344011	11 mm L 170 mm	10	100	0.1 kg
KL344012	12 mm L 180 mm	10	100	0.12 kg
KL344013	13 mm L 190 mm	10	100	0.13 kg
KL344014	14 mm L 198 mm	10	100	0.15 kg
KL344015	15 mm L 210 mm	10	100	0.17 kg
KL344016	16 mm L 220 mm	10	100	0.19 kg
KL344017	17 mm L 230 mm	10	100	0.24 kg
KL344018	18 mm L 240 mm	10	100	0.25 kg
KL344019	19 mm L 260 mm	10	100	0.3 kg
KL344022	22 mm L 280 mm	10	50	0.41 kg

BIT ADAPTER 1/4" FOR RATCHET SPANNER 10 mm

HONITON
PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HWA-05S05	1/4" for 10 mm wrench	25	50	0.05 kg

SOCKET ADADPTER FOR RATCHET SPANNER

HONITON
PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HWA-12005	1/4" for 10 mm Spanner	25	50	0.05 kg
HWA-13005	3/8" for 13 mm Spanner	25	50	0.05 kg
HWA-14005	1/2" for 19 mm Spanner	25	50	0.05 kg

COMBINATION RATCHET SPANNER WITH JOINT 72T

XTLINE
PROFESSIONAL TOOLS

CrV

Order No.	Description	Package	Carton	Weight
KL345008	8.0 mm L 140 mm	10	100	0.07 kg
KL345010	10 mm L 160 mm	10	100	0.09 kg
KL345013	13 mm L 190 mm	10	100	0.15 kg
KL345014	14 mm L 198 mm	10	100	0.18 kg
KL345015	15 mm L 210 mm	10	100	0.2 kg
KL345017	17 mm L 230 mm	10	100	0.27 kg
KL345019	19 mm L 250 mm	10	100	0.32 kg

COMBINATION RATCHET SPANNER SET 7PCS

HONIDRIVER
THE BEST OF HONITON

40CrV ISO 691

Technical parametres

	Dimension	10mm, 3/8", E12; 11mm, 7/16", E14; 12mm, 15/32" E15
	Dimension (1)	13mm,1/2", E16; 14mm, 9/16", E18; 17mm, 21/32" E20; 19mm, 3/4", E24

Order No.	Description	Package	Carton	Weight
H3071	7 pcs, plastic holder	6	24	1.08 kg

COMBINATION RATCHET SPANNER SET, CHROME 72T, 7PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size	8, 10, 12, 13, 14, 17, 19 mm

Order No.	Description	Package	Carton	Weight
KL344700	8.0-19 mm, plastic package	5	20	1.24 kg

COMBINATION RATCHET SPANNER WITH JOINT SET 72T, 7PCS

XTLINE PROFESSIONAL TOOLS

CrV

Technical parametres

Size	10, 12, 13, 14, 15, 17, 19 mm

Order No.	Description	Package	Carton	Weight
KL345700	10-19 mm, plastic package	5	20	1.53 kg

COMBINATION RATCHET SPANNER SET 72T, 5PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size	8, 10, 13, 17, 19 mm

Order No.	Description	Package	Carton	Weight
KL344500	8.0-19 mm, plastic holder	2	20	0.79 kg

COMBINATION RATCHET SPANNER WITH JOINT SET 72T, 5 PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size	8, 10, 13, 17, 19 mm

Order No.	Description	Package	Carton	Weight
KL345500	8.0-19 mm, plastic holder	2	20	0.95 kg

DOUBLE-END RING RATCHET SPANNER SET 72T, 7PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size	8x9, 10x11, 12x13, 14x15, 16x18, 17x19 mm

Order No.	Description	Package	Carton	Weight
KL346600	8.0-19 mm, plastic holder	2	24	0.88 kg

COMBINATION SPANNER SET 14PCS

HONIDRIVER THE BEST OF HONITON

CrV 6140 DIN 3113

Technical parametres

Dimension	6mm, E8; 7mm, 9/32"; 8mm, 5/16";, E10; 9mm, 11/32", E11
Dimension (1)	10mm, 3/8", E12; 11mm, 7/16", E14; 12mm, 15/32" E15
Dimension (2)	13mm,1/2", E16; 14mm, 9/16", E18; 15mm, 1/32" E18
Dimension (3)	16mm, 5/8", E20; 17mm, 21/32", E20; 18mm, 11/16", E22; 19mm, 3/4", E24

Order No.	Description	Package	Carton	Weight
H0114	6.0-19 mm, plastic box	1	5	1.69 kg

The Drive-On Ratchet Wrench is a new generation wrench. High quality chrome vanadium steel conforming to the DIN standard. The unique shape of the jaws takes its function to a new level.

› open end with short jaws need much less places to grip nuts and special facets easily and quickly catches its edges when refitting

› shortened jaws take less space



› 4 points for maximum performance

› on the other hand, the ring does not need to be lifted from the nut, just like the ratchet - displacement is carried out by the smooth inner side of the eyelet



Free space to turn the key without removing it from the nut! Ratchet-style sliding of the wrench over the nut.

COMBINATION JAW RATCHET SPANNER

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Order No.	Description	Package	Carton	Weight
HDCW1508E	8.0 mm L 123 mm	25	500	0.02 kg
HDCW1509E	9.0 mm L 132 mm	25	500	0.024 kg
HDCW1510E	10 mm L 143 mm	25	300	0.03 kg
HDCW1511E	11 mm L 152 mm	25	300	0.04 kg
HDCW1512E	12 mm L 162 mm	25	300	0.049 kg
HDCW1513E	13 mm L 171 mm	25	200	0.06 kg
HDCW1514E	14 mm L 181 mm	25	200	0.08 kg
HDCW1515E	15 mm L 191 mm	25	150	0.09 kg
HDCW1516E	16 mm L 200 mm	25	150	0.1 kg
HDCW1517E	17 mm L 210 mm	25	100	0.116 kg
HDCW1518E	18 mm L 219 mm	25	100	0.13 kg
HDCW1519E	19 mm L 230 mm	25	100	0.153 kg

DOUBLE-END RING SPANNER

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

Order No.	Description	Package	Carton	Weight
HDW750607E	6.0x7.0 mm L 168 mm	25	250	0.04 kg
HDW750809E	8.0x9.0 mm L 183 mm	25	250	0.06 kg
HDW751011E	10x11 mm L 198 mm	25	200	0.09 kg
HDW751213E	12x13 mm L 217 mm	25	150	0.12 kg
HDW751415E	14x15 mm L 239 mm	25	100	0.16 kg
HDW751617E	16x17 mm L 260 mm	25	50	0.2 kg
HDW751819E	18x19 mm L 292 mm	12	48	0.3 kg
HDW752022E	20x22 mm L 318 mm	12	48	0.36 kg
HDW752123E	21x23 mm L 330 mm	12	48	0.4 kg
HDW752427E	24x27 mm L 355 mm	12	24	0.52 kg
HDW753032E	30x32 mm L 365 mm	12	24	0.675 kg

COMBINATION JAW RATCHET SPANNER SET 12PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

Velikost **8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm**

Order No.	Description	Package	Carton	Weight
HDCW1512SE	12pcs, textile package	1	6	1 kg

DOUBLE-END RING SPANNER

GK TOOLS

CrV3 DIN 838 31

Order No.	Description	Package	Carton	Weight
P10906	6.0x7.0 mm L 170 mm	10	80	0.06 kg
P10909	8.0x9.0 mm L 180 mm	10	80	0.07 kg
P10911	10x11 mm L 195 mm	10	200	0.08 kg
P10913	12x13 mm L 210 mm	10	150	0.12 kg
P10915	14x15 mm L 225 mm	10	100	0.15 kg
P10917	16x17 mm L 245 mm	10	100	0.2 kg
P10919	18x19 mm L 266 mm	10	100	0.21 kg
P10920	20x22 mm L 285 mm	5	60	0.29 kg
P10923	21x23 mm L 305 mm	5	50	0.31 kg
P10927	24x27 mm L 325 mm	5	50	0.43 kg
P10928	25x28 mm L 345 mm	5	40	0.45 kg
P10932	30x32 mm L 370 mm	5	40	0.6 kg

FLARE NUT WRENCH

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3118

Order No.	Description	Package	Carton	Weight
HFNW0809E	6PT 8.0x9.0 mm L 132 mm	25	300	0.05 kg
HFNW1011E	6PT 10x11 mm L 151 mm	25	300	0.066 kg
HFNW1213E	6PT 12x13 mm L 166 mm	25	200	0.09 kg
HFNW1417E	6PT/12PT 14x17 mm L 191 mm	25	100	0.154 kg
HFNW1922E	12PT 19x22 mm L 235 mm	25	50	0.237 kg

DOUBLE-END SWIVEL SOCKET WRENCH 12PT

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3110

Order No.	Description	Package	Carton	Weight
HF0607E	6.0x7.0 mm L 185 mm	30	300	0.0815 kg
HF0809E	8.0x9.0 mm L 188 mm	25	200	0.04 kg
HF1011E	10x11 mm L 203 mm	25	200	0.1225 kg
HF1213E	12x13 mm L 220 mm	25	150	0.1755 kg
HF1415E	14x15 mm L 242 mm	30	150	0.239 kg
HF1617E	16x17 mm L 257 mm	20	100	0.318 kg
HF1819E	18x19 mm L 270 mm	15	90	0.411 kg
HF2022E	20x22 mm L 300 mm	10	60	0.555 kg
HF2123E	21x23 mm L 307 mm	10	60	0.597 kg

DOUBLE-END RING SPANNER TRX - LONG

HONITON PROFESSIONAL TOOLS

40CrV DIN 837

Order No.	Description	Package	Carton	Weight
HW0607EL	E6-E7 L 200 mm	25	25	0.04 kg
HW0810EL	E8-E10 L 240 mm	25	25	0.07 kg
HW1112EL	E11-E12 L 280 mm	30	30	0.109 kg
HW1416EL	E14-E16 L 320 mm	25	50	0.16 kg
HW1820EL	E18-E20 L 360 mm	30	30	0.227 kg
HW2224EL	E22-E24 L 400 mm	10	40	0.34 kg

DOUBLE-END RING SPANNER 12PT - LONG

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

Order No.	Description	Package	Carton	Weight
HFDW0809	8.0x9.0 mm L 235 mm	25	50	0.04 kg
HFDW1011	10x11 mm L 290 mm	25	50	0.04 kg
HFDW1213	12x13 mm L 328 mm	25	50	0.04 kg
HFDW1415	14x15 mm L 368 mm	25	50	0.04 kg
HFDW1617	16x17 mm L 388 mm	25	50	0.04 kg
HFDW1819	18x19 mm L 408 mm	25	50	0.04 kg
HFDW2022	20x22 mm L 415 mm	10	40	0.04 kg
HFDW2123	21x23 mm L 430 mm	10	20	0.04 kg
HFDW2427	24x27 mm L 445 mm	15	15	0.04 kg
HFDW2528	25x28 mm L 445 mm	20	20	0.04 kg
HFDW3032	30x32 mm L 460 mm	10	20	0.04 kg

C-SHAPE DOUBLE-END RING SPANNER

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

Order No.	Description	Package	Carton	Weight
HMW1012E	10x12 mm L 143 mm	25	300	0.06 kg
HMW1113E	11x13 mm L 143 mm	25	300	0.06 kg
HMW1416E	14x16 mm L 188 mm	25	100	0.15 kg
HMW1719E	17x19 mm L 220 mm	25	100	0.18 kg
HMW2022E	20x22 mm L 258 mm	25	50	0.26 kg

SLIDING T-HANDLE UNIVERSAL JOINT SOCKET WRENCH

HONITON PROFESSIONAL TOOLS

CrV 50BV30 DIN 3124

Order No.	Description	Package	Carton	Weight
HS1006A	6.0 mm / 390 mm	10	10	0.42 kg
HS1007A	7.0 mm / 390 mm	10	10	0.42 kg
HS1008A	8.0 mm / 390 mm	10	10	0.42 kg
HS1009A	9.0 mm / 390 mm	10	10	0.42 kg
HS1010A	10 mm / 390 mm	10	10	0.42 kg
HS1011A	11 mm / 390 mm	10	10	0.42 kg
HS1012A	12 mm / 390 mm	10	10	0.49 kg
HS1013A	13 mm / 390 mm	10	10	0.5 kg
HS1014A	14 mm / 500 mm	10	10	0.5 kg
HS1015A	15 mm / 500 mm	10	10	0.5 kg
HS1016A	16 mm / 500 mm	10	10	0.5 kg
HS1017A	17 mm / 500 mm	10	10	0.5 kg
HS1018A	18 mm / 500 mm	10	10	0.5 kg
HS1019A	19 mm / 500 mm	10	10	0.5 kg

SLIDING T-HANDLE DRIVE BAR

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
HSTB201	1/4" / 200x250 mm	10	50	0.42 kg
HSTB301	3/8" / 200x300 mm	10	30	0.42 kg
HSTB401	1/2" / 200x300 mm	10	50	0.42 kg

T-HANDLE SPARK PLUG SOCKET WRENCH MAGNETIC 3/8"

HONITON PROFESSIONAL TOOLS

DIN 3124

Order No.	Description	Package	Carton	Weight
H016	16 mm	10	40	0.3 kg
H021	21 mm	10	40	0.43 kg
H022	16, 21 mm	10	40	0.58 kg

COMBINATION SPANNER SET 7PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

Size	10, 11, 12, 13, 14, 17, 19 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HG11507	7pcs, plastic holder	6	24	0.75 kg

COMBINATION SPANNER SET 7PCS HONIDRIVER

HONIDRIVER THE BEST OF HONITON

CrV 6140 DIN 3113

Technical parametres

Dimension	10mm,3/8",E12; 11mm, 7/16",E14; 12mm, 15/32", E14; 13mm, 1/2"
Dimension (1)	E16; 14mm, 9/16",E18; 17mm, 21/32",E20; 19mm, 3/4", E24
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HCW11507	7pcs, textile package	1	20	0.7 kg

COMBINATION SPANNER SET 12PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

Dimension	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HG11512	12pcs, textile package	1	6	1.4 kg

COMBINATION SPANNER SET 12PCS HONIDRIVER

HONIDRIVER THE BEST OF HONITON

CrV 6140 DIN 3113

Technical parametres

Dimension	8 mm 5/16" E10; 9 mm 11/32" E11; 10 mm 3/8" E12; 11 mm 7/16" E14; 12 mm 15/32"
Dimension (1)	13 mm 1/2" E16; 14 mm 9/16" E18; 15 mm 19/32"
Dimension (2)	16 mm 5/8" E20; 17 mm 21/32"; 19 mm 3/4" E24; 22 mm 7/8" E28
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HCW11512	12pcs, textile package	1	6	1.34 kg

COMBINATION SPANNER SET 17PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

Dimension	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HG11517	17pcs, textile package	1	6	2 kg

COMBINATION SPANNER SET 17PCS HONIDRIVER

HONIDRIVER THE BEST OF HONITON

CrV 6140 DIN 3113

Technical parametres

Dimension	6mm, E8, 7mm, 9/32";8mm, 5/16";, E10; 9mm, 11/32", E11
Dimension (1)	10mm, 3/8", E12; 11mm, 7/16", E14; 12mm, 15/32" E15
Dimension (2)	13mm,1/2", E16; 14mm, 9/16", E18; 15mm, 1/32" E18
Dimension (3)	16mm, 5/8", E20; 17mm, 21/32", E20; 18mm, 11/16", E22; 19mm,3/4", E24
Dimension (4)	20mm,25/32"; 31mm,13/16",E26;22mm, 7/8", E28
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HCW11517	17pcs, textile package	1	6	2 kg

COMBINATION SPANNER SET 22PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3113

Technical parametres

	Dimension	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 30, 32 mm
	Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HG11522	22pcs, textile package	1	4	4.28 kg

COMBINATION SPANNER SET 22PCS HONIDRIVER

HONIDRIVER THE BEST OF HONITON

CrV 6140 DIN 3113

Technical parametres

	Dimension	6 mm E8; 7 mm 9/32"; 8 mm 5/16" E10; 9 mm 11/32" E11
	Dimension (1)	10 mm 3/8" E12; 11 mm 7/16" E14; 12 mm 15/32"
	Dimension (2)	13 mm 1/2" E16; 14 mm 9/16" E18; 15 mm 19/32"
	Dimension (3)	16 mm 5/8" E20; 17 mm 21/32" E20; 18 mm 11/16" E22; 19 mm 3/4" E24
	Dimension (4)	20 mm 25/32"; 21 mm 13/16" E26; 22 mm 7/8" E28; 24 mm 15/16" E30; 26 mm 1" E32
	Dimension (5)	27 mm 1-1/16" E34; 30 mm 1-3/16 E38; 32 mm 1-1/4" E40
	Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
HCW11522	22pcs, textile package	1	4	3.88 kg

DOUBLE-END RING SPANNER SET 8PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

Technical parametres

	Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
	Angle of eye bending	75°

Order No.	Description	Package	Carton	Weight
HDWP7508	8pcs, textile package	1	10	1.5 kg

DOUBLE-END RING SPANNER SET 12PCS

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 838

Technical parametres

	Size	6x7, 8x9, 8x10, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23 ,24x27, 30x32 mm
	Angle of eye bending	75°

Order No.	Description	Package	Carton	Weight
HDWP7512	12pcs, textile package	1	4	3 kg

COMBINATION SPANNER SET, CHROME 6PCS

31CrV3

Technical parametres

Size 8, 10, 12, 13, 14, 17 mm

Order No.	Description	Package	Carton	Weight
GK10341TP	8-17 mm, plastic holder	5	40	0.39 kg

COMBINATION SPANNER SET, CHROME 6PCS

31CrV3

Technical parametres

Size 8, 10, 12, 13, 14, 17 mm

Order No.	Description	Package	Carton	Weight
GK10341	8-17 mm, textile packaging	1	40	0.49 kg

COMBINATION SPANNER SET, CHROME 8PCS

31CrV3

Technical parametres

Size 8, 9, 10, 11, 13, 14, 17, 19 mm

Order No.	Description	Package	Carton	Weight
GK10342TP	8-19 mm, plastic holder	5	30	0.57 kg

COMBINATION SPANNER SET, CHROME 8PCS

31CrV3

Technical parametres

Size 8, 9, 10, 11, 13, 14, 17, 19 mm

Order No.	Description	Package	Carton	Weight
GK10342	8-19 mm, textile packaging	1	30	0.67 kg

COMBINATION SPANNER SET, CHROME 12PCS

31CrV3

Technical parametres

Size 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm

Order No.	Description	Package	Carton	Weight
GK10343TP	6-22 mm, plastic holder	5	20	0.88 kg

COMBINATION SPANNER SET, CHROME 12PCS

31CrV3

Technical parametres

Size 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm

Order No.	Description	Package	Carton	Weight
GK10343	6-22 mm, textile packaging	1	20	1.01 kg

COMBINATION SPANNER SET, MATTE

31CrV3

Technical parametres

Size P16141	6, 8, 10, 13, 15, 17 mm
Size P16142	6, 8, 10, 13, 15, 17, 19, 22 mm

Order No.	Description	Package	Carton	Weight
P16141	6.0-17 mm, 6pcs plastic holder	5	30	0.49 kg
P16142	6.0-22 mm, 8pcs plastic holder	5	20	0.95 kg

COMBINATION SPANNER SET, CHROME 24PCS

31CrV3

Technical parametres

Size	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32 mm

Order No.	Description	Package	Carton	Weight
GK10345	6-32 mm, textile packaging	1	4	4.24 kg

COMBINATION SPANNER SET, MATTE 12PCS

31CrV3

Technical parametres

Size	6, 7, 8, 9, 10, 11, 12, 13, 14, 17 ,19, 22 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
P16143	6.0-22 mm, plastic holder	5	10	1.14 kg

COMBINATION SPANNER SET 12PCS, MATTE

31CrV3

Technical parametres

Size	6, 7, 8, 9, 10, 11, 12, 13, 14, 17 ,19, 22 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
P16143/P	6.0-22 mm, textil package	1	10	1.17 kg

COMBINATION SPANNER SET, MATTE

31CrV3

Technical parametres

Size P16141/P	6, 8, 10, 13, 15, 17 mm
Size P16142/P	6, 8, 10, 13, 15, 17, 19, 22 mm

Order No.	Description	Package	Carton	Weight
P16141/P	6.0-17 mm, 6pcs textil package	1	30	0.49 kg
P16142/P	6.0-22 mm, 8pcs textil package	1	20	0.97 kg

COMBINATION SPANNER SET 12PCS, MATTE

31CrV3

Technical parametres

Size	6, 8, 10, 13, 15, 17, 19, 22, 24, 27, 30, 32 mm
Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
P16144/P	6.0-32 mm, textil package	1	10	2.84 kg

SPANNER SET, 47PCS

31CrV3

Technical parametres

	Flange nut spanners	8x10,9x11,10x12,13x14,15x17, 16x18 mm
	Combination spanners	6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,30,32 mm
	Double-end ring spanners	TRX: 6x8, 10x12, 14x18, 20x24 mm
	Double-end ring bent spanners	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22 mm
	Double-end ring spanners - bent	10x11, 12x13, 14x15, 16x17, 18x19 mm

Order No.	Description	Package	Carton	Weight
P16136	textile package	1	x	8.2 kg

FLARE NUT WRENCH SET, 6PCS

31CrV3

Technical parametres

	Size	8x10,9x11,10x12,13x14,15x17,16x18 mm

Order No.	Description	Package	Carton	Weight
P16137	textile package	1	30	0.68 kg

COMBINATION SPANNER SET 24PCS, MATTE

31CrV3

Technická specifikace

	Size	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32 mm
	Angle of eye bending	15°

Order No.	Description	Package	Carton	Weight
P16145/P	6.0-32 mm, textil package	1	4	4.4 kg

C-SHAPE DOUBLE-END RING SPANNER SET, 5PCS

31CrV3

Technical parametres

	Size	10x11, 12x13, 14x16, 16x17, 18x19 mm

Order No.	Description	Package	Carton	Weight
P16138	textile package	1	40	0.73 kg

DOUBLE-END RING SPANNER SET TRX E-PROFILE, 4PCS

31CrV3

Technical parametres

	Size	6x8 10x12 14x18 20x24 mm

Order No.	Description	Package	Carton	Weight
P16139	textile package	1	40	0.41 kg

DOUBLE OPEN-END SPANNER SET, CHROME

31CrV3

Technical parametres

Size P16020	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Size P16031	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
P16020	6.0-17 mm, 6pcs, plastic holder	5	30	0.49 kg
P16031	6.0-22 mm, 8pcs plastic holder	5	20	0.92 kg

DOUBLE OPEN-END SPANNER SET, CHROME

31CrV3

Technical parametres

Size P16020/P	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Size P16031/P	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
P16020/P	6.0-17 mm, 6pcs textil package	1	30	0.52 kg
P16031/P	6.0-22 mm, 8pcs textil package	1	20	0.97 kg

DOUBLE OPEN-END SPANNER SET, MATTE

31CrV3

Technical parametres

Size P16040	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Size P16041	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 20x22 mm

Order No.	Description	Package	Carton	Weight
P16040	6.0-17 mm, 6pcs plastic holder	5	30	0.54 kg
P16041	6.0-22 mm, 8pcs, plastic holder	5	20	0.95 kg

DOUBLE OPEN-END SPANNER SET, CHROME 12PCS

31CrV3

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
P16033	6.0-32 mm, plastic holder	2	10	2.4 kg

DOUBLE OPEN-END SPANNER SET, CHROME 12PCS

31CrV3

Technical parametres

Velikost	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
P16033/P	6.0-32 mm, textil package	1	10	2.55 kg

DOUBLE OPEN-END SPANNER SET, MATTE 12PCS

31CrV3

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
P16043	6.0-32 mm, plastic holder	2	10	2.48 kg

DOUBLE OPEN-END SPANNER SET, MATTE 6PCS

31CrV3

Technical parametres

Size P16040/P	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Size P16041/P	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 20x22 mm

Order No.	Description	Package	Carton	Weight
P16040/P	6.0-17 mm, textil package	1	30	0.54 kg
P16041/P	6.0-22 mm, textil package	1	20	0.99 kg

DOUBLE OPEN-END SPANNER SET, MATTE 12PCS

31CrV3

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

Order No.	Description	Package	Carton	Weight
P16043/P	6.0-32 mm, textil package	1	10	2.47 kg

DOUBLE-END RING SPANNER SET CHROME

31CrV3

Technical parametres

Size P16805	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Size P16831	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Order No.	Description	Package	Carton	Weight
P16805	6.0-17 mm, 6pcs, plastic holder	1	20	0.81 kg
P16831	6.0-22 mm, 8pcs, plastic holder	1	30	1.31 kg

DOUBLE-END RING SPANNER SET CHROME 8PCS

31CrV3

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
Angle of eye bending	75°

Order No.	Description	Package	Carton	Weight
P16831/P	6.0-22 mm, textil package	1	20	1.42 kg

DOUBLE-END RING SPANNER SET CHROME 6PCS

31CrV3

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
Angle of eye bending	75°

Order No.	Description	Package	Carton	Weight
P16805/P	6.0-17 mm, textil package	1	30	0.84 kg

DOUBLE-END RING SPANNER SET CHROME 12PCS

31CrV3 DIN 897

Technical parametres

Size	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm
Angle of eye bending	75°

Order No.	Description	Package	Carton	Weight
P16833/P	6.0-32 mm, textil package	1	20	3.4 kg

DOUBLE OPEN-END SPANNER SET 10PCS

CrV3 DIN 895 31

Technical parametres

Dimension	**6x7, 8x9, 10x11, 12x13, 13x17, 14x17, 16x18, 19x22, 24x27, 30x32 mm**

Order No.	Description	Package	Carton	Weight
P10460	10pcs, textile package	10	10	1.38 kg

BOX SPANNER

Order No.	Description	Package	Carton	Weight
M17650	6.0-7.0 mm	25	200	0.05 kg
M17651	8.0-9.0 mm	20	200	0.04 kg
M17642	8.0-10 mm	25	250	0.05 kg
M17652	10-11 mm	20	200	0.05 kg
M17643	12-13 mm	20	200	0.08 kg
M17654	14-15 mm	20	100	0.08 kg
M17644	14-17 mm	20	100	0.15 kg
M17655	16-17 mm	10	160	0.15 kg
M17645	16-18 mm	20	100	0.16 kg
M17653	16-21 mm	20	100	0.12 kg
M17656	18-19 mm	20	100	0.16 kg
M17657	19-22 mm	20	100	0.2 kg
M17658	24-27 mm	10	50	0.26 kg

BOX SPANNER EXTENSION BAR

Order No.	Description	Package	Carton	Weight
M17640	135 mm	25	250	0.08 kg

BOX SPANNER L-SHAPE SET 9 PCS

Technical parametres

Dimension	**8, 10, 13, 17, 19 mm**

Order No.	Description	Package	Carton	Weight
PC6740	5pcs, textile package	1	20	1.04 kg

BOX SPANNER L-SHAPE

Order No.	Description	Package	Carton	Weight
PC6706	6.0 mm	1	12	0.05 kg
PC6707	7.0 mm	1	250	0.06 kg
PC6708	8.0 mm	1	250	0.06 kg
PC6710	10 mm	1	200	0.1 kg
PC6711	11 mm	1	100	0.16 kg
PC6712	12 mm	1	166	0.14 kg
PC6713	13 mm	1	166	0.16 kg
PC6714	14 mm	1	100	0.19 kg
PC6715	15 mm	1	100	0.25 kg
PC6716	16 mm	1	66	0.26 kg
PC6717	17 mm	1	66	0.31 kg
PC6718	18 mm	1	60	0.37 kg
PC6719	19 mm	1	50	0.43 kg
PC6722	22 mm	1	50	0.63 kg
PC6724	24 mm	1	33	0.83 kg
PC6727	27 mm	1	25	1.14 kg

BOX SPANNER SET 9PCS

Technical parametres

Size	**6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm**
Package includes	**tightening axis 175 mm**

Order No.	Description	Package	Carton	Weight
P06620/P	6.0-22 mm, textile package	1	20	0.94 kg

SCAFFOLDING RATCHET SPANNER

Order No.	Description	Package	Carton	Weight
PC7496	19x22 mm	2	16	0.97 kg

SOCKET 1/2" SQUARE DRIVE

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HSSB4008	8.0 mm	24	288	0.36 kg
HSSB4010	10 mm	24	192	0.36 kg

MOUNTING LEVER

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HTL10260	260 mm	25	50	0.8 kg

DOUBLE L-SHAPE SOCKET EXTENTION BAR WRENCH SQUARE DRIVE

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HZTS0810	8x10 mm	25	50	0.04 kg

MOUNTING LEVER

Order No.	Description	Package	Carton	Weight
PC6770	400 mm	5	5	0.89 kg
PC6771	500 mm	5	5	1.15 kg
PC6772	600 mm	5	5	1.5 kg
PC6773	700 mm	5	5	1.64 kg

RIBBING

As a result of the research, a ribbed version of the key (HARDNESS HRC 58) was developed, which prevents the key from accidentally jumping out of the screw and its subsequent damage.



BEVEL EDGE

The new type of Allen key fits perfectly into the screws thanks to its bevelled edge.



MULTIPLE FACES

All Allen keys are designed with numerous angled facets and beveled edges, which allows them to be in contact with the screw throughout the work, even at different angles.

As standard Allen keys provide a similar service, the newly patented Allen keys are designed to prevent the bolt from cam-out and potentially damaging it. Perfect surface-to-surface adhesion multiplies the torque and prevents possible damage to the screw.

HEX KEY SET - BALLPOINT, EXTENDED 8PCS

HONITON PROFESSIONAL TOOLS

DIN 911

BLISTER

Technical parametres

Size	HW158-1508	2, 2.5, 3, 4, 5, 6, 8, 10 mm
Size	HW158-1518	5/64", 3/32", 1/8', 5/32", 3/16", 1/4", 5/16", 3/8"
Size	HW158-1608	2, 2.5, 3, 4, 5, 6, 8, 10 mm

Order No.	Description	Package	Carton	Weight
HW158-1508	extended 2-10 mm	12	36	0.486 kg
HW158-1518	extended, 5/64"-3/8"	12	48	0.486 kg
HW158-1608	2-10 mm	12	48	0.404 kg

HEX KEY SET TRX, EXTENDED, 8PCS

HONITON PROFESSIONAL TOOLS

DIN 911

BLISTER

Technical parametres

Size	HW158-1908	T10, T15, T20, T25, T30, T40, T45, T50
Size	HW158-2008	T10, T15, T20, T25, T30, T40, T45, T50

Order No.	Description	Package	Carton	Weight
HW158-1908	extended, T10-T50	12	36	0.469 kg
HW158-2008	T10-T50	12	48	0.388 kg

HEX KEY SET - BALLPOINT 9PCS

XTLINE PROFESSIONAL TOOLS

60CrV

BLISTER

Technical parametres

Size		1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Order No.	Description	Package	Carton	Weight
XT081	60CrV, plastic handle	10	60	0.37 kg

HEX KEY SET TRX 9PCS

XTLINE PROFESSIONAL TOOLS

60CrV

BLISTER

Technical parametres

Size		T10, T15, T20, T25, T27, T30, T40, T45, T50

Order No.	Description	Package	Carton	Weight
XT082	60CrV, plastic handle	10	60	0.37 kg

HEX KEY SET 8PCS

STAVTOOL XTLINE

CrV

BLISTER

Technical parametres

Size		2, 2.5, 3, 4, 5, 6, 8, 10 mm

Order No.	Description	Package	Carton	Weight
P16610	2.0-10 mm	10	100	0.19 kg

HEX KEY SET WITH BALLPOINT 9PCS

STAVTOOL XTLINE

6150 CrV

BLISTER

Technical parametres

Size	P16614	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
Size	P16616	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Order No.	Description	Package	Carton	Weight
P16614	1,5-10 mm 9pcs	12	60	0.36 kg
P16616	extended, 1.5-10 mm 9pcs	12	48	0.44 kg

TRX KEY SET WITH HOLE 9PCS

STAVTOOL

6150 CrV

BLISTER

Technical parametres

Size P16613	T10, T15, T20, T25, T27, T30, T40, T45, T50	
Size P16615	T10, T15, T20, T25, T27, T30, T40, T45, T50	

Order No.	Description	Package	Carton	Weight
P16613	T10-T50 9pcs	12	60	0.36 kg
P16615	extended, T10-T50 9pcs	12	60	0.44 kg

HEX KEY SET, BALLPOINT, 9PCS

RICHMANN

BLISTER

Technical parametres

Size	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 5/16", 3/8"	

Order No.	Description	Package	Carton	Weight
PC6612	1/16"-3/8"	10	50	0.35 kg

HEX KEY SET, BALL POINT, 9PCS

RICHMANN



BLISTER

Technical parametres

Size	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

Order No.	Description	Package	Carton	Weight
PC6601	plastic holder	6	36	0.46 kg

HEX KEY, HEX

CrV

Order No.	Description	Package	Carton	Weight
P00115	1.5 mm	100	1000	0.0014 kg
P00120	2.0 mm	50	1000	0.002 kg
P00125	2.5 mm	50	1000	0.002 kg
P00130	3.0 mm	50	1000	0.004 kg
P00140	4.0 mm	50	1000	0.01 kg
P00150	5.0 mm	50	1000	0.02 kg
P00160	6.0 mm	50	500	0.03 kg
P00170	7.0 mm	10	500	0.04 kg
P00180	8.0 mm	10	200	0.06 kg
P00110	10 mm	10	100	0.1 kg
P00212	12 mm	20	100	0.17 kg
P00214	14 mm	10	50	0.27 kg
P00217	17 mm	10	50	0.44 kg
P00219	19 mm	5	25	0.63 kg
P00222	22 mm	5	20	1.24 kg
P00224	24 mm	5	20	1.8 kg

HEX KEY SET - BALLPOINT 9PCS

STAVTOOL

CrV

BLISTER

Technical parametres

Size	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

Order No.	Description	Package	Carton	Weight
P16611	CrV, plastic holder	12	60	0.28 kg

HEX KEY SET - EXTENDED, BALLPOINT, 9PCS

RICHMANN

BLISTER

Technical parametres

Velikost	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 5/16", 3/8"	

Order No.	Description	Package	Carton	Weight
PC6617	plastic holder	10	50	0.43 kg

HEX KEY SET TRX, 9PCS

RICHMANN

BLISTER

Technical parametres

Size	T10, T15, T20, T25, T27, T30, T40, T45, T50	

Order No.	Description	Package	Carton	Weight
PC6602	plastic holder	6	36	0.51 kg

HEX KEY, TRX

CrV

Order No.	Description	Package	Carton	Weight
P00010	T10	100	1000	0.002 kg
P00015	T15	100	1000	0.004 kg
P00020	T20	100	1000	0.006 kg
P00025	T25	100	1000	0.01 kg
P00027	T27	50	1000	0.02 kg
P00030	T30	100	1000	0.02 kg
P00040	T40	10	500	0.03 kg
P00045	T45	10	500	0.05 kg
P00050	T50	10	500	0.08 kg

HEX KEY - BALLPOINT, EXTENDED

HONITON PROFESSIONAL TOOLS

S2 DIN 911

Order No.	Description	Package	Carton	Weight
H33020	2.0 mm	10	100	0.003 kg
H33025	2,5 mm	10	100	0.005 kg
H33030	3.0 mm	10	100	0.008 kg
H33040	4.0 mm	10	100	0.0175 kg
H33050	5.0 mm	10	100	0.031 kg
H33060	6.0 mm	10	100	0.05 kg
H33080	8.0 mm	10	100	0.0985 kg
H33100	10 mm	25	100	0.172 kg

HEX KEY TRX - EXTENDED

HONITON PROFESSIONAL TOOLS

S2 DIN 911

Order No.	Description	Package	Carton	Weight
H35010	T10	10	100	0.006 kg
H35015	T15	10	100	0.0075 kg
H35020	T20	10	100	0.0125 kg
H35025	T25	10	100	0.0175 kg
H35030	T30	5	50	0.0395 kg
H35040	T40	5	50	0.0615 kg
H35045	T45	5	50	0.09 kg
H35050	T50	5	25	0.1265 kg

ADJUSTABLE WRENCH

XTLINE PROFESSIONAL TOOLS

60CrV

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT62150	0-21 mm, 150 mm	1	60	0.13 kg
XT62200	0-29 mm, 200 mm	1	60	0.26 kg
XT62250	0-31 mm, 250 mm	1	60	0.4 kg
XT62300	0-36 mm, 300 mm	1	24	0.7 kg

OIL FILTER WRENCH

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT15011	280 mm	1	60	0.6 kg

OIL FILTER WRENCH

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT15009	230 mm	1	50	0.36 kg

HEX KEY SET 9PCS

RICHMANN

CrV

Technical parametres

	Size	3, 4, 5, 6, 8, 10, 12, 14, 17 mm

Order No.	Description	Package	Carton	Weight
PC6620	CrV, textile package	1	50	1.12 kg

ADJUSTABLE WRENCH

HONITON PROFESSIONAL TOOLS

DIN3117

Technical parametres

Spread	0-33 mm

Order No.	Description	Package	Carton	Weight
HPW001	250 mm	10	30	0.39 kg

ANGLE GRINDER ADJUSTABLE WRENCH

XTLINE PROFESSIONAL TOOLS

60CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PA23316	250 mm	12	120	0.17 kg

QUICK RELEASE RATCHET F-CLAMP

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT15061	230 mm	1	30	1.35 kg

RADIATOR SPUD WRENCH

RICHMANN

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PC7595	3/8"-7/16"-1/2"-5/8"-13/16"	25	6	0.17 kg

ADJUSTABLE SPANNER FRENCH KEY

Order No.	Description	Package	Carton	Weight
PC7675	0-25 mm, 160 mm (KL-0025)	1	1	0.52 kg
PC7676	0-35 mm, 180 mm (KL-0035)	1	1	0.8 kg
PC7677	0-45 mm, 210 mm (KL-0045)	1	1	0.9 kg
PC7678	0-55 mm, 240 mm (KL-0055)	1	1	1.47 kg
PC7679	0-65 mm, 270 mm (KL-0065)	1	1	1.66 kg

UNIVERSAL CROSS WHEEL SOCKET WRENCH

CrV DIN 899

Order No.	Description	Package	Carton	Weight
XT090	17, 19, 21 mm, 1/2"	1	80	1.32 kg

UNIVERSAL CROSS WHEEL SOCKET WRENCH

CrV DIN 899



Order No.	Description	Package	Carton	Weight
P16668	3/4", Socket 24,27,32 mm	1	15	3.62 kg

TELESCOPIC INSPECTION MIRROR - ROUND, LED LIGHTING

Order No.	Description	Package	Carton	Weight
PC0480	280-870 mm, mirror 50 mm	1	100	0.12 kg

ADJUSTABLE EXTENDED WHEEL SOCKET WRENCH

Technical parametres

Adjustable length	350-520 mm

Order No.	Description	Package	Carton	Weight
P16670	1/2", Socket 17-19 mm	10	20	1.1 kg

UNIVERSAL CROSS WHEEL SOCKET WRENCH

CrV DIN 899

Order No.	Description	Package	Carton	Weight
P16665	1/2", Socket 17,19,21 mm	1	10	1.3 kg

TELESCOPIC INSPECTION MIRROR - SQUARE, LED LIGHTING

Order No.	Description	Package	Carton	Weight
PC0479	280-870 mm	25	20	0.13 kg

FLEXIBLE INSPECTION MIRROR - ROUND, LED LIGHTING

Order No.	Description	Package	Carton	Weight
PC0481	600 mm, mirror 50 mm	1	100	0.12 kg

MAGNETIC TOOL HOLDER BAR

Order No.	Description	Package	Carton	Weight
PC0450	450 mm	12	24	0.76 kg

TELESCOPIC MAGNETIC PICK-UP TOOL

Order No.	Description	Package	Carton	Weight
PC0455	125-600 mm, 0.7 kg	25	100	0.03 kg
PC0456	125-600 mm, 1.2 kg	25	100	0.04 kg
PC0457	125-600 mm, 1.8 kg	25	100	0.04 kg

FLEXIBLE MAGNETIC PICK-UP TOOL

Order No.	Description	Package	Carton	Weight
PC0458	600 mm / 2.0 kg	10	100	0.2 kg

INSPECTION MIRROR - ROUND

Order No.	Description	Package	Carton	Weight
PC0460	200-350 mm, mirror 57 mm	10	50	0.08 kg

INSPECTION MIRROR + MAGNETIC PICK-UP TOOL SET, ADAPTERS

Technical parametres

Magnet	0.5; 1; 1.5 kg
Telescopic flexible adapter with mirror	160-520 mm
Telescopic magnet adapter	240-920 mm

Order No.	Description	Package	Carton	Weight
PC0462	rubberized handles	10	100	0.41 kg

MAGNETIC PARTS TRAY

Order No.	Description	Package	Carton	Weight
PC0452	150 mm	12	24	0.34 kg

MAGNETIC PARTS TRAY

Order No.	Description	Package	Carton	Weight
PC0453	150x350 mm	1	36	1.04 kg

INSPECTION MIRROR - SQUARE

Order No.	Description	Package	Carton	Weight
PC0459	600 mm	10	60	0.1 kg

FLEXIBLE MAGNETIC INSPECTION MIRROR - ROUND

Order No.	Description	Package	Carton	Weight
PC0461	600 mm, mirror 57 mm	25	50	0.21 kg

FLEXIBLE MAGNETIC PICK-UP TOOL, LED LIGHTING



Order No.	Description	Package	Carton	Weight
PC0463	600 mm, plastic handle	10	40	0.23 kg

FLEXIBLE SPRING PICK-UP TOOL

Order No.	Description	Package	Carton	Weight
PC0485	600 mm	1	100	0.09 kg

UPHOLSTERY TOOL KIT, 11PCS

The 11pcs car trim removal kit includes tools for fast and precise upholstery removal from any car interior. The kit is made of hardened nylon. Individual tools are specially profiled to provide leverage when removing upholstery, ledges etc. The best benefit comes with no damage to the actual upholstery or surface treated components. The kit is practically stored in a roll-out textile organiser.

XTLINE PROFESSIONAL TOOLS

The great advantage of this set is that it does not scratch the upholstery itself or painted elements and is neatly stored in a textile roll-up organizer.

Order No.	Description	Package	Carton	Weight
XT50111	textile package	10	20	0.57 kg

SCREWDRIVER SLOTTED SL

HANDLE: Two-component materials. Anti-slip, comfortable grip. Ergonomic design. Resistant to oil, solvents, chemicals. Environmentally friendly, ecological, recyclable materials. High torque and accuracy. SHANK: High-quality, high-alloyed steel, quenched and tempered to maximum capacity. Most recent surface treatment and production. BLACK TIP: High production accuracy in accordance with international standards.

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1711-3-07530	SL3.0x75 mm	10	300	0.028 kg
HW1711-3-07540	SL4.0x75 mm	10	100	0.05 kg
HW1711-3-10055	SL5.5x100 mm	10	100	0.062 kg
HW1711-3-10065	SL6.5x100 mm	10	100	0.089 kg
HW1711-3-15065	SL6.5x150 mm	10	100	0.1 kg
HW1711-3-15080	SL8.0x150 mm	10	100	0.165 kg

SCREWDRIVER TRX

HONITON PROFESSIONAL TOOLS

S2 DIN 5261

Order No.	Description	Package	Carton	Weight
HW1714-06006	T6x60 mm	10	300	0.03 kg
HW1714-06007	T7x60 mm	10	300	0.03 kg
HW1714-06008	T8x60 mm	10	300	0.028 kg
HW1714-06009	T9x60 mm	10	300	0.028 kg
HW1714-08010	T10x80 mm	10	100	0.054 kg
HW1714-08015	T15x80 mm	10	100	0.054 kg
HW1714-10020	T20x100 mm	10	100	0.054 kg
HW1714-10025	T25x100 mm	10	100	0.093 kg
HW1714-11527	T27x115 mm	10	100	0.094 kg
HW1714-11530	T30x115 mm	10	100	0.094 kg
HW1714-13040	T40x130 mm	10	100	0.112 kg
HW1714-13045	T45x130 mm	10	100	0.154 kg

FLEXIBLE HOSE CLAMP SET, 3PCS

Hose clamp (plier) set for air, fuel, transmission or brake hoses of diameter up to 19, 32 and 57mm. Safe locking mechanism due to the locking ring. The clamps are designed not to cut or deform hoses. The clamps conduct electric current.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Large clamp	19-57 mm
Medium clamp	12,5-32 mm
Small clamp	6.3-19 mm

Order No.	Description	Package	Carton	Weight
XT50103	blister package	1	8	0.3 kg

UPHOLSTERY REMOVER

HONITON PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
HW17109-11-080	80 mm	10	x	0.1 kg
HW17109-11-100	100 mm	10	100	0.07 kg

SCREWDRIVER PH

HONITON PROFESSIONAL TOOLS

S2 DIN 8764

Order No.	Description	Package	Carton	Weight
HW1712-3-0600	PH0.0x60 mm	10	300	0.027 kg
HW1712-3-0801	PH1.0x80 mm	10	100	0.058 kg
HW1712-3-1002	PH2.0x100 mm	10	100	0.089 kg
HW1712-3-1502	PH2.0x150 mm	10	100	0.1 kg
HW1712-3-1503	PH3.0x150 mm	10	100	0.16 kg

SCREWDRIVER PZ

HONITON PROFESSIONAL TOOLS

S2 DIN 8764

Order No.	Description	Package	Carton	Weight
HW1713-3-0600	PZ0.0x60 mm	10	100	0.027 kg
HW1713-3-1001	PZ1.0x100 mm	10	300	0.068 kg
HW1713-3-1002	PZ2.0x100 mm	10	100	0.089 kg
HW1713-3-1502	PZ2.0x150 mm	10	100	0.102 kg
HW1713-3-1503	PZ3.0x150 mm	10	100	0.16 kg

SCREWDRIVER PZ, HEX SHANK

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1713-4-0801	PZ1.0x80 mm	10	100	0.068 kg
HW1713-4-1002	PZ2.0x100 mm	10	100	0.068 kg

T-HANDLE SCREWDRIVER TRX

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1515-5-10010	T10x100 mm	20	120	0.053 kg
HW1515-5-10015	T15x100 mm	20	120	0.053 kg
HW1515-5-10020	T20x100 mm	20	120	0.053 kg
HW1515-5-15025	T25x150 mm	25	100	0.071 kg
HW1515-5-15027	T27x150 mm	25	100	0.072 kg
HW1515-5-15030	T30x150 mm	25	100	0.088 kg
HW1515-5-20040	T40x200 mm	15	90	0.148 kg
HW1515-5-20045	T45x200 mm	15	90	0.176 kg
HW1515-5-20050	T50x200 mm	15	90	0.208 kg

T-HANDLE SCREWDRIVER WITH BALLPOINT HEX

HONITON PROFESSIONAL TOOLS

S2 DIN 911

NEW

Order No.	Description	Package	Carton	Weight
HW1518-6-610020	2.0x100 mm	25	100	0.04 kg
HW1518-6-610025	2.5x100 mm	20	200	0.05 kg
HW1518-6-610030	3.0x100 mm	30	120	0.05 kg
HW1518-6-610040	4.0x150 mm	25	150	0.06 kg
HW1518-6-610050	5.0x150mm	25	150	0.08 kg
HW1518-6-610060	6.0x150mm	25	100	0.1 kg
HW1518-6-610080	8.0x200 mm	10	50	0.2 kg
HW1518-6-610100	10x200 mm	10	50	0.3 kg

T-HANDLE SCREWDRIVER HEX

HONITON PROFESSIONAL TOOLS

S2 DIN 911

NEW

Order No.	Description	Package	Carton	Weight
HW1516-6-6100020	2.0x100 mm	20	120	0.0039 kg
HW1516-6-6100025	2.5x100 mm	20	120	0.042 kg
HW1516-6-6100030	3.0x100 mm	20	120	0.046 kg
HW1516-6-6150040	4.0x150mm	25	100	0.06 kg
HW1516-6-6150050	5.0x150mm	25	100	0.075 kg
HW1516-6-6150060	6.0x150 mm	25	100	0.119 kg
HW1516-6-6150070	7.0x150 mm	25	100	0.0039 kg
HW1516-6-6200080	8.0x200 mm	15	90	0.187 kg
HW1516-6-6200100	10x200 mm	15	90	0.267 kg

SCREWDRIVER SLOTTED, HEX SHANK

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1711-4-712555	SL5.5x125 mm	10	100	0.071 kg
HW1711-4-715065	SL6.5x150 mm	10	100	0.118 kg
HW1711-4-717580	SL8.0x175 mm	10	100	0.186 kg

SCREWDRIVER SLOTTED SL

HONITON PROFESSIONAL TOOLS

S2

Order No.	Description	Package	Carton	Weight
HW951-7-02555	SL5.5x25 mm	10	300	0.038 kg
HW951-7-02565	SL6.5x25 mm	10	300	0.042 kg

SCREWDRIVER PH

HONITON PROFESSIONAL TOOLS

S2

Order No.	Description	Package	Carton	Weight
HW952-6-0251	PH1.0x25 mm	10	300	0.036 kg
HW952-6-0252	PH2.0x25 mm	10	300	0.04 kg

SCREWDRIVER PZ

HONITON PROFESSIONAL TOOLS

S2

Order No.	Description	Package	Carton	Weight
HW953-6-0251	PZ1.0x25 mm	10	300	0.36 kg
HW953-6-0252	PZ2.0x25 mm	10	300	0.04 kg

T-HANDLE SCREWDRIVER SET 6PCS

HONITON PROFESSIONAL TOOLS

DIN 5261

Technical parametres

Size HW151-0306	2.5, 3, 4, 5, 6, 8 mm	Size HW151-0506	T10, T15, T20, T25, T30, T40

Order No.	Description	Package	Carton	Weight
HW151-0306	2.5-8.0 mm	1	10	0.98 kg
HW151-0506	T10-T40	1	10	0.93 kg

MINI SCREWDRIVER SL

HONITON PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
HW1301-07520	SL2x75 mm	15	x	0.02 kg
HW1301-07525	SL2,5x75 mm	25	x	0.02 kg
HW1301-07530	SL3x75 mm	25	x	0.02 kg
HW1301-07535	SL3,5x75 mm	25	x	0.02 kg
HW1301-07540	SL4x75 mm	15	x	0.02 kg

MINI SCREWDRIVER PH

HONITON PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
HW1302-07501	PH1.0x75 mm	25	x	0.02 kg
HW1302-07510	PH0x75 mm	25	x	0.02 kg
HW1302-07520	PH00x75 mm	25	x	0.02 kg

MINI SCREWDRIVER TRX

HONITON PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
HW1304-4005	T5x40 mm	25	x	0.02 kg
HW1304-4006	T6x40 mm	25	x	0.02 kg
HW1304-4007	T7x40 mm	25	x	0.02 kg
HW1304-4008	T8x40 mm	25	x	0.02 kg
HW1304-7509	T9x75 mm	25	x	0.02 kg
HW1304-7510	T10x75 mm	25	x	0.02 kg
HW1304-7515	T15x75 mm	25	x	0.02 kg
HW1304-7520	T20x75 mm	25	x	0.02 kg

SALES STAND WITH SCREWDRIVERS 50PCS

HONITON PROFESSIONAL TOOLS

S2

Technical parametres

Spacing screws — PL3x75 mm; HW1711-3-07530; PL4x75 mm; HW1711-3-07540; PL5,5x100 mm; HW1711-3-10055; PL6,5x150 mm; HW1711-3-15065; PL8x150mm; HW1711-3-15080; PH0x60mm; HW1712-3-0600; PH1x80mm; HW1712-3-0801; PH2x100mm

Order No.	Description	Package	Carton	Weight
HW171-D150	plastic holder	1	1	4.65 kg

SCREWDRIVER SLOTTED - EXTRA LONG

HONITON PROFESSIONAL TOOLS

DIN 5264

Order No.	Description	Package	Carton	Weight
HW1711-9-40040	SL4.0x400 mm	10	60	0.106 kg
HW1711-9-40055	SL5.5x400 mm	10	60	0.171 kg

SCREWDRIVER PH - EXTRA LONG

HONITON PROFESSIONAL TOOLS

DIN 5264

Order No.	Description	Package	Carton	Weight
HW1712-8-4001	PH1.0x400 mm	10	60	0.1 kg
HW1712-8-4002	PH2.0x400 mm	10	60	0.12 kg

HEX NUT SCREWDRIVER

HONITON PROFESSIONAL TOOLS

DIN 5264

Order No.	Description	Package	Carton	Weight
HW1717-1-125060	6x125 mm	10	100	0.1 kg
HW1717-1-125070	7x125 mm	10	100	0.1 kg
HW1717-1-125080	8x125 mm	10	100	0.1 kg
HW1717-1-125100	10x125 mm	10	100	0.1 kg
HW1717-1-125120	12x125 mm	10	100	0.1 kg
HW1717-1-125130	13x125 mm	10	100	0.1 kg

PRECISION SCREWDRIVER SET

HONITON PROFESSIONAL TOOLS

S2

Technical parametres

Velikost HW130-0708	PL2; PL2,5; PL3; PL3,5; PL4; PH00; PH0,PH1
Velikost HW130-0908	T5, T6, T7, T8, T9, T10, T15, T20

Order No.	Description	Package	Carton	Weight
HW130-0708	PH, SL, 8 pcs	12	48	0.332 kg
HW130-0908	TRX	12	48	0.318 kg

SCREWDRIVER PH, HEX SHANK

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1712-4-70801	PH1.0x80 mm	10	120	0.064 kg
HW1712-4-71002	PH2.0x100 mm	10	120	0.104 kg

FLEXIBLE MULTI-BIT SCREWDRIVER

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1717-2-2160516	5/16"x160 mm	10	100	0.145 kg

SCREWDRIVER SET SL PH, PZ, 8PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

PAPER BOX

Technical parametres

	SL	SL5.5x25, SL6.5x25 mm
	PH	PH0x60, PH1x25 mm
	PZ	PZ0x60, PZ1x80, PZ2x100, PZ1x25 mm

Order No.	Description	Package	Carton	Weight
HW171-1208	carton box	1	24	0.51 kg

MULTI-SCREWDRIVER 3IN1

The Universal screwdriver can replace all other screwdrivers thanks to the multifunction stepped driver bit which is capable of loosening and tightening screw. The size of PH1-2-3, unique multifunction driver bit. HEX shank made of high-quality, high-alloyed steel.

HONITON PROFESSIONAL TOOLS

S2

Hexagonal shank from high quality alloy steel.



Unique multifunctional stepped bit PH 1-2-3

Order No.	Description	Package	Carton	Weight
HW112-9-1002	PH 1-2-3, 210 mm	10	100	0.2 kg

MULTI-BIT SCREWDRIVER

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1717-3-610014	1/4"x100 mm	10	100	0.13 kg

FLEXIBLE MULTI-BIT SCREWDRIVER

HONITON PROFESSIONAL TOOLS

S2 DIN 5264

Order No.	Description	Package	Carton	Weight
HW1717-2-2160416	1/4"x160 mm	10	100	0.15 kg

FLEXIBLE SOCKET DRIVER HANDLE

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW1719-2-160014	1/4"x160 mm	10	100	0.155 kg

SCREWDRIVER SET SL, PH, 6PCS

HONITON PROFESSIONAL TOOLS

S2

PAPER BOX

Technical parametres

	SL	SL3x75, SL4x100, SL5,5x125, SL6,5x150 mm
	PH	PH1x80, PH2x100 mm

Order No.	Description	Package	Carton	Weight
HW171-0706	carton box	12	24	0.53 kg

SCREWDRIVER SET 6IN1, 2PCS

HONITON PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
HW96-8702	SL4; SL5; SL6; PH1; PH2; PH3	30	120	0.233 kg

SCREWDRIVER SL

Ergonomic handle design. Magnetic, CrV shank, quality production for long lifespan.

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071310	SL3.0x75 mm	12	240	0.04 kg
XT071311	SL3.0x100 mm	12	240	0.04 kg
XT071312	SL4.0x75 mm	12	240	0.07 kg
XT071313	SL4.0x100 mm	12	240	0.05 kg
XT071314	SL6.0x100 mm	12	120	0.09 kg
XT071315	SL6.0x150 mm	12	120	0.1 kg
XT071316	SL8.0x150 mm	6	96	0.15 kg

SCREWDRIVER PZ

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071401	PZ0.0x75 mm	12	240	0.04 kg
XT071402	PZ0.0x100 mm	12	240	0.05 kg
XT071403	PZ1.0x75 mm	12	240	0.07 kg
XT071404	PZ1.0x100 mm	12	240	0.07 kg
XT071405	PZ2.0x100 mm	12	120	0.09 kg
XT071406	PZ2.0x150 mm	12	120	0.1 kg
XT071407	PZ3.0x150 mm	6	96	0.15 kg

SCREWDRIVER PH

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071301	PH0.0x75 mm	12	240	0.04 kg
XT071302	PH0.0x100 mm	12	240	0.04 kg
XT071303	PH1.0x75 mm	12	240	0.07 kg
XT071304	PH1.0x100 mm	12	240	0.07 kg
XT071305	PH2.0x100 mm	12	120	0.09 kg
XT071306	PH2.0x150 mm	12	120	0.1 kg
XT071307	PH3.0x150 mm	6	96	0.15 kg

SCREWDRIVER TRX

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071210	T10x75 mm	12	240	0.07 kg
XT071215	T15x75 mm	12	240	0.07 kg
XT071220	T20x100 mm	12	240	0.07 kg
XT071225	T25x100 mm	12	120	0.09 kg
XT071230	T30x125 mm	12	120	0.1 kg
XT071240	T40x125 mm	6	96	0.14 kg
XT071245	T45x125 mm	6	96	0.14 kg

SCREWDRIVER SL

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071317	SL5.0x38 mm	12	240	0.05 kg
XT071318	SL6.0x38 mm	12	240	0.05 kg

SCREWDRIVER PZ

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071408	PZ1.0x38 mm	12	240	0.05 kg
XT071409	PZ2.0x38 mm	12	240	0.05 kg

SCREWDRIVER PH

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT071308	PH1.0x38 mm	12	240	0.05 kg
XT071309	PH2.0x38 mm	12	240	0.05 kg



IMPACT SCREWDRIVER SET, SL, PH, 4PCS

PAPER BOX

Technical parametres

	SL	SL6x100 mm, SL8x150 mm
	PH	PH2x100 mm, PH3x150 mm

Order No.	Description	Package	Carton	Weight
PC5399	carton box	1	12	0.73 kg

IMPACT SCREWDRIVER SET, SLOTTED, PH, 6PCS

CrV

PAPER BOX

Technical parametres

	SL	SL5x75, SL6.5x100, SL8x150 mm
	PH	PH1x75, PH2x100, PH3x150 mm

Order No.	Description	Package	Carton	Weight
P15399	carton box	1	20	1.05 kg

SCREWDRIVER SET SLOTTED, PZ, 7PCS

CrV

PAPER BOX

Technical parametres

	SL	SL4x75, SL6x100, SL8x150 mm
	PZ	PZ0x75, PZ1x75, PZ2x100, PZ3x150 mm

Order No.	Description	Package	Carton	Weight
XT071507	carton box	6	12	0.7 kg

IMPACT SCREWDRIVER SL

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PC5335	SL6.0x150 mm	12	12	0.15 kg
PC5336	SL6.0x250 mm	12	12	0.17 kg
PC5337	SL8.0x150 mm	12	12	0.22 kg
PC5338	SL8.0x250 mm	12	12	0.26 kg
PC5339	SL10x150 mm	12	12	0.27 kg
PC5340	SL10x250 mm	12	12	0.34 kg

IMPACT SCREWDRIVER PH

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PC5331	PH2.0x150 mm	12	20	0.15 kg
PC5332	PH2.0x250 mm	12	12	0.17 kg
PC5333	PH3.0x150 mm	12	12	0.22 kg
PC5334	PH3.0x250 mm	12	12	0.26 kg

SCREWDRIVER 2IN1 SET, 2PCS

Cr-Mo

Order No.	Description	Package	Carton	Weight
PC5365	SL6 + PH2	6	6	0.12 kg

SCREWDRIVER SET SLOTTED, PH, 7PCS

CrV

PAPER BOX

Technical parametres

	SL	SL3x75, SL5x100, SL6x125, SL8x150 mm
	PH	PH0x75, PH1x100, PH2x125 mm

Order No.	Description	Package	Carton	Weight
XT071707	carton box	6	12	0.63 kg

SCREWDRIVER SET TRX, 7PCS

CrV

PAPER BOX

Technical parametres

	Size	T6x75, T8x75, T10x75, T15x75, T20x100, T25x100, T30x125 mm

Order No.	Description	Package	Carton	Weight
XT071607	carton box	6	12	0.53 kg

SCREWDRIVER SET SLOTTED, PH, 7PCS

XTLINE PROFESSIONAL TOOLS

CrV

Technical parametres

	SL	SL3x75, SL5x100, SL6x125, SL8x150 mm
	PH	PH0x75, PH1x75, PH2x100 mm

Order No.	Description	Package	Carton	Weight
XT073	carton box	1	10	0.65 kg

SCREWDRIVER SET SLOTTED, PH, 7PCS

XTLINE PROFESSIONAL TOOLS

CrV

Technical parametres

	SL	SL3x75, SL5x100, SL6x125, SL8x150 mm
	PH	PH0x75, PH1x75, PH2x100 mm

Order No.	Description	Package	Carton	Weight
XT075	carton box	1	20	0.6 kg

SET OF SCREWDRIVERS, BITS AND SOCKETS 44PCS

The set of screwdrivers, bits and sockets is stored in a practical plastic holder.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

	Sockets 1/4"	5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Driver bits 1/4"	PL4, PL5, PL6, PL7; PH0, PH1, PH2, PH3; TRX: T10, T20, T25, T30; IMBUS: 4, 5, 5.5, 6 mm
	Driver bit holder	1/4"
	Driver bit adapter	1/4"
	Screwdriver - mini	PL2.5x50 mm, PL3x50 mm; PH00x50 mm, PH0x50 mm; T5x50 mm, T6x50 mm, T7x50 mm, T8x50 mm, T9x50 mm, T10x50 mm
	Screwdriver PH	PH0x75 mm, PH1x100 mm, PH2x125 mm
	Screwdriver Slotted SL	PL3x75 mm, PL5.5x100 mm, PL6.5x125 mm, PL8x150 mm

Order No.	Description	Package	Carton	Weight
XT078	plastic handle	1	10	1.3 kg

PRECISION SCREWDRIVER SET, SL, PH, TRX 10PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

	Screwdrivers	PH00, PH0, PH1; SL1.4, SL1.8, SL2.4; TRX: T7, T8, T9, T10

Order No.	Description	Package	Carton	Weight
XT07010	plastic box	6	24	0.3 kg

PRECISION SCREWDRIVER SET, 31PCS

XTLINE PROFESSIONAL TOOLS

CrV

Technical parametres

	Screwdrivers	HEX: 0.7, 1.3, 2, 3, 3.5, 4 mm; TRX: T5, T6, T7, T8, T9, T10, T15; PH0, PH1, PH2; PZ2, PZ1, PZ0; PL1, PL1.5, PL2.5, PL3, PL3.5, PL4

Order No.	Description	Package	Carton	Weight
XT07031	plastic box	10	40	0.23 kg

Electrician screwdrivers are individually tested in water at 10,000 V and subjected to another 5 stages of the test:
- designed and tested according to international standards
- bi-material handle for comfortable use
- quality pressed insulation
- high quality alloy steel shaft
- insulation up to 10,000 V AC

HIGH SECURITY AND COMFORT

When working on live electrical equipment, you need to have properly insulated tools that you can really rely on. Our new VDE 1000 insulated screwdriver is the answer to the strict demands of the market. Comfort is essential. The screwdriver consists of a two-component, ergonomically shaped handle characterized by its red-yellow color. It is the result of large investments in development, design and testing. The tools in this section are manufactured and individually tested to meet the strict standards of IEC 900, ČSN EN 60900 and VDE 0680/02.

Flammability test

The tools are tested for non-flammability and thus eliminate the risk of fire.

Strength test

The tools are tested to withstand a load of 20 N and a temperature of up to + 70 °C in a 5000 V AC voltage test.

Individual water immersion test

Electrical test

The tools are immersed in water for 24 hours and then connected to 10,000V for 3 minutes to exclude insulation break or defect.

Test for resistance to frost

The tools are tested for temperatures of -40 °C for frost resistance. The insulating material protects the tool even at extreme temperatures.

Insulation adhesion test

The adhesion of the insulation to the tool itself is tested to withstand heavy loads.

SCREWDRIVER PZ 1000V

HONITON PROFESSIONAL TOOLS

S2 EN 60900

Order No.	Description	Package	Carton	Weight
HW1023-0801	PZ1.0x80 mm	10	100	0.064 kg
HW1023-1002	PZ2.0x100 mm	10	100	0.094 kg

SCREWDRIVER PLUS/MINUS 1000V

HONITON PROFESSIONAL TOOLS

S2 EN 60900

Order No.	Description	Package	Carton	Weight
HW10213-0801	PZ1 / SL5.0x80 mm	10	100	0.064 kg
HW10213-1002	PZ2.0 / SL6.0x100 mm	10	100	0.094 kg

SCREWDRIVER SLOTTED SL 1000V

HONITON PROFESSIONAL TOOLS

S2 EN 60900

Order No.	Description	Package	Carton	Weight
HW1021-07525	SL2,5x75 mm	10	300	0.028 kg
HW1021-10030	SL2.5x75 mm	10	300	0.032 kg
HW1021-10040	SL3.0x100 mm	10	100	0.058 kg
HW1021-12555	SL4.0x100 mm	10	100	0.078 kg
HW1021-15065	SL5.5x125 mm	10	100	0.115 kg

SCREWDRIVER PH 1000V

HONITON PROFESSIONAL TOOLS

S2 EN 60900

Order No.	Description	Package	Carton	Weight
HW1022-0600	PH0.0x60 mm	10	300	0.029 kg
HW1022-0801	PH1.0x80 mm	10	10	0.064 kg
HW1022-1002	PH2.0x100 mm	10	100	0.094 kg
HW1022-1503	PH3.0x150 mm	10	100	0.094 kg

SCREWDRIVER SET PL,PH, S2 PH 1000V, 6PCS

HONITON PROFESSIONAL TOOLS

S2 EN 60900

Technical parametres

	SL	SL2.5x75, SL3.5x100, SL4x100, SL5.5x125 mm
	PH	PH1x80, PH2x100 mm
	Other features	magnetic tip

Order No.	Description	Package	Carton	Weight
HW102-306		12	24	0.49 kg

SCREWDRIVER SET PL, PH, PZ 1000V, 7PCS

HONITON PROFESSIONAL TOOLS

Technical parametres

	SL	SL2.5x75, SL3.5x100, SL5.5x125 mm
	PH	PH1x80, PH2x100 mm
	PZ	PZ1x80, PZ2x100 mm
	Other features	magnetic tip

Order No.	Description	Package	Carton	Weight
HW102-007	carton box	12	24	0.65 kg

SCREWDRIVER VOLTAGE TESTER

Order No.	Description	Package	Carton	Weight
PC5256	150-500 V	12	120	0.03 kg

ELECTRONIC VOLTAGE TESTER

Order No.	Description	Package	Carton	Weight
PC5251	12-250V	30	10	0.03 kg

SCREWDRIVER VOLTAGE TESTER 2IN1

Order No.	Description	Package	Carton	Weight
PC5255	100-500 V	12	240	0.09 kg

SCREWDRIVER VOLTAGE TESTER

Order No.	Description	Package	Carton	Weight
PC5265	100-500 V, 140 mm	30	120	0.02 kg
PC5266	100-500 V, 190 mm	24	600	0.04 kg

CLAMP-ON MULTIMETER MD-410C

The multimeter can be used for routine maintenance of electrical equipment as well as in the construction of new electrical installations. With this multimeter you will have the right confidence when working with electricity.

NEW

Technical parametres

Voltage	**400 mV – 600 V**	Electric resistance	**400 Ohm – 40 MOhm**
Current (AC)	**400 A**	Package includes	**battery, instruction manual, measuring tips**
Current (DC)	**400 A**	Selection of range	**automatic**
Voltage (AC)	**4-600 V**	Temperature measuring	**-20 °C to +1 000 °C**

Order No.	Description	Package	Carton	Weight
M0400	2x1,5 V AAA, blister package	1	20	0.13 kg

ELECTRONIC VOLTAGE TESTER

Order No.	Description	Package	Carton	Weight
PC5252	12-250V	24	480	0.06 kg

CAR BATTERY VOLTAGE TESTER 2IN1

Order No.	Description	Package	Carton	Weight
PC5260	6-12-24V	10	240	0.07 kg

VOLTAGE DETECTOR

Order No.	Description	Package	Carton	Weight
PC5270	90-250 V	12	600	0.05 kg

MULTIMETER EM320A

Technical parametres

Current (DC)	**2 000 µA – 200 mA**	Dimension of product	**30x57×95 mm**
Voltage (AC)	**200-300 V**	Package includes	**battery, measuring tips**
Voltage (DC)	**200 mV – 300 V**	Selection of range	**manual**
Electric resistance	**200 Ohm – 2 MOhm**		

Order No.	Description	Package	Carton	Weight
M0320	1x 12 V battery, blister package	20	80	0.13 kg

MULTIMETER EM391

Technical parametres

Current (AC)	**NO**	Electric resistance	**200 Ohm – 2 MOhm**
Current (DC)	**20 µA – 10 A**	Circuit continuity	**YES**
Voltage (AC)	**200-300 V**	Dimension of product	**27×70×135 mm**
Voltage (DC)	**200 mV – 300 V**	Package includes	**battery, instruction manual, measuring tips, protection cover**

Order No.	Description	Package	Carton	Weight
M0391	1x 9 V battery, blister package	10	20	0.25 kg

DRIVER BIT SLOTTED 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW961-12-02542	SL4.5x25 mm (package/10pcs)	10	120	0.005 kg
HW961-12-02551	SL5.5x25 mm (package/10pcs)	10	120	0.005 kg
HW961-12-02561	SL6.5x25 mm (package/10pcs)	10	120	0.005 kg
HW961-12-02581	SL8.0x25 mm (package/8pcs)	8	120	0.005 kg

DRIVER BIT PH 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW962-12-0251	PH1.0x25 mm (package/10pcs)	10	120	0.005 kg
HW962-12-0252	PH2.0x25 mm (package/10pcs)	10	120	0.005 kg
HW962-12-0253	PH3.0x25 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PZ 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW963-12-0251	PZ1.0x25 mm (package/10pcs)	10	120	0.005 kg
HW963-12-0252	PZ2.0x25 mm (package/10pcs)	10	120	0.005 kg
HW963-12-0253	PZ3.0x25 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT TRX 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW964-12-02510	T10x25 mm	10	120	0.005 kg
HW964-12-02515	T15x25 mm	10	120	0.005 kg
HW964-12-02520	T20x25 mm	10	120	0.005 kg
HW964-12-02525	T25x25 mm	10	120	0.005 kg
HW964-12-02527	T27x25 mm	10	120	0.005 kg
HW964-12-02530	T30x25 mm	10	120	0.005 kg
HW964-12-02540	T40x25 mm	10	120	0.005 kg

DRIVER BIT TRX 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW964-21-05010	T10x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05015	T15x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05020	T20x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05025	T25x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05027	T27x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05030	T30x50 mm (package/10pcs)	10	120	0.005 kg
HW964-21-05040	T40x50 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT TRX 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW964-12-025102B		2	120	0 kg
HW964-12-025152B		2	120	0 kg
HW964-12-025202B		2	120	0.01 kg
HW964-12-025252B		2	120	0.01 kg
HW964-12-025302B		2	120	0.01 kg
HW964-12-025402B		2	120	0.01 kg

DRIVER BIT TRX TITAN 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW964-12-02510TH	T10x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02515TH	T15x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02520TH	T20x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02525TH	T25x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02527TH	T27x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02530TH	T30x25 mm (package/10pcs)	10	120	0.005 kg
HW964-12-02540TH	T40x25 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PZ TITAN 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW962-12-0251TH	PH1.0x25 mm (package/10pcs)	10	120	0.058 kg
HW962-12-0252TH	PH2.0x25 mm (package/10pcs)	10	120	0.005 kg
HW962-12-0253TH	PH3.0x25 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PZ TITAN 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW963-12-0251TH	PZ1.0x25 mm (package/10pcs)	10	120	0.005 kg
HW963-12-0252TH	PZ2.0x25 mm (package/10pcs)	10	120	0.005 kg
HW963-12-0253TH	PZ3.0x25 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PH 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW962-21-0501	PH1.0x50 mm (package/10pcs)	10	120	0.005 kg
HW962-21-0502	PH2.0x50 mm (package/10pcs)	10	120	0.005 kg
HW962-21-0503	PH3.0x50 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PZ 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW963-21-0501	PZ1.0x50 mm (package/10pcs)	10	120	0.005 kg
HW963-21-0502	PZ2.0x50 mm (package/10pcs)	10	120	0.005 kg
HW963-21-0503	PZ3.0x50 mm (package/10pcs)	10	120	0.005 kg

DRIVER BIT PH 1/4"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HW962-12-02512B	PH1.0x25 mm (package/2pcs)	2	120	0.01 kg
HW962-12-02522B	PH2.0x25 mm (package/2pcs)	2	120	0.01 kg
HW962-12-02532B	PH3.0x25 mm (package/2pcs)	2	120	0.01 kg
HW962-21-05012B	PH1.0x50 mm (package/2pcs)	2	120	0.01 kg
HW962-21-05022B	PH2.0x50 mm (package/2pcs)	2	120	0.01 kg
HW962-21-05032B	PH3.0x50 mm (package/2pcs)	2	120	0.01 kg

DRIVER BIT PZ 1/4"

HONITON PROFESSIONAL TOOLS

DIN 3126

Order No.	Description	Package	Carton	Weight
HW963-12-02512B	PZ1.0x25 mm (package/2pcs)	2	120	0 kg
HW963-12-02522B	PZ2.0x25 mm (package/2pcs)	2	120	0.01 kg
HW963-12-02532B	PZ3.0x25 mm (package/2pcs)	2	120	0.01 kg
HW963-21-05012B	PZ1.0x50 mm (package/2pcs)	2	120	0.01 kg
HW963-21-05022B	PZ2.0x50 mm (package/2pcs)	2	120	0.01 kg
HW963-21-05032B	PZ3.0x50 mm (package/2pcs)	2	120	0.01 kg

DRIVER BIT TRI-WING 1/4"

HONITON PROFESSIONAL TOOLS

S2

Order No.	Description	Package	Carton	Weight
HW9603-11-02502	2x25 mm (package/2pcs)	2	120	0.005 kg
HW9603-11-02503	3x25 mm (package/2pcs)	2	120	0.005 kg
HW9603-11-02504	4x25 mm (package/2pcs)	2	120	0.005 kg

PRECISION SOCKET AND DRIVER BIT RATCHET HANDLE

HONITON PROFESSIONAL TOOLS

CrV 6140 DIN 3122

Order No.	Description	Package	Carton	Weight
HW967-24-2-1414	1/4"	1	120	0.1 kg

DRIVER BIT SET 1/4" 11PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Technical parametres

	Driver bits 1/4"	SL1, SL1.2; PH1, PH2, PH2, PH3; PZ1, PZ2, PZ2, PZ3
	Quick-release magnetic adapter	1x

Order No.	Description	Package	Carton	Weight
HW96-0411	plastic box	12	96	0.167 kg

DRIVER BIT SET 1/4" 32PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Technical parametres

	Driver bits 1/4"	TRX-S: T7, T8, T9, T10, T15, T20, T25, T30, T40; HEX-S: 2, 2.5, 3, 4, 5, 6 mm; SQ: 0, 1, 2, 3; Spanner: 4, 6, 8, 10; TORQ: T6, T8, T10; Tri-Wing: 1, 2, 3, 4
	Quick-release magnetic adapter	1x
	Quick-release magnetic screwdriver	1x

Order No.	Description	Package	Carton	Weight
HW96-3232	plastic box	12	24	0.167 kg

DRIVER BIT PH/PZ TITAN 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW962-12-0251TH2B	PH1.0x25 mm (package/2pcs)	2	x	0 kg
HW962-12-0252TH2B	PH2.0x25 mm (package/2pcs)	2	120	0.01 kg
HW962-12-0253TH2B	PH3.0x25 mm (package/2pcs)	2	120	0.01 kg
HW963-12-0251TH2B	PZ1.0x25 mm (package/2pcs)	2	120	0 kg
HW963-12-0252TH2B	PZ2.0x25 mm (package/2pcs)	2	120	0.01 kg
HW963-12-0253TH2B	PZ3.0x25 mm (package/2pcs)	2	120	0.01 kg

DRIVER BIT SECURITY-TRX 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW965-11-02510	T10x25 mm	10	120	0.005 kg
HW965-11-02515	T15x25 mm	10	120	0.005 kg
HW965-11-02520	T20x25 mm	10	120	0.005 kg
HW965-11-02525	T25x25 mm	10	120	0.005 kg
HW965-11-02527	T27x25 mm	10	120	0.005 kg
HW965-11-02530	T30x25 mm	10	120	0.005 kg
HW965-11-02540	T40x25 mm	10	120	0.005 kg

SOCKET AND DRIVER BIT SET 1/4", 31PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Technical parametres

	Head sockets	1/4": 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Driver bits 1/4"	SL4.5, SL5.5, SL6.5; PH1, PH2, PH3; PZ1, PZ2, PZ3; HEX: 3, 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30, T40
	Ratchet	1/4" (72T)
	Adapter	1/4" 25mm
	Quick-release magnetic adapter	62 mm

Order No.	Description	Package	Carton	Weight
HW96-2731	plastic box	12	24	0.477 kg

DRIVER BIT SET 1/4" 31PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Technical parametres

	Driver bits 1/4"	SL0.6x4.5 mm, SL1x5.5 mm, SL1.2x6.5 mm; PH1, PH1, PH1, PH2, PH2, PH2, PH3, PH3, PH3; PZ1, PZ1, PZ1, PZ2, PZ2, PZ2, PZ3, PZ3, PZ3; HEX: 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30, T40
	Quick-release magnetic adapter	1x

Order No.	Description	Package	Carton	Weight
HW96-0631	plastic box	12	24	0.354 kg

DRIVER BIT SET 1/4" 21PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126



BLISTER

Technical parametres

	Driver bits 1/4"	SL4.5, SL5.5, SL6.5; PH1; PH2, PH2, PH3; PZ1, PZ2, PZ2, PZ3; HEX: 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30, T40
	Magnetic holder	1/4"

Order No.	Description	Package	Carton	Weight
HW96-8021	plastic box	24	48	0.19 kg

QUICK RELEASE MAGNETIC BIT HOLDER

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Order No.	Description	Package	Carton	Weight
HW967-21-2-06214	1/4", 62 mm	30	240	0.042 kg

QUICK RELEASE MAGNETIC BIT HOLDER

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

BLISTER

Order No.	Description	Package	Carton	Weight
HW967-21-3-07514	1/4", 75 mm	30	120	0.054 kg

UNIVERSAL MAGNETIC BIT HOLDER

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW967-21-41-06014	1/4", 60 mm	60	240	0.033 kg

UNIVERSAL MAGNETIC BIT HOLDER

STAVTOOL by XTLINE

DIN 3126

Order No.	Description	Package	Carton	Weight
PC2449	7.0 mm / 50 mm (pack/5pcs)	5	24	0.11 kg

ADAPTER 1/4"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW969-2-11-02514	25 mm	1	2000	0.007 kg
HW969-2-21-05014	50 mm	1	500	0.014 kg

ADAPTER SET 3 PCS

STAVTOOL by XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
M18604	1/4"-3/8"-1/2"	10	100	0.1 kg

DRIVER BIT WITH DEPTH STOP 1/4"

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
Z999003	PH2, pack/2pcs	1	300	0.03 kg

MAGNETIC BIT HOLDER 1/4"

RICHMANN

Order No.		Description	Package	Carton	Weight
PC6582		150 mm, 5pcs/pack	5	x	0.05 kg
PC6583	N	300 mm, 5pcs/pack	5	x	0.095 kg

MAGNETIC HEX SOCKET 1/4"

HONITON PROFESSIONAL TOOLS

Crv 50BV30 DIN3124

Order No.	Description	Package	Carton	Weight
HW960-65-06	6 mm / 65 mm	48	576	0.036 kg
HW960-65-07	7 mm / 65 mm	48	576	0.036 kg
HW960-65-08	8 mm / 65 mm	48	576	0.036 kg
HW960-65-10	10 mm / 65 mm	48	576	0.036 kg
HW960-65-12	12 mm / 65 mm	48	576	0.036 kg
HW960-65-13	13 mm / 65 mm	48	576	0.036 kg
HW960-65-061B	6 mm / 65 mm	48	576	0.036 kg
HW960-65-071B	7 mm / 65 mm	48	576	0.036 kg
HW960-65-081B	8 mm / 65 mm	48	576	0.036 kg
HW960-65-101B	10 mm / 65 mm	48	576	0.036 kg
HW960-65-121B	12 mm / 65 mm	48	576	0.036 kg
HW960-65-131B	13 mm / 65 mm	48	576	0.036 kg

MAGNETIC NUT DRIVER SOCKET SET 1/4"

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
PC2449	7.0 mm / 50 mm (pack/5pcs)	5	24	0.11 kg
PC2450	8.0 mm / 50 mm (pack/5pcs)	5	100	0.13 kg
PC2451	10 mm / 50 mm (pack/5pcs)	5	100	0.16 kg
PC2452	13 mm / 50 mm (pack/5pcs)	5	50	0.26 kg

ADAPTER 1/2"

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Order No.	Description	Package	Carton	Weight
HW969-2-75176	75 mm	50	500	0.01 kg

RATCHET SCREWDRIVER + DRIVER BIT + SOCKET SET 1/4", 56PCS

High quality of production, perfectly fits the bolt head to reduce slipping. High-quality, RSC technology steel. Quenched and tempered to maximum capacity. Driver bits benefit from two various surface treatments. Sand blasting and TiN coating.

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Technical parametres

	Sockets	1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm; 1/4" E-TRX: E4, E5, E6, E7, E8, E10
	Driver bits	25mm: PH1, PH2, PH2, PH2, PH2, PH3; PZ1,PZ2, PZ2, PZ2, PZ3; 25 mm: HEX: 3, 4, 5, 6, 8 mm; TRX: T10, T15, T20, T25, T27, T30, T40; 25 mm: SL4, SL4.5, SL5.5, SL6.5, SL8; 25 mm s otvorem TRX: T10, T15,
	Spring adapter	1/4"
	Magnetic adapter	62mm
	Driver bit screwdriver	1x
	Ratchet driver bit screwdriver	1x

Order No.	Description	Package	Carton	Weight
HW96-5856	plastic box	1	12	0.167 kg

DRIVER BIT AND SOCKET SET 1/4", 121PCS

HEX drive screwdriver with magnetic driver bit and socket holder and most frequent sizes.

STAVTOOL by XTLINE

CrV

Technical parametres

	Head sockets	HEX: 4, 5, 6, 8, 9, 10, 11, 12, 13 mm; 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
	Driver bits	1/4" 25mm: SL 3, SL 4, SL 4.5, SL 5, SL 5.5, SL 6, SL 6,5, SL 7, SL 8; PH00, PH0, PH1, PH2, PH3, PH4; PZ00, PZ0, PZ1, PZ2, PZ3, PZ4; TRX: T8, T10, T15, T20, T25, T27, T30, T35, T40, T45; TRX s otvorem
	Magnetic bit holder	60 mm
	Adapter	M1/4" 6HR-M1/4" 4HR 25 mm; M1/4" 6HR-M1/4" 4HR 50 mm; F1/4" 6HR-F1/4" 4HR
	Hook and wing nut adapter	1x
	Magnetic hand grip holder	1x

Order No.	Description	Package	Carton	Weight
P16641	plastic box	1	20	1.27 kg

DRIVER BIT SET 1/4", 33PCS

STAVTOOL by XTLINE

CrV

Technical parametres

	Driver bits 1/4"	HEX: 2, 2,5, 3, 4, 5, 6 mm; HEX: 5/32", 9/64", 1/8", 7/64", 3/32", 5/64"; Tri-Wing: 1, 2, 3, 4; TRX: T8, T10, T20, T25, T27, T30, T35, T40; Spanner: 4, 6, 8, 10; Torq: 6, 8, 10
	Magnetic keyless adapter	1/4"

Order No.	Description	Package	Carton	Weight
P16639	plastic box	1	40	0.24 kg

IMPACT SCREWDRIVER AND DRIVER BIT SET, FULL METAL, 16PCS

Fully phosphate treated body made of quenched, resistant CrV steel for long lifespan. Textured handle for easy loosening and tightening of damaged or corroded bolts and nuts in workshop, garage etc. Driver bit made of bronze oxide with S2 treatment are resistant are provide great performance.

XTLINE PROFESSIONAL TOOLS

S2

Technical parametres

	Driver bits	5/16" / 36mm: PH1,PH2,PH3,PH4; HEX: 4, 5, 6 ,8 mm; 5/16" / 36mm: SL5, SL6, SL8, SL10; 5/16" / 80mm: SL8, SL8, PH3
	Driver bit adapter	1/2" (8 mm)
	Impact screwdriver handle	1/2" 135mm

Order No.	Description	Package	Carton	Weight
XT07116	metal box	1	40	1.17 kg

IMPACT SCREWDRIVER AND DRIVER BIT SET, 12PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Technical parametres

	Driver bits	5/16" 75mm: PL6, PL8; PH2, PH3; 5/16" 30mm: PH2, PH3, PH4; PL6, PL8, PL10
	Driver bit adapter	1/2"
	Impact screwdriver handle	1/2"

Order No.	Description	Package	Carton	Weight
H5-ID0120	plastic box	1	20	0.51 kg

RATCHET SCREWDRIVER AND DRIVER BIT SET, 14PCS

HONITON PROFESSIONAL TOOLS

S2 DIN 3126

Technical parametres

	Driver bits	SL5.5; SL6.5; PH1, PH2; PZ1, PZ2; TRX: T15, T20, T25; HEX: 4, 5, 6 mm
	Driver bit holder	1x
	Driver bit screwdriver	1x

Order No.	Description	Package	Carton	Weight
HW96-4314	blister package	12	48	0.233 kg

DRIVER BIT SET 1/4" 7PCS

XTLINE PROFESSIONAL TOOLS

S2

Technical parametres

	Driver bits 1/4"	SL5, SL6; PH1, PH2; PZ1, PZ2
	Magnetic keyless adapter	1x

Order No.	Description	Package	Carton	Weight
XT07007	plastic box	10	40	0.626 kg

RATCHET SPANNER BIT SET 1/4" 25PCS

XTLINE PROFESSIONAL TOOLS

S2

Technical parametres

	Sockets 1/4"	6, 7, 8, 10, 11, 13 mm
	Driver bits 1/4"	SL4 SL5; PH1, PH2; PZ1, PZ2; HEX: 3, 4, 5, 6 mm; TRX: T10, T15, T20, T25, T30, T40
	Ratchet	1/4"
	Adapter	1/4"
	Magnetic keyless adapter	1x

Order No.	Description	Package	Carton	Weight
XT07025	plastic box	12	48	0.37 kg

DRIVER BIT SET WITH ADAPTER 1/4" 32PCS

XTLINE PROFESSIONAL TOOLS

S2

Technical parametres

	Driver bits 1/4"	SL3, SL4, SL5, SL6; PH1, 2xPH2, PH3; PZ1, 2xPZ2, PZ3; HEX: 3, 4, 5, 6 mm; TRX with hole: T10, T15, T20, T25, T27, T30, T40
	Reduction	1/4"
	Magnetic keyless adapter	1x

Order No.	Description	Package	Carton	Weight
XT07033	plastic box	12	24	0.29 kg

DRIVER BIT SET 1/4" 22PCS

XTLINE PROFESSIONAL TOOLS

S2

Technical parametres

	Driver bits 1/4"	SL4,5, SL5,5; PH1, PH2, PH2, PH3; PZ1, PZ2, PZ2, PZ3; TRX: T8, T10, T15, T20, T25, T30; HEX: 3, 4, 5, 6 mm; SQUARE: 3
	Magnetic adapter	1x

Order No.	Description	Package	Carton	Weight
XT07021	plastic box	12	48	0.23 kg

T-HANDLE SCREWDRIVER AND DRIVER BIT SET, 20PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

	Sockets	5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Driver bits	1/4": PL5, PL6; PH1, PH2, PH3; PZ0, PZ1, PZ2, PZ3; 1/4": TRX: T10, T20
	Magnetic hand grip holder	1x

Order No.	Description	Package	Carton	Weight
X7120	blister package	1	20	0.34 kg

RATCHET WRENCH, SOCKET AND DRIVER BIT SET 1/4", 24PCS

Anti-slip handle with a magnetic shank with working length of 470mm (total length 590mm).

STAVTOOL by XTLINE

Technical parametres

	Sockets 1/4"	4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	Driver bits 1/4"	SL3, SL4, SL5, SL6; PH0, PH1, PH2, PH3; PZ0, PZ1, PZ2, PZ3
	Ratchet	1/4"
	Adapter for driver bits	50 mm

Order No.	Description	Package	Carton	Weight
ST38023	plastic box	1	6	0.42 kg

DRIVER BIT (SAFETY) SET 1/4", 33PCS

STAVTOOL by XTLINE

CrV



Technical parametres

	Driver bits	25mm 1/4": PH0, PH0, PH1, PH1, PH2, PH2, PH3, PH3; PZ0, PZ1, PZ2, PZ3, PZ4; SL3, SL4, SL5, SL6; TRX: T10, T15, T20, T25, T27, T30; HEX: 3, 4, 5, 6 mm
	Magnetic keyless adapter	1x

Order No.	Description	Package	Carton	Weight
P16632	plastic package	1	48	0.25 kg

RATCHET SCREWDRIVER AND DRIVER BIT SET 1/4", 38PCS

STAVTOOL by XTLINE

Technical parametres

	Driver bits 1/4"	SL3, SL4, SL5, SL5.5, SL6, SL7; PH0, PH1, PH1, PH2, PH2, PH3, PH3; PZ0, PZ1, PZ1, PZ2, PZ2, PZ3, PZ3; SQUARE: 0, 1, 2, 3 mm; HEX: 2, 2.5, 3, 4, 5, 6 mm; TRX: T10, T15, T20, T25, T27, T30, T35, T40
	Ratchet screwdriver	1/4"

Order No.	Description	Package	Carton	Weight
ST38038	plastic box	1	20	0.41 kg

RATCHET SCREWDRIVER, SOCKET AND DRIVER BIT SET 1/4", 42PCS

STAVTOOL by XTLINE

Technical parametres

	Screwdriving adapter	1/4"
	Sockets 1/4"	4, 5, 6, 8, 10, 12 mm
	Driver bits 1/4"	SL1, SL1.5, SL2, SL2.5, SL3, SL3.5, SL4; PZ0, PZ1; PH000, PH0, PH0, PH1; TRX: T4, T5, T6, T7, T8, T9, T10
	Driver bits 5/32"	SL4, SL5, SL6; PH1, PH2, PH3; HEX: 4, 5, 6 mm; TRX: T10, T15, T20, T25
	Adapter	5/32", 1/4"

Order No.	Description	Package	Carton	Weight
ST38042	plastic box	1	20	0.35 kg

WORKSHOP

183 - 196

PLIERS
RIVETING PLIERS
RIVETS

197

STAPLE GUNS
STAPLES

198 - 201

HAMMERS
MALLETS

201 - 207

AXES
COLD CHISELS
CROWBARS

208 - 212

KNIVES
SPARE BLADES

213 - 216

SAWS

217 - 218

FILES
RASPS
CHISELS

219 - 223

CLAMPS
VICES
BEARING PULLERS
RATCHET STRAPS

HANDLE
Bi-component materials. Non-slip grip and comfortable handling. Ergonomic design. Resistant to oils, solvents, chemicals. Eco-friendly, recyclable materials. High torque and transmission.

JAWS
Chrome vanadium steel 40CRV.

BLISTER

Order No.	Description	Package	Carton	Weight
HW15601-321-160	160 mm	10	40	0.222 kg
HW15601-321-180	180 mm	10	40	0.287 kg
HW15601-321-200	200 mm	10	40	0.381 kg

FLAT NOSE PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5745

BLISTER

Order No.	Description	Package	Carton	Weight
HW15602-121-160	160 mm	10	40	0.157 kg

WIRE STRIPPING PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5743

BLISTER

Order No.	Description	Package	Carton	Weight
HW15606-180	180 mm	10	40	0.236 kg

CRIMPING PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 46228

BLISTER

HW1773-3-BN06WF

HW1773-3-BN03B

HW1773-3-BN03C

Order No.	Description	Package	Carton	Weight
HW177-3-BN06WF	260 mm, 0.5-6.0 mm2	6	24	0.75 kg
HW177-3-BN03C	260 mm, 0.5-6.0 mm2	6	24	0.75 kg
HW1773-3-BN03B	260 mm, 0.5-6.0 mm2	6	24	0.75 kg

LONG NOSE PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5745

BLISTER

Order No.	Description	Package	Carton	Weight
HW15602-211-160	160 mm	10	40	0.153 kg
HW15602-311-200	200 mm	10	40	0.257 kg
HW15603-211-200	200 mm, bent	10	40	0.257 kg

ROUND NOSE PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5745

BLISTER

Order No.	Description	Package	Carton	Weight
HW15602-133-160	160 mm	10	40	0.155 kg

SIDE CUTTING PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5749

BLISTER

Order No.	Description	Package	Carton	Weight
HW15604-12-160	160 mm	10	40	0.229 kg

SIDE CUTTING PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 5745

BLISTER

Order No.	Description	Package	Carton	Weight
HW15604-12-180	180 mm	10	40	0.229 kg

TONGUE-GROOVE PLIERS

HONITON PROFESSIONAL TOOLS

40CrV

BLISTER

Order No.	Description	Package	Carton	Weight
HW15608-01-250	250 mm	10	40	0.583 kg

SPARE CRIMPING JAWS

HONITON PROFESSIONAL TOOLS

HW177-LY03B

HW177-LY03C

HW177-LY04WF

HW177-LY06WF

Order No.	Description	Package	Carton	Weight
HW177-LY03B	0.5-6.0 mm2 (AWG 20-10)	1	1	0.1 kg
HW177-LY03C	0.5-4.0 mm2 (AWG 2-1)	1	1	0.1 kg
HW177-LY04WF	0.75-6.0 mm2 (AWG 20-10)	1	1	0.1 kg
HW177-LY06WF	0.5-6.0 mm2 (AWG 18-10)	1	1	0.1 kg

FAST SET TONGUE-GROOVE PLIERS WITH BUTTON

Two-component materials. Anti-slip, comfortable grip. Ergonomic design. Resistant to oil, solvents, chemicals. Environmentally friendly, ecological, recyclable materials. High torque and accuracy. JAWS: Chrome-vanadium steel; 40CrV.

HONITON PROFESSIONAL TOOLS

40CrV DIN 8976

SuperGrip jaws anti slip

Double-layer rubberized handle

The mechanism of the movement of the jaws using fine teeth

BLISTER

Order No.	Description	Package	Carton	Weight
HW15240-1039	250 mm	12	48	0.344 kg
HW15300-1239	300 mm	12	48	0.583 kg

TONGUE-GROOVE PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 897

BLISTER

Order No.	Description	Package	Carton	Weight
HPL010	250 mm	10	30	0.3 kg

LOCKING PLIERS

HONITON PROFESSIONAL TOOLS

40CrV DIN 8976

Order No.	Description	Package	Carton	Weight
HPL011	250 mm	10	20	0.52 kg

SHEET METAL GEAR SHEARS - LEFT

HONITON PROFESSIONAL TOOLS

40CrV DIN6438

BLISTER

Order No.	Description	Package	Carton	Weight
HW15600-1250	250 mm	6	36	0.514 kg

SHEET METAL GEAR SHEARS - RIGHT

HONITON PROFESSIONAL TOOLS

40CrV DIN6438

BLISTER

Order No.	Description	Package	Carton	Weight
HW15600-1260	250 mm	6	36	0.48 kg

SIDE CUTTING PLIERS

HONITON PROFESSIONAL TOOLS

CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
HW15280	130 mm	10	200	0.1 kg

LONG NOSE PLIERS

HONITON PROFESSIONAL TOOLS

CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
HW15282	140 mm	10	200	0.1 kg

LONG NOSE PLIERS - BENT

HONITON PROFESSIONAL TOOLS

CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
HW15283	140 mm	10	200	0.1 kg

ROUND NOSE PLIERS

HONITON PROFESSIONAL TOOLS

CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
HW15284	140 mm	10	200	0.1 kg

CIRCLIP PLIERS

HONITON PROFESSIONAL TOOLS

CrV DIN 5254



BLISTER

Order No.	Description	Package	Carton	Weight
HW15618-01	Straight, External 180 mm	20	120	0.166 kg
HW15618-02	Bent, External 170 mm	20	120	0.17 kg
HW15618-03	Straight, Internal 180 mm	20	120	0.144 kg
HW15618-04	Bent, Internal 170 mm	20	120	0.143 kg

SHEET METAL GEAR SHEARS - STRAIGHT

HONITON PROFESSIONAL TOOLS

40CrV DIN6438

BLISTER

Order No.	Description	Package	Carton	Weight
HW15600-1270	250 mm	6	36	0.48 kg

ELECTRICIANS TOOL KIT VDE 1000V, 21PCS

Electrician's tool kit stored in light, yet very practical textile bag. Easy-to-open top side and separated compartments with slots for every individual tool piece provide organized storage. 18 storage pockets in total all around the bag circumference. Reinforced bottom, sides, lid and compartments. Adjustable shoulder strap. Suitable for various different professions.

XTLINE PROFESSIONAL TOOLS

SIZE: 210x270x250 mm

Technical parametres

Side cutting pliers	**180 mm**	Needle nose pliers - bent	**200 mm**
Combination pliers	**180 mm**	Screwdriver	**PH0x60mm, PH1x80mm, PH2x100mm; SL3x75mm SL4x100mm SL1x80mm SL5.5x125mm SL6.5x150mm**
Cable cutting pliers	**145, 250 mm**	Wire stripping knife	**1x**
Wire stripping pliers	**160 mm**	Voltage tester	**190 mm**
Needle nose pliers	**200 mm**	Insulation tape	**19x0.15 mm**
Tongue and groove pliers	**250 mm**	Dimension of product	**210x270x250mm**

Order No.	Description	Package	Carton	Weight
VDE17321	textile package	1	2	4.33 kg

STORAGE POCKETS

Another 18 storage pockets around the entire perimeter of the bag. Reinforced bottom, sides, lid and compartments inside. Adjustable shoulder strap and two shorter lugs for hand carrying.

SPECIAL HANDLES

All tools in the bag have a two-component handle with special plastic treatment, preventing the tool from slipping in the hand and at the same time serving as effective insulation against electric shock (for work under voltage up to 1000V). Due to its small dimensions and highly variable use, it is suitable for many professions.

ELECTRICIAN'S PLIERS

Electrician's pliers for working with devices under voltage up to 1000V meeting all the requirements of the VDE 60900 standard. Made especially for working on electrical devices to ensure your safety.

VDE COMBINATION PLIERS 1000 V

XTLINE PROFESSIONAL TOOLS

CrV DIN EN 60900

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17350	160 mm	6	60	0.22 kg
VDE17351	180 mm	6	60	0.29 kg
VDE17352	200 mm	6	60	0.34 kg

LONG NOSE PLIERS 1000V

XTLINE PROFESSIONAL TOOLS

CrV DIN EN 60900

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17331	180 mm	6	36	0.24 kg

TONGUE-GROOVE PLIERS 1000V

XTLINE PROFESSIONAL TOOLS

CrV DIN EN 60900

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17385	240 mm	6	60	0.46 kg

COMBINATION PLIERS SOFTGRIP

The Pliers are made of high-quality CrV steel to ensure extreme durability at work. Ergonomic handle covered in a layer of heat-treated moulded rubber provides work comfort and minimizes effort. Rubber part prevents hand slipping. The tool is made of recyclable materials without harmful substances.

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54181	160 mm	5	50	0.22 kg
XT54182	180 mm	5	50	0.27 kg
XT54183	200 mm	5	50	0.34 kg

SIDE CUTTING PLIERS 1000V

XTLINE PROFESSIONAL TOOLS

CrV DIN EN 60900

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17340	160 mm	6	60	0.22 kg

WIRE STRIPPING PLIERS 1000V

XTLINE PROFESSIONAL TOOLS

CrV DIN EN 60900

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17360	160 mm	6	60	0.22 kg

CABLE CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
VDE17390	240 mm	6	30	0.4 kg

SIDE CUTTING PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54187	160 mm	5	50	0.2 kg

SIDE CUTTING PLIERS SOFTGRIP

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54188	180 mm	5	50	0.25 kg
XT54189	200 mm	5	50	0.35 kg

LONG NOSE PLIERS SOFTGRIP

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54184	160 mm	5	50	0.14 kg
XT54186	200 mm	5	50	0.2 kg

LONG NOSE PLIERS - BENT SOFTGRIP

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54194	160 mm	5	50	0.14 kg
XT54195	200 mm	5	50	0.21 kg

WIRE STRIPPING PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54193	160 mm	5	50	0.18 kg

LONG NOSE PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54126	125 mm	5	50	0.09 kg

END CUTTING PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54128	125 mm	5	50	0.09 kg

ROUND NOSE PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54130	125 mm	5	50	0.09 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

60 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54402	180 mm	5	50	0.28 kg
XT54403	200 mm	5	50	0.39 kg

COMBINATION PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54125	125 mm	5	50	0.09 kg

SIDE CUTTING PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54127	125 mm	5	50	0.08 kg

FLAT LONG NOSE PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54129	125 mm	5	50	0.09 kg

BENT NOSE PLIERS, SOFTGRIP

XTLINE PROFESSIONAL TOOLS

55 HCS

BLISTER

Order No.	Description	Package	Carton	Weight
XT54131	125 mm	5	50	0.09 kg

CIRCLIP PLIERS

XTLINE PROFESSIONAL TOOLS

50 CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT54143	Straight, Internal, 180 mm	5	50	0.17 kg
XT54144	Bent, Internal, 180 mm	5	50	0.17 kg
XT54145	Straight, External, 180 mm	5	50	0.19 kg
XT54146	Bent, External, 180 mm	5	50	0.19 kg

COMBINATION PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5743

BLISTER

Order No.	Description	Package	Carton	Weight
X0181	160 mm	6	48	0.2 kg
X0182	180 mm	6	48	0.26 kg
X0183	200 mm	6	48	0.34 kg

HEAVY DUTY SIDE CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
X0190	180 mm	6	48	0.31 kg

WIRE STRIPPING PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
X0193	160 mm	6	48	0.17 kg

ROUND NOSE PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
X0192	160 mm	6	48	0.15 kg

SIDE CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
X0187	160 mm	6	48	0.19 kg
X0188	180 mm	6	48	0.26 kg
X0189	200 mm	6	48	0.25 kg

LONG NOSE PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5745

BLISTER

Order No.	Description	Package	Carton	Weight
X0184	160 mm	6	48	0.16 kg
X0185	180 mm	6	48	0.19 kg
X0186	200 mm	6	48	0.23 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5746

BLISTER

Order No.	Description	Package	Carton	Weight
X0191	160 mm	6	48	0.25 kg

COMBINATION PLIERS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0125	125 mm	10	48	0.08 kg

SIDE CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0127	125 mm	10	48	0.07 kg

LONG NOSE PLIERS - FLAT

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0129	150 mm	10	48	0.08 kg

LONG NOSE PLIERS - BENT

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0131	125 mm	10	48	0.08 kg

LONG NOSE PLIERS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0126	125 mm	10	48	0.08 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0128	125 mm	10	48	0.08 kg

LONG NOSE PLIERS - ROUND

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0130	125 mm	10	48	0.07 kg

SIDE CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0132	125 mm	10	120	0.06 kg

PLIER SET 4PCS

XTLINE PROFESSIONAL TOOLS

40CrV DIN 5244

Technical parametres

Round nose pliers	**125 mm**	Pliers - side cutting	**125 mm**
Long nose pliers	**125 mm**	Bent pliers	**125 mm**

Order No.	Description	Package	Carton	Weight
X0140	125 mm, textile package	5	20	0.34 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
P17119	250 mm	6	48	0.46 kg

CIRCLIP PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X0143	Straight, Internal, 180 mm	6	48	0.16 kg
X0144	Bent, Internal, 180 mm	6	48	0.15 kg
X0145	Straight, External, 180 mm	6	48	0.16 kg
X0146	Bent, External, 180 mm	6	48	0.16 kg

CIRCLIP PLIERS SET 4PCS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5244

Technical parametres

Pliers - straight, external	**180 mm / 10-40 mm**	Pliers - straight, internal	**180 mm / 10-40 mm**
Pliers - bent, external	**180 mm / 10-40 mm**	Pliers - bent, internal	**180 mm / 10-40 mm**

Order No.	Description	Package	Carton	Weight
X0150	4pcs, textile package	5	12	0.68 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

50CrV DIN 5244

BLISTER

Order No.	Description	Package	Carton	Weight
X1401	160 mm	6	60	0.27 kg
X1402	180 mm	6	60	0.28 kg
X1403	200 mm	6	48	0.38 kg

END CUTTING PLIERS

XTLINE PROFESSIONAL TOOLS

CrV DIN 5244

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
P17120	275 mm	6	48	0.5 kg

CIRCLIP PLIER SET 4PCS

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC7025	250 mm, textile package	5	10	1.16 kg
PC7030	300 mm, textile package	5	60	1.74 kg

CIRCLIP PLIERS

RICHMANN

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PC7026	Straight External 250 mm	6	15	0.27 kg
PC7027	Straight Internal 250 mm	6	60	0.27 kg
PC7028	Bent External 250 mm	6	60	0.31 kg
PC7029	Bent Internal 250 mm	6	60	0.28 kg
PC7031	Straight External 300 mm	6	10	0.44 kg
PC7032	Straight Internal 300 mm	6	60	0.43 kg
PC7033	Bent External 300 mm	6	60	0.43 kg
PC7034	Bent Internal 300 mm	6	60	0.4 kg

FAST SET TONGUE-GROOVE PLIERS WITH BUTTON

Quick-adjust Tongue and groove pliers by XTLINE. Equipped with automatic locking latch that allows adjusting using one hand only. Super-Grip jaw construction reduces slipping and work effort. Quenched CrV steel with phosphate surface treatment to increase resistance to corrosion. Double-layer rubber surface. Extra protection minimizes injuries. Fine tooth jaw feed mechanism.

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT52180	180 mm	6	36	0.23 kg
XT52250	250 mm	6	36	0.37 kg
XT52300	300 mm	6	36	0.64 kg
XT52400	400 mm	3	12	1.16 kg

TONGUE-GROOVE PLIERS

Quick-adjust Tongue and groove pliers by XTLINE. Equipped with automatic locking latch that allows adjusting using one hand only. Super-Grip jaw construction reduces slipping and work effort. Quenched CrV steel with phosphate surface treatment to increase resistance to corrosion. HANDLE: Double-layer rubber surface. SAFETY: Extra protection minimizes injuries. MECHANISM: fine tooth jaw feed mechanism.

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT51250	250 mm	6	36	0.39 kg
XT51300	300 mm	6	60	0.65 kg

GEAR SIDE CUTTING PLIERS

STAVTOOL by XTLINE

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
P17835	210mm	1	x	0.035 kg

ADJUSTABLE WRENCH, SMOOTH JAWS

XTLINE PROFESSIONAL TOOLS

CrV

NEW

› smooth jaws

BLISTER

Order No.	Description	Package	Carton	Weight
XT52260	250 mm, 0-36 mm	1	36	0.3 kg

TONGUE-GROOVE PLIERS

The Pliers are made of high-quality CrV steel to ensure extreme durability at work. Ergonomic handle covered in a layer of heat-treated moulded rubber provides work comfort and minimizes effort. Rubber part prevents hand slipping. The tool is made of recyclable materials without harmful substances.

XTLINE PROFESSIONAL TOOLS

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
XT53250	250 mm	5	50	0.41 kg
XT53300	300 mm	5	30	0.56 kg



WIRE STRIPPING PLIERS

Plier jaws hold the wire firmly when stripping off the insulation. The pliers do not cause the damage to the insulation and individual wires are properly stripped. Pliers are equipped with compression spring and depth-stop to maintain uniform cutting length.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P17513	(1.0-1.6-2.0-2.6-3.2 mm)	12	48	0.3 kg

CRIMPING PLIERS

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT50215	215 mm	12	72	0.22 kg

GEAR SHEET METAL SHEARS

Gear shears allow easy sheet metal shaping and cutting.

STAVTOOL XTLINE

CrV

BLISTER

Order No.	Description	Package	Carton	Weight
PA48000	Left, 250 mm	6	48	0.48 kg
PA48050	Right, 250 mm	6	48	0.48 kg
PA48100	Straight, 250 mm	6	48	0.48 kg

ARTISAW SCISSORS

ROSTEX

Order No.	Description	Package	Carton	Weight
02405	160 mm	5	5	0.07 kg

SHEET METAL PLIERS

ROSTEX

BLISTER

Order No.	Description	Package	Carton	Weight
02344	250 mm	5	5	0.3 kg

SHEET METAL PLIERS

ROSTEX

BLISTER

Order No.	Description	Package	Carton	Weight
02323	right 300 mm	5	5	0.55 kg
02324	left 300 mm	5	5	0.58 kg

SHEET METAL PLIERS

ROSTEX

BLISTER

Order No.	Description	Package	Carton	Weight
02325	right 240 mm	5	5	0.48 kg
02326	right 240 mm	5	5	0.48 kg

TECHNICAL SCISSORS

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Use	**textile, leather, cardboard, paper, plastic, rubber**

Order No.	Description	Package	Carton	Weight
XT93120	200 mm	12	12	0.16 kg

PVC PIPE CUTTING PLIERS

Pipe scissors are used for easier and faster cutting. The Teflon coated blade surface is used for cutting plastic pipes listing materials such as PVC, PPR, PP, PE, PEX, PB. Easy blade change under 30 seconds. Point sharpening for quick material penetration. The ratchet system facilitates the cutting of thick-walled plastic pipes.

XTLINE PROFESSIONAL TOOLS

5Cr13

NEW

Order No.	Description	Package	Carton	Weight
XT50100	3-42 mm	6	36	0.3 kg
XT50101	spare blade for XT50100	50	200	0.05 kg

PIPE CUTTER

Two hardened guide rollers ensure precise guidance of the cut on the pipe. The replaceable wheel is made of HSS steel.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT50104	for diameter 3-30 mm	10	60	0.02 kg
XT50105	spare cutting wheel	1	1	0.02 kg

PVC PIPE CUTTING PLIERS

Pliers for cutting plastic piping with replaceable blade are easy to use due to light handle movement. Ratchet mechanism and easy blade release system by moving the handles apart.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
K17026	3-42 mm	10	50	0.43 kg
K17028	Spare Cutter	1	50	0.01 kg

LEATHER PUNCH

Rotatable jaws with automatic release function. Replaceable punch head and center punches for clean through punching in soft materials, such as leather.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Size	2, 2.5, 3, 3.5, 4, 4.5 mm	Use	perforation of leather, fabric, plastic

Order No.	Description	Package	Carton	Weight
XT50200	rubberized handles	1	40	0.41 kg

ADJUSTABLE SELF-LOCKING PLIERS

High-quality self-locking pliers for welders, tinsmiths or locksmiths. Elliptic jaws, WR-shape (morse).

XTLINE PROFESSIONAL TOOLS

CrMo

Order No.	Description	Package	Carton	Weight
XT52057	250 mm	6	36	0.53 kg

PIPE WRENCH ROUND JAW

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC7579	0.5" / 230 mm	1	40	0.41 kg
PC7580	1" / 320 mm	1	48	0.81 kg
PC7581	1.5" / 420 mm	1	36	1.45 kg
PC7582	2" / 550 mm	1	24	2.47 kg
PC7583	3" / 650 mm	1	12	4.13 kg

BOLT CUTTER

Bolt cutters with two levers and ergonomic handles for maximum work comfort.

XTLINE PROFESSIONAL TOOLS

Cr-Mo

Order No.		Description	Package	Carton	Weight
XT50813	N	300 mm	1	x	0.7 kg
XT50815	N	350 mm	1	x	0.9 kg
XT50819		450 mm	1	6	1.48 kg
XT50824		600 mm	1	8	2.41 kg
XT50830		720 mm	1	10	3.78 kg
XT50836		900 mm	1	8	4.98 kg

ADJUSTABLE SELF-LOCKING PLIERS

XTLINE PROFESSIONAL TOOLS

CrMo

BLISTER

Technical parametres

Range of jaws	0-100 mm

Order No.	Description	Package	Carton	Weight
XT52065	280 mm	6	24	0.82 kg

ADJUSTABLE SELF-LOCKING PLIERS

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PB7140	250 mm	6	40	0.45 kg

PIPE WRENCH

RICHMANN

CrV

Order No.	Description	Package	Carton	Weight
PC7682	12" / 300 mm, Jaw Capacity 0-50 mm	1	100	0.84 kg
PC7683	14" / 350 mm, Jaw Capacity 0-60 mm	1	30	1.09 kg
PC7684	18" / 450 mm, Jaw Capacity 0-70 mm	1	21	1.64 kg
PC7685	24" / 600 mm, Jaw Capacity 0-80 mm	1	16	2.58 kg
PC7686	36" / 900 mm, Jaw Capacity 0-85 mm	1	10	4.67 kg

HAND NUT RIVETER

Riveting cast iron pliers benefit from robust, ergonomic construction and are designed for heavy-duty operations. Steel lever and shaped handle reduce riveting effort. Durable, light, aluminum alloy body provides comfort at work. Hardened Cr-Mo jaws, tips for nut rivets M3, M4, M5, M6 and adjusting key for tip replacement. Pliers come in a plastic box along with riveting adapters.

XTLINE PROFESSIONAL TOOLS

CrMo

Technical parametres

Size	**M3,M4,M5,M6**
Use	**non-ferrous metals, steel**

Order No.	Description	Package	Carton	Weight
XT0613	190 mm	1	14	1.18 kg

HAND NUT RIVETER

Riveting cast iron pliers benefit from robust, ergonomic construction and are designed for heavy-duty operations. Steel lever and shaped handle reduce riveting effort. Durable, light, aluminum alloy body provides comfort at work. Hardened Cr-Mo jaws, tips for nut rivets M3, M4, M5, M6, M8, M10, M12 and adjusting key for tip replacement. Pliers come in a plastic box along with riveting adapters.

XTLINE PROFESSIONAL TOOLS

CrMo

Technical parametres

Size	**M3,M4,M5,M6,M8,M10,M12**
Use	**non-ferrous metals, steel**

Order No.	Description	Package	Carton	Weight
XT0617	260 mm	1	15	1.58 kg

SPARE JAWS FOR RIVET PLIERS XT0613, XT0617

XTLINE PROFESSIONAL TOOLS

CrMo

Order No.	Description	Package	Carton	Weight
XT06103	M3	1	1	0.04 kg
XT06104	M4	1	1	0.04 kg
XT06105	M5	1	1	0.04 kg
XT06106	M6	1	1	0.04 kg
XT06108	M8	1	1	0.04 kg
XT06110	M10	1	1	0.05 kg
XT06112	M12	1	1	0.06 kg

RIVET PLIERS

Riveting cast iron pliers benefit from robust, ergonomic construction and are designed for heavy-duty operations. Steel lever and shaped handle reduce riveting effort. Durable, light, aluminum alloy body provides comfort at work. Hardened Cr-Mo jaws, tips for nut rivets 2.4; 3.2; 4.0; 4.8mm and adjusting key for tip replacement.

XTLINE PROFESSIONAL TOOLS

CrMo

Technical parametres

Aluminium	**2.4; 3.2; 4; 4.8; 6.4 mm**
Stainless steel, steel	**2.4; 3.2; 4; 4.8 mm**
Rivets	**aluminum, stainless steel, steel**

Order No.	Description	Package	Carton	Weight
XT0801	260 mm	1	20	0.62 kg

RIVET PLIERS

Riveting cast iron pliers benefit from robust, ergonomic construction and are designed for heavy-duty operations. Steel lever and shaped handle reduce riveting effort. Durable, light, aluminum alloy body provides comfort at work. Hardened Cr-Mo jaws, tips for nut rivets 2.4; 3.2; 4.0; 4.8mm and adjusting key for tip replacement.

XTLINE PROFESSIONAL TOOLS

CrMo

RIVET PLIERS

Riveting cast iron pliers benefit from robust, ergonomic construction and are designed for heavy-duty operations. Steel lever and shaped handle reduce riveting effort. Durable, light, aluminum alloy body provides comfort at work. Hardened Cr-Mo jaws, tips for nut rivets 2.4; 3.2; 4.0; 4.8mm and adjusting key for tip replacement.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Aluminium	**2.4; 3.2; 4; 4.8 mm**
Stainless steel, steel	**2.4; 3.2; 4 mm**
Use	**aluminum, stainless steel, steel**

Order No.	Description	Package	Carton	Weight
XT080	260 mm	1	20	0.62 kg

RIVET PLIERS

Replaceable riveting heads and key stored in the handle. Long, comfortable, rubber coated handles provide low work effort.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Aluminium	**2.4; 3.2; 4; 4.8 mm**
Copper	**2.4; 3.2; 4; 4.8 mm**
Use	**aluminum, copper**

Order No.	Description	Package	Carton	Weight
P17516	260 mm	6	24	0.62 kg

CAST IRON RIVET PLIERS

Cast iron river pliers benefit from hardened, ergonomic construction. End tips and key practically stored in the handle made of PVC.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Aluminium	**2.4; 3.2; 4; 4.8 mm**
Copper	**2.4; 3.2; 4; 4.8 mm**
Use	**aluminum, copper**

Order No.	Description	Package	Carton	Weight
P17521	260 mm	12	24	0.51 kg

Technical parametres

Aluminium	**2.4; 3.2; 4.0; 4.8 mm**
Stainless steel, steel	**2.4; 3.2; 4.0 mm**
Use	**aluminum, stainless steel, steel**

Order No.	Description	Package	Carton	Weight
XT0902	190 mm	1	10	0.54 kg

RIVET PLIERS

Long, rubber coated, comfortable handles to make the work easier. Four replaceable rivet end tips.

STAVTOOL by XTLINE

BLISTER

Technical parametres

Aluminium	**2.4; 3.2; 4; 4.8 mm**
Copper	**2.4; 3.2; 4; 4.8 mm**
Use	**aluminum, copper**

Order No.	Description	Package	Carton	Weight
P17520	260 mm	1	24	0.55 kg

ALUMINUM RIVET SET

STAVTOOL by XTLINE

Order No.		Description	Package	Carton	Weight
P17530	N	3.2x6 mm (pack/50pcs)	25	250	0.13 kg
P17531	N	3.2x8 mm (pack/50pcs)	25	250	0.13 kg
P17523		3.2x10 mm (pack/50pcs)	25	200	0.05 kg
P17532	N	4x8 mm (pack/50pcs)	25	250	0.13 kg
P17524		4.0x10 mm (pack/50pcs)	25	250	0.08 kg
P17533	N	4.8x6 mm (pack/50pcs)	25	250	0.13 kg
P17534	N	4.8x8 mm (pack/50pcs)	25	250	0.13 kg
P17525		4.8x10 mm (pack/50pcs)	25	200	0.12 kg
P17526		4.0x6,4 mm (pack/50pcs)	25	200	0.07 kg
P17527		4.0x12,7 mm (pack/50pcs)	25	200	0.08 kg
P17528		3.2x12,7 mm (pack/50pcs)	25	200	0.06 kg
P17529		4.8x12,7 mm (pack/50pcs)	25	250	0.13 kg

FRONTAL HAND RIVETER

TECHNOLOGY: Pressing power reduction can be adjusted by rotating the riveting head.

Technical parametres

Dimension	**2.4; 3.2; 4.0; 4.8; 6.0; 6.4 mm**
Use	**aluminum, stainless steel, steel**

Order No.	Description	Package	Carton	Weight
PC0735	300 mm	1	20	1 kg

FRONTAL HAND NUT RIVETER

Two-hand lever riveting pliers CORONA for riveting using standard rivets or riveting nuts. Lever gearing reduces work effort. Robust body ensures long lifespan. Rubber coated handles.

Technical parametres

Size	**M3, M4, M5, M6, M8, M10**

Order No.	Description	Package	Carton	Weight
PC0744	M3-M10, 330 mm	1	12	1.84 kg

FRONTAL HAND RIVETER

Technical parametres

PC0740		PC0730	
Dimension	**3.2; 4.0; 4.8; 6.0; 6.4 mm**	Dimension	**2.4; 3.2; 4.0; 4.8; 6.0; 6.4 mm**
Use	**aluminum, stainless steel, steel**	Use	**aluminum, stainless steel, steel**

Order No.	Description	Package	Carton	Weight
PC0740	450 mm	1	12	1.44 kg
PC0730	550 mm	1	10	1.93 kg

CAST IRON RIVET PLIERS

Technical parametres

Aluminium	**2.4; 3.2; 4.0; 4.8 mm**
Stainless steel	**2.4; 3.2; 4.0 mm**
Steel	**2.4; 3.2; 4.0 mm**
Use	**aluminum, steel, stainless steel**

Order No.	Description	Package	Carton	Weight
PC0708	210 mm	5	20	0.6 kg

SPARE JAWS FOR RIVET PLIERS PC0745, PC0744, PC0709

Order No.	Description	Package	Carton	Weight
PC0751	M3	1	10	0.03 kg
PC0752	M4	1	1	0.03 kg
PC0753	M5	1	1	0.03 kg
PC0754	M6	1	1	0.03 kg
PC0755	M8	1	1	0.04 kg
PC0756	M10	1	1	0.04 kg
PC0757	M12	1	1	0.05 kg

STAPLER FOR 4 TYPES OF STAPLES

A professional, full-metal stapler with four modes for driving staples, nails and pins. It conforms to TÜV certification and guarantees the product safety. Universal use for workshops, construction sites and households. Adjustable impact strength with the knob according to the material used. A large, fast-refill clip provides easier and faster work.

XTLINE PROFESSIONAL TOOLS

BLISTER

TYPE AND DIMENSIONS OF CLAMPS:

Technical parametres

Upholstery staple	**8-14 mm**
Cable staple	**12-14 mm**
Pin	**14 mm**
Nail	**6-14 mm**
Use	**wood, chipboard, plywood**

Order No.	Description	Package	Carton	Weight
XT19179	6.0-14 mm	6	24	0.87 kg

STAPLES MH (1000PCS)

Compatible with staple hammer P19178 and stapler XT19179.

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
P19191	8.0 mm	1	129	0.11 kg
P19192	10 mm	1	105	0.13 kg
P19193	12 mm	1	109	0.15 kg

STAPLE GUN FULL METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Width of staple	**11 mm**	Height of staple	**4-8 mm**
Thickness of staple	**0.7 mm**	Use	**wood, chipboard, plywood**

Order No.	Description	Package	Carton	Weight
P19170	4.0-8.0 mm	20	120	0.44 kg

STAPLE GUN FULL METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Width of staple	**11 mm**	Height of staple	**4-14 mm**
Thickness of staple	**0.7 mm**	Use	**wood, chipboard, plywood**

Order No.	Description	Package	Carton	Weight
P19175	4.0-14 mm	20	40	0.61 kg

STAPLE GUN METAL + PLASTIC

Light, hand stapler with a plastic cover offers comfortable, ergonomic design for easy work.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Width of staple	**11 mm**	Height of staple	**4-14 mm**
Thickness of staple	**0.7 mm**	Use	**wood, chipboard, plywood**

Order No.	Description	Package	Carton	Weight
P19173	4.0-14 mm	10	40	0.37 kg

STAPLE HAMMER

Full-metal, staple hammer with rubber handle. Can be used for roof insulations, installation of carpets, fabrics, etc.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Width of staple	**10.6 mm**	Height of staple	**6, 8, 10 mm**
Thickness of staple	**1.2 mm**	Use	**wood, chipboard, plywood**

Order No.	Description	Package	Carton	Weight
P19178	6.0-10 mm	6	48	1.11 kg

STAPLES (1,000PCS)

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
P19165	6.0 mm	1	210	0.06 kg
P19166	8.0 mm	1	180	0.07 kg
P19167	10 mm	1	150	0.08 kg
P19168	12 mm	1	135	0.1 kg
P19169	14 mm	1	120	0.11 kg

MACHINIST HAMMER - FIBERGLASS HANDLE

Machinist hammer with fiberglass handle to reduce impact transfer upon hit. Rubber handle provides comfortable work and prevents the tool from slipping from hand. Black, lacquered head with anti-corrosion treatment benefits from fixed connection with the handle to greatly increase the overall tool lifespan. Impact head made of carbon steel, DIN 1041. Slightly bulged impact area.

XTLINE PROFESSIONAL TOOLS

DIN 1041

Order No.	Description	Package	Carton	Weight
XT030R	100 g	12	96	0.19 kg
XT031R	200 g	12	72	0.32 kg
XT0324R	300 g	12	48	0.54 kg
XT032R	400 g	12	48	0.45 kg
XT0336R	500 g	12	36	0.84 kg
XT033R	600 g	12	36	0.73 kg
XT034R	800 g	1	24	1.07 kg
XT035R	1,000 g	1	24	1.25 kg
XT036R	1,500 g	1	12	1.77 kg
XT037R	2,000 g	1	12	2.31 kg

MACHINIST HAMMER - WOODEN HANDLE

Hammer head secured with metal wedge. Handle made of ash wood.

XTLINE PROFESSIONAL TOOLS

DIN 1041

Order No.	Description	Package	Carton	Weight
XT33001	100 g	6	120	0.16 kg
XT33002	200 g	6	96	0.27 kg
XT33003	300 g	6	48	0.41 kg
XT33004	400 g	6	48	0.47 kg
XT33005	500 g	6	36	0.59 kg
XT33006	600 g	6	36	0.72 kg
XT33008	800 g	6	24	0.94 kg
XT33010	1,000 g	6	12	1.12 kg
XT33015	1,500 g	6	12	1.57 kg
XT33020	2,000 g	6	12	2.17 kg

MACHINIST HAMMER - WOODEN HANDLE

HONITON PROFESSIONAL TOOLS

DIN 1041

Order No.	Description	Package	Carton	Weight
HPL002	300 g	1	30	0.41 kg

MACHINIST HAMMER - WOOD HANDLE

JUCO

DIN 1041

Order No.	Description	Package	Carton	Weight
KL33001	100 g	10	10	0.14 kg
KL33002	200 g	10	10	0.24 kg
KL33003	300 g	10	10	0.37 kg
KL33005	500 g	10	10	0.56 kg
KL33008	800 g	10	10	0.87 kg
KL33010	1000 g	10	10	1.1 kg
KL33015	1500 g	6	6	1.63 kg
KL33020	2000 g	6	6	2.07 kg

UNIVERSAL HAMMER - FIBERGLASS HANDLE

Universal hammer with nail-puller jaws, round head with grooves for easy nail driving. Rubber grip, fiberglass handle.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT050R	450 g	6	36	0.72 kg

CARPENTER'S ROOFING HAMMER - RUBBERIZED METAL HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 7239

NEW

Order No.	Description	Package	Carton	Weight
XT33065	600 g	6	24	0.9 kg

CARPENTERS'S ROOFING HAMMER - FIBERGLASS HANDLE

Carpenter's roofing hammer with magnet for driving nails. Ripping jaws for removing old floors, insulation, etc.

XTLINE PROFESSIONAL TOOLS

DIN 7239

Order No.	Description	Package	Carton	Weight
XT051R	600 g	6	24	0.89 kg

CARPENTERS'S ROOFING HAMMER

Carpenter's roofing hammer with ripping jaws. Ideal for removing old floors, wooden constructions etc. Magnetic nail holder makes the work easier at such areas where the nail cannot be held by the other hand. The hammer body is made of one steel casting conforming to the standard DIN 7239. Plastic handle with rubbered surface to prevent slipping. The pin secures the handle at the given spot.

XTLINE PROFESSIONAL TOOLS

DIN 7239

Order No.	Description	Package	Carton	Weight
P12205	600 g	6	24	1.09 kg

CARPENTERS'S ROOFING HAMMER - RUBBER HANDLE

Carpenter's roofing hammer made of one casting to achieve maximum strength and balance. Ergonomic handle to reduce work effort. Tempered hammer head with magnetic nail holder for one-hand driving. Lightweight hammer with nail puller. Rubber handle reduces impact vibrations. Slot with a strong magnet for driving nails. Body made of one casting, DIN 7239.

XTLINE PROFESSIONAL TOOLS

DIN 7239

Order No.	Description	Package	Carton	Weight
XT33070	600 g	6	24	0.82 kg

MASON'S HAMMER WITH NAIL EXTRACTOR - WOODEN HANDLE

JUCO

Order No.	Description	Package	Carton	Weight
PC2442	600 g	6	6	0.14 kg

MALLET - WOODEN HANDLE, PLASTIC END PADS

Mallet for laying tiles, tiling work and dry applications.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT053	40 mm	1	36	0.32 kg

MASON'S HAMMER, STEEL HANDLE, RUBBER GRIP

The hammer body is made of one steel casting conforming to the standard DIN 7239. Plastic handle with rubbered surface to prevent slipping. The pin secures the handle at the given spot.

XTLINE PROFESSIONAL TOOLS

DIN 5108

Order No.	Description	Package	Carton	Weight
P12215	600 g	6	24	1.11 kg

MASON'S HAMMER - FIBERGLASS HANDLE

Mason's hammer with long head and handle for easy chopping of masonry and plasters. Small nail puller on the hammer head.

XTLINE PROFESSIONAL TOOLS

DIN 5108

Order No.	Description	Package	Carton	Weight
XT052R	600 g	6	24	0.85 kg

REPLACEMENT END CAP FOR MALLET

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT054	40 mm - Orange (soft)	1	200	0.04 kg
XT055	40 mm - White (hard)	1	200	0.04 kg

MALLET WITH PLASTIC END CAPS

HONITON PROFESSIONAL TOOLS

DIN 5128

Order No.	Description	Package	Carton	Weight
HPA002	32 mm	1	30	0.367 kg

REPLACEMENT END CAP FOR MALLET HPA002

HONITON PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
HPA003	32 mm, Nylon End Cap (White)	10	10	0.367 kg
HPA004	32 mm, PU End Cap (Yellow)	10	10	0.367 kg

RUBBER MALLET BLACK - METAL RUBBERIZED HANDLE

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT33060	65 mm	6	36	0.6 kg
XT33061	75 mm	6	18	1.1 kg

RUBBER MALLET BLACK/WHITE - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT0465R	55 mm	6	36	0.6 kg
XT0485R	69 mm	6	24	1.2 kg

RUBBER MALLET WHITE - METAL RUBBERIZED HANDLE

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT33063	65 mm	6	36	0.6 kg
XT33064	75 mm	6	18	1.1 kg

RUBBER MALLET WHITE - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT046R	55 mm	6	36	0.46 kg
XT047R	65 mm	6	24	0.767 kg
XT048R	85 mm	6	12	1.14 kg

RUBBER MALLET BLACK - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT0461R	55 mm	6	36	0.6 kg
XT0481R	69 mm	6	24	1.2 kg

WOODEN MALLET

Order No.	Description	Package	Carton	Weight
PC2445	120x56x64 mm	1	24	0.45 kg

RUBBER MALLET BLACK - WOODEN HANDLE

Order No.	Description	Package	Carton	Weight
KLPA55	55 mm	1	1	0.4 kg
KLPA65	65 mm	1	1	0.71 kg
KLPA75	75 mm	1	1	0.94 kg
KLPA90	90 mm	1	1	1.35 kg

WOODEN MALLET

Order No.	Description	Package	Carton	Weight
PC2444	56 mm	1	24	0.32 kg

SQUARE MALLET - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 6475

Order No.	Description	Package	Carton	Weight
XT056R	1,000 g	6	24	1.21 kg
XT057R	1,250 g	6	12	1.42 kg
XT058R	1,500 g	6	12	1.62 kg
XT059R	2,000 g	6	12	2.17 kg

DOUBLE SQUARE-FACED SLEDGE HAMMER - WOODEN HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 6475

Order No.	Description	Package	Carton	Weight
XT33039	1,000 g	6	12	1.1 kg
XT33040	1,250 g	6	18	1.33 kg
XT33041	1,500 g	6	12	1.56 kg
XT33042	2,000 g	6	12	2.05 kg

SLEDGE HAMMER - WOODEN HANDLE

JUCO

DIN 6475

Order No.	Description	Package	Carton	Weight
KL33042	1500 g	1	1	1.65 kg
KL33043	3000 g	1	1	3.43 kg
KL33044	4000 g	1	1	4.44 kg
KL33045	5000 g	1	1	5.52 kg
KL33046	6000 g	1	1	6.66 kg
KL33048	8000 g	1	1	8.78 kg

AXE - FIBERGLASS HANDLE

Axe with a fiberglass, rubber coated handle prevents hand slipping when working the tool. Fiberglass reduces impact vibration and increases the overall tool lifespan. The tool head is made of one steel casting and treated with black, anti-corrosion coating. Quality steel conforms to the standard DIN 5131.

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT040R	600 g	1	24	1 kg
XT041R	800 g	1	24	1.26 kg
XT042R	1,000 g	1	12	1.7 kg
XT043R	1,250 g	1	12	2.25 kg
XT044R	1,500 g	1	6	2.49 kg

SQUARE MALLET - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 6475

Order No.	Description	Package	Carton	Weight
XT060R	3,000 g	1	6	4.06 kg
XT061R	4,000 g	1	4	5.08 kg
XT062R	5,000 g	1	4	5.96 kg
XT063R	6,000 g	1	4	7.01 kg

DOUBLE SQUARE-FACED SLEDGE HAMMER - WOODEN HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 6475

Order No.	Description	Package	Carton	Weight
XT33043	3,000 g	1	6	3.64 kg
XT33044	4,000 g	1	4	4.69 kg
XT33045	5,000 g	1	4	5.46 kg
XT33046	6,000 g	1	4	6.86 kg

PAVER'S HAMMER SQUARE

RICHMANN

Order No.	Description	Package	Carton	Weight
PC2455	1,500 g	6	40	1.83 kg
PC2456	2,000 g	6	12	2.3 kg
PC2458	1,500 g	1	12	0.23 kg
PC2459	2,000 g	1	100	0.19 kg

CAMPING AXE

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT068R	500 g	6	36	0.73 kg

PAVER'S HAMMER SQUARE

Order No.	Description	Package	Carton	Weight
R05751303	small, 25 cm / 42 mm	1	1	2.02 kg
R05751306	medium, 45 cm / 42 mm	1	1	2.13 kg
R05751307	large, 90 cm / 42 mm	1	1	2.57 kg
R01852005	replacement rubber medium, 42 mm	1	1	0.43 kg

WOOD SPLITTING MAUL - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT064R	2,500 g	1	6	3.81 kg
XT065R	4,000 g	1	6	4.53 kg

CHOPPING AXE - NYLON HANDLE

Perfect weight balance between the tool head and handle provides optimal tool concentricity and increases speed and ease of stroke and also multiplies applied effort. TECHNOLOGY: Special axe head coating to reduce friction and fixed to nylon handle. STORAGE: The axe is stored in a plastic hang pouch. MATERIAL: Nylon handle – lightweight and very durable.

XTLINE PROFESSIONAL TOOLS

DIN 7287

Order No.	Description	Package	Carton	Weight
XT00640	640 g / 360 mm	12	24	0.76 kg
XT00900	900 g / 450 mm	6	24	1.08 kg

SPLITTING AXE - FIBERGLASS HANDLE

Splitting axe with fiberglass, rubber coated handle to prevent the tool from slipping when at work. Fiberglass reduces impact vibration and increases the overall tool lifespan. The axe head is made of one steel casting treated with black, anti-corrosion coating. Quality steel conforming to the standard DIN 5131.

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT066R	1000 g	1	12	1.41 kg

SPLITTING AXE - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT067R	2200 g	1	6	3.03 kg

CHOPPING AXE - NYLON HANDLE

Perfect weight balance between the tool head and handle provides optimal tool concentricity and increases speed and ease of stroke and also multiplies applied effort. TECHNOLOGY: Special axe head coating to reduce friction and fixed to nylon handle. STORAGE: The axe is stored in a plastic hang pouch. MATERIAL: Nylon handle – lightweight and very durable.

XTLINE PROFESSIONAL TOOLS

DIN 7287

Order No.	Description	Package	Carton	Weight
XT01530	1,530 g / 720 mm	4	12	1.78 kg
XT02500	2,500 g / 965 mm	2	8	2.82 kg

AXE - WOODEN HANDLE

A Classic axe with the handle made of ash wood. The axe head is made of quenched steel DIN 5131 and treated with anti-corrosion coating. The head is secured with wooden and metal pin. Ergonomically shaped handle for comfortable manipulation. Wide and sharp blade.

XTLINE PROFESSIONAL TOOLS

DIN 5131

Order No.	Description	Package	Carton	Weight
XT33026	600 g	1	20	0.79 kg
XT33028	800 g	1	20	1 kg
XT33030	1,000g	1	20	1.24 kg

Order No.	Description	Package	Carton	Weight
XT33032	1,250 g	1	12	1.79 kg
XT33035	1,400 g	1	10	1.88 kg

SPLITTING AXE - WOODEN HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 7287

Order No.	Description	Package	Carton	Weight
XT33056	1,000 g	1	4	1.3 kg

SPLITTING AXE - WOODEN HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 7287

Order No.	Description	Package	Carton	Weight
XT33058	2,000 g	1	12	2.56 kg

WOOD SPLITTING MAUL - WOODEN HANDLE

Wood splitting maul with wide blade is ideal for block and log splitting or chopping off tree branches. Rounded head is designed for hammering wedges.

XTLINE PROFESSIONAL TOOLS

C45

Order No.	Description	Package	Carton	Weight
XT33052	2,500 g	1	6	3.29 kg
XT33054	4,000 g	1	4	4.19 kg

PIN PUNCH

HONITON PROFESSIONAL TOOLS

DIN 6458

Order No.	Description	Package	Carton	Weight
HPP103	3x8x150 mm	60	240	0.04 kg
HPP104	4x10x190 mm	60	240	0.08 kg
HPP105	5x10x200 mm	40	240	0.086 kg

CENTER PUNCH

HONITON PROFESSIONAL TOOLS

DIN 6458

Order No.	Description	Package	Carton	Weight
HPP106	6.0x10x175 mm	30	120	0.09 kg

SPLITTING WEDGE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT33012	2,000 g	1	10	1 kg
XT33013	3,000 g	1	6	2.96 kg

SPLITTING WEDGE

JUCO

Order No.	Description	Package	Carton	Weight
KL33012	2000 g	1	1	1.9 kg
KL33013	3000 g	1	1	2.88 kg

TAPERED PIN PUNCH

HONITON PROFESSIONAL TOOLS

DIN 6458

Order No.	Description	Package	Carton	Weight
HPT106	6.0x175 mm	40	160	0.09 kg
HPT108	8.0x185 mm	30	120	0.143 kg

FLAT CHISEL

HONITON PROFESSIONAL TOOLS

DIN 6458

Order No.	Description	Package	Carton	Weight
HPP115	15x12x180 mm	30	120	0.145 kg

CROSS CUT CHISEL

HONITON PROFESSIONAL TOOLS

DIN 6458

Order No.	Description	Package	Carton	Weight
HCC-105	5.0x160 mm	1	1	0.145 kg

PIN PUNCH AND CENTER PUNCH SET 6PCS

STAYTOOL XTLINE

Technical parametres

Center punches	4 mm
Pin punches	1, 2, 3, 4, 5 mm
Total length (L)	130 mm

Order No.	Description	Package	Carton	Weight
PA234103	Metal box	1	20	0.84 kg

FLAT COLD CHISEL

Order No.	Description	Package	Carton	Weight
PC5824	10x140 mm	10	10	0.07 kg
PC5825	12x150 mm	10	100	0.1 kg
PC5826	16x170 mm	10	100	0.16 kg

COLD CHISEL AND PIN PUNCH SET 12PCS

Technical parametres

Center punches	2, 6, 8 mm
Pin punches	1.5, 3, 4, 5, 6, 8 mm
Cold chisels	10, 13, 15 mm

Order No.	Description	Package	Carton	Weight
PC5802	Plastic package	10	40	0.97 kg

PIN PUNCH AND CENTER PUNCH SET 6PCS

Technical parametres

Center punches	3, 6 mm
Pin punches	2, 8 mm
Cold chisels	10, 12 mm

Order No.	Description	Package	Carton	Weight
PC5803	Plastic package	10	2	0.48 kg

COLD CHISEL AND PIN PUNCH SET 3PCS

Technical parametres

Center punches	4 mm
Cold chisels	13,16 mm

Order No.	Description	Package	Carton	Weight
PC5800	Plastic package	10	10	0.35 kg

CHISEL, PIN PUNCH AND CENTER PUNCH SET 6PCS

Technical parametres

Center punch	3, 4, 4.2 mm
Cold chisel - point	12, 15 mm

Order No.	Description	Package	Carton	Weight
PA233370	Metal box	1	10	0.75 kg

PIN PUNCH SET 6PCS

Technical parametres

Diameter	2, 3, 4, 6, 8, 10 mm
Total length (L)	150 mm

Order No.	Description	Package	Carton	Weight
PA234102	Metal box	1	200	0.71 kg

CHISEL AND PIN PUNCH SET 7PCS

Technical parametres

Center punches	5 mm
Pin punches	5, 10, 12, 22 mm
Cold chisels	22, 25.4 mm

Order No.	Description	Package	Carton	Weight
PC5805	Textile package	5	20	1.84 kg

PIN PUNCH SET 6PCS

Technical parametres

Pin punches	1.5, 3, 4, 5, 6, 8 mm

Order No.	Description	Package	Carton	Weight
PC5801	Plastic package	10	40	0.4 kg

COLD CHISEL WITH HAND GUARD

Cold chisel with protective handle made of CrV steel. High-durability chisels designed for chopping off masonry. Two-component handle prevents injuries and increases work comfort. Textured surface to prevent hand slipping. Quenched, corrosion-resistant steel.

STAVTOOL by XTLINE

FLAT COLD CHISEL

JUCO

Order No.	Description	Package	Carton	Weight
P15861	250x19x44.5 mm	6	24	0.65 kg
P15862	300x19x44.5 mm	6	24	0.77 kg
P15863	400x19x44.5 mm	6	12	1 kg
P15864	250x19x22 mm	6	24	0.64 kg
P15865	300x19x22 mm	6	24	0.76 kg
P15866	400x19x22 mm	6	12	1.01 kg

Order No.	Description	Package	Carton	Weight
KL333745	250x22x11 mm	10	10	0.26 kg
KL333750	300x23x11.5 mm	10	10	0.42 kg
KL334266	200x20x10.5 mm	10	10	0.52 kg

FLAT COLD CHISEL

Thin machinist's cold chisel designed for splitting or chipping material.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19855	200x23x13 mm	10	40	0.4 kg
P19856	250x23x13 mm	10	40	0.51 kg
P19857	300x23x13 mm	10	40	0.614 kg

ROUND HOLE PUNCH SET 9PCS

STAVTOOL by XTLINE

Technical parametres

Diameter	**3, 4, 5, 6, 7, 8, 10, 11, 12 mm**

Order No.	Description	Package	Carton	Weight
PA23328	3.0-12 mm, Plastic package	1	24	0.58 kg

ROUND HOLE PUNCH SET 15PCS

XTLINE PROFESSIONAL TOOLS

Technical parametres

Diameter	**2, 2.5, 3.2, 4, 4.8, 5.5, 6.4, 8, 9.5, 11.1, 12.7, 14, 15.8, 19, 22 mm**

Order No.	Description	Package	Carton	Weight
XT50222	2.0-22 mm, Textile package	1	60	1.374 kg

PROFILED CROWBAR WITH EXTRACTOR

Large crowbar made of quenched, black steel. Corrosion and scratch resistant. Ideal for pulling nails, hooks, prying, pulling, box opening and other similar applications. Sharp, bevelled tip. Very tough and durable ideal for various different applications. Chamfered edges make setting underneath the nail head easier.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19811	600 mm	1	10	1.85 kg
P19812	750 mm	1	10	2.44 kg

CROWBAR

Small, rubber coated handle crowbar for pulling nails or box opening.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19805	300 mm, Rubber Handle	10	50	0.33 kg

CROWBAR WITH EXTRACTOR

Sharp, bevelled tip. Very tough and durable ideal for various different applications. Chamfered edges make setting underneath the nail head easier.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19810	600 mm	1	12	1.22 kg

PROFILED CROWBAR WITH EXTRACTOR

RICHMANN

Order No.	Description	Package	Carton	Weight
PC5880	600 mm	1	150	1.89 kg
PC5881	750 mm	1	10	2.23 kg
PC5882	900 mm	1	10	2.9 kg

SNAP-OFF BLADE UTILITY KNIFE RUBBER GRIP

Snap-off ABS utility knife with guide rail. The blade extender automatically retracts after every move. Knob locking mechanism holds the blade tightly and prevents its movement when cutting. The knife holds an international locking mechanism patent for greater safety. Black, corrosion-resistant surface treatment. Blade thickness of 1.0mm; TC4, hardness of 65HRC.

XTLINE PROFESSIONAL TOOLS

0.7 mm | BLISTER

Order No.	Description	Package	Carton	Weight
XT19148	SK4, 18 mm	12	144	0.14 kg

SNAP-OFF BLADE UTILITY KNIFE FULL METAL

Full-metal, snap-off utility knife with guide rail. The blade extender automatically retracts after every move. Knob locking mechanism holds the blade tightly and prevents its movement when cutting. The knife holds an international locking mechanism patent for greater safety. Black, corrosion-resistant surface treatment. Blade thickness of 1.0mm; TC4, hardness of 65HRC.

XTLINE PROFESSIONAL TOOLS

0.7 mm | BLISTER

Order No.	Description	Package	Carton	Weight
XT19149	SK4, 18 mm	12	192	0.26 kg

SNAP-OFF BLADE UTILITY KNIFE METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P19150	SK4, 18 mm (5pcs blades)	12	96	0.24 kg

SAFETY UTILITY KNIFE

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19144	SK4, 18 mm	12	144	0.1 kg

SNAP-OFF BLADE UTILITY KNIFE FULL METAL, LOCKING SCREW

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC9109	18 mm	12	144	0.14 kg

SNAP-OFF BLADE UTILITY KNIFE ALUMINUM

Aluminum snap-off utility knife with metal guide rail.

STAVTOOL XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19131	C60, 18 mm	12	120	0.1 kg

SNAP-OFF BLADE UTILITY KNIFE + REPLACEMENT TRAY

Snap-off utility knife with 10-pcs spare blade clip.

STAVTOOL XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19102	C60, 18 mm (10pcs blades)	12	120	0.21 kg

SNAP-OFF BLADE UTILITY KNIFE, RUBBER GRIP

Full-metal snap-off utility knife with metal guide rail and rubber cover. Steel guide rail automatically retracts after every move and allows fast blade replacement directly from the clip. Knob locking mechanism located on the back side provides even better blade locking. Rubber coated handle with anti-slip texture. Retractable clip contains five spare blades.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P19151	SK4, 9.0 mm (5pcs blades)	12	96	0.13 kg
P19160	SK4, 25 mm (5pcs blades)	12	36	0.46 kg

SNAP-OFF BLADE UTILITY KNIFE

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19134	SK4, 18 mm	12	144	0.1 kg

SAFETY UTILITY KNIFE RUBBER GRIP

Spring-powered retractable system – release the blade extender when cutting – after finishing the cut, it retracts automatically. Ideal for cutting cardboard and similar materials.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P19144	SK4, 18 mm	12	144	0.08 kg

SNAP-OFF BLADE UTILITY KNIFE, RUBBER GRIP

STAVTOOL by XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19101	9.0 mm	12	144	0.06 kg

SNAP-OFF BLADE UTILITY KNIFE, RUBBER GRIP

Rubber coated snap-off utility knife with metal guide rail.

STAVTOOL by XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19105	C60, 18 mm	12	120	0.11 kg

SNAP-OFF BLADE UTILITY KNIFE, LOCKING SCREW

Snap-off, rubber coated handle utility knife with metal guide rail.

STAVTOOL by XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
P107019	25 mm	12	120	0.14 kg

SNAP-OFF BLADE UTILITY KNIFE SET

Plastic retractable utility knife in transparent cover.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19120	18 mm, pack/12pcs	12	120	0.02 kg

SNAP-OFF BLADE UTILITY KNIFE PLASTIC

XTLINE PROFESSIONAL TOOLS

0.7 mm

BLISTER

Order No.	Description	Package	Carton	Weight
P19128J	SK4, 18 mm	12	144	0.14 kg

SNAP-OFF BLADE UTILITY KNIFE, RUBBER GRIP, LOCKING SCREW

Rubber coated snap-off utility knife with metal guide rail.

STAVTOOL by XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19107	C60, 18 mm	12	120	0.09 kg

SNAP-OFF BLADE UTILITY KNIFE

Rubber coated snap-off utility knife with metal guide rail.

STAVTOOL by XTLINE

C60

BLISTER

Order No.	Description	Package	Carton	Weight
P19103	C60, 18 mm	12	120	0.12 kg

SNAP-OFF BLADE UTILITY KNIFE PLASTIC

XTLINE PROFESSIONAL TOOLS

SK4

NOVINKA

BLISTER

Order No.	Description	Package	Carton	Weight
XT19128	SK4, 18 mm	x	144	0.08 kg

SNAP-OFF BLADE UTILITY KNIFE PLASTIC

Retractable snap-off utility knife with guide rail and spare blade clip.

STAVTOOL by XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
M16110	18 mm	12	144	0.08 kg

SNAP-OFF BLADE UTILITY KNIFE

STAVTOOL by XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
M16115	9.0 mm	24	288	0.03 kg

SNAP-OFF BLADE UTILITY KNIFE KDS/LC-405

KDS®

0.5 mm

Order No.	Description	Package	Carton	Weight
M16002	18 mm	10	10	0.08 kg

SNAP-OFF BLADE UTILITY KNIFE, LOCKING SCREW

BLISTER

Order No.	Description	Package	Carton	Weight
M16105	18 mm	12	120	0.1 kg

SNAP-OFF BLADE UTILITY KNIFE KDS G11

KDS®

Order No.	Description	Package	Carton	Weight
M16003	18 mm	10	10	0.11 kg

SNAP-OFF BLADE UTILITY KNIFE L-19

KDS®

0.5 mm

Order No.	Description	Package	Carton	Weight
M16019	18 mm	1	20	0.07 kg

UTILITY KNIFE SPARE BLADES

KDS®

Order No.	Description	Package	Carton	Weight
M16011	18 mm, 0.50 mm (10pcs/pack)	20	20	0.09 kg
M16011/15	18 mm, 0.50 mm (10pcs/pack)	20	20	0.08 kg
M16012	18 mm, 0.60 mm (10pcs/pack)	20	20	0.1 kg
M16013	25 mm, 0.70 mm (10pcs/pack)	10	10	0.19 kg

SAFETY UTILITY KNIFE + SPARE BLADES

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19130	SK4, 19 mm	12	96	0.1 kg

SAFETY METAL UTILITY KNIFE

Full-metal utility knife is a practical tool for floorers, cutting carpets, insulation and various flooring types.

STAVTOOL

BLISTER

Order No.	Description	Package	Carton	Weight
P107024	18 mm	12	72	0.14 kg

SNAP-OFF BLADE UTILITY KNIFE STAINLESS STEEL, AUTO-LOCK

STAVTOOL

SK5

BLISTER

Order No.	Description	Package	Carton	Weight
P19100	18 mm, SK5	1	24	0.06 kg

GLASS SCRAPER

A Scraper for glass, glass-ceramics and other smooth surface materials. Ergonomic handle made of hard plastic and rubber. Fast blade replacement by retracting the old blade a setting new one. Ideal for cleaning windows, glass-ceramic plates, removing stickers etc. Blade-movement lock; metal guide rail.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT19142	scraper for glass, blade width 40 mm	10	200	0.06 kg
XT19143	spare blades 5pcs	24	288	0.02 kg

SAFETY UTILITY METAL KNIFE

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19120	SK5, 18 mm	12	144	0.08 kg

FOLDING KNIFE WITH REPLACEABLE BLADES 5PCS

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19110		12	96	0.2 kg

SPARE BLADES

Utility knife spare blades of thickness of 18mm for all snap-off knife types. A pack of 10pcs stored in a plastic box with a hang slot. The triple-angle blade grind technology greatly increases the tool lifespan. TC4 treatment guarantees great sharpness and hardness of the blade.

XTLINE PROFESSIONAL TOOLS

SK4

BLISTER

Order No.	Description	Package	Carton	Weight
P19146	SK4, 18 mm (10pcs/pack)	20	160	0.08 kg

UTILITY KNIFE SPARE BLADES

18mm utilitiy knife spare blades made of SK2 material for all types of snap-off knives. Package contains 10 pieces of blades in a plastic box with a hanger slot. Laser-treated blade technology increases the service life. The SK2 blade with a black surface treatment guarantees high sharpness and hardness. The three-angle blade sharpening to further extend the blade life.

XTLINE PROFESSIONAL TOOLS

SK2

NEW

Order No.	Description	Package	Carton	Weight
XT19146	SK2, 18 mm, 0.7 mm (pack/10pcs)	12	144	0.08 kg
XT19147	SK4 18 mm, 0.5 mm (pack/10ks)	20	160	0.08 kg

SPARE BLADES TRAPEZE

Dual side spare blade for safety utility knives.

XTLINE PROFESSIONAL TOOLS

SK4

0.6 mm BLISTER

Order No.	Description	Package	Carton	Weight
M16072A	SK4 18 mm, 0.6 mm (10pcs/pack)	10	240	0.05 kg

SPARE BLADES

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19123	18 mm (10pcs/pack)	10	400	0.07 kg

SPARE BLADES TRAPEZE BI-HARDNESS

Dual side spare blade for safety utility knives.

XTLINE PROFESSIONAL TOOLS

SK4

BLISTER

Order No.	Description	Package	Carton	Weight
M16076A	SK4, 18 mm, 0,6 mm (10pcs/pack)	20	240	0.05 kg

SPARE BLADES

Utility knife spare blades. A pack of 10pcs stored in a plastic box with hang slot. The triple-angle blade grind technology greatly increases the tool lifespan. TC4 treatment guarantees great sharpness and hardness of the blade.

XTLINE PROFESSIONAL TOOLS

SK4

BLISTER

Order No.	Description	Package	Carton	Weight
P19122	SK4, 9.0 mm, 0.4 mm (10pcs/pack)	30	600	0.03 kg
P19124	SK4, 18 mm, 0.5 mm (10pcs/pack)	20	160	0.08 kg
P107028	SK4, 25 mm, 0.7 mm (10pcs/pack)	24	96	0.18 kg

SPARE BLADES TRAPEZE

RICHMANN

SK5

BLISTER

Order No.	Description	Package	Carton	Weight
PC9116	Trapeze SK5 18 mm, 0.65 mm (10pcs/pack)	25	144	0.05 kg
PC9117	Hook, SK5 18 mm, 0.65 mm (10pcs/pack)	25	200	0.04 kg

SPARE BLADES WITH HOOKS

XTLINE PROFESSIONAL TOOLS

0.5 mm BLISTER

Order No.	Description	Package	Carton	Weight
M16067	SK5, 18 mm, 0.5 mm (10pcs/pack)	20	300	0 kg

SPARE BLADES TRAPEZE HOOK

XTLINE PROFESSIONAL TOOLS

0.6 mm BLISTER

Order No.	Description	Package	Carton	Weight
M16073	SK5, 19 mm, 0.6 mm (10pcs/pack)	10	600	0.03 kg

WIRE STRIPPING KNIFE

A wire stripping knife ideal for removing cable insulation.

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT19207	170 mm	1	50	0.09 kg

"FROG" POCKET KNIFE

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC9121	105 / 185 mm	10	90	0.11 kg

HUNTER'S KNIFE WITH SHEATH

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9131	340 mm	12	60	0.27 kg

HUNTER'S KNIFE WITH SHEATH

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9130	300 mm	12	120	0.23 kg

HUNTER'S KNIFE WITH SHEATH

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9132	310 mm	10	50	0.39 kg

POCKET KNIFE

Folding pocket knife ideal for camping, mushroom picking, fishing etc.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P19115	80 / 190 mm	12	120	0.12 kg

POCKET KNIFE

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P19116	90 / 210 mm	12	120	0.16 kg

POCKET KNIFE

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC9124	205 mm	10	100	0.16 kg

FITTER'S KNIFE

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9125	220 mm	25	100	0.128 kg

MINERAL WOOL KNIFE

Dual-side blade for cutting mineral wool and polystyrene. Special blade makes material penetration very easy.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
M16198	280 mm	10	100	0.15 kg

GLASS CUTTER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P11195	130 mm	1	240	0.02 kg

PAPER SCISSORS

STAVTOOL XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
P19109	250 mm	30	120	0.08 kg

METAL HACKSAW, RUBBERIZED

Metal hacksaw made of light, composite frame and two rubber coated, plastic handles. Quenched-toothed saw blade is easily replaceable using plastic bolt. The design allows up to 50% faster cutting compared to other similar saw types. TECHNOLOGY: The saw blade can be clamped at angles 0°, 45° and 90° with the possibility of usage double-side saw blades. SAFETY: Both handles are rubber coated to provide extra grip safety. PERFORMANCE: Bolt for quick saw blade replacement.

STAVTOOL XTLINE

PERFORMANCE
Screw for quick blade replacement

MATERIAL
Saw blade with hardened teeth

TECHNOLOGY
The sheets can be clamped at angles of 0°, 45° and 90° with the possibility of using double-sided blades

Order No.	Description	Package	Carton	Weight
P11715	300 mm	6	12.5	0.4 kg

HAND METAL HACKSAW

Small metal hacksaw for finishing plasterboard works. Two-component handle, narrowed, thin saw blade.

RICHMANN

Order No.	Description	Package	Carton	Weight
PC1902	300 mm	1	40	0.18 kg

SPARE BLADE HSS-CO BI-METAL COBALT

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT360000	300 mm, 24 Tpi (10pcs/pack)	10	1000	0.019 kg

SPARE BLADE HSS-CO BIHARD COBALT

Bi-metal HSS spare saw blade is made of two different steel types. Toothed part is made of HSS-Mo steel and body is made of high-alloy steel. The combination of these materials makes the saw blade extraordinarily wear-resistant and benefits from great durability. Suitable for all common materials and ideal for heavy-duty operation.

RUKO

Order No.	Description	Package	Carton	Weight
RU312130024R	300 mm, 24 Tpi (pack/5pcs)	10	10	0.02 kg

HACKSAW SPARE BLADE FOR METAL

Order No.	Description	Package	Carton	Weight
ST220000	One-sided, 300 mm / 12.5mm	144	1440	0.02 kg
220000K	double sided 300 mm	100	100	0.03 kg

HACKSAW SPARE BLADE FOR WOOD/METAL

Order No.	Description	Package	Carton	Weight
ST220000U	Double Edge, 300 mm	72	1440	0.03 kg

METAL HACKSAW WITH WOOD HANDLE

Metal hacksaw with straight, wooden handle.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
PL001	300 mm	6	6	0.76 kg

METAL HACKSAW

Metal hacksaw with a plastic handle.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P11710	300 mm	6	11.5	0.53 kg

BACK SAW WITH MITER BOX

Back saw is suitable for cutting tenons, profiles, ledges etc. Double-side ground blade. The product contains a plastic miter box.

STAVTOOL

Order No.	Description	Package	Carton	Weight
P13910	300 mm	6	12	0.68 kg

BOW SAW WITH SPARE BLADES 2PCS

Bow saw for wood with oval frame resistant to twisting. The saw blade gets quickly replaced using wing nuts and tension lever. Double-side ground teeth provide fast cutting in both directions. Rubber coated handle to prevent slipping. Saw blade for cutting wet wood. Quick saw blade replacement and tightening. Extra hand protection.

STAVTOOL

Order No.	Description	Package	Carton	Weight
P11932	300 mm	1	24	0.47 kg

COMPASS SAW

STAVTOOL

Order No.	Description	Package	Carton	Weight
P11922	300 mm	10	40	0.18 kg

XTLINE BEECH MITER BOX

Order No.	Description	Package	Carton	Weight
M0003	300x90x60 mm	8	8	0.85 kg

PLASTIC MITER BOX

Kubala®



Order No.	Description	Package	Carton	Weight
Z1644	250x80x50 mm	1	40	0.18 kg

BOW SAW

Bow saw for wood with oval frame resistant to twisting. The saw blade gets quickly replaced using wing nuts and tension lever. Double-side ground teeth provide fast cutting in both directions. Rubber coated handle to prevent slipping. Saw blade for cutting wet wood. Quick saw blade replacement and tightening. Extra hand protection.

STAVTOOL

Order No.	Description	Package	Carton	Weight
P11934	530 mm	1	24	0.61 kg
P11941	760 mm	1	24	0.79 kg

DRYWALL SAW

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT94061	SK5, 150 mm	6	72	0.1 kg

PRUNNING SAW

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT94004	SK5, 150 mm	6	24	0.3 kg

PRUNNING SAW + CASE

XTLINE PROFESSIONAL TOOLS

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT94007	SK5, 300 mm	6	24	0.3 kg

PRUNING SAW + SHEATH

Pruning saw with triple-angle tooth grind oriented in both sides. Rubber handle, pouch for storage.

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC1911	400 mm	1	20	0.5 kg

PRECISION HAND MITER SAW

Precision adjustment allows cutting at precise angle. Suitable for cutting wooden or plastic profiles, ledges, frames etc.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P13916	550 mm	1	4	3.69 kg

DRYWALL HAND SAW, SOFTGRIP HANDLE

Hand saw for plasterboard finishing works. Two-component handle, narrowed, thin saw blade.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
Z900017	300 mm	1	100	0.12 kg

FOLDING PRUNING SAW

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC1913	300 mm	1	20	0.28 kg

PRUNING SAW + SHEATH

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC1914	300 mm	1	20	0.41 kg

WOOD SAW

RICHMANN

BLISTER

Order No.	Description	Package	Carton	Weight
PC1917	350 mm	10	48	0.33 kg

POLYSTYRENE HAND SAW

Order No.	Description	Package	Carton	Weight
24174	380 mm	6	24	0.32 kg

SAW BLADE FOR P13916

Order No.	Description	Package	Carton	Weight
PA29090	for Wood and Plastic, 550 mm	1	20	0.12 kg
PA29100	for Metal, 550 mm	1	10	0.13 kg

POROUS CONCRETE HAND SAW

Lightweight concrete handsaw with blade length of 700mm and 17 tungsten carbide teeth. Thin, yet tough construction, Teflon surface for cutting construction and wall blocks. Quenched teeth provide long-lasting cutting performance. Blade thickness of 1.6mm. Teflon surface lowers cutting friction. Robust teeth made of tungsten carbide. Plastic, rubber-coated handle attached with three bolts.

XTLINE PROFESSIONAL TOOLS

Manganová ocel (10-14%)

Order No.	Description	Package	Carton	Weight
P11910	700 mm, 17T	6	12	1 kg
P11911	700 mm, 34T	6	12	1.01 kg

HAND SAW

Teflon surface hand saw combined with thin saw blade decreases cutting friction. Additionally, it effectively protects the tool from corrosion and greatly increases its lifespan and durability. Two-component plastic handle with groove for point finger resting and easier start of the cut. Induction quenched 3D teeth ground in both directions for faster and more accurate cutting. 45° and 90° angle markings. Saw blade thickness of 0.9mm.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P11926	400 mm	10	40	0.35 kg
P11928	450 mm	10	40	0.37 kg
P11930	500 mm	10	40	0.42 kg

JAPANESE PULL SAW

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT11950	565 mm, 18 Tpi, SK5	1	40	0.3 kg

HACKSAW SPARE BLADE

The saw blade is designed for cutting dry wood.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
M24159	300 mm	1	200	0.09 kg
M24163	610 mm	1	100	0.07 kg
M24164	760 mm	1	200	0.09 kg
M24165	914 mm	1	100	0.1 kg
M24166	530 mm	1	200	0.06 kg
M24168	800 mm	1	200	0.09 kg

NEEDLE FILE SET 6PCS

Needle files for fine smoothing of metal materials.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P18801	180 mm	1	100	0.17 kg

STEEL FILE - FLAT

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180241	200 mm	5	50	0.23 kg
XT180341	250 mm	5	50	0.39 kg

STEEL FILE - SQUARE

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180242	200 mm	5	50	0.15 kg
XT180342	250 mm	5	50	0.26 kg

STEEL FILE - TRIANGLE

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180243	200 mm	5	50	0.2 kg
XT180343	250 mm	5	50	0.35 kg

STEEL FILE - ROUND

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180244	200 mm	5	50	0.14 kg
XT180344	250 mm	5	50	0.16 kg

STEEL FILE - HALF-ROUND

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180245	200 mm	5	50	0.22 kg
XT180345	250 mm	5	50	0.32 kg

STEEL FILE SET

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT180264	200 mm, 3pcs	1	20	0.63 kg
XT180266	200 mm, 5pcs	1	20	0.92 kg

DIAMOND NEEDLE FILE SET 10PCS

Diamond file set for hard materials, such as hard metals, glass, ceramics, stone etc.

STAVTOOL by XTLINE

BLISTER



Order No.	Description	Package	Carton	Weight
P18803	140 mm	1	200	0.09 kg

CHAINSAW FILE

Order No.	Description	Package	Carton	Weight
M22169	200 mm, 3.2 mm	12	12	0.1 kg
M22170	200 mm, 3,5 mm	12	12	0.02 kg
M22171	200 mm, 4 mm	6	6	0.02 kg
M22172	200 mm, 4,5 mm	6	6	0.03 kg
M22173	200 mm, 5,2 mm	6	6	0.03 kg
M22174	200 mm, 5,5 mm	6	6	0.04 kg
M22175	200 mm, 4,8 mm	6	6	0.03 kg
M22176	plastic handle	10	10	0.02 kg

WOOD RASP - FLAT

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180246	200 mm	5	50	0.23 kg
XT180346	250 mm	5	50	0.35 kg

WOOD RASP - ROUND

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180248	200 mm	5	50	0.15 kg
XT180348	250 mm	5	50	0.22 kg

WOOD RASP - HALF-ROUND

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT180247	200 mm	5	50	0.21 kg
XT180347	250 mm	5	50	0.34 kg

WOOD RASP SET 3PCS

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT180265	200 mm	1	20	0.61 kg

CHISEL SET WITH WOODEN HANDLE 4 PCS

XTLINE PROFESSIONAL TOOLS

60CrV

BLISTER

Technical parametres

Width	**8, 14, 18, 25 mm**

Order No.	Description	Package	Carton	Weight
XT790200	blister package	1	30	0.67 kg

CHISEL WITH WOODEN HANDLE

A chisel made of chrome-vanadium steel and wooden handle.

XTLINE PROFESSIONAL TOOLS

60CrV

Order No.	Description	Package	Carton	Weight
XT790206	6.0 mm / 260 mm	10	60	0.14 kg
XT790208	8.0 mm / 260 mm	10	60	0.14 kg
XT790212	12 mm / 260 mm	10	60	0.16 kg
XT790214	14 mm / 260 mm	10	60	0.15 kg
XT790218	18 mm / 265 mm	10	60	0.18 kg
XT790220	20 mm / 265 mm	10	60	0.18 kg
XT790225	25 mm / 265 mm	10	60	0.19 kg
XT790232	32 mm / 265 mm	10	60	0.22 kg
XT790238	38 mm / 265 mm	10	60	0.24 kg

CARVING CHISEL SET, WOODEN HANDLE 12PCS

Wood carving chisel set placed in a wooden box.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Deep chisel	**16mm**	Straight bent chisel	**5 mm**
Round outer chisel	**7 mm**	Half-round shallow chisel	**9.15 mm**
Round inner chisel	**5 mm**	Point chisel	**6mm (2ks)**
Flat chisel	**6,12 mm**	Chamfer chisel	**6mm (2ks)**

Order No.	Description	Package	Carton	Weight
XT790300	Wooden box	1	10	1.24 kg

CARVING CHISEL SET, WOODEN HANDLE 12PCS

Wood carving chisel set for beginners placed in a textile box.

XTLINE PROFESSIONAL TOOLS

60Crv



Technical parametres

Flat chisel	**8, 12 mm**	Half-round chisel	**6, 10, 16, 25 mm**
Chamfer chisel	**17 mm**	Spoon chisel	**18 mm**
Flat bent chisel	**12 mm**	V-shape chisel	**10, 12 mm**
Half-round bent chisel	**12 mm**		

Order No.	Description	Package	Carton	Weight
XT790400	Textile package	1	10	1.37 kg

WOOD TURNING CHISEL SET, WOODEN HANDLE 6PCS

Wood carving chisel set for beginners placed in a textile box.

XTLINE PROFESSIONAL TOOLS

CrV

Technical parametres

Types of woodturning chisels	**round nose, spindle deep, skew, roughing short/long, parting**
Total length (L)	**round nose (430 mm), spindle deep (470 mm), skew (470 mm); roughing short (430 mm)/ long (570 mm), parting (430 mm)**
Working length	**round nose (180 mm), spindle deep (180 mm), skew (180 mm); roughing short (180 mm)/ long (240 mm), parting (180 mm)**
Hardness	**58-62 HRC**
Sales packaging	**wooden box**

Order No.	Description	Package	Carton	Weight
XT790500	Wooden box	1	10	3.4 kg

QUICK-GRIP F-CLAMP

Quick-grip clamp system is a great tool for every craftsman. The system benefits from fast handling, universal use for clamping in or spreading out, perfect material adhesion due to jaw rubber pads. The whole Power-grip tightening system allows gripping the clamp using one hand only, with clamping force of 135kg. The frame can be used not only for clamping, but also spreading. Added buttons to unlock the clamp. One hand use with the feed lever.

Order No.	Description	Package	Carton	Weight
XT140250	150 mm	6	18	0.86 kg
XT140300	300 mm	6	18	0.1 kg
XT140450	450 mm	6	12	1.13 kg
XT140600	600 mm	6	12	1.28 kg
XT140900	900 mm	6	12	1.55 kg

PLASTIC SPRING CLAMP

Plastic clamp made of quality material with strong spring. Tough and durable soft-grip handle for comfortable handling. Movable jaws can adapt to curved objects. Suitable for holding glued parts, cables, etc. Swivel jaws can adapt to the clamped object. Strong spring.

Order No.	Description	Package	Carton	Weight
XT140075	75 mm	24	144	0.04 kg
XT140100	100 mm	10	200	0.06 kg
XT140150	150 mm	10	100	0.15 kg
XT140228	206 mm	10	40	0.23 kg

WOODWORKING F-CLAMP

Order No.	Description	Package	Carton	Weight
XT100050	100x50 mm	1	50	0.32 kg
XT150050	150x50 mm	1	50	0.34 kg
XT200050	200x50 mm	1	50	0.37 kg
XT250050	250x50 mm	1	50	0.4 kg
XT300050	300x50 mm	1	50	0.42 kg

WOODWORKING F-CLAMP

Order No.	Description	Package	Carton	Weight
XT300120	300x120 mm	1	10	1.64 kg
XT500120	500x120 mm	1	8	1.95 kg
XT800120	800x120 mm	1	6	2.46 kg
XT810120	1,000x120 mm	1	6	3 kg
XT812120	1,200x120 mm	1	6	3.3 kg
XT815120	1,500x120 mm	1	6	3.8 kg

QUICK RELEASE RATCHET F-CLAMP

Fast clamp is made of quality steel with galvanized surface. The main feature is good energy span due to optimized rail profile for uniform tension distribution, especially when fully retracted clamping range.

Order No.	Description	Package	Carton	Weight
XT150200	200x100 mm	2	20	1.21 kg
XT150250	250x100 mm	2	20	1.26 kg
XT150300	300x120 mm	2	10	2.22 kg
XT150400	400x120 mm	2	10	2.45 kg
XT150500	500x120 mm	2	10	2.65 kg
XT150600	600x120 mm	2	6	2.9 kg
XT150800	800x120 mm	2	4	3.74 kg
XT151000	1,000x120 mm	2	4	4.24 kg

G-CLAMP

Order No.	Description	Package	Carton	Weight
XT141050	50 mm	10	100	0.19 kg
XT141075	75 mm	10	40	0.43 kg
XT141100	100 mm	10	30	0.58 kg

PLASTIC RATCHET SPRING CLAMP

Order No.	Description	Package	Carton	Weight
XT140230	160 mm	12	120	0.1 kg
XT140235	225 mm	12	96	0.25 kg

BENCH VICE - SWIVEL BASE

Swivel workshop vice with high-quality quenched steel jaws made to 45HRC ± 5 HRC. Horizontally 360° swivel base. Cast-iron body with machined clamping jaws and a large anvil. Integrated ±35° swivel platform with adjustable bolts. Precise rolling guide. Drive handle with safety end-caps. Bench-top clamping bolts.

XTLINE PROFESSIONAL TOOLS

cast-iron



Order No.	Description	Package	Carton	Weight
XT19100	100 mm	1	2	7 kg
XT19125	125 mm	1	1	13.5 kg
XT19150	150 mm	1	1	19.5 kg

BENCH VICE - SWIVEL BASE

GK TOOLS

Order No.	Description	Package	Carton	Weight
P19220	50 mm	1	5	1 kg
P19225	60 mm	1	20	1.03 kg

CORNER VICE 90°

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
PA23335	jaw 65 mm	1	10	0.9 kg

BENCH VICE - SWIVEL BASE

A workshop bench vice with 360° swivel head and jaws designed for round materials.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P19230	100 mm	1	2	5.72 kg
P19235	125 mm	1	2	7.24 kg
P19240	150 mm	1	2	11.34 kg

DRILL PRESS VICE

Order No.	Description	Package	Carton	Weight
P19205	80 mm	1	10	1.45 kg
P19206	100 mm	1	10	2.12 kg
P19210	125 mm	1	5	3.13 kg

QUICK-GRIP F-CLAMP

One hand clamp, lever tightening. Loosening with an unlock button Plastic jaw caps to prevent material damage.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P13661/P	150 mm	12	48	0.49 kg
P13664/P	300 mm	6	36	0.59 kg
P13667/P	450 mm	6	24	0.69 kg
P13668/P	600 mm	6	24	0.79 kg

SPRING PULLER

RICHMANN

Order No.	Description	Package	Carton	Weight
PC4051	380 mm (2pcs)	1	10	1.9 kg

2-JAW GEAR PULLER

GK TOOLS

Order No.	Description	Package	Carton	Weight
P19760	Jaw Capacity 75 mm / Height 65 mm	4	4	0.29 kg
P19761	Jaw Capacity 75 mm / Height 90 mm	4	32	0.36 kg
P19762	Jaw Capacity 85 mm / Height 130 mm	2	24	0.56 kg
P19763	Jaw Capacity 85 mm / Height 180 mm	2	16	0.78 kg

2-JAW GEAR PULLER

Designed for pulling bearings, pulleys, gears, etc.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19781	Jaw Capacity 80 mm / Height 100 mm	1	28	0.95 kg
P19782	Jaw Capacity 90 mm / Height 120 mm	1	28	1.11 kg

METAL SPRING CLAMP

Forged hand clamp with rubber caps ideal for glue-ups or various material fixing.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P18254	100 mm	1	240	0.04 kg
P18256	150 mm	1	144	0.1 kg

2-JAW GEAR PULLER

RICHMANN

Order No.	Description	Package	Carton	Weight
PC4067	spread 38 mm depth 65 mm	1	50	0.37 kg
PC4068	spread 40 mm depth 80 mm	1	40	0.42 kg
PC4069	spread 55 mm depth 90 mm	1	30	0.65 kg

GEAR PULLER FOR INNER BEARINGS

RICHMANN

Order No.	Description	Package	Carton	Weight
PC4071	12x38 mm	1	20	0.808 kg

3-JAW GEAR PULLER

GK TOOLS

Order No.	Description	Package	Carton	Weight
P19779	Jaw Capacity 55 mm / Height 65 mm	4	40	0.37 kg
P19784	Jaw Capacity 60 mm / Height 90 mm	4	24	0.45 kg
P19786	Jaw Capacity 65 mm / Height 130 mm	2	16	0.71 kg
P19788	Jaw Capacity 75 mm / Height 180 mm	2	10	0.96 kg

J-HOOK RATCHET STRAP ERGO

Easy manipulation thanks to a heavy-load ratchet. Quality material and connections for increased product safety and durability.

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000

Order No.	Description	Package	Carton	Weight
XT51510	5000 kg, 50x10000 mm	1	8	3.16 kg

J-HOOK RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000

Order No.	Description	Package	Carton	Weight
XT49272	800 kg, 25x2000 mm	1	70	0.31 kg
XT49274	800 kg, 25x4000 mm	1	60	0.35 kg
XT49276	800 kg, 25x6000 mm	1	60	0.4 kg
XT49278	800 kg, 25x8000 mm	1	50	0.44 kg

J-HOOK RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000



Order No.	Description	Package	Carton	Weight
XT49352	2,000kg, 35x2000 mm	1	30	0.74 kg
XT49354	2,000kg, 35x4000 mm	1	25	0.86 kg
XT49355	2,000kg, 35x5000 mm	1	20	0.91 kg
XT49356	2,000kg, 35x6000 mm	1	20	0.98 kg
XT49358	2,000kg, 35x8000 mm	1	20	1.08 kg

J-HOOK RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000

Order No.	Description	Package	Carton	Weight
XT49454	3,000kg, 35x4000 mm	1	20	1.14 kg
XT49456	3,000kg, 35x6000 mm	1	12	1.41 kg
XT49458	3,000kg, 35x8000 mm	1	12	1.44 kg

J-HOOK RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000

Order No.	Description	Package	Carton	Weight
XT50504	5,000 kg, 50x4000 mm	1	10	1.86 kg
XT50506	5,000 kg, 50x6000 mm	1	10	2.08 kg
XT50508	5,000 kg, 50x8000 mm	1	20	2.32 kg
XT50510	5,000 kg, 50x10000 mm	1	10	2.55 kg
XT50512	5,000 kg, 50x12000 mm	1	8	2.78 kg
XT50514	5,000 kg, 50x14000 mm	1	8	3.01 kg
XT50516	5,000 kg, 50x16000 mm	1	6	3.25 kg

RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
P196781	1,500kg, 25x4,000 mm	1	1	0.54 kg
P196782	2,000kg, 35x3,500 mm	1	1	0.6 kg
P196783	2,000kg, 35x5,500 mm	1	1	0.78 kg

RATCHET STRAP

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19681	with hooks, 50x4500 mm	1	16	0.65 kg
P82350	without hook, 25x5000 mm	12	48	0.2 kg
P82350H	with hooks, 25x5000 mm	12	48	0.27 kg

"J-HOOK" ELASTIC STRAP CORD SET

Elastic straps made of rubber strings covered in textile braiding. Hooks for easy cargo fastening.

STAVTOOL

Order No.	Description	Package	Carton	Weight
P102540	80, 120, 150 cm, 3 pcs	1	50	0.37 kg

J-HOOK ELASTIC STRAP CORD SET

STAVTOOL

Order No.	Description	Package	Carton	Weight
P10100	1 m, diameter 8 mm (pack/4pcs)	1	40	0.37 kg
P10120	1.2 m, diameter 8 mm (pack/4pcs)	1	40	0.44 kg
P10140	1.4 m, diameter 8 mm (pack/4pcs)	1	40	0.51 kg
P10190	1.8 m, diameter 11.5 mm (pack/6pcs)	1	10	2.12 kg

PLASTIC CORNER PROTECTOR

Order No.	Description	Package	Carton	Weight
PC5001	100x100x85 mm	1	1	0.07 kg
PC5002	150x150x195 mm	1	1	0.18 kg

RATCHET STRAP

XTLINE PROFESSIONAL TOOLS

EN 12195-2:2000

NEW

Order No.	Description	Package	Carton	Weight
XT49164	1500 kg, 25x4000 mm	1	70	0.31 kg
XT49174	2000 kg, 35x3500 mm	1	70	0.31 kg
XT49175	2000 kg, 35x5500 mm	1	70	0.31 kg

QUICK-RELEASE RATCHET STRAP

STAVTOOL

Order No.	Description	Package	Carton	Weight
P196784	400 kg, 25x4,000 mm	1	1	0.12 kg

"J-HOOK" ELASTIC STRAP CORD - SPIDER

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19605	8.0x410 mm	1	80	0.22 kg

ELASTIC STRAP CORD

STAVTOOL

Order No.	Description	Package	Carton	Weight
PA10000	20 m x 8.0 mm	1	20	1.58 kg
PA10012	20 m x 10 mm	1	10	2.53 kg

J-HOOK FOR ELASTIC STRAP CORD

STAVTOOL

BLISTER

Order No.	Description	Package	Carton	Weight
PA10010	8.0 mm, pack/20pcs	1	20	0.31 kg

WORKSHOP

225 - 232

AIR GUNS
AND ACCESSORIES
PNEUMATIC TOOLS

232 - 237

HYDRAULIC EQUIPMENT
WINCHES

238 - 239

BLOW TORCH SETS

240

ANGLE MAGNETS
ELECTRODES
WELDING WIRES

241 - 243

SPARE PARTS KITS

244 - 254

PLASTIC BOXES
ORGANIZERS, SYSTAINERS
METAL BOXES

255 - 259

WORK LIGHTS
EXTENSION CABLES

260 - 265

METERS AND MEASURES
PENCILS
MARKERS

SPRAY GUN, UPPER VESSEL

Paint spray gun with an upper placed vessel and volume of 0.6 L equipped with wide spray nozzle. Suitable for lacquer and paint application in household and professional use, car body-paint shops, woodworking shops etc. Stainless-steel gun body, including the needle and nozzle. Adjustable air inlet, paint volume and nozzle fine-tuning. H.V.L.P. means lower application pressure to decrease paint surface reflection and, additionally, lowers the coating consumption of up to 30% when applying thick coating.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size of nozzle	**1.5 mm**
Volume	**0,6 l**
Width of spray coating	**180-260 mm**
Working pressure	**1,7 bar**
Diameter of fluid input	**3/8"**
Diameter of air input	**1/4"**
Air hose diameter	**6 - 8 mm**
Air consumption	**10,2 m3/h**

Order No.	Description	Package	Carton	Weight
XT4018	0.6 L, size of nozzle 1.5 mm	1	20	0.76 kg

SPRAY GUN, LOWER VESSEL

STAVTOOL by XTLINE

Technical parametres

Size of nozzle	**1.5 mm**	Working pressure	**2-3 bar**
Volume	**1 l**		

Order No.	Description	Package	Carton	Weight
P19609	1 L, size of nozzle 1.5 mm	1	77	0.8 kg

MINI SPRAY GUN, UPPER VESSEL

H.V.L.P. means lower application pressure to decrease paint surface reflection and, additionally, lowers the coating consumption of up to 30% when applying thick coating.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size of nozzle	**0.8 mm**	Working pressure	**2-3 bar**
Volume	**0,15 l**	Air consumption	**11,9 m3/h**

Order No.	Description	Package	Carton	Weight
P19640	0.15 l, size of nozzle 0.8 mm	1	20	0.37 kg

SPRAY GUN, UPPER VESSEL

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size of nozzle	**1.4 mm**	Working pressure	**2-3 bar**
Volume	**0,6 l**	Air consumption	**15,3 m3/h**

Order No.	Description	Package	Carton	Weight
P19641	0.6 l, size of nozzle 1.4 mm	1	20	0.86 kg

SPRAY GUN FOR COMPRESSOR

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT10607	1 L	1	10	0.62 kg

SPRAY GUN, UPPER VESSEL

XTLINE PROFESSIONAL TOOLS

Technical parametres

Size of nozzle	**1.5 mm**	Working pressure	**2-3 bar**
Volume	**0,6 l**		

Order No.	Description	Package	Carton	Weight
XT10608	0.6 L, size of nozzle 1.5 mm	1	10	0.54 kg

AIR BLOW GUN - SHORT

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT10616	short	10	40	0.18 kg

AIR BLOW GUN - MEDIUM

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT10618	medium, length of extension 115 mm	10	40	0.19 kg

AIR BLOW GUN - LONG

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT10617	long, length of extension 220 mm	10	40	0.2 kg

AIR BLOW GUN, ADAPTORS

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Package includes	**adapters: 30, 115, 210 mm; 2x universal quick couplings**

Order No.	Description	Package	Carton	Weight
XT10675	2 attachments	10	60	0.28 kg

AIR BLOW GUN FOR TRUCKS

Complete dust cleaning compressor set. Air hose including quick-couplings and other accessories.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT1012	4.0/6.0 mm (4,7 m)	1	25	0.41 kg
XT1013	5.0/8.0 mm (4,7 m)	1	25	0.47 kg
XT1014	T quick-coupling	1	25	0.06 kg

SPRAY GUN FOR CHASSIS AND CAVITIES

Spray gun for car chassis and cavities.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19671	hose length 500 mm	1	20	0.45 kg

TYRE INFLATING GUN WITH MANOMETER

Tyre inflating gun with a manometer, regulation valve and quick-coupling connection.

XTLINE PROFESSIONAL TOOLS



BLISTER

Technical parametres

Length of hose	**480 mm (with adapter)**	Air intake	**1/4"**
Max. pressure	**12 bar**	Package includes	**manometer, car tyre valve nozzle, hose**

Order No.	Description	Package	Carton	Weight
XT1008	blister package	10	20	0.43 kg

TYRE INFLATING GUN WITH DIGITAL MANOMETER

Tyre inflating gun with a manometer, regulation valve and quick-coupling connection.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Length of hose	**350 mm**	Other features	**pressure release valve**
Max. pressure	**12 bar**	Package includes	**manometer, car tyre valve nozzle, hose**
Air intake	**1/4"**		

Order No.	Description	Package	Carton	Weight
XT1010	blister package	10	100	0.37 kg

TYRE INFLATING GUN WITH MANOMETER

BLISTER

Technical parametres

Length of hose	**400 mm**	Package includes	**car tyre valve nozzle, hose 400 mm**
Max. pressure	**12 bar**		

Order No.	Description	Package	Carton	Weight
XT10615	blister package	10	40	0.35 kg

TYRE INFLATING GUN WITH MANOMETER

Tyre inflating gun with a manometer, regulation valve and quick-coupling connection.

BLISTER

Technical parametres

Max. pressure	**12 bar**	Operating temperature	**-10 °C to + 60 °C**
Uncertainty	**+/- 0,07 bar**	Package includes	**manometer, car tyre valve nozzle, hose**

Order No.	Description	Package	Carton	Weight
XT10087	carton box	1	40	1.13 kg

TYRE INFLATING GUN WITH MANOMETER

Tyre inflating gun with a manometer, regulation valve and quick-coupling connection.

BLISTER

Technical parametres

Max. pressure	**12 bar**
Package includes	**manometer, car tyre valve nozzle, hose**

Order No.	Description	Package	Carton	Weight
XT10089	blister package	15	30	0.66 kg

AIR COMPRESSOR ACCESSORY SET 3 PCS

Basic compressor set for inflating tyres and air-blow cleaning.

Technical parametres

Max. pressure	**12 bar**
Package includes	**tyre inflating gun with manometer, air-blow gun, air hose 5 m**

Order No.	Description	Package	Carton	Weight
XT10063	blister package	1	5	0.76 kg

AIR COMPRESSOR ACCESSORY SET 5 PCS

Compressor set with compete accessory kit for tyre inflation and spray gun paint application.

Technical parametres

Max. pressure	**12 bar**
Package includes	**spray gun with upper and lower placed vessel, tyre inflating gun with manometer, air-blow gun, hose 5 m**

Order No.	Description	Package	Carton	Weight
XT10063	blister package	1	5	0.76 kg

SPIRAL AIR COMPRESSOR HOSE

Spiral compressor hose equipped with quick-couplings for fast and easy manipulation. Suitable for connecting air-blow gun and spray paint gun. Very flexible, crack and deformation resistant material. The spiral shape is practical for storage. Maximum hose working pressure of 10 bar. PU damage-resistant, elastic material.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Outer diameter	**12 mm**	Max. pressure	**10 bar**
Inner diameter	**8 mm**		

Order No.	Description	Package	Carton	Weight
P19594	8.0/12 mm, 5.0 m	1	50	0.57 kg
P19595	8.0/12 mm, 7.5 m	1	35	0.71 kg
P19596	8.0/12 mm, 10 m	1	42	0.91 kg
P19597	8.0/12 mm, 15 m	1	30	1.25 kg
P19598	8.0/12 mm, 20 m	1	20	1.67 kg

SPIRAL AIR COMPRESSOR HOSE

XTLINE PROFESSIONAL TOOLS

Technical parametres

Outer diameter	**8 mm**	Max. pressure	**10 bar**
Inner diameter	**6 mm**		

Order No.	Description	Package	Carton	Weight
P19624H N	6.0/8.0 mm, 5 m	1	x	0.56 kg
P19625H N	6.0/8.0 mm, 7.5 m	1	x	0.56 kg
P19626H	6.0/8.0 mm, 10 m	1	25	0.43 kg
P19627H	6.0/8.0 mm, 15 m	1	42	0.54 kg
P19628H	6.0/8.0 mm, 20 m	1	24	0.67 kg

AIR HOSE REEL

Air hose reel is a great tool for practical hose storage. Easy hose unwind to the required length and uniform retraction by light pulling the hose. The cover is made of durable plastic which provides great protection from weather conditions. Wall holder can be rotated of up to 180° and prevents the hose from twisting and tangling.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Working temperature	**-5 to 45°C**	Inner diameter	**9.5 mm**
Length of hose	**20 m**	Working pressure	**8 bar**
Max. pressure	**16 bar**	Clamping	**quick coupling 1/4"**
Outer diameter	**12 mm**	Weight	**6.7 kg**

Order No.	Description	Package	Carton	Weight
XT41900	20 m	1	1	8.26 kg

AIR HOSE WITH COUPLINGS

Use: compressed air distribution and connection to pneumatic tools.

XTLINE PROFESSIONAL TOOLS

PVC, PES fiber

Technical parametres

Max. pressure	**16 bar**	Colour	**blue, opaque**
Outer diameter	**15 mm**	Material	**PVC, PES fiber**
Inner diameter	**9 mm**		

Order No.	Description	Package	Carton	Weight
XT41905	9.0/15 mm, 5.0 m	1	1	0.83 kg
XT41910	9.0/15 mm, 10 m	1	1	1.594 kg
XT41915	9.0/15 mm, 15 m	1	1	2.32 kg
XT41920	9.0/15 mm, 20 m	1	1	2.98 kg
XT42005	6.0/12 mm, 5.0 m	1	1	0.64 kg
XT42010	6.0/12 mm, 10 m	1	1	1.15 kg
XT42015	6.0/12 mm, 15 m	1	1	1.64 kg

AIR HOSE PROFI

XTLINE PROFESSIONAL TOOLS

PVC, PES fiber

Technical parametres

Max. pressure	**16 bar**	Colour	**blue, opaque**
Outer diameter	**15 mm**	Material	**PVC, PES fiber**
Inner diameter	**9 mm**		

Order No.	Description	Package	Carton	Weight
XT41950	50 m, 9.0/15 mm (price per 1 m)	50	50	0.15 kg
XT42050	50 m, 6.0/12 mm (price per 1 m)	50	50	0.1092 kg

AIR IMPACT WRENCH

XTLINE PROFESSIONAL TOOLS

Technical parametres

Speed	**7000 rpm**	Air pressure	**6-8 kg/cm2**
Max. torque	**680 Nm**	Thread	**M16**
Air intake	**1/4"**	Sales packaging	**plastový box**
Vibration of square drive	**<0.4 mm**	Weight	**2.6 kg**
Air consumption	**380 l/min**		
Package includes	**sockets: 10; 11; 13; 14; 17; 19; 22; 24 mm, extension; oiler; lubricating head**		

Order No.	Description	Package	Carton	Weight
XT10026B	680 Nm, 1/2", Accessory Kit 15pcs	1	40	4.67 kg

AIR IMPACT WRENCH

Air impact wrench is designed for tightening and loosening bolts and nuts. Suitable to use in industrial, freight and bus business, shipping, agriculture and workshops. Square drive 1/2", tightening torque can be regulated at three levels – 814Nm, 1085Nm and 1630Nm.

HONITON PROFESSIONAL TOOLS

Technical parametres

Speed	**5500 rpm**	Air intake	**1/4"**
Max. torque	**1630 Nm**	Air consumption	**198 l/min**
Torque adjustment	**814 / 1085 / 1630 Nm**	Thread	**M16**
Working pressure	**6.3 bar**	Weight	**3.6 kg**

Order No.	Description	Package	Carton	Weight
HY1982T	1,630 Nm, 3/4"	1	6	3.6 kg

AIR IMPACT WRENCH

Square drive 1/2" with adjustable torque set-up. All stored with sockets in a plastic box.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Speed	**7000 rpm**	Air consumption	**360 l/min**
Max. torque	**310 Nm**	Clamping	**1/2"**
Working pressure	**6 bar**	Weight	**3.8 kg**
Package includes	**adapter 1/2" 125 mm, quick coupling, lubrication filter, HEX key, sockets 1/2": 9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm**		

Order No.	Description	Package	Carton	Weight
XT1001	310 Nm, 1/2", Accessory Kit 17pcs	1	5	3.79 kg

AIR IMPACT WRENCH

Air impact wrench is designed for tightening and loosening bolts and nuts. Suitable to use in industrial, freight and bus business, shipping, agriculture and workshops. Square drive 1/2", tightening torque can be regulated at three levels – 814Nm, 1085Nm and 1356Nm.

HONITON PROFESSIONAL TOOLS

Technical parametres

Speed	**10000 rpm**	Air intake	**1/4"**
Max. torque	**1356 Nm**	Air consumption	**153 l/min**
Torque adjustment	**814 / 1085 / 1356 Nm**	Thread	**M16**
Working pressure	**6.2 bar**	Weight	**2 kg**

Order No.	Description	Package	Carton	Weight
HY1281T	1,356 Nm, 1/2"	1	10	2.02 kg

AIR RATCHET WRENCH

HONITON PROFESSIONAL TOOLS

Technická specifikace

HY1038A		HY1012A	
Speed	**160 ot/min**	Speed	**160 ot/min**
Max. torque	**120 Nm**	Max. torque	**120 Nm**
Working pressure	**6.3 bar**	Working pressure	**6.3 bar**
Air intake	**1/4"**	Air intake	**1/4"**
Air consumption	**104.8 l/min**	Air consumption	**104.8 l/min**
Clamping	**3/8"**	Clamping	**3/8"**
Dimension of product	**254x50x50 mm**	Dimension of product	**254x50x50 mm**
Weight	**1.3 kg**	Weight	**1.3 kg**

Order No.	Description	Package	Carton	Weight
HY1012A	120 Nm, 1/2"	1	10	1.3 kg
HY1038A	120 Nm, 3/8"	1	10	1.3 kg

AIR IMPACT WRENCH + AIR RATCHET WRENCH

Square drive 1/2" with adjustable torque set-up. All stored with sockets in a plastic box.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Speed	**7000 rpm**	Air consumption	**360 l/min**
Max. torque	**310 Nm (gun); 68 Nm (ratchet)**	Clamping	**1/2"**
Working pressure	**6 bar**	Weight	**3.8 kg**
Package includes	**quick coupling, lubrication filter, HEX key, sockets 1/2": 9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm**		

Order No.	Description	Package	Carton	Weight
XT1005	310 Nm, 1/2", Accessory Kit 17pcs	1	5	5.45 kg

QUICK RELEASE AIR COUPLING - INTERNAL THREAD

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40214	1/4"	1	60	0.09 kg
XT40238	3/8"	1	75	0.08 kg
XT40212	1/2"	1	45	0.11 kg

QUICK RELEASE AIR COUPLING - EXTERNAL THREAD

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40314	1/4"	1	60	0.08 kg
XT40338	3/8"	1	60	0.08 kg
XT40312	1/2"	1	75	0.1 kg

QUICK RELEASE AIR COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40514	internal thread 1/4"	1	200	0.03 kg
XT40614	external thread 1/4"	1	75	0.03 kg

QUICK RELEASE AIR COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT4011	internal 8.0/12 mm	1	1	0.24 kg
XT4012	external 8.0/12 mm	1	1	0.15 kg

O-RING SEAL SET

O-Ring seal set for air distribution systems.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19635	50pcs	1	1	0.06 kg

AIR HOSE FITTING FOR MANOMETER

STAVTOOL XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
P19674	6.0 mm, 2pcs/pack	2	20	0.06 kg

QUICK RELEASE AIR COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40406	6.35 mm	1	75	0.08 kg
XT40407	6.9 mm	1	60	0.08 kg
XT40410	10 mm	1	75	0.08 kg

QUICK RELEASE AIR COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40706	6.35/10 mm	1	75	0.02 kg
XT40707	6.9/10 mm	1	75	0.02 kg
XT40710	10/10 mm	1	75	0.03 kg

DOUBLE-ENDED AIR HOSE CONNECTOR

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
XT40906	6 mm	1	75	0.02 kg
XT40910	10 mm	1	75	0.02 kg

QUICK RELEASE AIR COUPLING

Quick-coupling designed for air distribution.

XTLINE PROFESSIONAL TOOLS

BLISTER

max. pressure 10 bar

Order No.	Description	Package	Carton	Weight
P19631	internal 6.0/8.0 mm	1	50	0.22 kg
P19632	external 6.0/8.0 mm	1	50	0.09 kg

FLEXIBLE RUBBER SPARE HOSE FOR MANOMETER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
WJ002009	for XT10615	10	40	0.11 kg
XT1009	for XT1008	20	100	0.16 kg
XT1011	for XT10615, XT1010	20	40	0.16 kg

AIR FILTER WITH REGULATOR

Air pressure regulation saves energy and decreases extra costs. High flow rate at marginal pressure drop.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Working pressure	**0-15 bar**	Size of thread	**1/4" (input), 1/4" (output)**

Order No.	Description	Package	Carton	Weight
P19619	1/4", 0-15 bar	1	20	0.56 kg

AIR FILTER WITH 1/4" REDUCTION

RICHMANN

NEW

Order No.	Description	Package	Carton	Weight
PC0825	1/4"	1	1	0.3 kg

SPRAY GUN SPARE PARTS

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
P19657	1.0 mm for P19640	1	1	0.06 kg

SPRAY GUN SPARE PARTS

XTLINE PROFESSIONAL TOOLS

P19643 / P19643-S

P19644 / P19644-S

P19658 / P19658-S

BLISTER

Order No.	Description	Package	Carton	Weight
P19643	1.7 mm for P19641 (thread 13 mm)	1	1	0.12 kg
P19643-S	1,7mm for P19641 (thread 12 mm)	1	1	0.12 kg
P19644	2.0 mm for P19641 (thread 13 mm)	1	1	0.13 kg
P19644-S	2.0mm for P19641 (thread 12 mm)	1	1	0.13 kg
P19658	1.4 mm for P19641 (thread 13 mm)	1	1	0.13 kg
P19658-S	1.4 mm for P19641 (thread 12 mm)	1	1	0.13 kg

PRESSURE REDUCING VALVE

Small reduction valve for pneumatic tools.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. pressure	**10 bar**	Inner thread	**1/4"**
Outer thread	**1/4"**		

Order No.	Description	Package	Carton	Weight
P19655	1/4", 10 bar	1	20	0.19 kg

DOUBLE AIR FILTER WITH 1/4" REDUCTION

RICHMANN

NEW

Order No.	Description	Package	Carton	Weight
PC0826	1/4"	1	1	0.4 kg

MINI AIR FILTER WITH 1/4" REDUCTION

RICHMANN

NEW

Order No.	Description	Package	Carton	Weight
PC0852	1/4"	1	1	0.1 kg

SPRAY GUN SPARE VESSEL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19672	0,6 L, for P19641	1	20	0.22 kg

SPRAY GUN SPARE PARTS

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT4019	size of nozzle 1.4 mm for XT4018	1	1	0.07 kg
XT4020	size of nozzle 2.0 mm for XT4018	1	1	0.07 kg
XT4021	Vessel for XT4018	6	24	0.16 kg

SPRAY GUN SPARE PARTS

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19660	size of nozzle 1.5 mm for P19608, P19609	1	1	0.06 kg

PRESSURE GREASE GUN + ADAPTERS 2PCS

Technical parametres

Volume	600 ml	Package includes	Steel pipe, rubber hose

Order No.	Description	Package	Carton	Weight
PC0724	carton box	1	10	2.3 kg

PRESSURE GREASE GUN + ADAPTERS 2PCS

Compatible with a cartridge.

Technical parametres

Volume	500 ml	Package includes	2x adapter, hose

Order No.	Description	Package	Carton	Weight
PC0722	carton box	1	20	1.42 kg

GREASE GUN OIL TUBE

Technical parametres

Volume	500 ml	Package includes	flexible hose 250 mm

Order No.	Description	Package	Carton	Weight
PC0703	carton box	1	120	0.78 kg

PRESSURE GREASE GUN + ADAPTERS 2PCS

Technical parametres

Volume	500 ml	Package includes	hose, 2x adapter

Order No.	Description	Package	Carton	Weight
P19646	carton box	1	10	1.22 kg

PRESSURE HOSE

Order No.	Description	Package	Carton	Weight
PC0760	300 mm, 310 bar, M10x1	1	1	0.03 kg
PC0761	500 mm, 310 bar, M10x1	1	1	0.05 kg
PC0765	300 mm, 690 bar, M10x1	1	1	0.07 kg
PC0766	500 mm, 690 bar, M10x1	1	1	0.08 kg

PRESSURE METAL ROD

Order No.	Description	Package	Carton	Weight
PC0770	1.2 mm x 240 mm, M10x1	1	1	0.06 kg

GREASE GUN CAP

Order No.	Description	Package	Carton	Weight
PC0780	M10x1	1	1	0.04 kg

OIL SPRAY GUN, METAL

Order No.	Description	Package	Carton	Weight
PC0696	500 ml	10	50	0.17 kg
PC0697	250 ml	10	80	0.11 kg

OIL SPRAY GUN, METAL

Full-metal oil gun with hand pump suitable for lubrication of mechanical components.

Order No.	Description	Package	Carton	Weight
P19621	180 ml	10	50	0.11 kg

OIL SPRAY GUN PLASTIC

Order No.	Description	Package	Carton	Weight
PC0698	380 ml	10	120	0.09 kg

RATCHET PULLEY

Technical parametres

XT19794		XT19799	
Diameter of rope	**4.5 mm**	Diameter of rope	**6 mm**

Order No.	Description	Package	Carton	Weight
XT19794	2,000 kg, rope 3.0 m	1	6	2.92 kg
XT19799	4,000 kg, rope 3.0 m	1	4	5.35 kg

MANUAL WIRE WINCH

Technical parametres

XT19797		XT19798		XT19793	
Diameter of rope	**4.2 mm**	Diameter of rope	**4.8 mm**	Diameter of rope	**5.5 mm**

Order No.	Description	Package	Carton	Weight
XT19797	450kg / rope 10m	1	6	3.54 kg
XT19798	820kg / rope 10m	1	4	5.65 kg
XT19793	1,200 kg / rope 10m	1	4	6.44 kg

CHAIN HOIST

Chain hoist for lifting heavy loads without extra effort.

Technical parametres

Length of chain	**2.5 m**	Stroke height	**2.5 m**

Order No.	Description	Package	Carton	Weight
P19790	1 t	1	1	8.16 kg
P19791	2 t	1	1	11.04 kg
P19792	3 t	1	1	19 kg

HYDRAULIC BOTTLE JACK - DOUBLE PISTON

Double-piston hydraulic bottle jack suitable for garage or workshops, lifting or pressing etc

Technical parametres

Maximum lift capacity	**601 mm**	Max load capacity	**10 t**
Minimum lift capacity	**284 mm**	Stroke height	**228 mm**
Adjustable height	**89 mm**	Weight	**10.2 kg**

Order No.	Description	Package	Carton	Weight
PT1008	10 T	1	1	10.47 kg

HYDRAULIC BOTTLE JACK

Hydraulic bottle jack for versatile use in garage, workshops etc.

Technical parametres

P19622		P19623		P19625	
Maximum lift capacity	**345 mm**	Maximum lift capacity	**372 mm**	Maximum lift capacity	**413 mm**
Minimum lift capacity	**181 mm**	Minimum lift capacity	**194 mm**	Minimum lift capacity	**216 mm**
Adjustable height	**48 mm**	Adjustable height	**60 mm**	Adjustable height	**70 mm**
Max load capacity	**2 t**	Max load capacity	**3 t**	Max load capacity	**5 t**
Stroke height	**116 mm**	Stroke height	**118 mm**	Stroke height	**127 mm**
Weight	**2.6 kg**	Weight	**3.3 kg**	Weight	**4.3 kg**
P19628		P19630			
Maximum lift capacity	**457 mm**	Maximum lift capacity	**460 mm**		
Minimum lift capacity	**230 mm**	Minimum lift capacity	**230 mm**		
Adjustable height	**80 mm**	Adjustable height	**80 mm**		
Max load capacity	**8 t**	Max load capacity	**10 t**		
Stroke height	**147 mm**	Stroke height	**150 mm**		
Weight	**5.4 kg**	Weight	**6.4 kg**		

Order No.	Description	Package	Carton	Weight
P19622	2 t	1	6	3.81 kg
P19623	3 t	1	6	2.54 kg
P19625	5 t	1	4	4.33 kg
P19628	8 t	1	36	4.97 kg
P19630	10 t	1	24	4.94 kg

HYDRAULIC BOTTLE JACK

Hydraulic bottle jack for versatile use in garage, workshops etc.

Technical parametres

PT91204		PT91504		PT92004	
Maximum lift capacity	**460 mm**	Maximum lift capacity	**460 mm**	Maximum lift capacity	**450 mm**
Minimum lift capacity	**230 mm**	Minimum lift capacity	**230 mm**	Minimum lift capacity	**240 mm**
Adjustable height	**80 mm**	Adjustable height	**80 mm**	Adjustable height	**60 mm**
Max load capacity	**12 t**	Max load capacity	**15 t**	Max load capacity	**20 t**
Stroke height	**150 mm**	Stroke height	**150 mm**	Stroke height	**150 mm**
Weight	**6.5 kg**	Weight	**7.9 kg**	Weight	**9.7 kg**

Order No.	Description	Package	Carton	Weight
PT91204	12 T	1	3	6.62 kg
PT91504	15 T	1	3	8.03 kg
PT92004	20 T	1	2	10.1 kg

HYDRAULIC BOTTLE JACK

Hydraulic bottle jack for versatile use in garage, workshops etc.

Technical parametres

PT93204		PT95004	
Maximum lift capacity	**465 mm**	Maximum lift capacity	**480 mm**
Minimum lift capacity	**285 mm**	Minimum lift capacity	**300 mm**
Max load capacity	**32 t**	Max load capacity	**50 t**
Stroke height	**180 mm**	Stroke height	**180 mm**
Weight	**22.4 kg**	Weight	**25.8 kg**

Order No.	Description	Package	Carton	Weight
PT93204	32 T	1	2	22.4 kg
PT95004	50 T	1	1	26 kg

HYDRAULIC FLOOR SCISSOR JACK

Lightweight and compact floor jack to store in a car or garage.

Technical parametres

PT10102		PT10202	
Maximum lift capacity	**383 mm**	Maximum lift capacity	**380 mm**
Minimum lift capacity	**88 mm**	Minimum lift capacity	**90 mm**
Max load capacity	**1 t**	Max load capacity	**2 t**

Order No.	Description	Package	Carton	Weight
PT10102	1 T	1	1	2.51 kg
PT10202	2 T	1	1	3.47 kg

PORTABLE HYDRAULIC FLOOR JACK + PLASTIC BOX

Technical parametres

Maximum lift capacity	**345 mm**	Dimension of product	**460x220x150 mm**
Minimum lift capacity	**130 mm**	Weight	**9.3 kg**
Max load capacity	**2 t**		

Order No.	Description	Package	Carton	Weight
P19600	2 T	1	15	10.56 kg

PORTABLE HYDRAULIC FLOOR JACK + PLASTIC BOX

Technical parametres

Maximum lift capacity	**345 mm**	Dimension of product	**460x220x150 mm**
Minimum lift capacity	**130 mm**	Weight	**7.8 kg**
Max load capacity	**1,5 t**		

Order No.	Description	Package	Carton	Weight
P19601	1.5 T	1	1	8.5 kg

PORTABLE HYDRAULIC FLOOR JACK

Hydraulic floor jack with load capacity of 2 tons. Low profile makes the jack ideal for changing tyres at cars with low chassis height. Quality durable steel is perfect for everyday heavy-duty operation. Compact design reduces transport and storage solutions. Portable PVC box, two adjustable wheels, 360° rotatable handle.

Technical parametres

Maximum lift capacity	**359 mm**	Dimension of product	**590x275x180 mm**
Minimum lift capacity	**89 mm**	Weight	**14.2 kg**
Max load capacity	**2 t**		

Order No.	Description	Package	Carton	Weight
PT825010CS	2 T	1	1	16 kg

PORTABLE HYDRAULIC FLOOR JACK

Technical parametres

Maximum lift capacity	**530 mm**	Dimension of product	**680x290x185 mm**
Minimum lift capacity	**150 mm**	Weight	**18 kg**
Max load capacity	**2.5 t**		

Order No.	Description	Package	Carton	Weight
PT83006B	2.5 T	1	1	20 kg

PORTABLE HYDRAULIC FLOOR JACK

Technical parametres

Maximum lift capacity	**465 mm**	Dimension of product	**620x380x215 mm**
Minimum lift capacity	**130 mm**	Weight	**27.4 kg**
Max load capacity	**3 t**		

Order No.	Description	Package	Carton	Weight
PT830025	3 T	1	1	36.2 kg

PORTABLE HYDRAULIC FLOOR JACK WITH PEDAL

Technical parametres

Maximum lift capacity	**500 mm**	Dimension of product	**685x346x180 mm**
Minimum lift capacity	**140 mm**	Weight	**39 kg**
Max load capacity	**3 t**		

Order No.	Description	Package	Carton	Weight
PT8350	3 T	1	1	37.97 kg

PORTABLE HYDRAULIC FLOOR JACK - LOW PROFILE

Technical parametres

Maximum lift capacity	**455 mm**	Dimension of product	**640x342x174 mm**
Minimum lift capacity	**85 mm**	Weight	**34.8 kg**
Max load capacity	**2.5 t**		

Order No.	Description	Package	Carton	Weight
PT830018	2.5 T	1	1	20 kg

PORTABLE HYDRAULIC FLOOR JACK - LOW PROFILE

Technical parametres

Maximum lift capacity	**330 mm**	Dimension of product	**548x230x160 mm**
Minimum lift capacity	**85 mm**	Weight	**10 kg**
Max load capacity	**2 t**		

Order No.	Description	Package	Carton	Weight
PTA82001S	2 T	1	1	10 kg

PORTABLE HYDRAULIC FLOOR JACK

XTLINE PROFESSIONAL TOOLS

LOW PROFILE

Technical parametres

Maximum lift capacity	**535 mm**	Dimension of product	**760x345x170 mm**
Minimum lift capacity	**98 mm**	Weight	**45.5 kg**
Max load capacity	**3 t**		

Order No.	Description	Package	Carton	Weight
PT83508	3 T	1	1	45.5 kg

HYDRAULIC STRUT TOOL KIT

Hydraulic strut tool with force capacity of 4 tons stored in a box and designed for car body repair works. Viable to use for expanding, pressing, lifting, stretching in vertical and horizontal direction, even in hard-to-reach areas. Robust wheels for comfortable manipulation. Expandable rod - 127, 250, 456, 685mm. Toothed handle, riving wedge, rubber handle, support base, impact tip, ejection tip, cleft cap, V-platform, thread connector, 4T pump, knocker device, hydraulic hose.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. spread	**330 mm**	Dimension of product	**580x360x175 mm**
Min. spread	**120 mm**	Weight	**17 kg**
Max load capacity	**4 t**		

Order No.	Description	Package	Carton	Weight
PT70401	4 T	1	1	30.3 kg

JACK STAND

XTLINE PROFESSIONAL TOOLS

Technical parametres

PT4204		PT4302	
Maximum lift capacity	**425 mm**	Maximum lift capacity	**425 mm**
Minimum lift capacity	**285 mm**	Minimum lift capacity	**310 mm**
Max load capacity	**2 t**	Max load capacity	**3 t**
Weight	**5.5 kg**	Weight	**6.4 kg**
PT4602		PT410001	
Maximum lift capacity	**600 mm**	Maximum lift capacity	**715 mm**
Minimum lift capacity	**410 mm**	Minimum lift capacity	**468 mm**
Max load capacity	**6 t**	Max load capacity	**10 t**
Weight	**12.8 kg**	Weight	**28 kg**

Order No.	Description	Package	Carton	Weight
PT4204	2 T	1	1	5.5 kg
PT4302	3 T	1	1	7.17 kg
PT4602	6 T	1	1	12.76 kg
PT410001	10 T	1	1	28 kg

HYDRAULIC STRUT TOOL KIT

Hydraulic strut tool with force capacity of 10 tons stored in a box and designed for car body repair works. Viable to use for expanding, pressing, lifting, stretching in vertical and horizontal direction, even in hard-to-reach areas. Robust wheels for comfortable manipulation. Expandable rod - 127, 250, 456, 685mm. Toothed handle, riving wedge, rubber handle, support base, impact tip, ejection tip, cleft cap, V-platform, thread connector, 10T pump, knocker device, hydraulic hose.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. spread	**460 mm**	Dimension of product	**815x430x165mm**
Min. spread	**150 mm**	Weight	**31 kg**
Max load capacity	**10 t**		

Order No.	Description	Package	Carton	Weight
P19604/P	10 t	1	1	30.3 kg

HYDRAULIC PUMP

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P0001	10 T	1	24	7.11 kg

PORTABLE HYDRAULIC FLOOR JACK - LOW PROFILE

Hydraulic floor jack with load capacity of 3 tons. Low profile makes the jack ideal for changing tyres at cars with low chassis height. Quality durable steel is perfect for everyday heavy-duty operation. Compact design reduces transport and storage solutions.

XTLINE PROFESSIONAL TOOLS

75% faster stroke

Technical parametres

Maximum lift capacity	**585 mm**	Dimension of product	**846x398x168 mm**
Minimum lift capacity	**100 mm**	Weight	**51.5 kg**
Max load capacity	**3 t**		

Order No.	Description	Package	Carton	Weight
PT830008	3 T	1	1	51.5 kg

RUBBER FOOTING

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
PT820033E-2	39 mm for Hydraulic Floor Jack P19600, P19601	1	1	0.02 kg
PT8250010CE-2	52 mm for Hydraulic Floor Jack PT8250010CS	1	1	0.03 kg
PT830018-2	96 mm for Hydraulic Floor Jack PT830018	1	1	0.03 kg
PT83006FE-2	44 mm for PT83006B	1	1	0.08 kg
PT83502-5	127 mm for Hydraulic Floor Jack PT83508	1	1	0.22 kg
PTRY8011	100 mm for Universal Hydraulic Floor Jack	1	1	0.09 kg



WORKSHOP CREEPER

Technical parametres

Max load capacity	**120 kg**

Order No.	Description	Package	Carton	Weight
PTR451	900x420x270 mm	1	1	7.06 kg

ADJUSTABLE WORKSHOP CREEPER

Technical parametres

Max load capacity	**120 kg**

Order No.	Description	Package	Carton	Weight
PTR452	1000x420x270 mm	1	1	8.6 kg

WORKSHOP CREEPER PLASTIC

Technical parametres

Max load capacity	**100kg**

Order No.	Description	Package	Carton	Weight
PTRH6802-2	1000x475x130 mm	1	1	5.91 kg

WORKSHOP CREEPER SEAT

Workshop creeper seat with padding, adjustable height in range of up to 120mm using pneumatic piston, adjustable wheels to move freely with no need to stand up. Practical tool-rest at hand.

Technical parametres

Max load capacity	**120 kg**

Order No.	Description	Package	Carton	Weight
PTR6201C	380x380x440 mm	1	1	6.6 kg

PORTABLE HYDRAULIC CRANE

Portable hydraulic crane for all manipulation works in workshop or garage with the maximum load capacity of 2 tons. Perfect for manipulation with car engines which is extremely easy thanks to the hydraulics. Very compact design due to folding shoulder and chassis. The shoulder can be extended according to the weight of lifted load. Control valve to prevent overloading. Extendable shoulder, lifting hook with a control mechanism, 6 wheels for easy transport, stable portable platform.

Technical parametres

Max load capacity	**2 t**	Dimension when assembled	**1450x545x160 mm**
Range of lifting	**25-2000 mm**	Weight	**90 kg**
Dimension when disassembled	**1750x1040x1486 mm**		

Order No.	Description	Package	Carton	Weight
PT32002X	2 T	1	1	90 kg

WORKSHOP CREEPER SEAT

Workshop creeper seat with padding, adjustable wheels to move freely with no need to stand up. Practical tool-rest at hand.

Technical parametres

Max load capacity	**120 kg**

Order No.	Description	Package	Carton	Weight
PTR6100	360x365x365 mm	1	1	4.73 kg

GAS BLOW TORCH

Gas blow torch is used for easy connecting of copper pipes. Piezo lighting mechanism and compatibility with gas cartridges of filling size of 227g.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Power	**1.0 kW**	Dimension of product	**140x50x20 mm**
Working time	**2 h 50 min.**	Other features	**piezo ignition**
Gas consumption	**80 g/h**	Weight	**0.5 kg**

Order No.	Description	Package	Carton	Weight
XT23520	1.0 kW	10	100	0.14 kg

GAS CARTRIDGE

Order No.	Description	Package	Carton	Weight
MEUKP02001	190 g for XT23525 (SK2171168)	1	x	0.23 kg

GAS CARTRIDGE

Order No.	Description	Package	Carton	Weight
MEUKP02002	227 g for XT23520 (SK217344)	4	28	0.23 kg

FUNEL PVC

Order No.	Description	Package	Carton	Weight
50025	Flexible nozzle with tapered outlet	1	10	0.09 kg

SOLDERING BLOW TORCH SET

Soldering blow torch with piezo-electric lighting mechanism. Designed for DIY's and craftsmen. Durable metal cartridge cover. The tool uses single-use piercing cartridges. Flame regulation using adjustment knob.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Power	**1.75 kW**	Dimension of product	**230x110x160 mm**
Working time	**1 h 30 min.**	Other features	**piezo ignition**
Gas consumption	**130 g/hod**	Weight	**0.6 kg**

Order No.	Description	Package	Carton	Weight
XT23525	1.75 kW	1	20	0.58 kg

TYPES AND TECHNICAL DATA OF INDIVIDUAL ATTACHMENTS FOR GAS BURNERS

	type	diameter burner	temp. flames	perfor-mance	consump. gas
	XT23509	13mm	1850°C	2KW	140g/h
	XT23509	14mm	1850°C	2KW	140g/h
	XT23509	17mm	1850°C	2KW	140g/h

	type	diameter burner	temp. flames	perfor-mance	consump. gas
	XT23510	50mm	1850°C	19,5KW	2000g/h
	XT23510	35mm	1850°C	19,5KW	2000g/h
	XT23510	25mm	1850°C	19,5KW	2000g/h
	XT23512	50mm	1850°C	28KW	2400g/h
	XT23513	60mm	1850°C	58kW	4100g/h

GAS BLOW TORCH SET

XTLINE PROFESSIONAL TOOLS

NEW

use for a 10 kg propane-butane cylinder

Technical parametres

Power	**58 kW**	Input	**3/8"**
Temperature of flame	**1850°C**	Output	**3/8"**
Diameter of burner	**60 mm**	Gas consumption	**4100 g/h**
Length of hose	**5 m**		
Package includes	**adapter, hose 5 m, key, reduction valve**		

Order No.	Description	Package	Carton	Weight
XT23513	60 mm 58 kW + hose 5.0 m	1	10	2.1 kg

GAS BLOW TORCH SET

XTLINE PROFESSIONAL TOOLS

NEW

use for a 10 kg propane-butane cylinder

Technical parametres

Power	**19,5 kW**	Input	**3/8"**
Temperature of flame	**1850°C**	Output	**3/8"**
Diameter of burners	**25, 35, 50 mm**	Gas consumption	**2000 g/h**
Length of hose	**1.5 m**		
Package includes	**adapters, hose 1.5 m, reduction valve, key**		

Order No.	Description	Package	Carton	Weight
XT23510	19,5 kW + hose 1.5 m	1	10	1.47 kg

REDUCING VALVE

The gas reducing valve is used to regulate the pressure at the outlet of the gas appliance. It is suitable for Propane-butane containers with a capacity of 5, 10 and 33 kg. Use the reducing valve only with appliances and devices whose maximum working pressure does not exceed the specified values.

XTLINE PROFESSIONAL TOOLS

EN16129

NEW

Technical parametres

Dimensions	**85 x 51 x 46 mm**	Input	**W 21.8" x 1/14" LH**
Capacity	**8 kg/h**	Output	**G 3/8" LH**
Type	**LPG**	Operating temperature	**-20° to 50°C**
Input pressure	**4.5–16 bar**	Norm	**EN16129**
Output pressure	**4 bar**		

Order No.	Description	Package	Carton	Weight
XT23506	W 21,8" - G 3/8"	1	50	0.2 kg

HOSE FOR GAS BLOW TORCH SET 3/8"-3/8"

The gas hose is intended for connection to gas blow torch kits XT23509, XT23510, XT23512 and XT23513.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT23514	1.5 m	1	50	0.3 kg
XT23515	5.0 m	1	25	0.8 kg
XT23516	10 m	1	10	1.7 kg

GAS BLOW TORCH SET

The gas blow torch kit is used for charring materials, thermal-mechanical removal of old paint, heating of various types of asphalt and other insulating materials during laying, charring and surface protection of wooden beams, planks and boards, and many other uses that are in accordance with safety instructions for working with a gas blow torch kit. The package includes a 50mm extension, 1.5m gas hose, a service key and a reducing valve.

XTLINE PROFESSIONAL TOOLS

NEW

use for a 10 kg propane-butane cylinder

Technical parametres

Power	**28 kW**	Input	**3/8"**
Temperature of flame	**1850°C**	Output	**3/8"**
Diameter of burner	**50 mm**	Gas consumption	**140 g/h**
Length of hose	**1.5 m**		
Package includes	**adapter 50 mm, hose 1.5 m, key, reduction valve**		

Order No.	Description	Package	Carton	Weight
XT23512	50 mm 28 kW + hose 1.5 m	1	20	1.3 kg

GAS BLOW TORCH SET

XTLINE PROFESSIONAL TOOLS

NEW

use for a 10 kg propane-butane cylinder

Technical parametres

Power	**2 kW**	Input	**3/8"**
Temperature of flame	**1850°C**	Output	**3/8"**
Diameter of burners	**13, 14, 17 mm**	Gas consumption	**140 g/h**
Length of hose	**1.5 m**		
Package includes	**3 adapters, hose 1.5 m, reducing valve, key**		

Order No.	Description	Package	Carton	Weight
XT23509	2 kW + hose 1.5 m	1	20	1.13 kg

PIPE CLEANING SPIRAL

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
PA62830	3 m x 5 mm	1	50	0.24 kg
PA628401	5 m x 8 mm	1	50	1 kg
PA62860	10 m x 8 mm	1	20	2 kg

WELDING ELECTRODE HOLDER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
M70070	250 mm, 300 A	10	40	0.45 kg

WELDING GROUNDING CLAMP

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
M70075	170 mm, 300 A	10	40	0.19 kg

WELDING ELECTRODES - RUTILE

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT59420	2.0 mm (2.5 kg), package/10pcs	1	x	2.5 kg
XT59425	2,5 mm, package/10pcs	1	x	2.5 kg

WELDING ELECTRODES - BASIC COATED

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT59520	2.0 mm, package/10pcs	1	x	2.5 kg
XT59525	2.5 mm, package/10pcs	1	x	2.5 kg
XT59532	3.2 mm, package/10pcs	1	x	2.5 kg

ARC WELDING ELECTRODES - RUTILE

Welding electrodes with rutile coating for versatile use provide strength of up to approximately 480MPa. Suitable for welding thin sheet metal in all positions except for vertical in downwards direction.

XTLINE PROFESSIONAL TOOLS

use for AC/DC

Order No.	Description	Package	Carton	Weight
J421/20	2.0 mm (2.5 kg)	1	8	2.55 kg
J421/25	2.5 mm (2.5 kg)	1	8	2.58 kg
J421/32	3.2 mm (5.0 kg)	1	4	4.2 kg

WELDING ELECTRODES - BASIC COATED

Welding electrodes with basic coating for welding construction under stress, pressure vessels, steel piping and boilers of strength of up to 480MPa. Also suitable for welding concrete steel.

XTLINE PROFESSIONAL TOOLS

use for AC/DC

Order No.	Description	Package	Carton	Weight
J506/20	2.0 mm (2.0 kg)	1	8	2.5 kg
J506/25	2.5 mm (2.5 kg)	1	8	2.5 kg
J506/32	3.2 mm (5.0 kg)	1	4	5.05 kg

MAGNETIC ANGLE WELDING HOLDER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT58008	12kg / 80x80 mm	10	60	0.32 kg
XT58009	22kg / 90x90 mm	10	40	0.58 kg
XT58012	33kg / 120x120 mm	10	20	1 kg

MAGNETIC ANGLE WELDING HOLDER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT58209	12kg / 95x64 mm	10	60	0.31 kg
XT58210	22kg / 110x90 mm	10	40	0.54 kg
XT58213	33kg / 135x105 mm	10	20	0.96 kg

MAGNETIC ANGLE WELDING HOLDER WITH SWITCH

An angle welding magnet with a switch is used to hold metal parts during welding. It allows metal parts to be fixed in the correct position before welding, which makes the welding process easier and faster, and ensures the accuracy of the joints. It is equipped with a switch that allows the magnetic force to be turned on or off easily and quickly. The switch is useful in situations where it is necessary to quickly change the position of a metal part, or to easily release the part after welding process is completed.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT58109	13 kg / 95x110x25 mm	6	36	0.49 kg
XT58113	34 kg / 130x152x28 mm	6	24	0.99 kg

WELDING WIRE CO2

Quality copper coated wire for arc welding in protective atmosphere. The coil is compatible with a great variety of welding machines.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
KL010605	0.6 mm / 5.0 kg	1	1	5.38 kg
KL010805	0.8 mm / 5.0 kg	1	1	5.39 kg
KL010815	0.8 mm / 15 kg	1	1	16.77 kg
KL011015	1.0 mm / 15 kg	1	1	16.77 kg
KL011215	1.2 mm / 15 kg	1	1	16.77 kg

CIRCLIP SET

Technical parametres

Size	15pcs: 11, 13, 14, 16, 19, 20 mm (internal); 15pcs: 20, 22, 25 mm (external);; 20pcs: 6, 8, 9, 11, 13, 14, 16, 19 mm (external); 5pcs: 32 mm (external)

Order No.	Description	Package	Carton	Weight
PC0401	300pcs	1	20	0.31 kg

BLIND RIVET SET

Technical parametres

Dimension	125 ks: 3,2x11 mm; 50 ks: 4,0x11 mm; 50 ks: 4,8x11 mm; 125 ks: 3,2x17 mm; 50 ks: 4,0x17 mm; 50 ks: 4,8x17 mm

Order No.	Description	Package	Carton	Weight
PC0405	450pcs	1	20	0.85 kg

FUSE SET - MINI

Technical parametres

Fuses	5 A (20pcs); 10 A (20pcs); 15 A (20pcs); 20 A (20pcs); 25 A (20pcs); 30 A (20pcs)

Order No.	Description	Package	Carton	Weight
PC0403	120pcs	1	20	0.15 kg

GREASE FITTINGS

Technical parametres

Dimension	180°: M8x1 (20pcs), M10x1 (15pcs); 90°: M8x1 (15pcs), M10x1 (15pcs); 45°: M8x1 (15pcs), M10x1 (20pcs)

Order No.	Description	Package	Carton	Weight
PC0407	100pcs	1	25	0.7 kg

O-RING SET

Technical parametres

Dimension	10pcs: 5,94 x 2,38 mm; 20pcs: 6,46 x 2,90 mm; 20pcs: 7,24 x 3,38 mm; 15pcs: 8,84 x 5,28 mm
Dimension (1)	20pcs: 8,03 x 4,47 mm; 15pcs: 11,21 x 7,65 mm; 15pcs: 9,63 x 6,07 mm; 10pcs: 14,43 x 9,19 mm
Dimension (2)	10pcs: 12,81 x 9,25 mm; 10pcs: 19,18 x 13,94 mm; 10pcs: 17,61 x 12,37 mm;
Dimension (3)	10pcs: 15,95 x 10,71 mm; 10pcs: 20,78 x 15,54 mm; 10pcs: 19,16 x 15,6 mm
Dimension (4)	10pcs: 22,36 x 17,12 mm; 10pcs: 27,28 x 20,22 mm; 10pcs: 23,96 x 18,72 mm
Dimension (5)	10pcs: 25,7 x 18,64 mm

Order No.	Description	Package	Carton	Weight
PC0400	225pcs	1	10	0.14 kg

SPRING COTTER PIN SET

Technical parametres

Dimension	2x30 mm (42pcs); 1,6x35 mm (30pcs); 1,6x40, 2,2x42 mm (25pcs); 3,2x48 mm (20pcs); 3,8x72 mm (8pcs)

Order No.	Description	Package	Carton	Weight
PC0409	150pcs	1	20	0.53 kg

SPRING SET

Technical parametres

Tension spring (dimension)	6x12 / 5,5x27 / 9,5x16 / 9x18 / 9x35 / 5,5x38 / 7x13 / 7x19 mm
Torsion spring (dimension)	5x10 / 5,5x14 / 8x13 / 7,5x17 / 8,5x26 / 8x50 / 7x55 / 4x70 / 5x34 / 7x25 / 8x23 mm

Order No.	Description	Package	Carton	Weight
PC0402	200pcs	1	20	0.36 kg

O-RING SET - GREEN

use for air conditioners

Technical parametres

Dimension	5.29x1.78, 7.65x1.78, 8.8x1.9, 6.07x1.78, 7.8x1.9, 6.8x1.9, 7.8x1.9 mm (20pcs)
Dimension (1)	11x2, 12.95x2, 11x1.78, 10.77x2.62 mm (15pcs)
Dimension (2)	17x2, 10x2, 10x2, 17x1.78, 13.9x1.78, 14x2, 17x3.53 mm (10pcs)

Order No.	Description	Package	Carton	Weight
PC0412	270pcs	1	20	0.14 kg

FUSE SET

Technical parametres

Fuses	5 A (20pcs); 10 A (20pcs); 15 A (20pcs); 20 A (20pcs); 25 A (20pcs); 30 A (20pcs)

Order No.	Description	Package	Carton	Weight
PC0404	120pcs	1	20	0.23 kg

COPPER WASHER SET

Technical parametres

Dimension	30pcs: 6 mm; 25pcs: 8 mm; 20pcs: 10 mm; 15pcs: 12 mm; 10pcs: 14, 16 mm

Order No.	Description	Package	Carton	Weight
PC0406	100pcs	1	20	0.28 kg

COTTER PIN SET

Technical parametres

Dimension	1.5x25 mm (150pcs); 2.5x25 mm (150pcs); 2.5x35 mm (100pcs); 3x30 mm (75pcs); 3x50 mm (50pcs); 4x60 mm (30pcs)

Order No.	Description	Package	Carton	Weight
PC0408	555pcs	1	25	0.7 kg

O-RING COTTER PIN SET

Technical parametres

Dimension	5x36 mm (16ks); 6x45 mm (18ks); 8x45 mm (6ks); 10x45 mm (10ks)

Order No.	Description	Package	Carton	Weight
PC0410	50pcs	1	25	1.4 kg

O-RING SET

Technical parametres

Dimension	R-01 3x1.5 / R-02 4.4x2 (20pcs); R-03 5x2 (18pcs); R-04 7x1.5 / R-05 10x1.5 / R-06 13x1.5 (23pcs)
Dimension (1)	R-08 11x2.5 / R-10 14x2.5 / R-13 19x2.5 / R-15 22x2.5 (20pcs)
Dimension (2)	R-07 10x2.5 / R-09 13x2.5 / R-11 16x2.5 / R-12 18x2.5 / R-14 21x2.5 (14pcs)
Dimension (3)	R-16 18x3.5 / R-17 20x3.5 / R-18 22x3.5 / R-19 23.5x3.5 (20 pcs)
Dimension (4)	R-16 18x3.5 / R-17 20x3.5 / R-18 22x3.5 / R-19 23.5x3.5 (10pcs)
Dimension (5)	R-20 25x3.5 / R-21 26.5x3.5 / R-22 28x3.5 / R-23 30x3.5 (10pcs)
Dimension (6)	R-24 31x3.5 / R-25 33x3.5 / R-26 34.5x3.5 / R-27 36x3.5 (10pcs)
Dimension (7)	R-28 38x3.5 / R-29 41x3.5 / R-30 44x3.5 / R-31 47x3.5 / R-32 50x3.5 (10pcs)

Order No.	Description	Package	Carton	Weight
PC0411	419pcs	1	12	0.6 kg

COTTER PIN SET

Technical parametres

Dimension	3x50 mm (50pcs); 4x60 mm (30pcs); 5x75 / 6x50 mm (20pcs); 6x75 mm (16pcs); 8x60 mm (8pcs)

Order No.	Description	Package	Carton	Weight
PC0416	144pcs	1	25	1.11 kg

HEAT SHRINK CABLE SLEEVE SET

Technical parametres

Dimension	2.5x80 mm (40pcs); 3.5x80 mm (32pcs); 5x80 mm (24pcs); 7x80 mm (16pcs); 10x80. 13x80 mm (8pcs)

Order No.	Description	Package	Carton	Weight
PC0418	128pcs	1	25	0.13 kg

LOCKING PIN SET

Technical parametres

Dimension	1.5x8. 2.5x25. 3x16 mm (30pcs); 5x16. 2.5x30 mm (25pcs); 5x25. 3x30. 4x25 mm (20pcs); 6x16 mm (15pcs); 5.5x45. 6x30. 6x45 mm (10pcs)

Order No.	Description	Package	Carton	Weight
PC0419	245pcs	1	20	0.4 kg

SEALING RING SET

Technical parametres

Fiber pad (10pcs)	3/8": 10x13,5x2, 12x17,5x1,5 mm; 1/2": 17x21x1,5, 17x24x1,5 mm; 3/4": 20,5x25x1,5 mm
Fiber pad (5pcs)	1": 27x33,0x1,5mm
Klingerit pad (10pcs)	1/2": 12x17,5x1 mm; 3/4": 17x24x2 mm
Klingerit pad (3pcs)	1,1/4": 30x39x1 mm; 1,1/2": 27x38x2 mm
Rubber pad (10pcs)	1/2": 4x16x4 mm, 4x17x4 mm; 1/2": 8x18x4 mm; 3/4": 12x24x2 mm
Rubber pad (5pcs)	3/8": 8x18x4, 10,5x14x4 mm; 1/2": 8x14x4 mm; 3/4": 15x24x3 mm

Order No.	Description	Package	Carton	Weight
PC0422	141pcs	1	25	0.17 kg

FUSE SET - MINI, STANDARD, MAXI

Technical parametres

Fuses MAXI (1pc)	20, 30, 40, 50, 60, 70, 80, 100 A
Fuses MINI (5pcs)	3, 5, 7.5, 10, 15, 20, 25, 30 A
Fuses STANDARD (5pcs)	3, 5, 7.5, 10, 15, 20, 25, 30 A

Order No.	Description	Package	Carton	Weight
PC0429	88pcs	1	25	0.24 kg

ELECTRICAL CONNECTOR SET

Package contents PC0420:



Order No.	Description	Package	Carton	Weight
PC0420	360pcs	1	25	0.37 kg

ELECTRICAL CONNECTOR SET

Package contents PC0421:

Order No.	Description	Package	Carton	Weight
PC0421	160pcs	1	20	0.21 kg

CIRCLIP SET E-TYPE

Technical parametres

Dimension	3/8": 9,5 mm (50pcs); 1/4": 6 mm (50pcs); 3/16": 5 mm (40pcs); 1/2": 13 mm (40pcs)
Dimension (1)	1/16": 1,5 mm (30pcs); 1/8": 3 mm (30pcs); 5/8": 16 mm (20pcs); 3/4": 19 mm (20pcs)
Dimension (2)	7/8": 22 mm (20pcs)

Order No.	Description	Package	Carton	Weight
PC0425	300pcs	1	25	0.51 kg

RIVET NUT SET

Technical parametres

Size	M3, M4, M5, M6, M8, M10

Order No.	Description	Package	Carton	Weight
PC0449	M3-M10	1	25	0.24 kg

QBRICK® SYSTEM

ONE

ORGANIZER SET

Organizers are available in XL, L and M sizes. All models can be combined with each other. The largest XL organizer can be combined with other products from the QBRICK ONE series. The organizers are resistant to the ingress of water and dust thanks to the flexible sealing.

PLATFORM SET

This set consists of four parts (plastic Box 200 PROFI, BOX 350 PROFI, BOX 450 PROFI and chassis). PROFI plastic boxes are compatible with each other, thanks to which you can create your own combination according to your needs. The chassis has metal swivel wheels with a brake, which ensure excellent maneuverability and protect the whole set from unwanted movement.

TWO

CART SET 6V1

Tento set se skládá z pěti částí (ORGANIZER, BOX TWO TOOLBOX, BOX 200 FLEX a box TWO CART). Box plastový (TWO CART) s kolečky je vynikajícím pomocníkem pro přesun dalších boxů řady QBRICK TWO, pogumovaná kola zajišťují odolnost a vynikající manévrovatelnost. Plastové boxy jsou kompatibilní mezi sebou, dají se různě kombinovat. Organizér je výborným pomocníkem pro ukládání menšího příslušenství.

CART SET 7V1

This set consists of five parts (ORGANIZER, BOX TWO TOOLBOX, BOX 200 FLEX, TWO BOX 200 FLEX and TRANSPORT PLATFORM chassis). The chassis has swivel wheels with brakes that ensure excellent maneuverability and protect the entire set from unwanted movement. SYSTEM TWO plastic boxes are compatible with each other, thanks to which you can create your own combination according to your needs.

PRO

PRO SET

Cart set consists of two parts. (ONE CART box and PRO 500 or PRO 600 box). The set enables the large transport of hand tools. It is compatible with the plastic box QBRICK 500 or QBRICK 600. Both boxes in the set have an elastic seal that perfectly protects your tools from the ingress of water or dust particles. The PRO 500 and PRO 600 box includes an organizer in which you can put small tools.

TOOLBOX

QBRICK PRO plastic boxes are available in sizes 500, 600 and 700. All boxes have an elastic seal that perfectly protects your tools from the ingress of water or dust particles. The boxes are made of extra strong materials (such as polycarbonate and polyamide). The advantage is the organizer, in which you can put small tools.

QBRICK SYSTEM ONE

Stackable boxes - possibility to connect boxes using latches. Very solid construction, dustproof and waterproof.

ROLLER BOX SET QBRICK ONE

polypropylene (body), polycarbonate (systainer)

Order No.	Description	Package	Carton	Weight
P90594	746x500x1030 mm	1	1	22.95 kg

PLASTIC OPEN BOX FOR QBRICK ONE

Order No.	Description	Package	Carton	Weight
P90598	590x385x240 mm	1	1	2 kg

PLASTIC BOX QBRICK ONE

polypropylene (body), polycarbonate (systainer)

P90591

P90592

P90593

P90595

Order No.	Description	Package	Carton	Weight
P90591	585x385x190 mm	1	1	5.31 kg
P90592	590x385x245 mm	1	1	5.6 kg
P90593	590x385x422 mm	1	1	6.55 kg
P90595	746x511x180 mm	1	1	4.49 kg

ROLLER PLASTIC BOX QBRICK ONE CART

Order No.	Description	Package	Carton	Weight
P90629	585x438x765 mm	1	8	5.7 kg

PLASTIC ORGANIZER QBRICK ONE

Order No.	Description	Package	Carton	Weight
P90615	2XL, 585x385x172 mm	1	x	5.7 kg
P90616	XL, 585x385x130 mm	1	64	3 kg

PLASTIC SYSTAINER ORGANIZER QBRICK ONE L

Order No.	Description	Package	Carton	Weight
P90619	531x379x77 mm	1	1	2.67 kg

PLASTIC SYSTAINER ORGANIZER QBRICK ONE M

Order No.	Description	Package	Carton	Weight
P90620	264x364x77 mm	1	1	1.41 kg

CONNECTION OPTIONS

Boxes of the same size
can be connected to each other

CONNECTION OPTIONS

Boxes can also be connected
different sizes

XL > L > M
XL > L
XL > M
L > M

PLASTIC ORGANIZER SET QBRICK ONE

NEW

Order No.	Description	Package	Carton	Weight
P90621	P90620 (2pcs), P90619 (1pcs), P90616 (1pcs)	1	1	8.5 kg

QBRICK® SYSTEM

QBRICK SYSTEM TWO

ROLLER BOX SET QBRICK TWO CART 6IN1

Order No.	Description	Package	Carton	Weight
P90617	535x390x820 mm	1	4	13.46 kg

ROLLER BOX SET QBRICK TWO CART 7IN1 WITH CHASSIS

Order No.	Description	Package	Carton	Weight
P90618	595x395x825 mm	1	4	13.3 kg

PLASTIC SYSTAINER ORGANIZER QBRICK TWO CART

P90610

P90611

P90613

P90614

possibility of compatibility with P90612

Order No.	Description	Package	Carton	Weight
P90612	526x380x670 mm	1	24	8.4 kg

PLASTIC SYSTAINER ORGANIZER QBRICK TWO BOX

option to insert P90596 and P90597

option to insert P90601

Order No.	Description	Package	Carton	Weight
P90613	100 Flex 526x307x126 mm	1	76	1.63 kg
P90614	200 Flex 526x307x195 mm	1	52	1.9 kg

FOAM INSERTS QBRICK SYSTEM ONE ORGANIZER XL

NEW

Order No.	Description	Package	Carton	Weight
P90635	585x385x131 mm (2x2cm, 1x3cm)	1	1	3.3 kg

FOAM INSERT QBRICK SYSTEM ONE ORGANIZER XL

Order No.	Description	Package	Carton	Weight
P90636	triple-layer, 507x312x30 mm	1	1	0.1 kg

PLASTIC ORGANIZER QBRICK TWO MULTI FOR BOXES P90611, P90614

Order No.	Description	Package	Carton	Weight
P90601	257x180x65 mm	1	1	0.9 kg

PLASTIC SYSTAINER ORGANIZER QBRICK TWO TOOL BOX

option to insert P90601

Order No.	Description	Package	Carton	Weight
P90611	526x307x221 mm	1	46	2.9 kg

PLASTIC SYSTAINER ORGANIZER QBRICK TWO FLEX

Order No.	Description	Package	Carton	Weight
P90610	526x307x126 mm	1	76	2.18 kg

PLASTIC BOX QBRICK TWO ORGANIZER PLUS

NEW

Order No.	Description	Package	Carton	Weight
P90628	526x307x126 mm	1	1	2.18 kg

MULTI ADAPTER FOR QBRICK SYSTEM ONE, TWO AND PRO

NEW

Order No.	Description	Package	Carton	Weight
P90637	600x345x74 mm	1	1	1.8 kg

QBRICK® SYSTEM

QBRICK SYSTEM PRO

PLASTIC TOOL BOX QBRICK SYSTEM PRO

Plastic Qbrick tool box system. Extremely durable, dustproof and waterproof design with lid sealing.

Order No.	Description	Package	Carton	Weight
P90605	500", 450x260x240 mm	1	1	2.37 kg
P90606	600", 545x270x246 mm	1	1	2.96 kg
P90607	700", 650x270x272 mm	1	1	3.62 kg

ROLLER PLASTIC BOX LONGER TECHNIK QBRICK ONE

Order No.	Description	Package	Carton	Weight
P90600	793x385x322 mm	1	1	7.57 kg

CONNECTION OPTIONS
Boxes of the same size can be connected to each other

CONNECTION OPTIONS
Boxes P90605 and P90606 can be connected to the mobile box P90629



PLASTIC BOX QBRICK PRO TOOLCASE

NEW

Order No.	Description	Package	Carton	Weight
P90602	450x322x126 mm	1	1	3.26 kg

PLASTIC BOX QBRICK PRO TOOLBOX

NEW

Order No.	Description	Package	Carton	Weight
P90603	450x334x240 mm	1	1	3.5 kg

ORGANIZER QBRICK PRO

NEW

Order No.	Description	Package	Carton	Weight
P90630	100", 450x296x79 mm	1	1	1.6 kg
P90631	200", 450x350x79 mm	1	1	1.9 kg
P90632	300", 450x360x110 mm	1	1	2.5 kg

TOOLBOX QBRICK PRO DRAWER TOOLBOX EXPERT

NEW

Order No.	Description	Package	Carton	Weight
P90634	3, 450x320x240 mm	1	1	6.7 kg
P90639	2, 450x320x240 mm	1	1	4.9 kg

PLASTIC ORGANIZER BOX TITAN PLUS

Order No.	Description	Package	Carton	Weight
P90587	240x258x496 mm	1	1	2 kg
P90588	276x286x554 mm	1	1	2.47 kg

BOX PLASTIC QBRICK PRO CART

NEW

Order No.	Description	Package	Carton	Weight
P90604	450x390x690 mm	1	1	5 kg

BOX PLASTIC QBRICK PRO TECHNICIAN CASE

NEW

Order No.	Description	Package	Carton	Weight
P90633	450x322x176 mm	1	1	2.6 kg

ORGANIZER QBRICK SYSTEM PRO ORGANIZER MULTI

NEW

Order No.	Description	Package	Carton	Weight
P90641	257x182x65 mm	1	6	0.4 kg

PLASTIC ORGANIZER BOX TITAN PLUS

Aluminum handle

Order No.	Description	Package	Carton	Weight
P90589	304x300x752 mm	1	1	3.75 kg

METAL WALL SYSTEM

P90110
385x575mm



180°

P90111
385x575mm



Sheet thickness 0.8 mm

P90112
1155x575mm



P90121

P90122

P90120

P90113

P90114

P90118

P90117

P90115

P90116



P90119



Order No.	Description	Package	Carton	Weight
P90110	Hanging Tool Wall Panel	1	1	2.43 kg
P90111	Hanging Tool Wall Panel with Holders	1	1	2.43 kg
P90112	Hanging Tool Wall Panel with Holders	1	1	2.43 kg
P90113	Tool Hook - Small, 6pcs/pack	1	1	0.12 kg
P90114	Tool Hook - Large, 6pcs/pack	1	1	0.14 kg
P90115	Double Tool Hook - Small, 6pcs/pack	1	1	0.15 kg
P90116	Double Tool Hook - Large, 6pcs/pack	1	1	0.2 kg
P90117	Tool Hook - Eye, 6pcs/pack	1	1	0.16 kg
P90118	Tool Hook - U-shape, 6pcs/pack	1	1	0.16 kg
P90119	Box Holder, 6pcs/pack	1	1	0.15 kg
P90120	Tool Holder	1	1	0.12 kg
P90121	Wrench Wall Holder	1	1	0.11 kg
P90122	Plastic Wall Mounted Screw Box	1	1	0.08 kg

TOOL BOX STAINLESS STEEL

Professional tool box in plastic/stainless-steel combination. Tough and durable with the possibility to use as a stepping pad (max. load – 100kg). Metal buckles and ring to be locked with a padlock. Reinforced lid with the groove to be used as a workpiece holder when cutting.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT90000	470x205x210 mm	1	1	2.05 kg
XT90001	590x280x275 mm	1	1	3.49 kg
XT90002V1	XT90000 + XT90001	1	4	5.58 kg

PLASTIC ORGANIZER BOX EVO

plastic/metal

Order No.	Description	Package	Carton	Weight
P90018	476x260x256 mm	1	1	1.85 kg
P90022	548x274x286 mm	1	1	2.34 kg
P90025	594x288x308 mm	1	1	2.66 kg

PLASTIC BOX QBRICK REGULAR

QBRICK SYSTEM

IP 54 CERTIFIED

Order No.	Description	Package	Carton	Weight
P90123	13", 333x187x147mm	1	1	0.59 kg
P90124	16", 385x230x204mm	1	1	1.01 kg
P90125	19", 485x284x265mm	1	1	1.75 kg

PLASTIC HEAVY POWER TOOL CASE

Order No.	Description	Package	Carton	Weight
P90071	384x335x144 mm	1	1	0.92 kg

PLASTIC HEAVY POWER TOOL CASE WITH ORGANIZER

Order No.	Description	Package	Carton	Weight
P90072	384x335x144 mm	1	1	1.2 kg

TOOL BOX - NO ORGANIZER CLASSIC BASIC

Order No.	Description	Package	Carton	Weight
P90040	300x160x130 mm	1	1	0.48 kg
P90042	400x200x170 mm	1	1	1.06 kg

PLASTIC BOX

Order No.	Description	Package	Carton	Weight
P90055	110x165x75 mm	1	1	0.1 kg
P90056	150x230x125 mm	1	1	0.23 kg
P90057	210x350x160 mm	1	1	0.54 kg
P90058	310x490x190 mm	1	1	1.12 kg

TOOL BOX WITH ORGANIZER CLASSIC PROFI

Order No.	Description	Package	Carton	Weight
P90041	400x200x170 mm	1	1	1.14 kg
P90048	580x285x295 mm	1	1	3.59 kg

ORGANIZER

NOR

NOR DUO

Order No.	Description	Package	Carton	Weight
P90567	NOR Family 287x186x50mm	1	1	0.3 kg
P90568	NOR Family 344x249x50mm	1	1	0.48 kg
P90569	NOR Family 399x303x50mm	1	1	0.72 kg
P90573	NOR Family DUO 287x186x100 mm	1	1	0.59 kg
P90574	NOR Family DUO 344x249x100 mm	1	1	0.97 kg
P90575	NOR Family DUO 399x303x100 mm	1	1	0.71 kg

TOOL BOX WITH ORGANIZER CLASSIC SEMI PROFI

Order No.	Description	Package	Carton	Weight
P90046	510x255x265 mm	1	1	1.86 kg

ORGANIZER DUO

Order No.	Description	Package	Carton	Weight
P90032	16" 390x290x130 mm	1	1	0.6 kg
P90034	20" 490x390x130 mm	1	1	0.97 kg

ORGANIZER

Order No.	Description	Package	Carton	Weight
P90026	12", 290x195x35 mm	1	1	0.25 kg
P90028	16", 390x285x65 mm	1	1	0.61 kg
P90030	20", 490x390x65 mm	1	1	1 kg

ORGANIZER DOMINO LINE

Order No.	Description	Package	Carton	Weight
P90019	190x155x37 mm	1	1	0.13 kg
P90020	250x200x44 mm	1	1	0.21 kg

ORGANIZER DOMINO LINE

Order No.	Description	Package	Carton	Weight
P90035	325x260x65 mm	1	1	0.49 kg
P90036	364x268x66 mm	1	1	0.53 kg
P90037	450x340x68 mm	1	1	0.93 kg

PLASTIC ORGANIZER, 6 DRAWERS

Order No.	Description	Package	Carton	Weight
P90562	400x260x200 mm	1	1	1.72 kg

PLASTIC ORGANIZER, 9 DRAWERS

Order No.	Description	Package	Carton	Weight
P90563	400x260x200 mm	1	1	1.73 kg

PLASTIC ORGANIZER, 7 DRAWERS

Order No.	Description	Package	Carton	Weight
P90566	400x200x326 mm	1	1	2.2 kg

PLASTIC ORGANIZER, 9 DRAWERS

Order No.	Description	Package	Carton	Weight
P90565	400x392x200 mm	1	1	2.57 kg

PLASTIC BOX WITH LID, CARGOBOX

plastic

Order No.	Description	Package	Carton	Weight
P90622	300x200x165 mm	1	1	1.376 kg
P90624	600x400x265 mm	1	1	1.59 kg

ORGANIZER

plastic

Order No.	Description	Package	Carton	Weight
P90013	NUN08 198x117x45mm	1	1	0.085 kg
P90014	NUN10 245x135x85mm	1	1	0.188 kg
P90015	NUN12 295x180x85mm	1	1	0.275 kg
P90016	NUN14 359x238x85mm	1	1	0.406 kg
P90017	NUN16 400x298x85mm	1	1	0.537 kg

FOLDING CRATE WITH HANDLE CART T

plastic

NEW

Technical parametres

Max load capacity	**25 kg**
Weight	**2.1 kg**

Order No.	Description	Package	Carton	Weight
P90011	396x370x1008 mm	x	x	2.1 kg

PLASTIC WALL MOUNT TOOL HOLDER



Order No.	Description	Package	Carton	Weight
P90080	800x500 mm	1	1	1.1 kg

PLASTIC BOX SET ERGO



External dimensions of the box:
116x112x75mm

External dimensions of the board:
350x385x20mm

Order No.	Description	Package	Carton	Weight
P90063	35x39x11 mm, 10 pcs	1	1	1.01 kg

METAL TOOL BOX - 5 COMPARTMENTS

XTLINE PROFESSIONAL TOOLS

metal

Order No.	Description	Package	Carton	Weight
PA78745	404x200x150 mm	1	1	4.39 kg

METAL TOOL BOX - 5 COMPARTMENTS

XTLINE PROFESSIONAL TOOLS

metal

Order No.	Description	Package	Carton	Weight
PA78735	495x290x290 mm	1	1	5.38 kg

ALUMINUM TOOL CASE

aluminum

Order No.	Description	Package	Carton	Weight
P19700	460x330x150 mm	1	4	2.51 kg

SHELF BRACKET BROWN

NEW

Order No.	Description	Package	Carton	Weight
ZN81112	150x125 mm	24	240	0.055 kg
ZN81113	200x150 mm	24	240	0.0855 kg
ZN81114	250x200 mm	24	144	0.161 kg
ZN81115	300x250 mm	24	144	0.278 kg

SHELF BRACKET - WHITE

Order No.	Description	Package	Carton	Weight
ZN81100	100x75 mm	24	240	0.02 kg
ZN81101	100x125 mm	24	240	0.03 kg
ZN81102	150x125 mm	24	240	0.05 kg
ZN81103	200x150 mm	24	240	0.08 kg
ZN81104	250x200 mm	24	144	0.1 kg
ZN81105	300x250 mm	24	144	0.16 kg

SHELF RACK

XTLINE PROFESSIONAL TOOLS

steel (profiles), MDF (shelves)

NEW

Technical parametres

Thickness of shelves	**5 mm (5pcs)**
Thickness of profiles	**0,9 mm / 0,9 mm / 0,6 mm**
Surface finishing	**galvanized**
Dimension	**900x450x1800 mm**
Max load capacity	**265 kg (shelf)**
Material	**steel (profiles), MDF (shelves)**
Weight	**18.5 kg**

Order No.	Description	Package	Carton	Weight
XT90100	900x450x1800 mm	1	1	14 kg

LED WORKLIGHT SLIM

Portable flashlight equipped with a hook, joint and magnet. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot. Energy saving technology, high luminosity and long lifespan COB-LED diode.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	3,7 V
Light flux	250 / 120 lm
Lighting mode	high / low / strobe / off
Lighting time	1.5 h (250 lm) / 3 h (120 lm)
Charging time	4 h
Type of battery	Li-pol, 800 mAh
Protection	IPX4
Dimension of product	195x26x10 mm
Package includes	USB cabel
Weight	71 g

Order No.	Description	Package	Carton	Weight
XT60616	250 lm, 800 mAh	25	50	0.1 kg

LED WORKLIGHT SLIM

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	3.7 V
Light flux	360 / 180 lm
Lighting mode	high / low / strobe / off
Lighting time	1.5 h (360 lm) / 3 h (180 lm)
Charging time	5 h
Type of battery	Li-pol, 1800 mAh
Protection	IPX4
Dimension of product	250x32x10 mm
Package includes	USB cabel
Weight	116 g

Order No.	Description	Package	Carton	Weight
XT60606	360 lm, 1 800 mAh	25	50	0.1 kg

LED WORKLIGHT FLASHLIGHT

Portable flashlight equipped with a hook, joint and magnet. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot. Energy saving technology, high luminosity and long lifespan COB-LED diode.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	3.7 V
Light flux	120 / 420 / 45 lm
Lighting mode	low / high / front LED / off
Lighting time	10 h (120 lm) / 3 h (420 lm) / 22 h (45 lm)
Charging time	4.5 h
Type of battery	Li-Ion, 4 400 mAh
Protection	IPX0
Dimension of product	57x29x217 mm
Package includes	USB cabel
Weight	290 g

Order No.	Description	Package	Carton	Weight
XT60814	420 lm, 4 400 mAh	6	24	0.3 kg

LED WORKLIGHT FLASHLIGHT

Portable flashlight equipped with a hook, joint and magnet. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot. Energy saving technology, high luminosity and long lifespan COB-LED diode.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	3.7 V
Light flux	70 / 240 / 45 lm
Lighting mode	low / high / top LED / off
Lighting time	10 h (70 lm) / 3 h (240 lm) / 22 h (45 lm)
Charging time	3.5 h
Type of battery	Li-Ion, 2 200 mAh
Protection	IPX4
Dimension of product	52x32x163 mm
Package includes	USB cabel
Weight	197 g

Order No.	Description	Package	Carton	Weight
XT60847	240 lm, 2 200 mAh	12	24	0.2 kg

LED REFLECTOR

Robust rechargeable LED spotlight with adjustable stand for a wide range of positioning or hanging options. Offers three brightness modes, plus a red light mode. USB-C charging port. The reflector can be attached with a magnet. A separate USB port offers the possibility of using the spotlight as a power bank. Charger and cable included. Recommended charger: 5 V/2 A

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Voltage	3.7 V	Type of light	COB LED
Light flux	600 / 1200 / 2000 lm	Protection	IPX7
Lighting mode	low / medium / high / red / off	Dimension of product	180x155x59 mm
Lighting time	2 h (2000 lm)	Package includes	USB cabel, charging adapter
Charging time	5 h	Weight	706 g
Type of battery	Li-Ion, 4000 mAh		

Order No.	Description	Package	Carton	Weight
XT60936	2 000 lm, 4 000 mAh	1	10	0.8 kg

PORTABLE RECHARGABLE LED FLASHLIGHT

Portable flashlight is perfect for illuminating hard-to-reach areas.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	3.7 V	Type of battery	Li-Ion, 2400 mAh
Input power	3 W	Dimension of product	250x40x50 mm
Light flux	200 / 20 lm	Other features	3x magnet + 2x hook, charging indication, joint 180°
Lighting time	4-5 h (200 lm)	Package includes	230 V charger, 12 V car charger
Charging time	4-5 h	Weight	260 g

Order No.	Description	Package	Carton	Weight
XT60037	200 lm, 2400 mAh	5	10	0.58 kg

PORTABLE RECHARGABLE LED FLASHLIGHT

Portable flashlight equipped with a hook, joint and magnet. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot. Energy saving technology, high luminosity and long lifespan COB-LED diode.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	3.7 V	Type of battery	Li-Ion 2600 mAh / 3.7 V
Light flux	800 / 200 lm	Dimension of product	260x55x39 mm
Lighting modes	4	Other features	hook, 180° joint, magnet, USB charging
Lighting time	2-8 h	Package includes	charging adapter, USB cable
Charging time	4 h	Weight	382 g

Order No.	Description	Package	Carton	Weight
XT60082	800 lm, 2600 mAh	1	12	0.6 kg

PORTABLE RECHARGABLE LED FLASHLIGHT

Portable flashlight equipped with a hook, joint and magnet. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot. Energy saving technology, high luminosity and long lifespan COB-LED diode.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	3xAAA	Dimension of product	230x40x55 mm
Light flux	200 lm LED COBALT 2 W, LED light 1 W	Other features	magnet + hook, joint
Lighting time	3 h (200 lm)	Package includes	battery 3xAAA
Type of light	COB LED	Weight	210 g

Order No.	Description	Package	Carton	Weight
XT60063	200 lm, 3xAAA	12	60	0.28 kg

ROTARY FLASHLIGHT RECHARGEABLE

Energy-saving, high-performance COB-LED diode with long lifespan. Robust body with in-built Li-ion 3.7V/2,000mAh battery pack with guaranteed at least 500 charge cycles. Strong magnet and rotatable hook for flexible use.

RICHMANN

Technical parametres

Voltage	3.7 V	Luminosity distance	10 m
Light flux	220 / 25 lm	Type of battery	Li-Ion, 2000 mAh
Lighting time	6-8 h (220 lm)	Type of light	COB LED
Charging time	6-7 h	Other features	magnet, hook

Order No.	Description	Package	Carton	Weight
PC6814	220 lm, 2000 mAh	6	24	0.38 kg

EXTENDED FLASHLIGHT RECHARGEABLE

RICHMANN

Technical parametres

Voltage	3.7 V	Other features	USB charging, magnet, hook, rotatable adapter
Input power	10 W	Package includes	USB cabel
Light flux	400 lm	Weight	370 g
Type of battery	Li-Ion, 2600 mAh		

Order No.	Description	Package	Carton	Weight
PC6809	400 lm, 2600 mAh	6	24	0.27 kg

FLASHLIGHT RECHARGEABLE

RICHMANN

Technical parametres

Voltage	3.7 V	Other features	USB charging, magnet, hook
Input power	5 W	Package includes	USB cabel
Light flux	500 lm	Weight	237 g
Type of battery	Li-Ion, 2200 mAh		

Order No.	Description	Package	Carton	Weight
PC6824	500 lm, 2200 mAh	x	x	0.437 kg

FLASHLIGHT RECHARGEABLE

RICHMANN

Technical parametres

Voltage	3.7 V	Type of light	COB LED
Light flux	145 / 60 lm	Other features	USB charging, magnet, hook, rotatable adapter, clip
Type of battery	Li-Ion, 800 mAh	Weight	80 g

Order No.	Description	Package	Carton	Weight
PC6812	145 lm, 800 mAh	12	48	0.15 kg

PORTABLE FLASHLIGHT LED

Portable flashlight equipped with a magnet and hook. The magnet makes the flashlight stick to any metal object. Practical hook allows hanging the tool in a convenient spot.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	3xAAA	Type of light	COB LED
Input power	1 W	Other features	magnet, hook
Light flux	80 lm	Package includes	battery 3xAAA

Order No.	Description	Package	Carton	Weight
XT60057	80 lm, 3xAAA	25	100	0.09 kg

HEADLAMP FLASHLIGHT

Light headlamp is an irreplaceable accessory for fishing, camping or any activity that demands using both hands freely. 3W CREE LED diode provides clearer and more powerful light source compared to a halogen light while having very low energy consumption. Zoom light regulation and light flashing mode.

BLISTER

Technical parametres

Voltage	**4x AA**	Luminosity distance	**150 m**
Input power	**3 W**	Protection	**IP65**
Light flux	**300 lm**	Other features	**Light ray ZOOM, waterproof, adjustable straps**
Lighting mode	**100 % / 50 % / flashing light**	Weight	**189 g**
Lighting time	**5 h**		

Order No.	Description	Package	Carton	Weight
PC5902	300 lm, 4xAA	5	40	0.12 kg

FLASHLIGHT CAP

XTLINE PROFESSIONAL TOOLS

100% akryl

NEW

BLISTER

Technical parametres

Voltage	**3.7 V**	Type of battery	**Li-Po 300 mAh**
Light flux	**150 lm**	Material	**100% akryl**
Lighting mode	**100% - 50% - 25% - OFF**	Other features	**USB charging**
Lighting time	**2.5 h**	Weight	**0.1 kg**
Charging time	**3 h**		

Order No.	Description	Package	Carton	Weight
XT60083C	Black	12	48	0.12 kg
XT60083F	Yellow	12	48	0.12 kg
XT60083R	Pink	12	48	0.12 kg
XT60083S	Gray	12	48	0.12 kg
XT60083Z	Green	12	48	0.12 kg

FLASHLIGHT CAP, XTLINE LOGO

Winter cap with three-mode, in-built flashlight -100%, 50%, 25%. Ideal to work in dark areas.

XTLINE PROFESSIONAL TOOLS

100% akryl

BLISTER

Technical parametres

Voltage	**3.7 V**	Type of battery	**Li-Po 300 mAh**
Light flux	**150 lm**	Material	**100% akryl**
Lighting mode	**100% - 50% - 25% - OFF**	Other features	**USB charging**
Working time	**2.5 h**	Weight	**100 g**
Charging time	**3 h**		

Order No.	Description	Package	Carton	Weight
XT60081C	Black	12	48	0.12 kg
XT60081M	Blue	12	48	0.12 kg
XT60081S	Gray	12	48	0.12 kg

HEADLAMP FLASHLIGHT

BLISTER

Technical parametres

Voltage	**3x AAA**	Lighting mode	**100% white light / 50% white light / red light / flashing red light**
Input power	**1 W**	Luminosity distance	**60 m**
Light flux	**60 lm**	Weight	**65 g**

Order No.	Description	Package	Carton	Weight
PC5900	60 lm, 3xAAA	12	10	0.06 kg

BLISTER

Technical parametres

Voltage	**5 V**	Type of battery	**Li-Ion, 1200 mAh**
Light flux	**160 lm**	Other features	**adjustable tilt angle up to 45°**
Lighting time	**5 h**	Package includes	**USB cabel**
Luminosity distance	**160 m**		

Order No.	Description	Package	Carton	Weight
PC5904	160 lm, 1200 mAh	10	48	0.11 kg

HEADLAMP CORDLESS FLASHLIGHT

NEW

BLISTER

Technical parametres

Voltage	**3.7 V**	Protection	**IP65**
Light flux	**300 / 200 lm**	Package includes	**USB cabel**
Luminosity distance	**100 m**	Weight	**130 g**

Order No.	Description	Package	Carton	Weight
PC5905	300 lm, 1000 mAh	10	48	0.2 kg

CAR BATTERY CHARGER

Compact car battery charger STARLINE 6V/12V. A great range of use and user-friendly controls. It is compatible with charging gel batteries as well. Several work modes to choose from, each one offers three different setups (normal / fast charging / gel).

XTLINE PROFESSIONAL TOOLS

Technical parametres

Voltage	**230 V / 50 Hz**	Output cable with clamps	**1.5 m**
Battery capacity	**14-120 Ah (Max. 3.6A), 1.2 - 14 Ah (Min. 0,9A)**	Protection	**IP20**
Mode	**normal / fast-charging / GEL**	Dimension of product	**260x70x45 mm**
Charging current	**(6V) [A] 3,6 A; (12V) [A] 3,6 A**	Weight	**500 g**
Length of power cord	**1.8 m**		
Use	**designed for (jump-start battery) all battery types**		
Other features	**LED battery charge indication: 25%, 50%, 75%, 100%**		

Order No.	Description	Package	Carton	Weight
XT60136	6 V / 12 V	1	24	0.6 kg

PORTABLE TUBE LIGHT

Portable tube light with a practical hook to hang in a convenient spot.

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Voltage	**230 V / 50 Hz**	Protection	**IP44**
Light flux	**500 lm**	Dimension of product	**50x50x480 mm**
Type of light	**48 SMD LED**	Other features	**hook**
Length of power cord	**5 m**	Weight	**657 g**

Order No.	Description	Package	Carton	Weight
XT60043	500 lm, 230 V / 50 Hz	6	10	0.76 kg

PORTABLE WORK LIGHT

Technical parametres

Voltage	**230 V / 50 Hz**	Source of light	**light bulb**
Input power	**60 W**	Protection	**IP20**
Length of power cord	**5 m**	Dimension of product	**110×390 mm**
Type of cable	**rubber H05RN-F 2× 1.0 mm2**	Sales packaging	**hinge**

Order No.	Description	Package	Carton	Weight
P4203	60 W, 230 V	1	24	0.72 kg

LED REFLECTOR SIMPO

SIMPO floodlights reliably illuminate indoor and outdoor areas in temperatures from -20 to +40 °C. They deserve praise for their wide 120° illumination angle. In addition, operating costs are up to 90% lower compared to conventional halogen spotlights.

NEW

Order No.	Description	Package	Carton	Weight
ZS2213	230 V, 1000 lm	1	48	0.2 kg
ZS2223	230 V, 2000 lm	1	30	0.2 kg
ZS2233	230 V, 3000 lm	1	24	0.35 kg
ZS2243	230 V, 5000 lm	1	12	0.6 kg

LED REFLECTOR SIMPO PIR

SIMPO floodlights with PIR sensor reliably illuminate indoor and outdoor areas in temperatures from -20 to +40 °C. They deserve praise for their wide 120° illumination angle. In addition, operating costs are up to 90% lower compared to conventional halogen spotlights.

NEW

Order No.	Description	Package	Carton	Weight
ZS2313	230 V, 1000 lm	1	16	0.3 kg
ZS2323	230 V, 2000 lm	1	20	0.3 kg
ZS2333	230 V, 3000 lm	1	10	0.45 kg
ZS2343	230 V, 5000 lm	1	10	0.7 kg

PORTABLE TUBE LIGHT

XTLINE PROFESSIONAL TOOLS

BLISTER

Technical parametres

Voltage	**230 V / 50 Hz**	Protection	**IP20**
Light flux	**300 lm**	Dimension of product	**35x35x465 mm**
Type of light	**16 SMD LED**	Other features	**hook**
Length of power cord	**5 m**	Weight	**410 g**

Order No.	Description	Package	Carton	Weight
XT60047	300 lm, 230 V / 50 Hz	6	12	0.54 kg

MINI FLASHLIGHT

aluminum

NEW

Technical parametres

Voltage	**3xAAA**	Colour	**black**
Input power	**3 W**	Type of battery	**LR03 (1.5 V)**
Light flux	**100 lm**	Type of light	**COB LED**
Lighting time	**35 h**	Material	**aluminum**
Luminosity distance	**15 m**		

Order No.	Description	Package	Carton	Weight
P3894	100 lm, 3xAAA	12	60	0.05 kg

PLASTIC FLASHLIGHT LED

NEW

Technical parametres

Voltage	**3xAAA**	Colour	**black, gray, turquoise, green**
Input power	**3 W**	Type of light	**COB LED**
Light flux	**230 lm**	Weight	**64 g**
Lighting time	**47 h (230 lm)**		

Order No.	Description	Package	Carton	Weight
P3897	230 lm, 3xAAA	16	64	0.06 kg

PORTABLE WORK LIGHT TRIPOD FOR PC5940, PC5942

RICHMANN



Order No.	Description	Package	Carton	Weight
PC5999		1	8	2.84 kg

LED REFLECTOR PORTABLE, NEUTRAL WHITE

NEW

Technical parametres

ZS3322		ZS3332		ZS3342	
Voltage	**230 V / 50 Hz**	Voltage	**230 V / 50 Hz**	Voltage	**230 V / 50 Hz**
Input power	**21 W**	Input power	**31 W**	Input power	**51 W**
Working temperature	**-20 °C to +40 °C**	Working temperature	**-20 °C to +40 °C**	Working temperature	**-20 °C to +40 °C**
Light flux	**1900 lm**	Light flux	**2800 lm**	Light flux	**4600 lm**
Length of power cord	**1.5 m**	Length of power cord	**1.5 m**	Length of power cord	**1.5 m**
Protection	**IP44**	Protection	**IP44**	Protection	**IP44**
Lifespan	**25 000 h**	Lifespan	**25 000 h**	Lifespan	**25 000 h**

Order No.	Description	Package	Carton	Weight
ZS3322	230 V, 1900 lm	1	6	1.12 kg
ZS3332	230 V, 2800 lm	1	4	1.41 kg
ZS3342	51 W 4600 lm	1	4	1.85 kg

PORTABLE HALOGEN FLOODLIGHT

Technical parametres

PC5942		PC5943	
Voltage	**230 V / 50 Hz**	Voltage	**230 V / 12 V**
Input power	**30 W**	Input power	**30 W**
Light flux	**3000 lm**	Light flux	**2 800 lm**
Type of light	**COB LED**	Lighting time	**2 h**
Length of power cord	**1.8 m**	Charging time	**5 h**
Protection	**IP54**	Type of battery	**Li-Ion, 6600 mAh**
		Length of power cord	**1.8 m**
		Protection	**IP 54**

Order No.	Description	Package	Carton	Weight
PC5942	3000 lm, 230 V	6	6	1.54 kg
PC5943	2800 lm, 230 V / 12 V	6	6	1.73 kg

EXTENSION CORD

Order No.	Description	Package	Carton	Weight
KL29120	1x Power Socket, 230 V / 20 m, (1,5 mm^2)	1	4	2.13 kg
KL29125	1x Power Socket, 230 V / 25 m, (1,5 mm^2)	2	4	2.65 kg
KL29130	1x Power Socket, 230 V / 30 m, (1,5 mm^2)	1	4	3.12 kg
KL29140	1x Power Socket, 230 V / 40 m, (1,5 mm^2)	1	2	4.32 kg
KL29210	Rubber, 1x Power Socket, 230 V / 10 m (1,5 mm^2)	1	6	1.65 kg
KL29220	Rubber, 1x Power Socket, 230 V / 20 m (1,5 mm^2)	1	4	3.02 kg
KL29230	Rubber, 1x Power Socket, 230 V / 30 m (1,5 mm^2)	1	2	4.59 kg

EXTENSION CORD REEL

Order No.	Description	Package	Carton	Weight
KL29114	4x Power Socket, 230 V / 50 m, 2.5 mm2	1	1	13.85 kg
KL29115	4x Power Socket, 230 V / 25 m, 2,5 mm2	1	1	7.8 kg

EXTENSION CABLE WITH SWITCH

NEW

Order No.	Description	Package	Carton	Weight
P1311	white, 3 sockets, 230 V / 1.2 m, (1 mm^2)	x	20	0.55 kg
P1312	white, 3 sockets, 230 V / 2.0 m, (1 mm^2)	x	20	0.55 kg
P1313	white, 3 sockets, 230 V / 3.0 m, (1 mm^2)	x	20	0.55 kg

EXTENSION CORD

Order No.	Description	Package	Carton	Weight
KL870023	3x230 V	x	80	0.07 kg
KL870303	White, 3x Power Socket, 230 V / 3.0 m, (1 mm^2)	x	20	0.38 kg
KL870393	White, 5x Power Socket, 230 V / 3.0 m, (1 mm^2)	x	10	0.44 kg
KL870503	White, 3x Power Socket, 230 V / 5.0 m, (1 mm^2)	x	15	0.53 kg
KL870593	White, 5x Power Socket, 230 V / 5.0 m, (1 mm^2)	x	15	0.59 kg
KL871303	Black, 3x Power Socket, 230 V / 3.0 m, (1 mm^2)	x	20	0.37 kg

EXTENSION CORD REEL

Order No.	Description	Package	Carton	Weight
KL29025	4x Power Socket, 230 V / 25 m, (1,5 mm^2)	1	1	4.4 kg
KL29050	4x Power Socket, 230 V / 50 m, (1,5 mm^2)	1	1	7.37 kg

EXTENSION CORD REEL, RUBBER

Order No.	Description	Package	Carton	Weight
KL29225	4x Power Socket, 230 V / 25 m, (1,5 mm^2)	1	1	5.25 kg
KL29250	4x Power Socket, 230 V / 50 m, (1,5 mm^2)	1	1	8.8 kg

EXTENSION CORD REEL

Order No.	Description	Package	Carton	Weight
KL29001	1x Power Socket, 230 V / 25 m, (1,5 mm^2)	1	1	4.39 kg
KL29002	1x Power Socket, 230 V / 50 m, (1,5 mm^2)	1	1	7.26 kg

TAPE MEASURE

High accuracy tape measure. Certified production printing machines guarantee that the tape measure meets certification standards MID, class II and JIS class I. Thicker tape compared to other types to greatly affect its lifespan. Two more body screws to provide stronger and more quality tape protection. Vibration resistant core made of ABS material. All tape measures are quality tested (free fall from a high spot, etc.).

XTLINE PROFESSIONAL TOOLS

Shockproof core and waterproof ABS case with rubberized casing

Nylon coated steel tape, thickness 0.14mm

⟩ carbon steel tape
⟩ nylon sheath anti-scratch tape
⟩ ABS outer casing
⟩ chrome hook, attached with 3 rivets
⟩ quality spring and shock-absorbing core



Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13083	3 m x 19 mm	12	120	0.17 kg
P13085	5 m x 25 mm	12	72	0.31 kg
P13088	8 m x 25 mm	12	48	0.43 kg

TAPE MEASURE - METAL CASE, 2X STOP

Metal tape measure with in-built magnet. Rubber coating for firm and comfortable grip. Nylon coated wrist band for increased wear resistance. Quick-release and locking button, belt bracket. MID measurement tools certification standard guarantees that every piece meets respective quality requirements.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13075	5 m x 19 mm	12	72	0.23 kg
P13077	7,5 m x 25 mm	12	48	0.41 kg

TAPE MEASURE - RUBBER GRIP

Double-coated tape measure with locking position. MID measurement tools certification standard guarantees that every piece meets respective quality requirements.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13052	2 m x 16 mm	12	120	0.09 kg
P13053	3 m x 19 mm	12	72	0.13 kg
P13055	5 m x 19 mm	12	72	0.18 kg
P13057	7,5 m x 25 mm	12	48	0.34 kg
P13060	10 m x 25 mm	6	48	0.45 kg

TAPE MEASURE

Tape measure with quality plastic cover and wide steel tape. MID measurement tools certification standard guarantees that every piece meets respective quality requirements.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13102	2 m x 16 mm	24	120	0.08 kg
P13103	3 m x 19mm	24	120	0.13 kg
P13105	5 m x 19 mm	24	120	0.17 kg
P13107	7,5 m x 25 mm	12	48	0.33 kg

MAGNETIC TAPE MEASURE, 2X STOP

Double-coated tape measure with front-hook magnet and lock position feature. MID measurement tools certification standard guarantees that every piece meets respective quality requirements.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13303	3 m x 19 mm	12	72	0.18 kg
P13305	5 m x 19 mm	12	72	0.26 kg
P13307	7,5 m x 25 mm	12	48	0.42 kg
P13310	10 m x 25 mm	12	48	0.57 kg

COMPACT TAPE MEASURE

High accuracy tape measure. Certified production printing machines guarantee that the tape measure meets certification standards MID, class II and JIS class I. Thicker tape compared to other types to greatly affect its lifespan. Two more body screws to provide stronger and more quality tape protection. Vibration resistant core made of ABS material. All tape measures are quality tested (free fall from a high spot, etc.).

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13173	3 m x 19 mm	12	120	0.11 kg
P13175	5 m x 19 mm	12	72	0.2 kg
P13178	8 m x 25 mm	12	48	0.37 kg

TAPE MEASURE, 2X STOP

Plastic, rubber coated tape measure with double brake.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P13013	3 m x 16 mm	12	120	0.13 kg
P13015	5 m x 19 mm	12	120	0.192 kg

WOODEN FOLDING METER STICK

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT13010	1 m	20	200	0.06 kg
XT13020	2 m	1	100	0.12 kg

WOODEN FOLDING METER STICK, METRIE

METRIE

Order No.	Description	Package	Carton	Weight
M13010	1.0 m	1	1	0.06 kg
M13020	2.0 m	1	1	0.13 kg

MAGNETIC TAPE MEASURE, 1 X STOP

Double-coated tape measure with front-hook magnet and lock position feature. MID measurement tools certification standard guarantees that every piece meets respective quality requirements.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13151	1 m x 6 mm	48	576	0.03 kg
P13152	2 m x 16 mm	12	120	0.16 kg
P13153	3 m x 19 mm	12	72	0.18 kg
P13154	5 m x 19 mm	12	72	0.25 kg
P13158	7,5 m x 25 mm	12	48	0.41 kg
P13160	10 m x 25 mm	12	48	0.56 kg

REEL MEASURING TAPE - STEEL

Steel reel measuring tape in plastic, rubber coated case. Fast reel with gear ration of 3:1. The reel tape width of 13mm is finished with a plastic ring hook for easy attaching to measured surface.

XTLINE PROFESSIONAL TOOLS

NEW

Made by ASSIST®

MID certification

Order No.	Description	Package	Carton	Weight
P13169	30 m x 13 mm	1	24	0.62 kg
P13170	50 m x 13 mm	1	12	0.91 kg

FIBERGLASS REEL MEASURING TAPE

The measuring tape is designed for measuring distances on construction sites, in gardens, during sports activities, etc. The tape itself is made of durable fibreglass.

XTLINE PROFESSIONAL TOOLS

Made by ASSIST®

Order No.	Description	Package	Carton	Weight
P13063	30 m	1	40	0.52 kg
P13065	50 m	1	30	0.82 kg

NYLON REEL MEASURING TAPE

Order No.	Description	Package	Carton	Weight
PC1320	20 m	1	1	0.35 kg
PC1330	30 m	1	36	0.45 kg
PC1350	50 m	1	60	0.67 kg

PVC PROFI OPEN REEL MEASURING TAPE

Order No.	Description	Package	Carton	Weight
P13183	30 m	1	20	0.63 kg
P13185	50 m	1	20	0.8 kg

STEEL REEL MEASURING TAPE

Order No.	Description	Package	Carton	Weight
P102020	20 m	1	20	0.3 kg
P102030	30 m	10	50	0.43 kg
P102050	50 m	10	30	0.69 kg

DIGITAL CALIPER

Digital caliper is designed for accurate measuring of inner and outer dimensions of up to 150mm range with the possibility to zero-out the scale. LCD display in metal casing. Large, legible numerals with 0.01mm resolution. The back side contains a thread table to help converting between metric and imperial unit systems.

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
XT130430	150 mm, deviation 0.01 mm	10	50	0.29 kg
XT130431	200 mm, deviation 0.01 mm	10	50	0.39 kg
XT130432	300 mm, deviation 0.01 mm	10	20	0.65 kg

STAINLESS STEEL DIGITAL CALIPER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT130433	150 mm, deviation 0,01 mm	10	50	0.29 kg

STEEL DIGITAL CALIPER

Order No.	Description	Package	Carton	Weight
P106028	500 mm, deviation 0.01 mm	1	1	1.81 kg

STEEL CALIPER

Order No.	Description	Package	Carton	Weight
P106022	500 mm, deviation 0.02 mm	1	1	1.49 kg
P106023	1,000 mm, deviation 0.02 mm	1	1	4.58 kg

SLIDING PROTRACTOR

Scaled protractor is designed for accurate angle reading and transferring.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
14075	230x500 mm, 0°-180°	10	100	0.19 kg

ROUND TOP PROTRACTOR 0-180°

Order No.	Description	Package	Carton	Weight
14060	200x395 mm	10	30	0.48 kg
14070	300x645 mm	1	1	1.46 kg

STAINLESS STEEL CALIPER WITH LOCKING SCREW

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P13425	150 mm, deviation 0.02 mm	10	50	0.29 kg
P13427	200 mm, deviation 0.02 mm	10	50	0.36 kg
P13422	300 mm, deviation 0.02 mm	10	20	0.8 kg

STAINLESS STEEL CALIPER WITH PUSH-BUTTON

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P13426	150 mm, deviation 0.02 mm	10	50	0.3 kg

PLASTIC CALIPER

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
M14006	150 mm	25	250	0.05 kg

STEEL RULER

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
M14010	300 mm	10	300	0.07 kg
M14011	600 mm	10	200	0.14 kg
M14012	1000 mm	12	100	0.28 kg

ADJUSTABLE MARKING CIRCLE DIVIDER

Order No.	Description	Package	Carton	Weight
ZN13285	200 mm	1	1	0.19 kg

MICROMETER

XTLINE PROFESSIONAL TOOLS

steel

Order No.	Description	Package	Carton	Weight
14040	0-25 mm / accuracy 0.01 mm	1	50	0.26 kg
14045	25-50 mm / accuracy 0.01 mm	1	50	0.37 kg

THREAD PITCH GAUGE, METRIC + WHITWORTH

Order No.	Description	Package	Carton	Weight
XT130212	52pcs	10	200	0.06 kg

FEELER GAUGE

Order No.	Description	Package	Carton	Weight
XT130213	0.05-1.0 mm, 13pcs	10	300	0.09 kg
XT130220	0.05-1.0 mm, 20pcs	10	200	0.06 kg

DIAL INDICATOR

Order No.	Description	Package	Carton	Weight
P106106	0-10/0.01mm	1	1	0.14 kg

ALUMINUM TRY SQUARE

Quality designed and well-made aluminum try square with reinforced body profile. Measuring profile marked with a millimeter scale.

Order No.	Description	Package	Carton	Weight
P13323J	250 mm	10	50	0.19 kg
P13330	300 mm	10	50	0.24 kg
P13335	350 mm	10	50	0.26 kg
P13340	400 mm	10	50	0.28 kg
P13350	500 mm	10	50	0.32 kg

WOODWORKER'S METAL TRY SQUARE

Order No.	Description	Package	Carton	Weight
14240	400x190 mm	10	10	0.28 kg
14250	500x210 mm	10	10	0.33 kg

MAGNETIC HOLDER

Universal magnetic stand 80N for dial indicator with joint fixation. Compatible with dial indicators of diameters of 5.0 and 8.0 mm.

Order No.	Description	Package	Carton	Weight
P106110	80 N	1	1	1.44 kg

MARKING SCRIBER

Order No.	Description	Package	Carton	Weight
PC5830	150 mm	25	100	0.04 kg

MARKING SCRIBER - BENT

Order No.	Description	Package	Carton	Weight
ZN13281	250 mm	1	1	0.04 kg

METAL TRY SQUARE

DIN 875



Order No.	Description	Package	Carton	Weight
PC1321	150x100x5.0 mm (14491)	1	1	0.27 kg
PC1322	300x180x5.0 mm (14492)	1	1	0.7 kg
PC1323	400x230x5.0 mm (14493)	1	1	1.25 kg
PC1324	500x280x5.0 mm (14494)	1	5	1.57 kg

WOODWORKER'S METAL TRY SQUARE

Order No.	Description	Package	Carton	Weight
P13322	250 mm	12	120	0.09 kg
P13323	300 mm	12	120	0.11 kg
P13324	350 mm	12	120	0.13 kg
P13326	400 mm	12	120	0.14 kg

FRAMING SQUARE

Order No.	Description	Package	Carton	Weight
ZN14350	500x250 mm	1	1	0.29 kg
ZN14360	600x280 mm	1	1	0.31 kg
ZN14380	800x320 mm	1	1	0.39 kg
ZN14399	1,000x360 mm	1	1	0.48 kg

RAFTER SPEED SQUARE

A carpenter's square, also known as a "speed square", is a multi-functional tool suitable many crafts and artisans. High-quality aluminum alloy and precisely milled edges ensure maximum precision and durability. The protractor allows to quickly and accurately mark the 90° and 45° angles. Due to its robust construction, it can be used as a practical guide for a circular saw for cutting cross and bevel cuts. You can use the internal notches on the scale for a pencil or a marking knife. Another feature is a protractor for determining or setting out commonly used angles. There is a scale for measuring common, hip and valley rafters for carpenters. Thanks to its versatility and practicality, the sqaure should not be missing in the equipment of any DIY'er or artisan.

XTLINE PROFESSIONAL TOOLS

NEW



Order No.	Description	Package	Carton	Weight
XT130150	150 mm	8	64	0.24 kg

CARPENTER'S PENCIL

Order No.	Description	Package	Carton	Weight
P13000	180 mm, pack/12pcs	72	1440	0.01 kg

PENCIL

Order No.	Description	Package	Carton	Weight
ZN13272	Carpenter's 180 mm	72	2880	0.01 kg
ZN13273	Glass/Ceramics (red ink) 180 mm	72	1440	0.006 kg
ZN13274	Double-end 180 mm	72	1440	0.01 kg

MECHANICAL CARPENTER'S PENCIL

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT130300	155 mm	1	100	0.04 kg
XT130310	replacement ink black 1pc/6pcs	1	200	0.03 kg

FRAMING SQUARE

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P13325	400x600 mm	1	24	0.63 kg

CARPENTER'S PENCIL RED

RICHMANN

Order No.	Description	Package	Carton	Weight
PC0129	180 mm, pack/55pcs	220	90	0.01 kg
PC0125	250 mm, pack/55pcs	55	144	0.01 kg

MASONRY PENCIL GREEN

RICHMANN

Order No.	Description	Package	Carton	Weight
PC0229	180 mm, pack/55pcs	55	220	0.01 kg
PC0225	250 mm, pack/55pcs	55	220	0.01 kg

THIN POINT PERMANENT MARKER - BLACK, 12PCS/PACK

RICHMANN

Order No.	Description	Package	Carton	Weight
PC0130	Thin Point Permanent Marker - Black, 12pcs/pack	12	1200	0.008 kg
PC0134	Thin Colour Permanent Marker Set, 36pcs/pack	1	24	0.333 kg
PC0135	Thick Point Permanent Marker - Black, 12pcs/pack	12	1200	0.014 kg
PC0139	Thick Colour Permanent Marker Set, 36pcs/pack	1	24	0.542 kg

DOUBLE-END PERMANENT MARKER

RICHMANN

set: red, green, blue, black

Order No.	Description	Package	Carton	Weight
PC0140	black 140 mm, 12pcs/pack	12	1200	0.014 kg
PC0144	Double-end Permanent Marker Set, 36pcs/pack	1	24	0.542 kg

CONSTRUCTION

267 - 269
SPIRIT LEVELS
SCREED LEVELS
HOSE LEVELS

270 - 272
CAULKING GUNS
PU FOAM GUNS

273
MIXERS

274 - 276
TILE CUTTERS
ACCESSORIES
GLASS HOLDERS

277 - 279
SCRAPERS

280 - 281
TROWELS
SCOOPS

282 - 289
FLOATS
RIPING FLOATS

290 - 293
OTHER CONSTRUCTION TOOLS

DIGITAL LASER RANGEFINDER

A laser digital distance meter is an electronic measuring device that is used to quickly and accurately measure the distance between two points using a laser beam. The range finder is used in a number of fields and professions, including construction, interior design, assembly work, etc. It offers a number of useful functions, such as the calculation of surface, volume or angles, and can work in both metric and imperial units."

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Power supply	3xAAA
Working temperature	0 ° až +40 °C
Wavelength	620–690 nm (<1 mw)
Class of laser	II
Accuracy	± 2,0 mm (0,05 m–40/50/60/70/80 m)
Beam colour	red
Dimensional calculations	content, volume, angle
Time of one measurement	0,25 s
Automatic laser/device shutdown	30 s / 3 min
Protection	IP54
Dimension of product	120x50x25 mm
Package includes	textile packaging, 3xAAA battery
Weight	92 g
Range	80 m
Units of length	meters, feets, inches

Order No.	Description	Package	Carton	Weight
XT130512	80 m	1	20	0.3 kg

SELF-LEVEL CROSS LASER

The self-leveling cross laser is a special type of measuring device commonly used at construction and assembly work. The device enables drawing of a cross line, which greatly speeds up the work of many professions. Invaluable tool for the installation of kitchen units, assembly work, painting, bricklaying, tiling, flooring, plasterboard jobs, etc. The self-leveling function enables precise and quick adjustment of the beam, so the user does not have to manually adjust its position and height. In addition, the green color beam is distinctive and perfectly visible on most materials.

XTLINE PROFESSIONAL TOOLS

NEW

Technical parametres

Power supply	2xAA (1,5 V)
Working temperature	-10 ° to +50 °C
Wavelength	515 nm (<1 mw)
Class of laser	II
Accuracy	± 2.5 mm / 5 m
Beam width	2.5 mm / 5 m
Beam colour	green
Self-leveling range	3°
Thread for clamping	1/4"
Protection	IP54
Dimension of product	65x72x80 mm
Package includes	textile packaging, holder, 2xAA battery

Order No.	Description	Package	Carton	Weight
XT130518	green beam	1	20	0.5 kg

MINI DIGITAL SPIRIT LEVEL

The digital level is a tool serving to determining slopes and angles in the horizontal and vertical direction. Two embedded spirit vials determine the slope in a classic analog way, the built-in electronics display the values digitally. The product is suitable for both professional and hobby operations on construction sites, household or assemblies and for a whole range of different professions and applications.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT130230	230 mm	1	24	0.3 kg

MAGNETIC HOLDER FOR LASER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT130519	1/4" screw	1	20	0.1 kg

EXTENDABLE TRIPOD

Aluminum extendable tripod for easy clamping of lasers or other electronics.

XTLINE PROFESSIONAL TOOLS

aluminium

Technical parametres

Size of thread	5/8" (1/4")
Package includes	adapter 5/8"-1/4"

Order No.	Description	Package	Carton	Weight
XT130515	600-1500 mm	1	20	0.9 kg

SPIRIT LEVEL - TWO LEVEL VIALS

XTLINE spirit level conforms to VPA conditions and certifications to guarantee internationally confirmed high quality requirements. Bubble levels are firmly set in the aluminum body to provide calibrated accuracy for the whole level lifespan, including extreme temperature conditions and insensitive or rough job site manipulation. The bubble size remains constant regardless the ambient temperature, provides clear reading and maximum accuracy with no condensation build-up. Lifetime warranty, two-line bubble spirits with the possibility to measure as low as a 2% slope. The overall tolerance is 0.5mm/1.0m = 0.0285° to match professional standards. Machined edge with wall thickness of 1.6mm / 1.9mm.

XTLINE PROFESSIONAL TOOLS

- Lifetime warranty on spirit levels.
- Protection against UV radiation - thanks to the special fill inside the vial.
- Two spirit level marks - it is possible without a problem measure 2% slope.
- Milled edge - guarantees high measurement accuracy (valid for lengths 400-1200mm).
- The accuracy of the spirit level 0.5mm/1m=0.0285 guarantees a standard for professional use.
- Mark for spirit level dimension.
- Durability - durable plastic ends against impact.

Order No.	Description	Package	Carton	Weight
XT130400	400 mm	10	200	0.35 kg
XT130600	600 mm	10	100	0.35 kg
XT130800	800 mm	10	60	0.45 kg
XT131000	1,000 mm	10	40	0.59 kg
XT131200	1,200 mm	10	40	0.66 kg
XT131500	1,500 mm	10	10	0.86 kg
XT131800	1,800 mm	10	10	1.04 kg
XT132000	2,000 mm	10	10	1.136 kg

MAGNETIC SPIRIT LEVEL - TWO LEVEL VIALS

XTLINE PROFESSIONAL TOOLS





Order No.	Description	Package	Carton	Weight
XT139040	400 mm	10	10	0.28 kg
XT139060	600 mm	10	10	0.39 kg
XT139080	800 mm	10	10	0.5 kg
XT139100	1,000 mm	10	10	0.6 kg
XT139120	1,200 mm	10	10	0.77 kg
XT139150	1,500 mm	10	10	0.92 kg
XT139180	1,800 mm	10	10	1.09 kg
XT139200	2,000 mm	10	10	1.17 kg

SPIRIT LEVEL - TWO LEVEL VIALS

XTLINE spirit level conforms to VPA conditions and certifications to guarantee internationally confirmed high quality requirements. Bubble levels are firmly set in the aluminum body to provide calibrated accuracy for the whole level lifespan, including extreme temperature conditions and insensitive or rough job site manipulation. The bubble size remains constant regardless the ambient temperature, provides clear reading and maximum accuracy with no condensation build-up. Lifetime warranty, two-line bubble spirits with the possibility to measure as low as a 2% slope. The overall tolerance is 0.5mm/1.0m = 0.0285° to match professional standards. Machined edge with wall thickness of 1.6mm / 1.9mm.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT129030	400 mm	x	x	0 kg
XT129040	400 mm	x	x	0 kg
XT129050	500 mm	x	x	0 kg
XT129060	600 mm	x	x	0 kg
XT129080	800 mm	x	x	0 kg
XT129100	1000 mm	x	x	0 kg
XT129120	1200 mm	x	x	0 kg
XT129150	1500 mm	x	x	0 kg
XT129180	1800 mm	x	x	0 kg
XT129200	2000 mm	x	x	0 kg

SPIRIT LEVEL - ONE LEVEL VIAL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT132010	100 mm	10	10	0.08 kg

XTLINE PROFESSIONAL TOOLS

Drawbars

) accuracy 0,5 mm/1 m





Pulling battens made of aluminum profile, which is easy to wash and at the same time resistant to the load of the materials being pulled. They are suitable for various leveling and leveling of surfaces from plaster, concrete and screeds to clay in the garden, underlying sand or for ensuring a level when laying curbs, paving, etc.

Rectangular profiles are suitable for rougher work and we supply them up to a length of 4m. They can also be equipped with one or two spirit levels and handles to facilitate work with the batten.

The trapezoidal batten is free of spirit levels and is suitable for finer finishing of surfaces thanks to its tapered profile and finger groove.

H-profile slats are thin, light and adapted to pulling plasters and screeds in a vertical position.

SCREED LEVEL - TWO LEVEL VIALS

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT135150	1,500 mm	1	10	1.03 kg
XT135200	2,000 mm	1	10	1.37 kg
XT135250	2,500 mm	1	10	1.71 kg
XT135530	3,000 mm	1	10	2.06 kg
XT135540	4,000 mm	1	20	2.74 kg

SCREED LEVEL - NO LEVEL VIAL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT133150	1,500 mm	1	20	1.03 kg
XT133180	1,800 mm	1	10	1.23 kg
XT133200	2,000 mm	1	10	1.37 kg
XT133250	2,500 mm	1	10	1.71 kg
XT133300	3,000 mm	1	10	2.06 kg
XT133400	4,000 mm	1	10	2.74 kg

SCREED TRAPEZE LEVEL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT138150	1,500 mm	1	20	1.03 kg
XT138180	1,800 mm	1	20	1.23 kg
XT138200	2,000 mm	1	20	1.37 kg
XT138250	2,500 mm	1	20	1.71 kg
XT138300	3,000 mm	1	10	2.06 kg

SCREED H-PROFILE LEVEL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT138530	1,500 mm	1	20	1.03 kg
XT138550	1,800 mm	1	10	1.23 kg
XT138600	2,000 mm	1	10	1.37 kg
XT138700	2,500 mm	1	10	1.71 kg
XT138800	3,000 mm	1	10	2.06 kg

SCREED LEVEL - TWO LEVEL VIALS + HAND GRIPS

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT136150	1500 mm	1	10	1.03 kg
XT136200	2000 mm	1	10	1.25 kg
XT136250	2500 mm	1	10	1.4 kg
XT136300	3000 mm	1	10	1.71 kg

HOSE LEVEL SET

Designed for easy level measurement, including over the corner measurement using a hose filled with water and a pair of transparent vessels on both hose ends to determine the level position.

PVC pipe

Order No.	Description	Package	Carton	Weight
ZN15992	10 m	1	1	1.03 kg
ZN15993	15 m	1	1	1.46 kg

REPLACEMENT TUBE FOR HOSE LEVEL

glass



Order No.	Description	Package	Carton	Weight
ZN15990	Glass	1	1	0.12 kg
ZN15991	PVC	1	1	0.12 kg

CAULKING GUN - DRIPLESS

Caulking gun with pivoting frame, robust construction and reinforced feed mechanism enables the application of the guide bar with no slipping. The Dripless function ensures material dispensing to stop immediately after releasing the trigger. The solid metal frame is resistant to twisting.

XTLINE PROFESSIONAL TOOLS

NEW



Order No.	Description	Package	Carton	Weight
XT0190	300 ml	1	24	0.42 kg

CHEMICAL GROUT/ANCHOR CAULKING GUN

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT096	300 ml	1	24	1.05 kg

CHEMICAL GROUT CAULKING GUN

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT098	410 ml	1	20	0.93 kg

SWIVEL CAULKING GUN

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT099	300 ml	1	24	0.675 kg

CHEMICAL ANCHOR CAULKING GUN

Caulking gun for cartridges with capacity from 150ml up to 410ml.

Order No.	Description	Package	Carton	Weight
UPP910063	410 ml	1	1	1.06 kg

CAULKING GUN

Calking gun for silicone and acrylic sealers. Reverse mechanism prevents the filling from dripping out of the cartridge – Dripless function. Solid twist-resistant frame with quality surface treatment. Hexagonal application nozzle, pin for excess sealer removal.

Order No.	Description	Package	Carton	Weight
Z952013	300 ml	1	24	0.42 kg

ALUMINUM CLOSED CAULKING GUN

Manual extrusion gun for silicones, sealants, chemical anchors, etc. from cartridges or casings. The body of the gun is made of light aluminum alloy, steel frame for professional use. High-quality processing and durable coating of the frame guarantee a long service life.

XTLINE PROFESSIONAL TOOLS

version with a larger capacity - 600ml

Order No.	Description	Package	Carton	Weight
XT094	310 ml	1	20	0.54 kg
XT095	600 ml	1	20	0.68 kg
Z950101	nozzle for Caulking Gun	1	20	0.01 kg

SKELETON CAULKING GUN

Cartridge compatible caulking gun.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19686	300 ml	1	24	0.39 kg

SKELETON CAULKING GUN

Cartridge compatible caulking gun.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19686A	300 ml	1	24	0.31 kg

CAULKING GUN

PVC

Order No.	Description	Package	Carton	Weight
P19683	300 ml	12	16	0.33 kg

CAULKING GUN

Semi-open caulking gun for silicone and sealers.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19689	300 ml	1	20	0.51 kg

FULL METAL PU FOAM GUN, TEFLON

Professional PU foam gun with a Teflon surface that greatly simplifies cleaning. Fine regulation of the foam flow with the easy-to-use screw guarantees precise foam dosing. Rubberized handle for comfortable use of the gun while working.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT0195	330 mm 330 mm	1	20	0.5 kg

FULL METAL PU FOAM GUN WITH METAL REGULATION

Foam gun compatible with the use of plastic adapters, anti-corrosion surface treatment, flow regulation knob.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
Z950004	340 mm	1	20	0.49 kg

PLASTIC PU FOAM GUN

STAVTOOL by XTLINE

NEW

Order No.	Description	Package	Carton	Weight
P19652	330 mm	1	20	0.3 kg

FULL METAL PU FOAM GUN

Full-metal PU foam gun with regulation.

STAVTOOL by XTLINE

Order No.	Description	Package	Carton	Weight
P19653	350 mm	1	20	0.52 kg

FULL METAL PU FOAM GUN, TEFLON

Professional PU foam gun with a Teflon surface that greatly simplifies cleaning. Fine regulation of the foam flow with the convenient front positioned screw guarantees precise foam dosing. Ergonomic handle for comfortable use of the gun while working.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT0199	330 mm	1	20	0.5 kg

FULL METAL PU FOAM GUN, TEFLON

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT093	320 mm	1	120	0.4 kg

PAINT AND MUD MIXER GALVANIZED, HEXAGONAL SHANK

Innovative technology minimizes vibration upon rotation. Quality zinc coating, precision welding, flat components and the circle made of robust material to greatly increase the overall lifespan.



mixing construction adhesives, mortars, paints, plasters

Order No.	Description	Package	Carton	Weight
HN85	85x500 mm	1	1	0.4 kg
HN100	100x500 mm	1	1	0.45 kg
HN120	120x600 mm	1	1	0.82 kg

PAINT MIXER, HEXAGONAL SHANK

mixing colors and thin mixes

Order No.	Description	Package	Carton	Weight
P19741	80x405 mm	1	50	0.23 kg
P19742	100x505 mm	1	50	0.31 kg

PAINT AND MUD MIXER - THREE ARMS GALVANIZED, M14

XTLINE PROFESSIONAL TOOLS

M14

mixing construction adhesives, mortars, paints, plasters

Order No.	Description	Package	Carton	Weight
HN140Z	140x600 mm	1	1	1.32 kg

PAINT AND MUD MIXER GALVANIZED, M14

XTLINE PROFESSIONAL TOOLS

M14

mixing construction adhesives, mortars, paints, plasters

Order No.	Description	Package	Carton	Weight
HN100Z	100x600 mm	1	1	1.07 kg
HN121	120x600 mm	1	1	1.16 kg

PAINT AND MUD MIXER GALVANIZED M14

RICHMANN

M14

mixing construction adhesives, mortars, paints, plasters

Order No.	Description	Package	Carton	Weight
PC0635	600x120 mm	1	24	1.166 kg

PAINT AND MUD MIXER GALVANIZED SDS PLUS

RICHMANN

SDS

mixing construction adhesives, mortars, paints, plasters

Order No.	Description	Package	Carton	Weight
PC0638	500x100 mm	1	100	0.48 kg
PC0639	600x120 mm	1	100	0.64 kg

PAINT AND MUD MIXER SDS-PLUS

STAVTOOL XTLINE

SDS

Order No.	Description	Package	Carton	Weight
ZN35094	80x400 mm	1	60	0.36 kg
ZN35095	100x600 mm	1	24	0.56 kg
ZN35096	120x600 mm	1	24	0.6 kg

PAINT AND MUD MIXER, HEXAGONAL SHANK

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
ZN35038	80x400 mm	1	60	0.31 kg
ZN35058	100x600 mm	1	24	0.55 kg
ZN35023	115x600 mm	1	24	0.6 kg

TILE CUTTER WITH BEARINGS, RUBBERIZED TABLE

Massive tile cutter with bearings placed in a metal case for easy and accurate cutting. Adjustable screws can be used to adapt the tolerances accordingly. Protractor for accurate cutting at given angle. Lever handle provides easy tile breaking.

XTLINE PROFESSIONAL TOOLS

The massive cross-shaped guide bar with encapsulated high-quality bearings enables precise guidance of the cut

Profiled cutter lever for easy breaking



Technical parametres

Max. cutting length	**1200 mm**	Thickness of material	**4 - 16 mm**
Max. cutting width	**155 mm**	Thickness of base	**3 mm**
Adjustable scale	**30 cm**	Dimension of product	**1435x245x230 mm**
Dimension of rubber pad	**1200x155 mm**	Package includes	**parallel guide, key, 2x extension guide**
Dimension of cutting wheel	**22x6x2 mm**	Weight	**10.6 kg**
Width of metal base	**195 mm**		

Order No.	Description	Package	Carton	Weight
P8104E	1,200 mm	1	2	12.75 kg
ZN36132	22x6x10.5x2.0 mm for P8104E	1	1	0.02 kg

TILE CUTTER WITH BEARINGS, RUBBERIZED TABLE

Massive tile cutter with bearings placed in a metal case for easy and accurate cutting. Adjustable screws can be used to adapt the tolerances accordingly. Protractor for accurate cutting at given angle. Lever handle provides easy tile breaking.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Max. cutting length	**600 mm**	Weight	**8.2 kg**
Dimension of cutting wheel	**22x6x2 mm**	Base, thickness	**1.8 mm**
Width of metal base	**180 mm**		

Order No.	Description	Package	Carton	Weight
P8101E	600 mm	1	2	8.4 kg
ZN36129	22x6x2 mm for P8101E, P8102E	1	1	0.02 kg

TILE CUTTER WITH BEARINGS, RUBBERIZED TABLE

Massive tile cutter with bearings placed in a metal case for easy and accurate cutting. Adjustable screws can be used to adapt the tolerances accordingly. Protractor for accurate cutting at given angle. Lever handle provides easy tile breaking.

XTLINE PROFESSIONAL TOOLS

Massive body guarantees stability cut



Built-in roller bearings stored in a metal case for precise and easy cutting

Massive guide bar in the shape of a cross ith encapsulated quality bearings enables precise guidance of the cut

Technical parametres

Max. cutting length	**1000 mm**	Thickness of material	**4 - 14 mm**
Max. cutting width	**145 mm**	Dimension of product	**1190x175x190 mm**
Dimension of rubber pad	**1000x145 mm**	Other features	**adjustable guide: 20 cm**
Dimension of cutting wheel	**22x6x2 mm**	Package includes	**parallel guide, 2x extension guide**
Width of metal base	**175 mm**	Weight	**9.6 kg**

Order No.	Description	Package	Carton	Weight
P8102E	1,000 mm	1	2	11.14 kg
ZN36129	22x6x2 mm for P8101E, P8102E	1	1	0.02 kg

TILE CUTTER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
P19744	400 mm	1	2	4.37 kg
P19746	600 mm	1	2	5.25 kg

TILE CUTTER WITH HOLE CUTTER TFL

Tile cutter with hole cutting mechanism is used for cutting ceramic materials (floor and wall tiling). Bearing guide, metal platform with rubber pad, tile hole cutter.

STAVTOOL by XTLINE



Order No.	Description	Package	Carton	Weight
P19752TFL	460 mm	1	4	4.92 kg
P19754TFL	600 mm	1	4	5.4 kg

SPARE TILE CUTTER WHEEL WITH BEARING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
ZN36129	22x6x2 mm for P8101E, P8102E	1	1	0.02 kg
ZN36132	22x6x10.5x2.0 mm for P8104E	1	1	0.02 kg

SPARE TILE CUTTER WHEEL WITH BEARING

Tile cutter wheel used for bearing tile cutters XT170630 - XT171500.

XTLINE PROFESSIONAL TOOLS

BLISTER

for the cutter XT170630, XT170750, XT170950, XT171200, XT171500

Order No.	Description	Package	Carton	Weight
XT160230	22x6.0x2.0 mm (XT170630 - XT171200)	1	x	0.02 kg

SPARE TILE CUTTER WHEEL

STAVTOOL by XTLINE

BLISTER

for the cutter P19744, P19746, P19752TFL, P19754TFL

Order No.	Description	Package	Carton	Weight
ZN36126	15x6.0x1.5 mm	1	1	0.348 kg

TILE CUTTER WITH BEARINGS

Professional tile cutter for diagonal and straight cutting of one or both-side glazed floor or wall tiling. Possibility to further adjust tolerances. Miter scale guide is designed for straight and miter cuts. Tungsten carbide cutting wheel with dimensions of 22x6.0x4.7mm. Sliding mechanism with ball bearings, from which four of them can be adjusted to increase cutting accuracy and proper sliding conditions.

XTLINE PROFESSIONAL TOOLS



cutting wheel size: 22x6x2 mm

Order No.	Description	Package	Carton	Weight
XT170630	630 mm	1	1	10.49 kg
XT170750	750 mm	1	1	11.48 kg
XT170950	950 mm	1	1	12.9 kg
XT171200	1,200 mm	1	1	18.55 kg
XT160230	22x6.0x2.0 mm (XT170630 - XT171200)	1	x	0.02 kg

HANDHELD MANUAL TILE CUTTER

Manual U-shape tile cutter designed for cutting small-sized tiling. It benefits from small dimensions and professional use at tiling jobs.

STAVTOOL



Order No.	Description	Package	Carton	Weight
ZN36046	working length of cut: 100 mm	1	24	0.38 kg

TILE SPRING CUTTING PLIERS

STAVTOOL

Order No.	Description	Package	Carton	Weight
P104199	195 mm	10	100	0.23 kg

GLASS PANEL HOLDER - SINGLE CUP, 25KG

STAVTOOL

plastic

PVC

Order No.	Description	Package	Carton	Weight
ST38121	to 25 kg, material: plastic	1	20	0.3 kg

GLASS PANEL HOLDER - SINGLE CUP, 50 KG

XTLINE PROFESSIONAL TOOLS

aluminium

NEW

AL

Order No.	Description	Package	Carton	Weight
XT140039	to 50 kg, materiál: aluminium	30	10	0.47 kg

GLASS PANEL HOLDER - DOUBLE CUP, 50KG

STAVTOOL

plastic

PVC

Order No.	Description	Package	Carton	Weight
ST38122	to 50 kg, material: plastic	1	12	0.58 kg

GLASS PANEL HOLDER - DOUBLE CUP, 120 KG

XTLINE PROFESSIONAL TOOLS

aluminium

AL

Order No.	Description	Package	Carton	Weight
XT140040	to 120 kg, materiál: aluminium	1	10	0.94 kg

GLASS PANEL HOLDER - TRIPLE CUP, 75KG

STAVTOOL

plastic

PVC

Order No.	Description	Package	Carton	Weight
ST38123	to 75 kg, material: plastic	1	10	0.88 kg

GLASS PANEL HOLDER - TRIPLE CUP, 180 KG

XTLINE PROFESSIONAL TOOLS

aluminum

AL

Order No.	Description	Package	Carton	Weight
XT140041	to 180 kg, materiál: aluminium	1	10	1.42 kg

GROUT REMOVER

Grout remover for cleaning and renewing of dull tile gaps.

Order No.	Description	Package	Carton	Weight
ZN37006	30 mm	1	20	0.03 kg
ZN37007	50 mm	1	60	0.07 kg

STAINLESS STEEL PAINT SCRAPER

Order No.	Description	Package	Carton	Weight
ZN130040	40 mm	12	120	0.1 kg
ZN130060	60 mm	12	120	0.11 kg
ZN130080	80 mm	12	120	0.13 kg
ZN130100	100 mm	12	120	0.13 kg
ZN130120	120 mm	12	120	0.14 kg

STAINLESS STEEL SCRAPER

Order No.	Description	Package	Carton	Weight
Z0501	40 mm	20	20	0.06 kg
Z0502	60 mm	20	20	0.07 kg
Z0503	80 mm	20	20	0.08 kg
Z0500	100 mm	20	20	0.09 kg

STAINLESS STEEL SCRAPER+ PH HANDLE DRIVER BIT

Order No.	Description	Package	Carton	Weight
Z0545	150 mm	30	30	0.13 kg

STAINLESS STEEL UNIVERSAL SCRAPER

Order No.	Description	Package	Carton	Weight
Z0584	60 mm	20	20	0.06 kg

PAINT SCRAPER PROFI YORK

Order No.	Description	Package	Carton	Weight
ZN03D	30 mm	10	10	0.07 kg
ZN04D	40 mm	10	10	0.07 kg
ZN05D	50 mm	10	10	0.08 kg
ZN06D	60 mm	10	10	0.08 kg
ZN07D	70 mm	10	10	0.09 kg
ZN08D	80 mm	10	10	0.11 kg
ZN09D	90 mm	10	10	0.12 kg
ZN10D	100 mm	10	10	0.12 kg
ZN11D	110 mm	10	10	0.14 kg
ZN12D	120 mm	10	10	0.14 kg
ZN14D	140 mm	10	10	0.15 kg

STAINLESS STEEL PUTTY SCRAPER - SOFTGRIP

Order No.	Description	Package	Carton	Weight
Z1078-1	150 mm	12	12	0.19 kg
Z1079-1	200 mm	12	12	0.22 kg

STAINLESS STEEL PUTTY SCRAPER SOFTGRIP + HANDLE DRIVER BIT PH2

Order No.	Description	Package	Carton	Weight
Z921207-1	150 mm	1	60	0.16 kg
Z921208-1	200 mm	1	60	0.21 kg

STAINLESS STEEL PLASTER SCRAPER - THIN

Order No.	Description	Package	Carton	Weight
ZN31551	250 mm	1	20	0.19 kg

STAINLESS STEEL PLASTER SCRAPER

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31541	250 mm	1	20	0.24 kg

STAINLESS STEEL PLASTER SCRAPER

Order No.	Description	Package	Carton	Weight
ZN31552	400 mm	1	1	0.26 kg
ZN31553	600 mm	12	1	0.32 kg

PLASTIC SPATULA SET, 4PCS, JAPANESE TYPE

Kubala®

Order No.	Description	Package	Carton	Weight
Z1624	50, 80, 100, 120 mm	25	25	0.05 kg

STAINLESS STEEL SCRAPER SET, 4PCS, JAPANESE TYPE

stainless steel

Order No.	Description	Package	Carton	Weight
ZN31452	50, 80, 100, 120 mm	1	10	0.09 kg

PAINT REMOVER SCRAPER

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31501	100 mm	1	100	0.1 kg
ZN31502	Spare Blade 100 mm	1	50	0.01 kg

UNIVERSAL SILICONE

Kubala®

Order No.	Description	Package	Carton	Weight
Z1614	Putty Scraper - Black, PE	20	20	0.03 kg
Z1628	Putty Scraper - Blue	20	20	0.04 kg

REINFORCED RUBBER PUTTY SCRAPER - WOODEN HANDLE

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN37011	180 mm	1	50	0.16 kg
ZN37021	280 mm	1	50	0.22 kg

PLASTIC SCRAPER WITH RUBBER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0611	150 mm	10	10	0.09 kg
Z0612	250 mm	10	10	0.15 kg

STAINLESS STRAIGHT SCRAPER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
ZN31651	250 mm	1	50	0.18 kg

PLASTIC UNIVERSAL TOOTH SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0708	135x90 mm	20	20	0.02 kg
Z0706	175x130 mm	20	20	0.05 kg

PLASTIC SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0702	250 mm, 4x6 Tooth	20	20	0.1 kg
Z0703	250 mm, 6x6 Tooth	20	20	0.11 kg
Z0701	250 mm, Smooth	20	20	0.1 kg

PLASTIC SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0704	80 mm	10	10	0.02 kg
Z0705	100 mm	10	10	0.03 kg
Z0707	150 mm	10	10	0.04 kg

PAINT REMOVER BLADE SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z1406	40 mm	1	20	0.08 kg
Z1407	60 mm	1	20	0.12 kg

STAINLESS STEEL FACADE SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0533	350 mm	10	10	0.34 kg
Z0535	600 mm	10	10	0.5 kg

STAINLESS STEEL FACADE SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z0546	150 mm	10	10	0.21 kg
Z0547	250 mm	10	10	0.29 kg

RUBBER WINDOW SCRAPER

Order No.	Description	Package	Carton	Weight
ZN15886	450 mm	1	1	0.24 kg
ZN15887	550 mm	1	1	0.28 kg

WALLPAPER REMOVAL SCRAPER

Kubala®

Order No.	Description	Package	Carton	Weight
Z1419	88 mm	1	30	0.06 kg

POROUS CONCRETE GROOVE SCRATCHER

Order No.	Description	Package	Carton	Weight
H993	600 mm	1	1	0.64 kg

STAINLESS STEEL TROWEL - SOFTGRIP

STAVTOOL

Order No.	Description	Package	Carton	Weight
Z911237	140 mm	1	50	0.19 kg
Z911238	160 mm	1	50	0.23 kg
Z911239	180 mm	1	50	0.25 kg

STAINLESS STEEL TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31222	160x115 mm	1	50	0.23 kg
ZN31231	180x120 mm	1	25	0.25 kg

STEEL TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZP0401	160 mm	1	50	0.23 kg
ZP0402	180 mm	1	50	0.26 kg
ZP0403	200 mm	1	50	0.29 kg

STEEL POLISHED TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZL003	160 mm	1	60	0.18 kg
ZL004	180 mm	1	60	0.23 kg
ZL005	200 mm	1	60	0.25 kg

PLASTER SCOOP WITH HANDLE

Order No.	Description	Package	Carton	Weight
ZN32273	160 mm	1	1	0.36 kg
ZN32283	180 mm	1	1	0.41 kg
ZN32293	215 mm	1	1	0.51 kg
ZN32302	180 mm	1	1	0.41 kg
ZN32313	215 mm	1	1	0.51 kg

STAINLESS STEEL TROWEL - SOFTGRIP

Kubala®

Order No.	Description	Package	Carton	Weight
Z0811	180 mm	10	10	0.28 kg
Z0812	160 mm	20	20	0.25 kg

PLASTIC PLASTER SCOOP - GRAY (FLEXIBLE)

ENCO SYSTEM

Order No.	Description	Package	Carton	Weight
ZE0216	160 mm	1	1	0.16 kg

PLASTIC PLASTER SCOOP - ORANGLE (SOLID)

ENCO SYSTEM

Order No.	Description	Package	Carton	Weight
ZE0217	160 mm	1	1	0.16 kg

PLASTIC LADLE

Kubala®

Order No.	Description	Package	Carton	Weight
Z3380	175 mm	1	1	0.16 kg

RUBBER PLASTER MIXING BOWL - HIGH RIM

Kubala®

rubber

Order No.	Description	Package	Carton	Weight
Z1516	0.5 L	1	20	0.12 kg

PLASTER MIXING KIT

Kubala®

rubber

Order No.	Description	Package	Carton	Weight
Z1511	0.5 L	1	20	0.11 kg
Z1518	0.5 L - Plastic Handle	1	20	0.25 kg

POINTING TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31322	140 mm	1	50	0.14 kg

STAINLESS STEEL POINTING THIN TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31341	160 mm	1	50	0.13 kg

STAINLESS STEEL SMOOTH CORNER TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31271	120x80x80 mm	1	50	0.19 kg

STAINLESS STEEL SMOOTH CORNER TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31281	120x80x80 mm	1	50	0.19 kg

STAINLESS STEEL STUCCO TROWEL

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31362	30 mm	1	50	0.13 kg
ZN31382	60 mm	1	50	0.12 kg
ZN31392	80 mm	1	50	0.14 kg
ZN31402	100 mm	1	50	0.15 kg

STAINLESS STEEL STUCCO TROWEL - SOFTGRIP

STAVTOOL

Order No.	Description	Package	Carton	Weight
Z911245	30 mm	1	50	0.14 kg
Z911240	50 mm	1	50	0.13 kg
Z911241	60 mm	1	50	0.14 kg
Z911242	80 mm	1	50	0.15 kg
Z911243	100 mm	1	50	0.16 kg
Z911244	120 mm	1	50	0.19 kg

DOUBLE-END FINGER TROWEL

Order No.	Description	Package	Carton	Weight
ZE810	10/12 mm	1	10	0.06 kg
ZE811	10/15 mm	1	10	0.06 kg
ZE813	15/20 mm	1	10	0.06 kg

STAINLESS STEEL FLOAT

Stainless-steel float made of quality, acid-resistant steel. Comfortable, two-component handle for effortless work is set in the float gravity center to provide maximum work comfort. Suitable for application of grout, glue or plaster. Thickness of 0.7mm, left or right-handed handle attached with six rivets.

Kubala®



Order No.	Description	Package	Carton	Weight
Z0240	270x130 mm	1	10	0.32 kg

STAINLESS STEEL NOTCHED FLOAT

Kubala®

Order No.	Description	Package	Carton	Weight
Z0241	130x270 mm, 4x4 Tooth	1	10	0.31 kg
Z0242	130x270 mm, 6x6 Tooth	1	10	0.31 kg
Z0243	130x270 mm, 8x8 Tooth	1	10	0.31 kg
Z0244	130x270 mm, 10x10 Tooth	1	10	0.31 kg
Z0245	130x270 mm, 12x12 Tooth	1	10	0.3 kg

STAINLESS STEEL FLOAT - SOFTGRIP

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31140	270x127 mm	1	24	0.34 kg

STAINLESS STEEL FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31011	270x127 mm	1	24	0.26 kg

STAINLESS STEEL NOTCHED FLOAT SOFTGRIP

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31141	270x127 mm, 4x4 Tooth	1	24	0.34 kg
ZN31142	270x127 mm, 6x6 Tooth	1	24	0.33 kg
ZN31143	270x127 mm, 8x8 Tooth	1	24	0.33 kg
ZN31144	270x127 mm, 10x10 Tooth	1	24	0.33 kg
ZN31145	270x127 mm, 12x12 Tooth	1	24	0.33 kg

STAINLESS STEEL NOTCHED FLOAT SOFTGRIP

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31021	270x127 mm, 4x4 Tooth	1	24	0.25 kg
ZN31031	270x127 mm, 6x6 Tooth	1	24	0.26 kg
ZN31041	270x127 mm, 8x8 Tooth	1	24	0.26 kg
ZN31051	270x127 mm, 10x10 Tooth	1	24	0.25 kg
ZN31053	270x127 mm, 12x12 Tooth	1	24	0.25 kg

STAINLESS STEEL FLOAT

Stainless-steel float made of quality, acid-resistant steel. Comfortable, two-component handle for effortless work is set in the float gravity center to provide maximum work comfort. Suitable for application of grout, glue or plaster. Thickness of 0.7mm, left or right-handed handle attached with six rivets.

Kubala®



STAINLESS STEEL FLOAT

Kubala®

Order No.	Description	Package	Carton	Weight
Z0250	480x130 mm	1	10	0.67 kg
Z0256	480x130 mm - Round Corner	1	10	0.68 kg

STAINLESS STEEL NOTCHED FLOAT

Kubala®



Order No.	Description	Package	Carton	Weight
Z0253	480x130 mm, 8x8 Tooth	1	10	0.66 kg
Z0254	480x130 mm, 10x10 Tooth	1	10	0.65 kg

STAINLESS STEEL FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31081	480x130 mm	1	10	0.63 kg

STAINLESS STEEL NOTCHED FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN31052	480x130 mm, 4x4 Tooth	1	24	0.63 kg
ZN31061	480x130 mm, 6x6 Tooth	1	10	0.64 kg
ZN31062	480x130 mm, 8x8 Tooth	1	10	0.63 kg
ZN31071	480x130 mm, 10x10 Tooth	1	10	0.63 kg

STAINLESS STEEL FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZP5400	360x130 mm	1	10	0.41 kg
ZP6500	380x130 mm	1	10	0.43 kg

ABS SMOOTH FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN34051	280x140x3 mm	1	1	0.2 kg

PVC SMOOTH FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZP3000	270x130 mm, D-handle	1	1	0.15 kg
ZP3001	270x130 mm, L-handle	1	1	0.206 kg

STAINLESS STEEL FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZP5200	280x130 mm	1	24	0.37 kg
ZP5300	320x130 mm	1	10	0.39 kg
ZP5500	380x130 mm	1	10	0.47 kg

STAINLESS STEEL FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZP5800	680x130 mm	1	18	1.01 kg
ZP5900	780x130 mm	1	18	1.08 kg
ZP6000	1,000x130 mm	1	4	1.39 kg

PLASTIC REINFORCED FLOAT

ENCO SYSTEM

Order No.	Description	Package	Carton	Weight
ZN34025/E	400x180 mm	1	1	0.35 kg

PLASTIC REINFORCED FLOAT

Order No.	Description	Package	Carton	Weight
ZN34025	400x180 mm	1	1	0.34 kg

ABS PLASTIC FLOAT PROFI

ENCO SYSTEM

ABS

Order No.	Description	Package	Carton	Weight
ZE119	Rough 270x130x3 mm	1	1	0.23 kg
ZE120	Smooth 270x130x3 mm	1	1	0.21 kg

PLASTIC FLOAT - SMOOTH FOAM

Order No.	Description	Package	Carton	Weight
ZE130/2	250x130x20 mm	1	1	0.3 kg
ZE131/2	280x140x20 mm	1	1	0.31 kg
ZE133/2	225x60x20 mm	1	1	0.12 kg

PLASTIC FLOAT - BLACK FELT

Order No.	Description	Package	Carton	Weight
ZE130/3	250x130x10 mm	1	1	0.41 kg
ZE131/3	280x140x10 mm	1	1	0.49 kg
ZE133/3	225x60x10 mm	1	1	0.17 kg

PLASTIC FLOAT - SPONGE

Order No.	Description	Package	Carton	Weight
ZE130/5	250x130x12 mm	1	1	0.34 kg
ZE131/5	280x140x12 mm	1	1	0.35 kg
ZE130/6	250x130x20 mm	1	1	0.37 kg
ZE131/6	280x140x20 mm	1	1	0.4 kg

PLASTIC FLOAT - WHITE FELT

Order No.	Description	Package	Carton	Weight
ZE125/8	220x130x8.0 mm	1	1	0.37 kg
ZE130/8	250x130x8.0 mm	1	1	0.4 kg
ZE131/8	280x140x10 mm	1	1	0.46 kg
ZE133/8	225x60x8.0 mm	1	1	0.16 kg

GROUTING FLOAT

Order No.	Description	Package	Carton	Weight
Z0325	240x95 mm	1	5	0.23 kg

GROUTING FLOAT - RUBBER BASE

Order No.	Description	Package	Carton	Weight
Z0370	240x95 mm	1	5	0.31 kg

PLASTIC FLOAT - MIRELON

Order No.	Description	Package	Carton	Weight
ZE130/1	250x130x20 mm	1	1	0.3 kg
ZE131/1	280x140x20 mm	1	1	0.31 kg

PLASTIC FLOAT - RUBEN

Order No.	Description	Package	Carton	Weight
ZE125/9	220x130x20 mm	1	1	0.32 kg
ZE130/9	250x130x20 mm	1	1	0.35 kg
ZE131/9	280x140x20 mm	1	1	0.38 kg
ZE133/9	225x60x20 mm	1	1	0.14 kg

PLASTIC FLOAT - RUBBER FOAM

Order No.	Description	Package	Carton	Weight
ZE125/4	225x130x8.0 mm (pallet)	1	1	0.28 kg
ZE130/4	250x130x10 mm	1	1	0.3 kg
ZE131/4	280x140x10 mm	1	1	0.32 kg

PLASTIC FLOAT - PERFORATED FOAM

Order No.	Description	Package	Carton	Weight
ZE130/11	250x130x10 mm	1	1	0.31 kg
ZE131/11	280x140x30 mm	1	1	0.33 kg

PLASTIC FLOAT - SEA SPONGE

Order No.	Description	Package	Carton	Weight
ZE130/7	250x130x30 mm	1	1	0.31 kg
ZE131/7	280x140x30 mm	1	1	0.32 kg

PLASTIC FLOAT - ROUGH SPONGE

Order No.	Description	Package	Carton	Weight
ZE130/12	250x130x30 mm	1	1	0.31 kg
ZE131/12	280x130x30 mm	1	1	0.33 kg

PLASTIC FLOAT - TOUGH SPONGE

Order No.	Description	Package	Carton	Weight
ZE130/15	250x130x20 mm	1	1	0.55 kg

PLASTIC FLOAT - FOAM

Order No.	Description	Package	Carton	Weight
ZE130/14	250x130x30 mm	1	1	0.3 kg
ZE131/14	280x130x30 mm	1	1	0.32 kg

TILE LEVELING PLIERS

Order No.	Description	Package	Carton	Weight
Z1897	plastic	1	6	0.2 kg

TILE LEVEL KIT SPACER

Kubala®

BLISTER

Order No.	Description	Package	Carton	Weight
Z1892	1.0 mm, 100pcs/pack	15	15	0.4 kg
Z1893	2.0 mm, 100pcs/pack	15	15	0.42 kg
Z1894	3.0 mm, 100pcs/pack	15	15	0.4 kg
Z1895	Wedge, 50pcs/pack	1	6	0.53 kg

TILE LEVELING PLIERS - PROFI METAL

Order No.	Description	Package	Carton	Weight
Z1899	metal / plastic	1	6	0.39 kg

TILE LEVEL KIT, STARTER PACK, SPACERS 1.0 MM (100PCS)

Kubala®

Order No.	Description	Package	Carton	Weight
Z1898	staples 1 mm 100pcs/pack, wedges 50pcs/pack	1	6	1.13 kg

PLASTIC FLOAT - DUREN

Order No.	Description	Package	Carton	Weight
ZP04002	250x140x20 mm	1	1	0.38 kg

PLASTIC FLOAT - HYDRO SMOOTH

Order No.	Description	Package	Carton	Weight
ZP04024	250x140x30 mm, Smooth	1	1	0.32 kg
ZP04025	250x140x30 mm, Rough	1	1	0.32 kg

PLASTIC FLOAT - RUBEN

Order No.	Description	Package	Carton	Weight
ZP04014	250x140x20 mm	1	1	0.37 kg

PLASTIC FLOAT - BLACK FELT

Order No.	Description	Package	Carton	Weight
ZP04269	250x130x10 mm	1	1	0.43 kg

PLASTIC FLOAT - BLACK RUBBER

Order No.	Description	Package	Carton	Weight
ZP04018	250x140x8.0mm	1	1	0.31 kg

PLASTIC FLOAT - WHITE FELT

Order No.	Description	Package	Carton	Weight
ZP04274	250x130x10 mm	1	1	0.4 kg

PLASTIC FLOAT - ROUGH FOAM

Order No.	Description	Package	Carton	Weight
ZP04019	250x130x25 mm, Smooth	1	1	0.32 kg
ZP04575	250x130x25 mm, Rough	1	1	0.32 kg

PLASTIC FLOAT - SMOOTH SPONGE

Order No.	Description	Package	Carton	Weight
ZP04020	250x140x18 mm, Smooth	1	1	0.5 kg
ZP04021	250x140x18 mm, Rough	1	1	0.36 kg

PLASTIC FLOAT - SEA SPONGE

Order No.	Description	Package	Carton	Weight
ZP04023	250x140x30 mm	1	1	0.31 kg

WOODEN FLOAT (LINDEN)

Order No.	Description	Package	Carton	Weight
ZN34010	400x150 mm	1	1	0.55 kg
ZN34012	400x70 mm	1	1	0.31 kg

WOODEN FLOAT

Order No.	Description	Package	Carton	Weight
ZN34005	400x150mm	1	1	0.58 kg

SANDING FLOAT

Sanding float for polystyrene. The work surface consists of two parts – board with holes and float sheet metal. The float does not get jammed with sanded material and allows easy cleaning. To be used for roughing and leveling of insulation polystyrene panels. Perforated float edges allow working in corners.

Kubala®



Order No.	Description	Package	Carton	Weight
Z0343	380x160 mm	1	10	0.71 kg
Z0344	270x130 mm	1	20	0.44 kg

HAND-GRIP SANDING FLOAT

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN34201	230x100 mm	12	48	0.2 kg
ZN34202	230x80 mm	10	50	0.15 kg

ABRASIVE MESH

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZN34271	115x290 mm gr. 120, 10pcs/pack	1	100	0.2 kg
ZN34272	115x290 mm gr. 100, 10pcs/pack	1	100	0.2 kg
ZN34273	115x290 mm gr. 80, 10pcs/pack	1	100	0.23 kg
ZN34274	93x290 mm gr. 120, 10pcs/pack	1	100	0.14 kg
ZN34275	93x290 mm gr. 100, 10pcs/pack	1	100	0.16 kg
ZN34276	93x290 mm gr. 80, 10pcs/pack	1	100	0.17 kg

PLASTIC WALL BRUSHING TROWEL - GRATER TYPE

Wall brushing float is designed for leveling of polystyrene insulation facade, old paint removal, etc.

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZE153	270x130 mm	1	20	0.31 kg
ZN32320/P	400x180 mm	1	1	0.73 kg

SANDING FLOAT - SANDPAPER

Order No.	Description	Package	Carton	Weight
ZN32318	400x200 mm	1	1	0.84 kg
ZN32319	500x250 mm	1	1	1.38 kg

FIBERGLASS SANDING RIPPER FLOAT FOR YTONG

Sanding ripper float for porous concrete is light, yet firm enough compared to the aluminum version. Comfortable, easy-to-clean surface that does not dirty hands and stays warm. Robust construction for extreme work.

Kubala®



Order No.	Description	Package	Carton	Weight
Z1424	450x90 mm	1	10	0.67 kg

WOODEN ROUGH SANDING FLOAT FOR YTONG

Manual hand tools used for leveling of light, porous concrete construction blocks Ytong. The sanding float is a must-have tool for all masonry professions. Light construction, keeps its form and allows very easy and comfortable manipulation.

Order No.	Description	Package	Carton	Weight
ZN32317	450x90 mm	1	1	0.44 kg
ZN32337	260x96 mm	1	1	0.35 kg

PLASTIC SANDING FLOAT - CORUNDUM LAYER

ENCO SYSTEM

Order No.	Description	Package	Carton	Weight
ZE190/1	270x130 mm	1	1	0.38 kg

PLASTIC SANDING FLOAT - CORUNDUM LAYER

ENCO SYSTEM

Order No.	Description	Package	Carton	Weight
ZE190/2	400x180 mm	1	1	0.61 kg

ALUMINUM SANDING RIPPER FLOAT



Order No.	Description	Package	Carton	Weight
ZN32326	450x90mm	1	25	0.6 kg

WOODEN SMOOTH SANDING FLOAT FOR BRIZOLITE

Order No.	Description	Package	Carton	Weight
Z2282	250x96 mm	1	1	0.27 kg
Z2283	225x140 mm	1	1	0.41 kg
Z2280	400x140 mm	1	1	0.69 kg

WOODEN SMOOTH SANDING FLOAT FOR BRIZOLITE

Order No.	Description	Package	Carton	Weight
Z2281	450x96 mm	1	1	0.27 kg

SANDING RIPPER FLOAT EXTREME FOR YTONG AND FACADE

Order No.	Description	Package	Carton	Weight
Z1414	210x105 mm	1	1	0.55 kg
Z1415	425x105 mm	1	1	0.92 kg

SANDING GRID FLOAT

Order No.	Description	Package	Carton	Weight
ZN32316	280x150 mm	1	25	0.79 kg

STYROFOAM FLOAT, STYROHART

Order No.	Description	Package	Carton	Weight
ZN34061	270x130 mm	1	10	0.07 kg
ZN34071	450x130 mm	1	10	0.13 kg
ZN34111	320x170 mm	1	10	0.07 kg

PUR FLOAT

Order No.	Description	Package	Carton	Weight
ZN34115	280x140 mm	1	30	0.14 kg
ZN34116	320x180 mm	1	30	0.27 kg
ZN34117	360x200 mm	1	30	0.27 kg
ZN34154	420x220 mm	1	20	0.28 kg
ZN34155	480x240 mm	1	10	0.29 kg

PLASTIC POLYSTYRENE CUTTER

NEW

Order No.	Description	Package	Carton	Weight
SK2220106	70 mm	1	100	0.05 kg
SK2220107	68 mm	1	100	0.05 kg

ALUMINUM DRYWALL HAND-GRIP PLANE

Designed for smoothing or edge chamfering of plasterboard panels.

STAVTOOL



Order No.	Description	Package	Carton	Weight
P13970	260x40 mm	15	60	0.26 kg

ABS FAST CHALK SNAP-LINE REEL

Chalk line with in and out fast reel mechanism equipped with string locking position function. The body is made of durable ABS material.

STAVTOOL XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
XT13050	30 m	1	50	0.16 kg

ALUMINUM CHALK LINE REEL

Order No.	Description	Package	Carton	Weight
P107091	30 m	1	120	0.13 kg

CONSTRUCTION STRING

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
ZN38901	White 50 m / 1.0 mm	1	100	0.04 kg
ZN38902	White 50 m / 1.7 mm	1	100	0.05 kg
ZN38903	White 50 m / 2.0 mm	1	100	0.07 kg
ZN38904	Yellow 50 m / 1.0 mm	1	100	0.04 kg
ZN38905	Yellow 50 m / 1.7 mm	1	100	0.06 kg
ZN38906	Yellow 50 m / 2.0 mm	1	100	0.07 kg
ZN38907	Red 50 m / 1.0 mm	1	100	0.04 kg
ZN38908	Red 50 m / 1.7 mm	1	100	0.05 kg
ZN38909	Red 50 m / 2.0 mm	1	100	0.07 kg
ZN38910	Orange 50 m / 1.0 mm	1	100	0.04 kg
ZN38911	Orange 50 m / 1.7 mm	1	100	0.05 kg
ZN38912	Orange 50 m / 2.0 mm	1	100	0.07 kg

CONSTRUCTION STRING - DIFFERENT COLOURS

RICHMANN

Order No.	Description	Package	Carton	Weight
PC3611	1.7 mm / 50 m	12	96	0.07 kg
PC3612	1.7 mm / 100 m	12	96	0.11 kg

CHALK LINE WITH POWDER

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P13681	30 m + color	12	60	0.21 kg

CONSTRUCTION LINE REEL

Construction site chalk line with practical plastic holder for fast reel.

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
P13682	30 m	12	144	0.05 kg
P13683	50 m	12	144	0.06 kg
P13684	100 m	12	144	0.1 kg

CHALK LINE POWDER

Spare color container for chalk line reel.

STAVTOOL XTLINE

227 g 227 g

Order No.	Description	Package	Carton	Weight
P13686	Red, 227 g	12	72	0.25 kg
P13687	Blue, 227 g	12	72	0.25 kg

SPIRAL STRAP BINDER

NEW

Order No.	Description	Package	Carton	Weight
P104784	200 mm	10	40	0.25 kg

BINDING WIRE

NEW

Order No.	Description	Package	Carton	Weight
P104789	1.25x100 mm, pack/1000pcs	1	1	1.9 kg
P104790	1.25x125 mm, pack/1000pcs	1	1	2.1 kg
P104791	1.25x140 mm, pack/1000pcs	1	1	2.3 kg
P104792	1.25x160 mm, pack/1000pcs	1	1	2.5 kg

ADJSUTABLE MAGNET SET FOR TILING

BLISTER

Order No.	Description	Package	Carton	Weight
ZN38923	4pcs	1	10	0.15 kg

PLASTIC TILE CROSS SPACER

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
ZN37149	1.5 mm, pack/200pcs	1	500	0.02 kg
ZN37150	2.0 mm, pack/200pcs	1	500	0.03 kg
ZN37151	2.5 mm, pack/200pcs	1	500	0.04 kg
ZN37152	3.0 mm, pack/150pcs	1	500	0.03 kg
ZN37153	4.0 mm, pack/100pcs	1	500	0.03 kg
ZN37154	5.0 mm, pack/75pcs	1	500	0.03 kg

PLASTIC TILE WEDGE

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
ZN37155	0-7 mm (pack/40pcs)	1	200	0.05 kg
ZN37156	0.0-5.0 mm (pack/100pcs)	1	200	0.04 kg

CEMENT FLICKER SPRAY MACHINE

Order No.	Description	Package	Carton	Weight
P19765		1	50	1.43 kg

SAND SIEVE

Order No.	Description	Package	Carton	Weight
Z1501SK	500x500 mm, Grid - 1.0 x 1.0 mm	1	1	2.45 kg
Z1502SK	500x500 mm, Grid - 2.0 x 2.0 mm	1	1	2.3 kg
Z1503SK	500x500 mm, Grid - 3.0 x 3.0 mm	1	1	2.65 kg
Z1504SK	500x500 mm, Grid - 4.0 x 4.0 mm	1	1	2.73 kg

DUTCH PIN BRICK BLOCK - FORGED

Order No.	Description	Package	Carton	Weight
ZN37229	Black 140x10mm	1	1	0.09 kg
ZN37230/1	Zinc 140x10 mm	1	1	0.15 kg

STRING PLUMB BOB

Order No.	Description	Package	Carton	Weight
ZN38916	150 g + string 5 m	10	120	0.19 kg
ZN38917	300 g + string 5 m	10	60	0.32 kg
ZN38918	500 g + string 5 m	10	60	0.53 kg

MOUNTING WEDGES

VAŠEK

Order No.	Description	Package	Carton	Weight
Z1090216	65x18x12-0.0 mm, 20pcs/pack	1	1	0.114 kg
Z1090217	80x25x10-3.0 mm, 20pcs/pack	1	1	0.13 kg
Z1090218	100x25x16-1.0 mm, 14pcs/pack	1	1	0.14 kg
Z1090219	150x25x25-1.0 mm, 8pcs/pack	1	1	0.2 kg

MOUNTING WEDGES

VAŠEK

Order No.	Description	Package	Carton	Weight
Z1090224	65x18x12-0.0 mm, 150pcs/pack	1	1	1 kg
Z1090225	80x25x10-3.0 mm, 150pcs/pack	1	1	1.17 kg
Z1090226	100x25x16-1.0 mm, 120pcs/pack	1	1	1.36 kg
Z1090227	150x25x25-1.0 mm, 60pcs/pack	1	1	1.58 kg

MOUNTING WEDGES

VAŠEK

Order No.	Description	Package	Carton	Weight
Z1090220	Tilling 55x8.0x10mm, 250pcs/pack	1	1	0.39 kg
Z1090221	Flooring 55x20x15-10, 33pcs/pack	1	1	0.32 kg
Z1090222	Flooring 55x20x6-0.0 mm, 20pcs/pack	1	1	0.05 kg

MASONRY ROUND BRUSH

Order No.	Description	Package	Carton	Weight
Z3085	90 mm	1	24	0.16 kg

MASONRY SQUARE BRUSH

Order No.	Description	Package	Carton	Weight
Z3084	150x70 mm	1	24	0.15 kg

UNIVESAL FLAT PAINT BRUSH

Kubala®

Order No.	Description	Package	Carton	Weight
Z4501	30 mm	12	12	0.03 kg
Z4502	40 mm	12	12	0.05 kg
Z4503	50 mm	12	12	0.06 kg
Z4504	60 mm	12	12	0.08 kg
Z4505	70 mm	12	12	0.08 kg

MASONRY SQUARE BRUSH

Kubala®

Order No.	Description	Package	Carton	Weight
Z4541	170x65 mm	1	2	0.28 kg
Z4542	180x75 mm	1	2	0.35 kg
Z4543	190x85 mm	1	2	0.44 kg

FLAT PAINT BRUSH

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
KL710010	25 mm	12	600	0.02 kg
KL710015	38 mm	12	360	0.03 kg
KL710020	50 mm	12	300	0.03 kg
KL710025	63 mm	12	240	0.04 kg
KL710030	75 mm	12	240	0.05 kg
KL710040	100 mm	12	240	0.06 kg

FLAT PAINT CORNER BRUSH

STAVTOOL XTLINE

Order No.	Description	Package	Carton	Weight
KL711010	25 mm	12	240	0.05 kg
KL711015	38 mm	12	240	0.05 kg
KL711020	50 mm	12	240	0.05 kg
KL711025	63 mm	12	120	0.07 kg
KL711030	75 mm	12	144	0.07 kg

SPIKED ROLLER BRUSH

Kubala®

Order No.	Description	Package	Carton	Weight
Z1694	230x85 mm, spike 20 mm	1	15	0.43 kg

SPIKED ROLLER BRUSH

Kubala®

Order No.	Description	Package	Carton	Weight
Z1618	230x75 mm, Spike Height 14 mm	1	15	0.43 kg

SPIKED ROLLER BRUSH

Kubala®

Order No.	Description	Package	Carton	Weight
Z1621	230x110 mm, Spike Height 28 mm	1	10	0.57 kg

SPIKED ROLLER BRUSH

Kubala®

NEW

Order No.	Description	Package	Carton	Weight
Z1668	500x123 mm, Tooth height 40 mm	1	4	1 kg

SPIKED ROLLER BRUSH

Kubala

NEW

Order No.	Description	Package	Carton	Weight
Z1670	460x85 mm, Tooth height 20 mm	1	4	0.9 kg

CLEANING BUCKET WITH ROLLERS AND GRID,

Kubala

Order No.	Description	Package	Carton	Weight
Z1524	complet	1	1	1.61 kg
Z1525	replacement rollers double	1	20	0.22 kg
Z1528	replacement grille	1	1	0.19 kg
Z1529	replacement triple rollers	1	15	0.31 kg

BUCKET BLUE REINFORCED

Plastic container for construction and gardening purposes. Flexible, light and durable material.

XTLINE PROFESSIONAL TOOLS

NEW

Order No.	Description	Package	Carton	Weight
XT39012	12 L	1	1	0.4 kg
XT39016	16 L	1	1	0.64 kg
XT39020	20 L	1	1	0.8 kg

PAINT ROLLER AND GRID HOBBY SET

Order No.	Description	Package	Carton	Weight
Z5100002	18 cm	1	25	0.24 kg
Z5100003	24 cm	1	25	0.29 kg

PLASTIC BUCKET

Order No.	Description	Package	Carton	Weight
ZN39005	5.0 L	1	1	0.24 kg
ZN39010	10 L	1	1	0.46 kg
ZN39012	12 L	1	1	0.43 kg
ZN39013	with Funnel 12 L	1	1	0.48 kg
ZN39016	16 L	1	1	0.59 kg
ZN39020	20 L	1	1	0.79 kg

PLASTIC MIXING TUB - RECTANGULAR

Order No.	Description	Package	Carton	Weight
ZN39145	40 L	1	1	1.67 kg
ZN39165	65 L	1	1	1.84 kg
ZN39190	80 L	1	1	2.78 kg

PLASTIC MIXING TUB - ROUND

Order No.	Description	Package	Carton	Weight
ZN39045	45 L	1	1	1.44 kg
ZN39065	65 L	1	1	1.62 kg
ZN39090	90 L	1	1	2.45 kg

CONSTRUCTION

295 - 297

WALL PLUGS
CHEMICAL MORTARS
THREADED RODS

298 - 299

MOUNTING FOAMS
CONSTRUCTION CHEMISTRY

300 - 303

LADDERS

304 - 308

WORK GLOVES

309 - 315

GLASSES
WELDING HELMETS
PROTECTIVE EQUIPMENT
BAGS
POUCHES

315 - 316

TAPES

317

TARPAULINS
SACHETS

318 - 323

LOCKS, INSERTS
DOOR FITTINGS
SEALS
STAINED GLASS RODS, HOOKS

DIVISION OF THE DOWEL ACCORDING TO USE INTO DIFFERENT MATERIALS

Type	Picture	Concrete	Full brick	Honeycomb brick	Hollow brick	Lightweight wax. brick	Limestone block	Limestone. dut. block	Aerated concrete	Plasterboard	Boards and blackboards	Full stone	Polystyrene	Wood
UPA, UPP		●	●	●	◐	●	●	●	◐	○	○	●	○	○
TX-PA		●	●	●	●	●	◐	●	◐	●	◐	●	○	○
UH		◐	◐	◐	●	●	●	●	●	●	◐	◐	○	○
RM		●	●	●	●	●	●	◐	●	○	○	●	○	○
NH		●	●	◐	◐	○	●	○	◐	○	○	●	○	○
TURBO		○	○	○	○	○	○	○	○	●	○	○	○	○
TURBO-AL		○	○	○	○	○	○	○	●	●	◐	○	○	◐
HDP		○	○	○	○	○	○	○	○	○	○	○	●	○
HDP95		○	○	○	○	○	○	○	○	○	●	○	●	○
KPO		●	○	○	○	○	○	○	○	○	○	●	○	○
TTH		●	●	●	●	◐	○	○	○	○	○	●	○	○
GBH		○	○	○	○	○	○	○	●	○	○	○	○	○

● - recommended use ◐ - possible use ○ - inappropriate use

WALL PLUG - UNIVERSAL UPP

Order No.	Description	Package	Carton	Weight
UPP400298	4.0x20 mm, 200pcs/pack	2	200	0.02 kg
UPP400304	5.0x25 mm, 200pcs/pack	2	200	0.025 kg
UPP400328	6.0x30 mm, 100pcs/pack	1	1	0.07 kg
UPP400359	8.0x40 mm, 100pcs/pack	1	1	0.11 kg
UPP400373	10x50 mm, 50pcs/pack	1	1	0.11 kg
UPP400403	12x60 mm, 25pcs/pack	1	1	0.4 kg
UPP400410	14x75 mm, 20pcs/pack	1	1	0.65 kg
UPP400427	16x90 mm, 10pcs/pack	1	1	1 kg

WALL PLUG - UNIVERSAL WITH ROUND HOOK UH-LC

Order No.	Description	Package	Carton	Weight
UPP600438	6.0x38 mm, 50pcs/pack	1	1	0.7 kg
UPP600445	8.0x51 mm, 50pcs/pack	1	1	1.24 kg
UPP600452	10x61 mm, 25pcs/pack	1	1	1.96 kg

WALL PLUG - HAMMER FIXING NH

Order No.	Description	Package	Carton	Weight
UPP403916	5.0x25 mm, 200pcs/pack	1	1	0.24 kg
UPP403923	5.0x35 mm, 100pcs/pack	1	1	0.3 kg
UPP403930	5.0x45 mm, 100pcs/pack	1	1	0.36 kg
UPP400977	6.0x35 mm, 100pcs/pack	1	1	0.38 kg
UPP400984	6.0x40 mm, 100pcs/pack	1	1	0.41 kg
UPP400991	6.0x45 mm, 100pcs/pack	1	1	0.45 kg
UPP401004	6.0x55 mm, 100pcs/pack	1	1	0.55 kg
UPP401011	6.0x60 mm, 50pcs/pack	1	1	0.6 kg
UPP401028	6.0x70 mm, 50pcs/pack	1	1	0.68 kg
UPP401035	8.0x45 mm, 50pcs/pack	1	1	0.78 kg
UPP401042	8.0x60 mm, 50pcs/pack	1	1	0.96 kg
UPP401059	8.0x75 mm, 50pcs/pack	1	1	1.14 kg
UPP401066	8.0x100 mm, 50pcs/pack	1	1	1.48 kg
UPP401073	8.0x120 mm, 50pcs/pack	1	1	1.76 kg
UPP401080	8.0x135 mm, 50pcs/pack	1	1	1.96 kg

WALL PLUG - UNIVERSAL WITH L-SHAPE HOOK UH-LL

Order No.	Description	Package	Carton	Weight
UPP600223	6.0x38 mm, 50pcs/pack	1	1	0.52 kg
UPP600230	8.0x51 mm, 50pcs/pack	1	1	1 kg
UPP600247	10x61 mm, 25pcs/pack	1	1	1.72 kg

WALL PLUG - UNIVERSAL WITH RIM UH-L

Order No.	Description	Package	Carton	Weight
UPP600315	6.0x38 mm, 100pcs/pack	1	1	0.07 kg
UPP600322	8.0x51 mm, 50pcs/pack	1	1	0.16 kg
UPP600339	10x61 mm, 50pcs/pack	1	1	0.28 kg

WALL PLUG - FRAME FIXING + GALVANIZED SCREW RMP

Order No.	Description	Package	Carton	Weight
UPP401370	10x80 mm, 25pcs/pack	1	1	2.08 kg
UPP401387	10x100mm, 25pcs/pack	1	1	2.92 kg
UPP401394	10x120 mm, 20pcs/pack	1	1	3.5 kg
UPP401400	10x140 mm, 20pcs/pack	1	1	4.25 kg
UPP401417	10x160 mm, 20pcs/pack	1	1	4.85 kg

WALL PLUG - UNIVERSAL TX-PA NYLON

Order No.	Description	Package	Carton	Weight
UPP406511	5.0x25 mm 200pcs/pack	2	2	0.05 kg
UPP406528	6.0x25 mm 100pcs/pack	1	1	0.07 kg
UPP406535	8.0x40 mm 100pcs/pack	1	1	0.16 kg
UPP406542	10x50 mm 50pcs/pack	1	1	0.3 kg
UPP406559	12x60 mm 25pcs/pack	1	1	0.52 kg

WALL PLUG - DRYWALL

Order No.	Description	Package	Carton	Weight
UPP403909	10x35 mm TURBO-PVC (100pcs/pack)	1	1	0.16 kg
UPP401738	10x35 mm TURBO-Al (100pcs/pack)	1	1	0.45 kg
UPP700909	Turbo-N, 7.0x25 mm, 100pcs/pack	1	1	0.14 kg

STYROFOAM PLUG ANCHOR HDP95



Order No.	Description	Package	Carton	Weight
UPP407303	32x95 mm, 5pcs/pack	1	1	2.4 kg
UPP404036	23x50 mm, 25pcs/pack	1	1	0.56 kg

WALL PLUG - UNIVERSAL PROFI PACK UNI

Order No.	Description	Package	Carton	Weight
UPP105	10x50 mm, 100pcs/pack	1	8	0.23 kg
UPP525	5.0x25 mm, 1,000pcs/pack	1	1	0.27 kg
UPP630	6.0x30 mm, 500pcs/pack	1	1	0.25 kg
UPP840	8.0x40 mm, 200pcs/pack	1	8	0.22 kg

WALL PLUG - HAMMER FIXING PROFI PACK NH

Order No.	Description	Package	Carton	Weight
UPP525NH	5.0x25 mm, 400pcs/pack	1	1	0.81 kg
UPP535NH	5.0x35 mm, 200pcs/pack	1	1	0.59 kg
UPP635NH	6.0x35 mm, 200pcs/pack	1	1	0.75 kg
UPP645NH	6.0x45 mm, 150pcs/pack	1	1	0.69 kg
UPP660NH	6.0x60 mm, 100pcs/pack	1	1	0.6 kg

WALL PLUGS ON SHEET - UNIVERSAL UPP

Order No.	Description	Package	Carton	Weight
UPP406245	6.0x30 mm, 20pcs/sheet	5	5	0.01 kg
UPP406252	8.0x40 mm, 20pcs/sheet	5	5	0.02 kg
UPP406269	10x50 mm, 20pcs/sheet	5	5	0.02 kg
UPP406290	12x60 mm, 20pcs/sheet	5	5	0.03 kg

THREADED BAR - ZINC PLATED

DIN 975

Order No.	Description	Package	Carton	Weight
55040	M4 / 1 m (Grade - 4.8)	10	50	0.07 kg
55050	M5 / 1 m (Grade - 4.8)	10	50	0.12 kg
55060	M6 / 1 m (Grade - 4.8)	10	50	0.17 kg
55080	M8 / 1 m (Grade - 4.8)	10	50	0.31 kg
55100	M10 / 1 m (Grade - 4.8)	10	50	0.47 kg
55120	M12 / 1 m (Grade - 4.8)	10	50	0.69 kg
55140	M14 / 1 m (Grade - 4.8)	10	50	0.98 kg
55160	M16 / 1 m (Grade - 4.8)	10	50	1.29 kg
55180	M18 / 1 m (Grade - 4.8)	10	50	1.62 kg
55200	M20 / 1 m (Grade - 4.8)	10	50	2.03 kg

MARKING SPRAY SOPPEC

NEW

Order No.	Description	Package	Carton	Weight
ZN105009	white, 500 ml	1	12	0.465 kg
ZN105013	red, 500 ml	1	12	0.465 kg
ZN105014	orange, 500 ml	1	12	0.465 kg
ZN105015	yellow, 500 ml	1	12	0.465 kg
ZN105016	green, 500 ml	1	12	0.465 kg
ZN105017	pink, 500 ml	1	12	0.465 kg
ZN105018	blue, 500 ml	1	12	0.465 kg

MARKING SPRAY SOPPEC IDEAL 360°

NEW

Order No.	Description	Package	Carton	Weight
ZN105060	yellow, 500 ml	1	12	0.465 kg
ZN105061	orange, 500 ml	1	12	0.465 kg
ZN105062	green, 500 ml	1	12	0.465 kg

HIGH-EXPANSION ASSEMBLY FOAM

WOLF swiss quality

- year-round high-expansion assembly PU foam
- quick drying, dense and stiff foam
- filling of cavities and joints, heat and sound insulation

Technical parametres

Cutting time	30 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	12 min.	Strength capacity	35 - 40 l
Ideal temperature of vessel under use	+15°C to +25°C	Best results	+20°C

Order No.	Description	Package	Carton	Weight
WPU1301	All Season, 700 ml	12	12	0.78 kg

HIGH-EXPANSION GUN FOAM

WOLF swiss quality

- year-round high-expansion pistol PU foam
- quick drying, dense and stiff foam
- filling of cavities and joints, thermal and sound insulation

Technical parametres

Cutting time	30 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	12 min.	Strength capacity	40 - 45 l
Ideal temperature of vessel under use	+15°C to +25°C		

Order No.	Description	Package	Carton	Weight
WPU1302	All Season, 700 ml	12	12	0.81 kg

LOW-EXPANSION ASSEMBLY FOAM

WOLF swiss quality

- year-round low-expansive assembly PU foam
- quick drying, dense and stiff foam
- low expansion prevents expansion foamed materials
- suitable for installing windows and doors
- high foam density in the joint

Technical parametres

Cutting time	25 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	10 min.	Strength capacity	35 - 40 l
Ideal temperature of vessel under use	+15°C to +25°C		

Order No.	Description	Package	Carton	Weight
WPU1100	All Season, 500 ml	12	12	0.58 kg
WPU1101	All Season, 750 ml	12	12	0.82 kg

LOW-EXPANSION GUN FOAM

WOLF swiss quality

- year-round low-expansion gun PU foam
- quick drying, dense and stiff foam
- low expansion prevents expansion foamed materials
- suitable for installing windows and doors
- high foam density in the joint

Technical parametres

Cutting time	25 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	10 min.	Strength capacity	40 - 45 l
Ideal temperature of vessel under use	+15°C to +25°C		

Order No.	Description	Package	Carton	Weight
WPU1102	All Season, 750 ml	12	12	0.88 kg

LOW-EXPANSION GUN FOAM MAXX 65L

WOLF swiss quality

- year-round low-expansion PU foam with an increased capacity of 65 l
- 30% more yield than conventional gun foams
- low expansion prevents expansion of foamed materials
- fast-setting formula ensures work efficiency
- high foam density in the joint

Technical parametres

Cutting time	25 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	10 min.	Strength capacity	up to 65 l
Ideal temperature of vessel under use	+15°C to +25°C		

Order No.	Description	Package	Carton	Weight
WPU1103	All Season, 850 ml	12	12	0.99 kg

LOW-EXPANSION GUN FOAM MEGA 70L

WOLF swiss quality

- year-round PU foam with low expansion and with an increased capacity of 70 l
- 50% more than conventional gun foams
- fast-setting formula ensuring work efficiency
- low expansion prevents expansion of foamed materials
- high foam density in the joint

Technical parametres

Cutting time	20 min.	Temperature of air under application	-10°C to +35°C
Non-sticky layer time	8 min.	Strength capacity	up to 70 l
Ideal temperature of vessel under use	+15°C to +25°C	Class of flammability	B2 (less flammable)

Order No.	Description	Package	Carton	Weight
WPU1105	All Season, 870 ml	12	12	1.01 kg

LOW-EXPANSION GUN FOAM ALPIN 50L

TTT

- winter PU foam with a special formula
- intended for extreme frosts down to -18°C
- very comfortable application even with slightly chilled can
- decreasing temperature reduces yield and prolongs the drying time

Technical parametres

Cutting time	25 min.	Ideal temperature of vessel under use	+15°C to +25°C
Non-sticky layer time	10 min.	Temperature of air under application	-18°C to +35°C

Order No.	Description	Package	Carton	Weight
WPU1106	Winter, 750 ml	12	12	0.04 kg

PU GUN ADHESIVE FOR POLYSTYRENE 78P

WOLF swiss quality

- PU glue POLYSTYRENE 78P intended for gluing polystyrene EPS, XPS, TPD and mineral wool
- also suitable for substrates made of modified asphalt strips used on flat roofs
- mooring possible after only 2 hours
- due to almost zero post expansion is suitable also for gluing panel door frames
- lower cost, quick and easy application

Technical parametres

Cutting time	25 min.	Temperature of air under application	+5°C to +35°C
Non-sticky layer time	10 min.	Strength capacity according to surface equality	10 to 12 m2
Ideal temperature of vessel under use	+15 to +25°C		

Order No.	Description	Package	Carton	Weight
WPU1201	750 ml	12	12	0.89 kg

PU GUN ADHESIVE FOR BRICKS 89B

WOLF swiss quality

- PU adhesive STONE UNI 89B intended for fixing building materials
- suitable for bonding aerated concrete, bricks, concrete, stone and geopolymer (artificial stone)
- does not form thermal bridges
- lower cost, quick and easy application

Technical parametres

Cutting time	**25 min.**	Ideal temperature of vessel under use	**+15 to +25°C**
Non-sticky layer time	**10 min.**	Temperature of air under application	**+5°C to +35°C**
Volume	**750 ml**	Strength capacity (belt diameter 2.5 - 3 cm)	**50 - 60 bm**

Order No.	Description	Package	Carton	Weight
WPU1202	750 ml	12	12	0.88 kg

QUICK-SETTING PU GUN ADHESIVE 90S

WOLF swiss quality

- PU glue SPEED 90S with extremely fast fixation
- initial bond after 90 seconds
- designed for plasterboard bonding and OSB boards, windowsills and stairs
- without the need to use a primer
- lower cost, quick and easy application

Technical parametres

Cutting time	**10 min.**	Temperature of air under application	**+5°C to +35°C**
Non-sticky layer time	**5 min.**	Strength capacity according to surface equality	**10 to 12 m2**
Ideal temperature of vessel under use	**+15 to +25°C**		

Order No.	Description	Package	Carton	Weight
WPU1203	750 ml	12	12	0.86 kg

PU FOAM CLEANER

WOLF swiss quality

- PU cleaner is a mixture of organic solvents and propellant gas
- is designed to remove uncured foam from various surfaces
- PU foam cleaner is an excellent cleaning agent inside the application guns
- cleans and degreases
- hardened foam can only be removed mechanically

Order No.	Description	Package	Carton	Weight
WPU1401	500 ml	12	12	0.04 kg

GLUE HIGH-STRENGTH MS POLYMER GORILLA

WOLF swiss quality

NEW

- excels in extreme initial and subsequent adhesive strength of up to 500 kg/m^2
- also adheres to wet surfaces, does not cause metal corrosion
- after curing, the glue is resistant to UV radiation, frost, and exposure acids and oils
- is applied to flat surfaces – the surface must be clean without dust, grease, rust and grease, glass and glazed surfaces must be degreased

Technical parametres

Working temperature	**+5°C to +35°C**	Vertical surface adhesion	**125 kg/m2**
Machining time	**approx. 6 min.**	Horizontal surface adhesion	**up to 500 kg/m2**
Temperature resistance when cured	**-40°C to +90°C**	Total cure time	**2-3 mm / 24 H**
Use	**concrete, metal, wood, plasterboard, glass, mirror, mineral wool, marble, geopolymers, plastic**		

Order No.	Description	Package	Carton	Weight
WPG01501	White, 290 ml	12	12	0.52 kg

ACRYLIC SEALANT

WOLF swiss quality

NEW

- one-component sealant based on acrylate dispersion
- permanent color, flexible, used in interior and exterior
- can be repainted with ordinary paints - the putty is UV resistant

Technical parametres

Temperature resistance	**-20°C to +80°C**
Working temperature	**+5°C to +40°C**

Order No.	Description	Package	Carton	Weight
WPT1601	290 ml	12	12	0.52 kg

UNIVERSAL SILICONE

WOLF swiss quality

NEW

- vytvrzuje vzdušnou vlhkostí a je trvale pružný, je odolný vůči vlhku, vodě a UV záření
- lze použít v interiéru a exteriéru

Technical parametres

Teplota odolnosti	**-50°C až +150°C**
Pracovní teplota	**+5°C až +40°C**

Order No.	Description	Package	Carton	Weight
WPT1602	Clear 290 ml	12	12	0.52 kg
WPT1603	White 290 ml	12	12	0.52 kg

SANITARY SILICONE

WOLF swiss quality

NEW

- hardens with air humidity and is permanently flexible - it is resistant to moisture, water and cleaning agents, molds and fungi

Technical parametres

Temperature resistance	**-50°C to +150°C**
Working temperature	**+5°C to +40°C**

Order No.	Description	Package	Carton	Weight
WPT1604	Clear 290 ml	12	12	0.52 kg
WPT1605	White 290 ml	12	12	0.52 kg

NEUTRAL SILICONE

WOLF swiss quality

NEW

- cures air humidity, permanently flexible and odorless, it is resistant to moisture, water and UV radiation, can be used indoors and exterior
- is suitable for applying to copper and galvanized sheet metal, lead, aluminum, steel with a galvanic surface (does not cause metal corrosion), concrete, marble and natural stone

Technical parametres

Temperature resistance	**-50°C to +150°C**
Working temperature	**+5°C to +40°C**

Order No.	Description	Package	Carton	Weight
WPT1606	Clear 290 ml	12	12	0.52 kg
WPT1607	White 290 ml	12	12	0.52 kg

TRIPLE EXTENSION ALUMINUM LADDER

The triple extension aluminium ladder stands out for its versatility and quick and easy handling. It can be used as a single, double, triple extendable, and freestanding ladder. In the A-shape position, it offers an increase in reach by extending the movable part. High-quality aluminum profiles with extrusions enable the low weight of the ladder to make it rigid and stable during use. Safety component for securing individual parts of the ladder.

XTLINE PROFESSIONAL TOOLS

NEW

High-quality aluminum profiles with extrusions enable the low weight of the ladder to make it rigid during use.

Material thickness 1.4 +/- 0.5 mm.

EN131



Technical parametres

Order No.	type	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	I (mm)
XT6307	3x7	2040	3000	1930	1340	3140	4280	330	395	455
XT6309	3x9	2600	3780	2460	1740	4010	5370	330	395	455
XT6311	3x11	3150	4570	2880	2100	4830	6490	330	395	455

Technical parametres

XT6307			
Type	**3x7**	Total length in unfolded condition	**4280 mm**
Max load capacity	**150 kg**	Thickness of hinge	**4 mm**
Dimension of profile	**80x25 mm**	Thickness of profile	**1.4 mm**
Dimension when assembled	**2040x460x190 mm**	Weight	**13.9 kg**
XT6309			
Type	**3x9**	Total length in unfolded condition	**5370 mm**
Max load capacity	**150 kg**	Thickness of hinge	**4 mm**
Dimension of profile	**80x25 mm**	Thickness of profile	**1.4 mm**
Dimension when assembled	**2600x460x190 mm**	Weight	**15.7 kg**
XT6311			
Type	**3x11**	Total length in unfolded condition	**6490 mm**
Max load capacity	**150 kg**	Thickness of hinge	**4 mm**
Dimension of profile	**80x25 mm**	Thickness of profile	**1.4 mm**
Dimension when assembled	**3150x460x190 mm**	Weight	**19.1 kg**

Order No.	Description	Package	Carton	Weight
XT6307	3x7	1	1	13.9 kg
XT6309	3x9	1	1	15.7 kg
XT6311	3x11	1	1	19.1 kg

TRIPLE EXTENSION ALUMINUM LADDER

XTLINE PROFESSIONAL TOOLS

System for use in stair treatment.

EN131

Technical parametres

Order No.	type	V (mm)	V1 (mm)	V2 (mm)	V3 (mm)	V4 (mm)	V5 (mm)
XT607EK	3x7	1907	1647	2768	3992	4068	4992
XT609EK	3x9	2427	2134	3744	5292	5044	6292
XT611EK	3x11	2947	2622	4232	6332	5532	7332

Technical parametres

XT607EK			
Max load capacity	**150 kg**	Height when aassembled	**1870 mm**
Max. height - disassembled	**3430 mm**	Weight	**9.8 kg**
Number of steps	**7**		
XT609EK			
Max load capacity	**150 kg**	Height when aassembled	**2430 mm**
Max. height - disassembled	**5280 mm**	Weight	**14 kg**
Number of steps	**9**		
XT611EK			
Max load capacity	**150 kg**	Height when aassembled	**2950 mm**
Max. height - disassembled	**6070 mm**	Weight	**17 kg**
Number of steps	**11**		

Order No.	Description	Package	Carton	Weight
XT607EK	3x7	1	1	10.7 kg
XT609EK	3x9	1	1	13.2 kg
XT611EK	3x11	1	1	16.6 kg

TELESCOPIC LADDER

Telescopic ladder is very practical tool to be used at crowded areas. It benefits from compact storage dimensions and low weight making it very easy for transport. The individual steps get locked-in automatically upon extension and can be released again after depressing the lock button. Variable height set-up up to 3.8m and a stable base. The ladder can be also extended only partially.

XTLINE PROFESSIONAL TOOLS

aluminum

The ladder can also be extended only partially

Stable base

Locking levers for easy folding

Each crossbar has its own security against folding

Technical parametres

Total length (L)	**3.8 m**	Space between two steps	**30 cm**
Material	**aluminum**	Dimension when assembled	**860x500x810 mm**
Max load capacity	**150 kg**	Thickness	**1.5mm**
Number of steps	**12**		

Order No.	Description	Package	Carton	Weight
XT63004	3.8 m	1	1	14.8 kg

ALUMINUM LADDER VHR, THREE PARTS

ELKOP

System for use in stair treatment



Technical parametres

Order No.	type	V (mm)	V1 (mm)	V2 (mm)	V3 (mm)	V4 (mm)	V5 (mm)
Z10376	3x7	1907	1647	2768	3992	4068	4992
Z10390	3x9	2427	2134	3744	5292	5044	6292
Z10819	3x11	2947	2622	4232	6332	5532	7332
Z10823	3x3	3471	3114	5457	8154	6757	9154

Order No.	Description	Package	Carton	Weight
Z10376	3x7	1	1	11.5 kg
Z10390	3x9	1	1	13.4 kg
Z10819	3x11	1	1	17.1 kg
Z10823	3x13	1	1	28 kg

ALUMINUM SCAFFOLDING

Possibility to arrange into step-mode, double or extendable ladder. The wide platform provides great work comfort to be used at household or professional applications. Anti-slip footings provide good stability.



Technical parametres

Order No.	A (mm)	A1 (mm)	B (mm)	B1 (mm)	C (mm)	D min.	D max.	E (mm)	L (mm)	profil (mm)	váha (kg)
HPP650	952	1200	370	984	1548	1835	2355	1046	1611	50x20	13,7

Order No.	Description	Package	Carton	Weight
HPP650	2x6, capacity 150 kg	1	1	13.7 kg

ALUMINUM SINGLE SIDE LADDER ALW

Quality, simple, universal and lightweight steps ideal for every household use that take up minimum space. The ladder benefits from anti-slip step coating and rubber footings.

ELKOP



Technical parametres

Order No.	Partitions	Total height (mm)	Height - spread out (mm)	Height to platform (mm)	Width (mm)	Carrying capacity (Kg)	Mass (Kg)
ALW 1403	3	1253	1168	565	405	120	3,00
ALW 1404	4	1483	1383	780	430	120	3,70
ALW 1405	5	1713	1598	995	455	120	3,80
ALW 1406	6	1943	1813	1210	479	120	4,60
ALW 1507	7	2173	2028	1425	503	120	5,50
ALW 1508	8	2403	2243	1640	428	120	6,70

Order No.	Description	Package	Carton	Weight
ALW 1403	3 Steps	1	10	3 kg
ALW 1404	4 Steps	1	25	3.7 kg
ALW 1405	5 Steps	1	25	4.3 kg
ALW 1406	6 Steps	1	25	5 kg
ALW 1507	7 Steps	1	25	5.5 kg
ALW 1508	8 Steps	1	10	6.7 kg

ALUMINUM DOUBLE SIDE LADDER DHR

Practical aluminum steps for households, shops, offices, etc. Locking lever to fix in position. Very light and compact.

ELKOP

Technical parametres

Order No.	Partitions	The length of the steps (mm)	Platform height (mm)	Carrying capacity (kg)	Mass (kg)
DHR 402	2	490	430	150	3,75
DHR 403	3	720	649	150	5,20
DHR 404	4	950	865	150	6,50
DHR 405	5	1118	1081	150	8,25
DHR 406	6	1410	1297	150	9,95
DHR 407	7	1640	1513	150	11,75

Order No.	Description	Package	Carton	Weight
DHR 402	2 Steps	1	1	3.75 kg
DHR 403	3 Steps	1	1	5.2 kg
DHR 404	4 Steps	1	1	6.5 kg
DHR 405	5 Steps	1	1	8.25 kg
DHR 406	6 Steps	1	1	9.95 kg
DHR 407	7 Steps	1	1	11.75 kg

WOODEN A-FRAME LADDER STANDARD 330

Wooden ladder will find its use in gardening when picking the fruit, in household and light bulb changing, room paint jobs and other application to be done at lower height positions. The ladder should be used only on level surfaces and shall not be used on uneven ground.

spacing of partitions 330 mm
crossbar: 375 mm
sidewalls: 60 x 25 mm
bars: 55 x 25 mm
zinc-plated fittings and chains
other parts without PU
chain: 1 pc
reinforcement: 2 pcs

Order No.	Description	Package	Carton	Weight
1004.03	4 Steps	1	1	6.5 kg
1005.03	5 Steps	1	1	7.5 kg
1006.03	6 Steps	1	1	8.5 kg
1007.03	7 Steps	1	1	10 kg
1008.03	8 Steps	1	1	11.5 kg

WOODEN A-FRAME LADDER EXCLUSIVE, BEECH PARTITION

Wooden ladder will find its use in gardening when picking the fruit, in household and light bulb changing, room paint jobs and other application to be done at lower height positions. The ladder should be used only on level surfaces and shall not be used on uneven ground.

crossbar: 300 mm
spacing of partitions: 320 mm
sidewall dimension: 60 x 23 mm
crossbar dimension: 45 x 23 mm
chains: 2 pcs
fittings: completely galvanized
reinforcements 4-7 partitions: 2 pcs
reinforcements 8 partitions: 4 pcs

3rd row from the top made of hard material!

Strictly observed standard spacing of partitions: 320 - 320 - then all 300 mm

Order No.	Description	Package	Carton	Weight
1003.01	3 Steps	1	1	6 kg
1004.01	4 Steps	1	1	6.5 kg
1005.01	5 Steps	1	1	7.5 kg
1006.01	6 Steps	1	1	8.5 kg
1007.01	7 Steps	1	1	10 kg
1008.01	8 Steps	1	1	11.5 kg

PVC LADDER FOOT FOR 1-9 STEPS

Rubber footing pad for wooden ladder.

Order No.	Description	Package	Carton	Weight
1006.001	1-9 Steps - small	1	1	0.1 kg
1007.001	10-12 Steps	1	1	0.1 kg

RACKS BLACK TITAN LADDER

plastic

NEW

Technical parametres

Outer dimension	**470x435x630 mm**	Material	**plastic**
Max load capacity	**150 kg**	Weight	**3.4 kg**

Order No.	Description	Package	Carton	Weight
P90010	470x435x630 mm	1	x	3.35 kg

COMBINATION WORK GLOVES

Sewn working gloves made of synthetic leather with neoprene inserts to protect finger joints, back part made of nylon. Possibility to work in dry or wet environment and the gloves offer mechanical damage protection. Ready to use in all industry fields.

XTLINE PROFESSIONAL TOOLS

nylon / leather

Order No.	Description	Package	Carton	Weight
XT90101	L	10	100	0.1 kg
XT90102	XL	10	100	0.1 kg
XT90103	XXL	10	100	0.1 kg
XT90104	XXXL	10	100	0.1 kg

WORK GLOVES MECHANIC PLUS

leather / cotton

Order No.	Description	Package	Carton	Weight
JA53013270/07	Size - 7"	12	120	0.09 kg
JA53013270/08	Size - 8"	12	120	0.09 kg
JA53013270/09	Size - 9"	12	120	0.09 kg
JA53013270/10	Size - 10"	12	120	0.09 kg
JA53013270/11	Size - 11"	12	120	0.09 kg

WORK GLOVES ROBIN

leather / cotton

Order No.	Description	Package	Carton	Weight
JA105122/10	Size - 10"	12	120	0.13 kg

COMBINATION WORK GLOVES EPOPS

polyester / spandex

Order No.	Description	Package	Carton	Weight
JA809909	Size - 9"	12	120	0.09 kg
JA809910	Size - 10"	12	120	0.09 kg

FINGERLESS WORK GLOVES FUSCUS

Work finger-less combination gloves "Fuscus" are made of fine goat hide with palm gel insert. The back part is made of Lycra and neoprene with practical Velcro cuff.

polyester / spandex

Order No.	Description	Package	Carton	Weight
JA829910	Size - 10"	12	120	0.12 kg

WORK GLOVES ORIOLE

leather / cotton

Order No.	Description	Package	Carton	Weight
JA104922/11	Size - 10-1/2"	12	120	0.21 kg

WORK GLOVES FIREFINCH

leather (without lining)

Order No.	Description	Package	Carton	Weight
JA105142/10	Size - 10"	12	72	0.18 kg

WORK GLOVES TERN

leather / cotton

Order No.	Description	Package	Carton	Weight
JA106122/10	Size - 10-1/2"	12	120	0.13 kg

COTTON GLOVES TIT

cotton

Order No.	Description	Package	Carton	Weight
JA121010/10	Size - 10"	12	120	0.02 kg

WORK GLOVES SHAG

pig leather / cotton fabric

Order No.	Description	Package	Carton	Weight
JA106842/11	Size - 11"	12	72	0.15 kg

PALM DOTTED WORK GLOVES OSPREY

cotton cloth

Order No.	Description	Package	Carton	Weight
JA126110/10	Size - 10"	12	120	0.08 kg

WORK GLOVES GULL

leather / cotton

Order No.	Description	Package	Carton	Weight
JA107122/10	Size - 10"	12	120	0.13 kg

WORK GLOVES SANDPIPER

leather

EN12477

Order No.	Description	Package	Carton	Weight
JA116033-11	Size - 11"	12	72	0.31 kg

WORK GLOVES MAGPIE

leather

Order No.	Description	Package	Carton	Weight
JA108822/10	Size - 10-1/2"	12	120	0.26 kg

WELDING GLOVES MERLIN

leather

EN12477

Order No.	Description	Package	Carton	Weight
JA116017-11	Size - 10"	12	72	0.23 kg

PVC PALM DOTTED WORK GLOVES PLOVE

polyester / cotton

Order No.	Description	Package	Carton	Weight
JA123210/10	Size - 10"	12	120	0.11 kg

WORK GLOVES AVOCET

cotton / PVC

Order No.	Description	Package	Carton	Weight
JA128111/09	Size - 9"	12	120	0.04 kg

LATEX COATED WORK GLOVES TWITE-TWINGO

cotton / latex

Order No.	Description	Package	Carton	Weight
JA142210	Size - 10"	12	120	0.09 kg

PVC PALM COATED WORK GLOVES SCOTER

cotton (seamless)

Order No.	Description	Package	Carton	Weight
JA142510/9	Size - 9"	10	120	0.06 kg
JA142103/10	Size - 10"	10	120	0.07 kg

NITRILE COATED WORK GLOVES HARRIER-HENRY

cotton / nitrile

Order No.	Description	Package	Carton	Weight
JA144510-07	Size - 7"	12	120	0.04 kg
JA144510-08	Size - 8"	12	120	0.05 kg
JA144510/09	Size - 9"	12	120	0.05 kg
JA144510/10	Size - 10"	12	120	0.06 kg

PVC COATED WORK GLOVES STANDARD

cotton / PVC

Order No.	Description	Package	Carton	Weight
JA153213209	Size - 9-1/2"	10	100	0.22 kg
JA153213211	Size - 11-1/2"	10	100	0.28 kg

NITRILE FULL COATED WORK GLOVES ROLLER

cotton / nitrile

Order No.	Description	Package	Carton	Weight
JA145210-10	Size - 10"	12	120	0.11 kg

NYLON WORK GLOVES PALAWAN

Order No.	Description	Package	Carton	Weight
JA132210-07	Size - 7"	12	60	0.04 kg
JA132210-08	Size - 8"	12	60	0.05 kg
JA132210-09	Size - 9"	12	60	0.05 kg
JA132210-10	Size - 10"	12	60	0.05 kg

NYLON WORK GLOVES BUNTING-ROOSTER - BLACK

nylon

Order No.	Description	Package	Carton	Weight
JA135410/07	Size - 7"	12	240	0.02 kg
JA135410/08	Size - 8"	12	240	0.03 kg
JA135410/09	Size - 9"	12	240	0.03 kg
JA135410/10	Size - 10"	12	240	0.03 kg
JA135410/11	Size - 11"	12	240	0.03 kg

NYLON WORK GLOVES BUNTING-ROOSTER - WHITE

polyester / polyurethane

Order No.	Description	Package	Carton	Weight
JA135411/6	Size 6"	12	240	0.02 kg
JA135411/7	Size 7"	12	240	0.02 kg
JA135411/8	Size 8"	12	240	0.02 kg
JA135411/9	Size 9"	12	240	0.02 kg
JA135411/10	Size 10"	12	240	0.03 kg
JA135411/11	Size 11"	12	240	0.03 kg

LATEX COATED WORK GLOVES REDWING

cotton / polyester

Order No.	Description	Package	Carton	Weight
JA123210/10	Size - 10"	12	120	0.11 kg

WELDING GLOVES MERLIN, BLISTER HANG

leather (without lining)

EN12477

Order No.	Description	Package	Carton	Weight
JAV10017	Size - 11"	12	120	0.24 kg

LATEX COATED WORK GLOVES DIPPER

cotton / polyester

Order No.	Description	Package	Carton	Weight
JA143210/08	Size - 8"	12	120	0.09 kg
JA143210/10	Size - 10"	12	120	0.1 kg

WORK GLOVES EIDER - YELLOW/GRAY

leather / cotton

Order No.	Description	Package	Carton	Weight
JA106922/10	Size - 10-1/2"	12	120	0.17 kg
JA106922/11	Size - 11"	12	120	0.25 kg
JA106922/12	Size - 12"	12	120	0.26 kg

WINTER WORK GLOVES DAVIS

latex

Order No.	Description	Package	Carton	Weight
JAA9094/08	Size - 8"	12	120	0.11 kg
JAA9094	Size - 10"	12	120	0.12 kg

WORK GLOVES DICK KNUCKLE, BLISTER HANG

latex

Order No.	Description	Package	Carton	Weight
JAV10062/10	Size - 10"	12	120	0.06 kg

WORK GLOVES TOP UP, BLISTER HANG

leather / cotton

Order No.	Description	Package	Carton	Weight
JAV10043	Size - 11"	12	72	0.24 kg

WORK GLOVES HOBBY, BLISTER HANG

kid-skin / cotton

Order No.	Description	Package	Carton	Weight
JAV10049	Size - 10"	12	120	0.08 kg

WORK GLOVES NITRAX, BLISTER HANG

nylon / PE

Order No.	Description	Package	Carton	Weight
JAV10058/10	Size - 10"	12	240	0.06 kg

WORK GLOVES PETRAX, BLISTER HANG

nylon knitwear / latex

Order No.	Description	Package	Carton	Weight
JAV8007/09	Size - 9"	12	240	0.06 kg
JAV8007/10	Size - 10"	12	240	0.06 kg

WORK GLOVES BREMEN, BLISTER HANG

leather / cotton

Order No.	Description	Package	Carton	Weight
JAV9082	Size - 10-1/2"	12	120	0.16 kg

PROTECTIVE GLASSES CLEAR

XTLINE PROFESSIONAL TOOLS

EN166

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90119	clear	12	300	0.1 kg

ADJUSTABLE SAFETY GLASSES

RICHMANN

EN166

BLISTER

Order No.	Description	Package	Carton	Weight
PC0002	adjustable	10	200	0.04 kg

PROTECTIVE GLASSES BLACK ERGO

XTLINE PROFESSIONAL TOOLS

EN166

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90121	black	12	300	0.04 kg

SAFETY GLASSES - TRANSPARENT

RICHMANN

EN166

BLISTER

Order No.	Description	Package	Carton	Weight
PC0005	clear	10	200	0.04 kg

PROTECTIVE GLASSES CLEAR ERGO

XTLINE PROFESSIONAL TOOLS

EN166

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90120	clear	12	300	0.04 kg

SAFETY GLASSES - YELLOW

RICHMANN

EN166

BLISTER

Order No.	Description	Package	Carton	Weight
PC0001	yellow	10	200	0.04 kg

PROTECTIVE GLASSES YELLOW ERGO

XTLINE PROFESSIONAL TOOLS

EN166

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90122	yellow	12	300	0.04 kg

SAFETY GLASSES - BLACK

RICHMANN

EN166

BLISTER

Order No.	Description	Package	Carton	Weight
PC0000	black	10	60	0.04 kg

SAFETY GOOGLES

EN 166

Order No.	Description	Package	Carton	Weight
JA5414		10	10	0.1 kg

SAFETY GOOGLES

RICHMANN

EN166

BLISTER

Order No.	Description	Package	Carton	Weight
PC0003		10	200	0.07 kg

PROTECTIVE HELMET, SHIELD AND EARMUFFS SET

Order No.	Description	Package	Carton	Weight
PC0060	complet	1	10	0.96 kg
PC0061	headphones for shield PC0060	1	4	0.26 kg
PC0062	shield for helmet PC0060	1	30	0.15 kg

PROTECTIVE SHIELD SET

Order No.	Description	Package	Carton	Weight
PC0076	complet	1	20	0.2 kg

PROTECTIVE SHIELD SET (JA5891)

Protection from flying-off debris when working with chainsaw, grass trimmer, etc.

Order No.	Description	Package	Carton	Weight
JA5891	complet	1	1	0.25 kg
JA5091	spare visor	1	1	0.09 kg

AUTOMATIC WELDING HELMET - SOLAR YOGA

The self-cooling welding helmet is a new generation work aid. New technologies such as LCD, optoelectronic identification, solar charging, microelectronics and more are used. The self-darkening helmet not only effectively protects the eyes from harmful electric arc flashes, but also allows both hands to be free for precise welding for higher quality work. This helmet has a wide range of uses in various welding, cutting, spraying, electric arc grooving, etc. TIG welding is possible. Solar cell to power the self-darkening filter, CE standard (EN 169/379). Complete head and neck protection and light weight.

XTLINE PROFESSIONAL TOOLS

Technical parametres

Power supply	**solar cellk/Li-Ion battery**	Darkening time	**1-30000 s**
Working temperature	**-10 to +60°C**	ON	**fully automatic**
Function	**selector: grinding / welding**	Adjustable brightness	**0,1 - 1 s**
Size of filter	**110x90x9 mm**	UV/IR protection	**DIN 16 for the whole duration**
Size of filter window	**100x60 mm**	Number of dimming sensors	**4**
Optional settings	**DIN 4 5-8 / 9 - 13**	Weight	**515 g**

Order No.	Description	Package	Carton	Weight
XT5893	solar self-darkening	1	20	0.77 kg

AUTOMATIC WELDING HELMET - SOLAR GRAND

The self-cooling welding helmet is a new generation work aid. New technologies such as LCD, optoelectronic identification, solar charging, microelectronics and more are used. The self-darkening helmet not only effectively protects the eyes from harmful electric arc flashes, but also allows both hands to be free for precise welding for higher quality work. This helmet has a wide range of uses in various welding, cutting, spraying, electric arc grooving, etc. TIG welding is possible. Solar cell to power the self-darkening filter, CE standard (EN 169/379). Complete head and neck protection and light weight.

XTLINE PROFESSIONAL TOOLS

Hood control
› filter settings
› sensitivity settings
› delay setting
› switch : grinding / welding

The optics enable realistic colors on the entire color spectrum, faithful presentation of red, yellow, blueand green colors.

The optical filter has a larger window for better vision when working with the hood.

Highly durable polyamide surface.

Technical parametres

Power supply	**solar cellk/Li-Ion battery**	Darkening time	**1-30000s**
Working temperature	**-10 to +60°C**	ON	**fully automatic**
Function	**selector: grinding / welding**	Adjustable brightness	**0,1-1s**
Size of filter	**114x133x9 mm**	UV/IR protection	**DIN 16 for the whole duration**
Size of filter window	**98x87 cm**	Number of dimming sensors	**4**
Optional settings	**DIN 4 5-8/9-13**	Weight	**525 g**

Order No.	Description	Package	Carton	Weight
XT5890	solar self-darkening	1	60	0.87 kg

WELDING HELMET, WELDING GLASS NO.10

NORM CE (EN169/379)

Order No.	Description	Package	Carton	Weight
JA5895	welding helmet	1	20	0.77 kg
KZ107	Welding glass (external) 108x50 mm	1	1	0.08 kg
KZ108	visor 116x90 mm	1	1	0.01 kg

AUTOMATIC WELDING HELMET

The self-cooling welding helmet is a new generation work aid. New technologies such as LCD, optoelectronic identification, solar charging, microelectronics and more are used. The self-darkening helmet not only effectively protects the eyes from harmful electric arc flashes, but also allows both hands to be free for precise welding for higher quality work. This helmet has a wide range of uses in various welding, cutting, spraying, electric arc grooving, etc. TIG welding is possible. Solar cell to power the self-darkening filter, CE standard (EN 169/379). Complete head and neck protection and light weight.

XTLINE PROFESSIONAL TOOLS

NORM CE (EN169/379)

Technical parametres

Power supply	**solar cellk/Li-Ion battery**	Darkening time	**1-30000 s**
Working temperature	**-10 to +60°C**	ON	**fully automatic**
Function	**selector: grinding / welding**	Adjustable brightness	**0,1 - 1 s**
Size of filter	**110x90x9 mm**	UV/IR protection	**DIN 16 for the whole duration**
Size of filter window	**96x39 mm**	Number of dimming sensors	**2**
Optional settings	**DIN 4 9 - 13**	Weight	**485 g**

Order No.	Description	Package	Carton	Weight
XT5894	solar self-darkening	1	20	0.71 kg

INNER LCD VISOR COVER FOR WELDING HELMET XT5890

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
XT5890X-958E	replacement electronics for XT5890	1	1	0.2 kg

INNER LCD VISOR COVER FOR WELDING HELMET XT5893

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT5893-818E	replacement electronics for XT5893	1	1	0.148 kg

INNER LCD VISOR COVER FOR WELDING HELMET XT5894

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT5894-500G	replacement electronics for XT5894	1	20	0.112 kg

CROSS FOR WELDING HELMET XT5893, XT5890

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT5893-HG4	headgear for XT5890, XT5893	1	1	0.09 kg

ADJUSTABLE HEADGEAR FOR WELDING HELMET XT5894

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT5894-HG3	headgear for XT5894	1	1	0.09 kg

PROTECTIVE EARMUFFS

XTLINE PROFESSIONAL TOOLS

EN352-1

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90115	25 dB	1	60	0.2 kg

PROTECTIVE COVER/GLASS FOR WELDING HELMET

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT5893X-09139	100x62 mm Internal for XT5893	1	1	0.008 kg
XT5893X-09140	115x105 mm External for XT5893	1	1	0.07 kg
XT5894X-10060	102x42 mm Internal for XT5894	1	1	0.006 kg
XT5894X-11090	110x90 mm External for XT5894	1	1	0.012 kg
XT5890X-1958	105x90 mm Internal for XT5890	1	1	0.008 kg
XT5890X-1960	137x118 mm External for XT5890	1	1	0.02 kg

SAFETY EARMUFFS

EN 352

BLISTER

Order No.	Description	Package	Carton	Weight
PC0008	23 dB	1	50	0.17 kg

EAR PLUGS - E.A.R.

Order No.	Description	Package	Carton	Weight
JA4111	Classic	1	250	0.002 kg
JA4112	Soft	1	1	0.002 kg

SAFETY EARMUFFS

EN 352

BLISTER

Order No.	Description	Package	Carton	Weight
PC0010	21 dB	1	60	0.22 kg

EAR PLUGS

EN352-2:2002

Order No.	Description	Package	Carton	Weight
PC0030	33 dB	50	200	0.002 kg

EAR PLUGS ON STRING

EN352-2:2002

Order No.	Description	Package	Carton	Weight
PC0031	33 dB	50	2000	0.002 kg

PROTECTIVE HELMET

polyethylene EN 397, EN 50365

Order No.	Description	Package	Carton	Weight
JA6171	White	1	1	0.25 kg
JA6172	Yellow	1	1	0.25 kg
JA6173	Green	1	1	0.25 kg
JA6174	Blue	1	1	0.25 kg
JA6175	Red	1	1	0.25 kg
JA6176	Orange	1	1	0.25 kg

DUST MASK WITH FILTER

Shaped respirator with FFP2 protection against particulate, aqueous and liquid aerosols up to 10 times the NPK (Maximum Permissible Concentration) of airborne substances.

EN 149

Order No.	Description	Package	Carton	Weight
PC0014	FFP2	15	300	0.018 kg

DUST MASK WITH FILTER

EN 149

Order No.	Description	Package	Carton	Weight
PC0012	FFP1	15	60	0.01733 kg

DUST MASK WITH FILTER

EN 149

Order No.	Description	Package	Carton	Weight
PC0015	FFP3	5	300	0.032 kg

ROLLER TOOL BAG WITH TELESCOPIC HANDLE

Roller tool bag suitable for storage and transportation of larger power tool sets. Quality material, inside and outside pockets and padded body. Telescopic handle and large wheels.

nylon

Technical parametres

Max load capacity	**20 kg**	Dimension of product	**670x300x310 mm**
Numer of pockets	**13**	Package includes	**shoulder strap**
Material	**nylon**		

Order No.	Description	Package	Carton	Weight
XT90060	670x300x310 mm	1	4	3.49 kg

TOOL BAG WITH PLASTIC BOTTOM PAD

nylon

Technical parametres

Material	**nylon**	Weight	**1.7 kg**
Dimension of product	**500x250x360 mm**		

Order No.	Description	Package	Carton	Weight
XT90070	500x250x360 mm	1	6	1.78 kg

WORK BACKPACK

nylon

Technical parametres

Material	**nylon**	Weight	**1.3 kg**
Dimension of product	**460x350x200 mm**		

Order No.	Description	Package	Carton	Weight
XT90065		1	8	1.2 kg

TOOL BAG WITH METAL HANDLE

Nylon tool bag contains 31 pockets and 8 bit holders. The metal handle allows for easy carrying. The maximum load capacity of the bag is 15 kg. In addition to the metal handle, the shoulder strap included in the package can be used.

XTLINE PROFESSIONAL TOOLS

nylon

- clear tool storage in easily accessible pockets
- solid metal handle
- durable nylon fabric against abrasion

Technical parametres

Max load capacity	**15 kg**	Dimension of product	**490x230x280 mm**
Numer of pockets	**30 (12x outer pocket, 10x inner pocket, 8x strap)**	Package includes	**shoulder strap**
Material	**nylon**		

Order No.	Description	Package	Carton	Weight
XT90050	490x230x280 mm	1	6	1.78 kg

TOOL BAG WITH PLASTIC BOTTOM PAD

Nylon tool bag has 31 pockets and 8 bit holders. It has a reinforced plastic bottom. The maximum load capacity of the bag is 15 kg. A shoulder strap is included, which can be clipped onto the metal eyelets.

XTLINE PROFESSIONAL TOOLS

nylon

Technical parametres

Max load capacity	**15 kg**	Dimension of product	**405x230x290 mm**
Numer of pockets	**13x inner, 10x outer, 7x strap**	Package includes	**shoulder strap**
Material	**nylon**		

Order No.	Description	Package	Carton	Weight
XT90055	405x230x290 mm	1	4	2.15 kg

TOOL POUCH

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT90045	180x110x260 mm	1	20	0.35 kg

CORDLESS DRILL BELT HOLSTER

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT90010	280x160 mm	10	40	0.35 kg

HAMMER/PLIERS BELT HOLDER

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT90020	240x90 mm	10	50	0.12 kg

TOOL BELT - 8x POUCH, 2x HOLDER

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT90030	300x250 mm	2	40	0.43 kg

NYLON BELT

XTLINE PROFESSIONAL TOOLS

nylon + plastic buckle

Order No.	Description	Package	Carton	Weight
XT90040	1,200x60 mm	10	100	0.12 kg

HEAVY DUTY LARGE TOOL BELT

GK TOOLS

leather

Order No.	Description	Package	Carton	Weight
P19734	12 pockets	1	50	0.39 kg

KNEE PADS FROM FOAM RUBBER

foam rubber EN 14404

BLISTER

Order No.	Description	Package	Carton	Weight
ZN37141	universal size	1	1	0.28 kg

GEL KNEE PADS

RICHMANN

EN 14404

BLISTER

Order No.	Description	Package	Carton	Weight
PC0035	universal size	1	2000	0.59 kg

KNEE PADS

RICHMANN

EN 14404

BLISTER

Order No.	Description	Package	Carton	Weight
PC0007	universal size	10	20	0.2 kg

KNEE PADS PLASTIC

XTLINE PROFESSIONAL TOOLS

EN 14404

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90105	universal size	1	20	0.5 kg

KNEE PADS GEL

XTLINE PROFESSIONAL TOOLS

EN 14404

NEW

BLISTER

Order No.	Description	Package	Carton	Weight
XT90110	universal size	1	20	0.4 kg

REFLECTIVE VEST

100% polyester

Order No.	Description	Package	Carton	Weight
JA306129	Orange	1	1	0.12 kg
JA3061291	Yellow	1	1	0.11 kg

WARNING STICKY TAPE



Order No.	Description	Package	Carton	Weight
ZN38947	Black/Yellow, 33 m	1	12	0.41 kg
P108119	250 m	1	18	0.59 kg
ZN38945	NO ENTRY 250 m	1	1	1.09 kg

PCV ELECTRICAL INSULATION TAPE

Order No.	Description	Package	Carton	Weight
P19510	19 mm x 10 m	10	300	0.039 kg
PA75050	50 mm x 10 m	10	50	0.09 kg

TEFLON INSULATION TAPE

Order No.	Description	Package	Carton	Weight
PC1942	12 mm x 10 m (P19540)	10	1000	0.013 kg

PVC INSULATION TAPE SET

Order No.	Description	Package	Carton	Weight
P19550	19 mm x 3.0 m (1pack/6pcs)	10	100	0.08 kg

ALUMINUM ADHESIVE TAPE

Order No.	Description	Package	Carton	Weight
259606	50 mm x 50 m	1	96	0.13 kg

MASKING PAPER TAPE COMFORT

NEW

Order No.	Description	Package	Carton	Weight
MA831319	19 mm x 50 m	1	48	0.08 kg
MA831325	25 mm x 50 m	1	36	0.1 kg
MA831330	30 mm x 50 m	1	32	0.1 kg
MA831338	38 mm x 50 m	1	24	0.2 kg
MA831350	50 mm x 50 m	1	20	0.2 kg

DOUBLE SIDED ACRYLIC TAPE - TRANSPARENT

Self-welding tape with no use of glue for repairs, sealers, insulation and temporary adjustment jobs.

Order No.	Description	Package	Carton	Weight
F6060	12 mm x 3.0 m	10	60	0.05 kg
F6080	18 mm x 3.0 m	10	60	0.07 kg

MASKING PAPER TAPE



Order No.	Description	Package	Carton	Weight
204801	19 mm x 50 m	1	48	0.09 kg
203602	25 mm x 50 m	1	36	0.11 kg
203203	30 mm x 50 m	8	32	0.13 kg
202404	38 mm x 50 m	6	24	0.17 kg
202406	48 mm x 50 m	5	20	0.21 kg

DOUBLE SIDED MASKING TAPE

Order No.	Description	Package	Carton	Weight
228001	50 mm x 5.0 m	1	52	0.06 kg
226002	50 mm x 10 m	1	36	0.11 kg
223002	50 mm x 25 m	1	36	0.24 kg

HEAVY DUTY DUCK TAPE - SILVER

Order No.	Description	Package	Carton	Weight
253601DUCK	38 mm x 50 m	1	32	0.27 kg
253610DUCK	50 mm x 10 m	1	72	0.1 kg
252402DUCK	50 mm x 50 m	1	36	0.37 kg

PCV INSULATION TAPE

ROHMANN

Order No.	Description	Package	Carton	Weight
PC1920	19 mm x 10 m, colour 10pcs/pack (price for 1pc)	10	1000	0.1 kg
PC1940	19 mm x 10 m, black 10pcs/pack (price for 1pc)	10	1000	0.053 kg
PC1941	19 mm x 20 m, black 10pcs/pack (price for 1pc)	10	1000	0.096 kg

SELF-WELDING TAPE

Self-welding tape with no use of glue for repairs, sealers, insulation and temporary adjustment jobs.

rubber

Order No.	Description	Package	Carton	Weight
F51912	19 mm x 10 m	5	30	0.25 kg
F52502	25 mm x 5.0 m	5	30	0.17 kg

PE TARPAULIN SHEET 70G/M2 - BLUE - RECTANGULAR

dimensional tolerance 5%

Order No.	Description	Package	Carton	Weight
P19555	2x2 m	1	50	0.52 kg
P19562	2x3 m	1	40	0.83 kg
P19559	2x8 m	1	15	1.31 kg
P19556	3x3 m	1	25	0.57 kg
P19563	3x4 m	1	20	0.74 kg
P19561	3x5 m	1	15	0.92 kg
P19557	4x4 m	1	15	0.98 kg
P19565	4x5 m	1	10	1.81 kg
P19564	4x6 m	1	10	1.6 kg
P19560	5x6 m	1	8	1.93 kg
P19566	5x8 m	1	6	2.63 kg
P19558	6x8 m	1	5	3.17 kg
P19567	6x10 m	1	4	3.6 kg
P19568	8x12 m	1	3	6.25 kg
P19569	10x15 m	1	2	9 kg
P19570	20x15 m	1	1	9 kg

PE TARPAULIN SHEET 70G/M2, GREEN - RECTANGULAR

dimensional tolerance 5%

Order No.	Description	Package	Carton	Weight
P19555S	2x2 m	1	30	0.26 kg
P19562S	2x3 m	1	30	0.4 kg
P19559S	2x8 m	1	15	1.03 kg
P19556S	3x3 m	1	20	0.58 kg
P19563S	3x4 m	1	20	0.74 kg
P19561S	3x5 m	1	15	0.97 kg
P19557S	4x4 m	1	15	0.98 kg
P19565S	4x5 m	1	10	1.23 kg
P19564S	4x6 m	1	10	1.43 kg
P19560S	5x6 m	1	8	1.79 kg
P19566S	5x8 m	1	6	2.39 kg
P19558S	6x8 m	1	5	2.72 kg
P19567S	6x10 m	1	4	3.58 kg
P19568S	8x12 m	1	2	5.78 kg
P19569S	10x15 m	1	2	8.37 kg
P19570S	20x15 m	1	1	9 kg

HEAVY DUTY PE TARPAULIN SHEET - RECTANGULAR, 130G/M2

dimensional tolerance 5%

Order No.	Description	Package	Carton	Weight
P19662	2x3 m	1	25	0.79 kg
P19661-1	2x8 m	1	5	1.68 kg
P19663	3x4 m	1	10	1.6 kg
P19664	3x5 m	1	8	1.99 kg
P19665	4x5 m	1	6	2.64 kg
P19665-1	4x6 m	1	5	3.13 kg
P19666	5x8 m	1	3	5.12 kg
P19666-1	5x6 m	1	4	3.89 kg
P19667	6x10 m	1	2	7.9 kg
P19668	8x12 m	1	1	12 kg
P19669	10x15 m	1	1	17 kg
P19669-1	10x20 m	1	1	25 kg

HEAVY DUTY PE TARPAULIN SHEET - ROUND 120G/M2

dimensional tolerance 5%

Order No.	Description	Package	Carton	Weight
25002	6.5 m	1	10	6 kg
25003	3.6 m	1	10	1.44 kg
25004	4.5 m	1	10	2.08 kg
25005	5.5 m	1	5	3.13 kg

TRANSPARENT PROTECTIVE PE FOIL

Order No.	Description	Package	Carton	Weight
PA133	4x12,5 m	1	25	0.25 kg
V104591	4x5 m	1	1	0.08 kg

DRAWSTRING GARBAGE BAG ROLL

Order No.	Description	Package	Carton	Weight
PA075	500x600 mm, 15pcs/pack	1	40	0.26 kg
PA076	600x800mm, 10pcs/pack	1	40	0.11 kg

DEBRIS GARBAGE BAGS 120 L

polypropylene (PP)

Order No.	Description	Package	Carton	Weight
PA70110	600x1200 mm, 200µm	1	500	0.19 kg

GARBAGE BAGS 120 L

Order No.	Description	Package	Carton	Weight
PA3470110	70x110x0.04mm, 25pcs/pack	1	20	1.06 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 00	V80/90 - Left/Right, Zinc Coated, 01681	1	1	0.47 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 06	K80/90 - Left/Right, Zinc Coated, 01686	1	1	0.48 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 09	V60/72 - Left/Right, Zinc Coated, 01683	1	1	0.33 kg
4 FN 177 14	V80/72 - Left/Right, Zinc Coated, 03021	1	1	0.44 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 12	V60/90/40 - Left/Right, Zinc Coated, 01682	1	1	0.39 kg
4 FN 177 02	V60/90 - Left/Right, Zinc Coated, 01444	1	1	0.42 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 05	K60/90 - Left/Right, Zinc Coated, 01491	1	1	0.43 kg
4 FN 177 11	K60/90/40 - Left/Right, Zinc Coated, 01685	1	1	0.4 kg

BRASS DOOR LOCK INSERT

brass

Order No.	Description	Package	Carton	Weight
P19491	30/35 mm (3x key)	12	72	0.18 kg

NICKEL COATED DOOR LOCK INSERT

nickel

Order No.	Description	Package	Carton	Weight
P19473	30/35 mm (3x key)	12	72	0.18 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 01	K60/72 - Left/Right, Zinc Coated, 01684	1	1	0.34 kg
4 FN 177 13	K80/72 - Left/Right, Zinc Coated, 03020	1	1	0.46 kg

DOOR MORTISE LOCK

Order No.	Description	Package	Carton	Weight
4 FN 177 10	K60/72/40 - Left/Right, WC, 03197	1	1	0.33 kg

DOOR MORTISE WITH LOCKABLE NEEDLE

Order No.	Description	Package	Carton	Weight
4 FN 177 04.1	Right, Zinc Coated, 03216	1	1	0.16 kg
4 FN 177 04.2	Left, Zinc Coated, 03215	1	1	0.16 kg

KEY - CAST

Order No.	Description	Package	Carton	Weight
4 FN 177 1-1	1	10	10	0.02 kg
4 FN 177 1-2	2	10	10	0.02 kg
4 FN 177 1-3	3	10	10	0.02 kg
4 FN 177 1-4	4	10	10	0.02 kg
4 FN 177 1-5	5	10	10	0.02 kg
4 FN 177 1-6	6	10	10	0.02 kg

UNIVERSAL DOOR MORTISE COUNTER PLATE, ZINC COATED

Order No.	Description	Package	Carton	Weight
4 FA 803 09	190 mm	1	1	0.048 kg

BRASS CONSTRUCTION DOOR LOCK INSERT - SAFETY

Brass safety construction insert 30/35. In total of five both-side keys with special grind which is very hard to imitate. 5-piece adjusting part mechanism to be inserted gradually increases the drill-out resistance.

brass

Order No.	Description	Package	Carton	Weight
P19481	30/35 mm (5 keys)	6	72	0.19 kg

NICKEL COATED CONSTRUCTION DOOR LOCK INSERT - SAFETY

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19476	30/35 mm, 5x Key	6	72	0.19 kg

PADLOCK - CAST IRON

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19328	25 mm	12	300	0.05 kg
P19332	32 mm	6	180	0.09 kg
P19342	38 mm	6	120	0.13 kg
P19352	50 mm	6	60	0.26 kg

PADLOCK - CAST IRON

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT0926	25 mm	6	600	0.1 kg
XT0927	32 mm	6	180	0.09 kg
XT0928	38 mm	6	120	0.14 kg
XT0929	45 mm	6	120	0.19 kg
XT0930	50 mm	6	60	0.29 kg
XT0931	63 mm	6	60	0.44 kg

PADLOCK - WATER RESISTANT

Order No.	Description	Package	Carton	Weight
KL32264TS	40 mm	12	48	0.21 kg
KL32265TS	50 mm	12	48	0.33 kg

KEY - STANDARD CAST

Order No.	Description	Package	Carton	Weight
P19471	for P19491, P19473	3	99	0.02 kg

PADLOCK - BRASS

STAVTOOL

Order No.	Description	Package	Carton	Weight
P19325	25 mm	12	600	0.03 kg
P19330	30 mm	12	480	0.03 kg
P19335	35 mm	12	240	0.05 kg
P19340	40 mm	12	240	0.06 kg

LONG PADLOCK - CAST IRON

STAVTOOL

Technical parametres

XT0932		XT0933	
Height of eye	**47 mm (internal)**	Height of eye	**72 mm (internal)**

Order No.	Description	Package	Carton	Weight
XT0932	45 mm	6	36	0.22 kg
XT0933	52 mm	6	60	0.33 kg

PADLOCK - STEEL

RICHMANN

nikl

Order No.	Description	Package	Carton	Weight
PC9337	70 mm	12	48	0.41 kg

PADLOCK WITH NUMERICAL CODE

RICHMANN

nickel

NEW

Order No.	Description	Package	Carton	Weight
PC9323	50 mm	1	1	0.2 kg

CABLE BIKE LOCK

STAVTOOL

Order No.	Description	Package	Carton	Weight
ZA4391265	12x650 mm	1	60	0.2 kg
ZA6021065	10x650 mm	1	60	0.11 kg

PADLOCK DOOR HASP

Joint padlock door hasp with the counter piece.

STAVTOOL XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
P19016	160x40 mm	10	40	0.4 kg

PADLOCK DOOR HASP + PADLOCK

Joint padlock door hasp with the counter piece.

STAVTOOL XTLINE

BLISTER

Order No.	Description	Package	Carton	Weight
P19017	160x40 mm	6	24	0.69 kg

SELF-ADHESIVE FELT PADS

Order No.	Description	Package	Carton	Weight
4867	Brown, 16x116x3.0mm, Type 101H ■	10	10	0.01 kg
4871	Brown, 16x3.0mm, Type 102H ●	10	10	0.01 kg
4869	Brown, 21x21x3.0mm, Type 103H ■	10	10	0.01 kg
4873	Brown, 21x3.0mm, Type 104H ●	10	10	0.01 kg
4880	Brown, 28x28x3.0mm, Type 105H ■	10	10	0.01 kg
4883	Brown, 28x3.0mm, Type 106H ●	10	10	0.01 kg
4878	Brown, 16x93x3.0mm, Type 107H ▬	10	10	0.01 kg
4865	Brown, 82x100x3.0mm, Type 108H ▬	10	10	0.01 kg
4884	Brown, 26x3.0mm, Type 109H ●	10	10	0.01 kg
4876	Brown, 32x3.0mm, Type 110H ●	10	10	0.01 kg

SELF-ADHESIVE FELT PADS

Order No.	Description	Package	Carton	Weight
4866	White, 16x116x3.0mm, Type 101B □	10	10	0.01 kg
4870	White, 16x3.0mm, Type 102B ○	10	10	0.01 kg
4868	White, 21x21x3.0mm, Type 103B □	10	10	0.01 kg
4872	White, 21x3.0mm, Type 104B ○	10	10	0.01 kg
4879	White, 28x28x3.0mm, Type 105B □	10	10	0.01 kg
4881	White, 28x3.0mm, Type 106B ○	10	10	0.01 kg
4877	White, 16x93x3.0mm, Type 107B ▭	10	10	0.01 kg
4864	White, 82x100x3.0mm, Type 108B ▭	10	10	0.01 kg
4874	White, 26x3.0mm, Type 109B ○	10	10	0.01 kg
4875	White, 32x3.0mm, Type 110B ○	10	10	0.01 kg

DOOR FITTING ATENA (ETNA)

WC

Order No.	Description	Package	Carton	Weight
14577	K72, Nickel Coated - key	1	1	0.57 kg
14578	V72, Nickel Coated - insert	1	1	0.57 kg
14579	K90, Nickel Coated - key	1	1	0.57 kg
14580	V90, Nickel Coated - insert	1	1	0.57 kg
14581	WC72, Nickel Coated	1	1	0.57 kg
14582	WC90, Nickel Coated	1	1	0.57 kg

DOOR FITTING ATENA (ETNA)

WC

Order No.	Description	Package	Carton	Weight
14583	K72, Vintage Finish - key	1	1	0.57 kg
14584	V72, Vintage Finish - insert	1	1	0.57 kg
14585	K90, Vintage Finish - key	1	1	0.57 kg
14586	V90, Vintage Finish - insert	1	1	0.57 kg
14587	WC72, Vintage Finish	1	1	0.57 kg
14588	WC90, Vintage Finish	1	1	0.57 kg

DOOR FITTING KORA

Order No.	Description	Package	Carton	Weight
TR15914	K90, NiCr - key	1	20	0.59 kg

DOOR FITTING KORA

Order No.	Description	Package	Carton	Weight
TR15916	V90, NiCr - insert	1	20	0.59 kg
TR22717	V72, NiCr - insert	1	1	0.59 kg

DOOR FITTING KORA

Order No.	Description	Package	Carton	Weight
TR17632	V90, Vintage Finish - insert	1	1	0.59 kg
TR21690	K72, Vintage Finish - key	1	1	0.59 kg
TR21717	K90, Vintage Finish - key	1	1	0.59 kg
TR21718	V72, Vintage Finish - insert	1	1	0.59 kg

DOOR FITTING MICHAELA

Order No.	Description	Package	Carton	Weight
670	K72 Silver - key	1	1	0.33 kg
671	K90 Silver - key	1	1	0.33 kg
672	V72 Silver - insert	1	1	0.33 kg
673	V90 Silver - insert	1	1	0.33 kg

DOOR FITTING MICHAELA

aluminum

Order No.	Description	Package	Carton	Weight
1611	K72, Brown - Key	1	1	0.33 kg
1610	K90, Brown - Key	1	1	0.33 kg
1613	V72, Brown - Insert	1	1	0.33 kg
1612	V90, Brown - Insert	1	1	0.33 kg

DOOR FITTING MICHAELA

aluminum

Order No.	Description	Package	Carton	Weight
1602	K72, Gold - Key	1	1	0.33 kg
1600	K90, Gold - Key	1	1	0.33 kg
1606	V72, Gold - Insert	1	1	0.33 kg
1601	V90, Gold - Insert	1	1	0.33 kg

DOOR FITTING MICHAELA

aluminum

Order No.	Description	Package	Carton	Weight
1605	K72, White - Key	1	1	0.33 kg
1603	K90, White - Key	1	1	0.33 kg
1607	V72, White - Insert	1	1	0.33 kg
1604	V90, White - Insert	1	1	0.33 kg

DOOR FITTING MICHAELA

Order No.	Description	Package	Carton	Weight
1647	K72, Copper - Key	1	1	0.33 kg
1646	K90, Copper - Key	1	1	0.33 kg
1645	V72, Copper - Insert	1	1	0.33 kg
1644	V90, Copper - Insert	1	1	0.33 kg

DOOR FITTING ATENA

Order No.	Description	Package	Carton	Weight
15905	V90, Vintage finish, left handle, knob	1	1	0.57 kg
15906	V90, Vintage finish, right handle, knob	1	1	0.57 kg
15907	V72, Vintage finish, left handle, knob	1	1	0.57 kg
15908	V72, Vintage finish, right handle, knob	1	1	0.57 kg

DOOR FITTING ATENA (ETNA)

Order No.	Description	Package	Carton	Weight
14955	K72 Nickel Rosette - key	1	1	0.56 kg
14956	V72 Nickel Rosette - insert	1	1	0.56 kg
14957	V90 Rosette, Vintage Finish - insert	1	1	0.56 kg
14958	K90 Rosette, Vintage Finish - key	1	1	0.56 kg
15460	WC72 Rosette, Nickel Coated	1	1	0.56 kg
15461	WC90 Rosette, Vintage Finish	1	1	0.56 kg

DOOR FITTING ATENA

Order No.	Description	Package	Carton	Weight
15909	Nickel Coated V90, left handle, knob	1	1	0.57 kg
15910	Nickel Coated V90, right handle, knob	1	1	0.57 kg
15911	Nickel Coated V72, left handle, knob	1	1	0.57 kg
15912	Nickel Coated V90, right handle, knob	1	1	0.57 kg

DOOR FITTING HELEN



Order No.	Description	Package	Carton	Weight
TR15469	Rosette K, NiCr	1	20	0.57 kg
TR15470	Rosette V, NiCr	1	20	0.58 kg
TR15721	Rosette WC, NiCr	1	20	0.66 kg

DOOR FITTING KORA

Order No.	Description	Package	Carton	Weight
TR22721	Rosette K, Vintage Finish	1	1	0.48 kg
TR22722	Rosette V, Vintage Finish	1	1	0.48 kg

DOOR FITTING KORA

Order No.	Description	Package	Carton	Weight
TR22718	Rosette K, NiCr	1	1	0.49 kg
TR22719	Rosette V, NiCr	1	1	0.48 kg

SELF-ADHESIVE VITRAGE BRACKET





Order No.	Description	Package	Carton	Weight
1862	White	1	1	0.002 kg
1863	Brown	1	1	0.002 kg

SELF-ADHESIVE RUBBER SEAL E-SHAPE

Order No.	Description	Package	Carton	Weight
9109	White, lenght 6.0m - 9.0x4.0 mm	1	10	0.07 kg
9113	Brown, lenght 6.0m - 9.0x4.0 mm	1	10	0.07 kg
9155	White, lenght 150 m - 9.0x4.0 mm	150	150	0.016 kg
9156	Brown, lenght 150 m - 9.0x4.0 mm	150	150	0.00673 kg

SELF-ADHESIVE RUBBER SEAL POLIF

Order No.	Description	Package	Carton	Weight
9124	White, lenght 20m, 9.0x3.0 mm	1	10	0.05 kg
9125	Gray, lenght 20 m, 9.0x3.0 mm	1	10	0.04 kg
9127	White, lenght 20 m, 9.0x5.0 mm	1	10	0.06 kg
9129	Gray, lenght 20m, 9.0x5.0 mm	1	10	0.06 kg

SELF-ADHESIVE RUBBER SEAL

Order No.	Description	Package	Carton	Weight
14292	White, Lenght 6.0 m, dimension 9.0x5.0 mm	1	1	0.02 kg
14293	White, Lenght 6.0 m, dimension 12x6.0 mm	1	1	0.03 kg

VITRAGE ROD - WHITE

pack of 10 (minimum order)

Order No.	Description	Package	Carton	Weight
4707	400 mm	10	10	0.03 kg
4709	600 mm	10	10	0.04 kg
4713	800 mm	10	10	0.06 kg
4717	1,000 mm	10	10	0.09 kg

VITRAGE ROD - BROWN

pack of 10 (minimum order)

Order No.	Description	Package	Carton	Weight
4735	400 mm	10	10	0.03 kg
4711	600 mm	10	10	0.04 kg
4715	800 mm	10	10	0.06 kg
4719	1,000 mm	10	10	0.07 kg

SELF-ADHESIVE RUBBER SEAL D-SHAPE



Order No.	Description	Package	Carton	Weight
9151	Brown, lenght 100 m - 9.0x7.4 mm	100	100	0.013 kg
9103	Brown, lenght 6 m - 9.0x6.0 mm	1	10	0.08 kg
9150	White, lenght 100 m - 9.0x7.4 mm	100	100	0.0147 kg
9100	White, lenght 6 m - 9.0x6.0 mm	1	10	0.09 kg
9106	Black, lenght 40 m - 14x12 mm	40	40	0.032 kg
9104	White, lenght 40 m - 14x12 mm	40	40	0.0435 kg
9105	Black, lenght 50 m - 12x10 mm	50	50	0.0238 kg
9107	Black, lenght 100 m - 9.0x7.4 mm	100	100	0.0127 kg
9108	White, lenght 50 m - 12x10 mm	50	50	0.0252 kg

SELF-ADHESIVE RUBBER SEAL P-SHAPE

Order No.	Description	Package	Carton	Weight
9153	Brown, lenght 100 m - 9.0x5.5 mm	100	100	0.0109 kg
9126	Brown, lenght 6.0m - 9.0x5.5 mm	1	10	0.08 kg
9152	White, lenght 100 m - 9.0x5.5 mm	100	100	0.0108 kg
9117	White, lenght 6.0m - 9.0x5.5 mm	1	10	0.08 kg

GARDEN

325 - 331

PRUNNIG SHEARS
BINDING WIRES AND TAPES
GARDEN RAKES
GARDENING TOOLS

332 - 342

SPRAYERS
IRRIGATORS
COUPLINGS / QUICK COUPLINGS
ACCESSORIES

343 - 345

GARDEN HOSES
HOSE CLAMPS
HOSE REELS

346 - 348

SPRAYERS
WATERING CANS
NETS
NON-WOVEN FABRICS

349 - 350

COMPOSTERS
TRIMMING STRINGS
SCALES

351

SNOW RAKES AND SHOVELS
ICE SCRAPERS

352 - 354

SHOVELS, FORKS, SPADES
RAKES, BROOMS
PICKAXES, HANDLES

355

WHEEL BARROWS
SCAFFOLDING TRESTLES

TELESCOPIC PRUNING SHEARS - GEARED

Gear pruning shears suitable for cutting thicker branches with the handle adjustment possibility to increase leverage effect.

XTLINE PROFESSIONAL TOOLS



42 mm

Order No.	Description	Package	Carton	Weight
XT93851	650-1030 mm	6	12	1.67 kg

PRUNING SHEARS - CURVED BLADE

XTLINE PROFESSIONAL TOOLS

45 mm

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT97115	790 mm	1	6	1.05 kg

TELESCOPIC PRUNING SHEARS - CURVED BLADE

XTLINE PROFESSIONAL TOOLS

40 mm

Order No.	Description	Package	Carton	Weight
XT93850	680-1,030 mm	6	12	1.74 kg

HEDGE SHEARS - WAVE BLADE

XTLINE PROFESSIONAL TOOLS

5 mm

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT97116	640 mm	1	6	0.86 kg

TELESCOPIC HEDGE SHEARS - WAVE BLADE

XTLINE PROFESSIONAL TOOLS

5 mm

Order No.	Description	Package	Carton	Weight
XT93935	640-870 mm	6	12	1.3 kg

TELESCOPIC PRUNING SHEARS - CURVED BLADE

XTLINE PROFESSIONAL TOOLS

45 mm

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93110	790 mm	1	36	1.55 kg

TELESCOPIC HANDLE PRUNING SHEARS

The scissors can be extended in 6 sections. The spring-loaded tooth grips are used to secure the cut branch. The plastic handle can be slid along the entire length of the bar. The handle is rotatable by 90°. Thanks to the gearing, a light squeeze of the lever is all that is needed. The handle length can be extended up to 2 m by unlocking the lock. The blades can be exchanged for a pruning saw.

XTLINE PROFESSIONAL TOOLS



Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93046	1300-2000 mm	10	60	0.97 kg
XT93047	spare saw blade	1	100	0.07 kg

PRUNING SHEARS, NYLON/FIBERGLASS - CURVED BLADE

XTLINE PROFESSIONAL TOOLS

40 mm

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT97108	410 mm	12	24	0.52 kg

MANUAL POLE PRUNING SAW

The prunning saw with a handle length of 3 m can cut branches with a diameter of 25 mm. Handle made of aluminium.

XTLINE PROFESSIONAL TOOLS

BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT97114	Manual Pole Pruning Saw	1	24	0.79 kg
XT97113	telescopic aluminium rod 3 m	1	24	0.59 kg

GARDEN PRUNING SHEARS METAL

XTLINE PROFESSIONAL TOOLS

24 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93096	SK5, 205 mm	10	60	0.26 kg

GARDEN PRUNING SHEARS METAL

XTLINE PROFESSIONAL TOOLS

SK5

24 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93095	SK5, 205 mm	10	60	0.26 kg

GARDEN PRUNING SHEARS WITH TEFLON SURFACE, PLASTIC HANDLE

XTLINE PROFESSIONAL TOOLS

18 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93083	200 mm	24	60	0.26 kg

GARDEN PRUNING SHEARS

XTLINE PROFESSIONAL TOOLS

18 mm BLISTER

Order No.	Description	Package	Carton	Weight
XT93063	215 mm	10	60	0.29 kg

GARDEN PRUNING SHEARS

XTLINE PROFESSIONAL TOOLS

18 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93099	SK5, 190 mm	10	60	0.25 kg

GARDEN PRUNING SHEARS

XTLINE PROFESSIONAL TOOLS

6 mm BLISTER

Order No.	Description	Package	Carton	Weight
XT93030	215 mm	6	60	0.23 kg

GARDEN PRUNING SHEARS

XTLINE PROFESSIONAL TOOLS

20 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93100	SK5, 220 mm	10	60	0.31 kg

GARDEN PRUNING SHEARS, RUBBERIZED HANDLE

XTLINE PROFESSIONAL TOOLS

17 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93021	SK5, 205 mm	10	100	0.24 kg

GARDEN PRUNING SHEARS WITH NON-STICK SURFACE, RUBBERIZED HANDLE

XTLINE PROFESSIONAL TOOLS

20 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93085	SK5, 200 mm	24	60	0.26 kg

GARDEN PRUNING SHEARS, RUBBERIZED HANDLE

XTLINE PROFESSIONAL TOOLS

6 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93023	SK5, 180 mm	10	60	0.17 kg

GARDENING SHEARS, PLASTIC HANDLE

XTLINE PROFESSIONAL TOOLS

18 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93071	SK5, 205 mm	10	100	0.19 kg

GARDENING SHEARS

XTLINE PROFESSIONAL TOOLS

6 mm BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93070	SK5, 165 mm	10	60	0.1 kg

SPARE PARTS FOR GARDEN PRUNING SHEARS

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT92001	Blade Set for XT93096	1	1	0.06 kg
XT92002	Blade Set for XT93095	1	1	0.06 kg
XT92003	Blade Set for XT93100	1	1	0.04 kg
XT92004	Spring for XT93100	1	1	0.002 kg
XT92005	Blade Set for XT93099	1	1	0.03 kg
XT92006	Spring for XT93099	1	1	0.002 kg
XT92007	Blade Set for XT93021	1	1	0.03 kg
XT92008	Spring for XT93021	1	1	0.004 kg
XT92009	Blade Set for XT93023	1	1	0.02 kg
XT92010	Spring for XT93023	1	1	0.004 kg
XT92011	Blade Set for XT93075	1	1	0.02 kg
XT92012	Spring for XT93075	1	1	0.006 kg
XT92013	Blade Set for XT97115	1	1	0.08 kg
XT92014	Gear Cover for XT97115, XT97116	1	1	0.08 kg
XT92015	Handle spring for XT9046	1	1	0.004 kg

GARDENING SHEARS

XTLINE PROFESSIONAL TOOLS

BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93054	185 mm	10	100	0.1 kg

GRASS SHEARS

BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93108	350 mm	6	60	0.39 kg

KNIFE AND SHEARS SHARPENER

Sharp blade made of TC5 high-alloyed carbon steel. Enlarged knife on the upper part of the handle to provide a more robust construction. Strong, forged aluminum handles coated with PVC. Adjustable lock for blade safety and blade span capacity.

XTLINE PROFESSIONAL TOOLS



BLISTER

Made by WINLAND®

Order No.	Description	Package	Carton	Weight
XT93006	6in1	10	50	0.09 kg

STEEL WIRE

Order No.	Description	Package	Carton	Weight
45043	30 m	1	1	0.07 kg

STAVTOOL STEEL WIRE GALVANIZED

To be used as mounting steel wire. It is made of steel wire with zinc surface treatment which is then extruded and plasticized.

XTLINE PROFESSIONAL TOOLS

PVC

Order No.	Description	Package	Carton	Weight
42201	0.65 (0.55) mm x 30 m	1	600	0.06 kg
42202	0.9 (0.65) mm x 30 m	1	400	0.09 kg

CABLE TIE - WHITE

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT901225	120x2.5 mm, 50pcs/pack	1	500	0.02 kg
XT902036	200x3.6 mm, 50pcs/pack	1	250	0.05 kg
XT902536	250x3.6 mm, 50pcs/pack	1	250	0.06 kg
XT902548	250x4.8 mm, 50pcs/pack	1	200	0.08 kg
XT903048	300x4.8 mm, 50pcs/pack	1	200	0.1 kg
XT904048	400x4.8 mm, 50pcs/pack	1	100	0.13 kg
XT904076	400x7.6 mm, 50pcs/pack	1	100	0.23 kg
XT905048	500x4.8 mm, 50pcs/pack	1	50	0.17 kg
XT905076	500x7.6 mm, 50pcs/pack	1	100	0.32 kg

CABLE TIE - BLACK

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT921225	120x2.5 mm, 50pcs/pack	1	500	0.02 kg
XT922036	200x3.6 mm, 50pcs/pack	1	500	0.05 kg
XT922536	250x3.6 mm, 50pcs/pack	1	250	0.06 kg
XT922548	250x4.8 mm, 50pcs/pack	1	200	0.09 kg
XT923048	300x4.8 mm, 50pcs/pack	1	200	0.1 kg
XT924048	400x4.8 mm, 50pcs/pack	1	100	0.13 kg
XT924076	400x7.6 mm, 50pcs/pack	1	100	0.23 kg
XT925048	500x4.8 mm, 50pcs/pack	1	50	0.17 kg
XT925076	500x7.6 mm, 50pcs/pack	1	100	0.32 kg

STEEL WIRE GALVANIZED

XTLINE PROFESSIONAL TOOLS

galvanized steel

Order No.	Description	Package	Carton	Weight
42203	0.6 mm x 30 m	1	40	0.06 kg
42208	0.8 mm x 100 m	1	20	0.4 kg
42209	0.9 mm x 100 m	1	20	0.45 kg
42210	1 mm x 100 m	1	20	0.49 kg
42212	1.2 mm x 100 m	1	20	0.64 kg
42214	1.4 mm x 50 m	1	20	0.43 kg
42218	1.8 mm x 50 m	1	20	0.78 kg
42219	2 mm x 26 m	1	20	0.65 kg
42220	2 mm x 50 m	1	20	1 kg

STEEL WIRE GALVANIZED POPLASTED

XTLINE PROFESSIONAL TOOLS

PVC

Order No.	Description	Package	Carton	Weight
42244	1.4 mm x 50 m	1	20	0.31 kg
42248	1.8 mm x 50 m	1	20	0.49 kg
42249	2 mm x 50 m	1	20	0.52 kg
42255	3.4 mm x 26 m	1	20	0.88 kg
42256	3.4 mm x 50 m	1	20	1.29 kg
42257	3.4 mm x 78 m	1	5	3.09 kg

CABLE TIE - COLOURED

XTLINE PROFESSIONAL TOOLS

nylon

Order No.	Description	Package	Carton	Weight
XT891025	100x2.5 mm, pack/100pcs	1	6	0.03 kg
XT891525	150x2.5 mm, pack/100pcs	1	500	0.05 kg
XT892036	200x3.6 mm, pack/100pcs	1	250	0.09 kg

MACHETE WITH POUCH

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9135	600 mm	1	60	0.49 kg

MACHETE WITH POUCH

RICHMANN

Order No.	Description	Package	Carton	Weight
PC9137	600 mm	1	50	0.48 kg

PLASTIC GARDEN HANDCART LOAD & GO

plastic

Order No.	Description	Package	Carton	Weight
P90093	55 L	1	1	1.84 kg

GARDEN WASTE BAG

Order No.	Description	Package	Carton	Weight
45047	90 l, 450x560 mm	1	1	0.85 kg

ADJUSTABLE LAWN RAKE

Order No.	Description	Package	Carton	Weight
P10372	590 mm	1	1	0.98 kg

PLASTIC LAWN RAKE, WOODEN HANDLE

Order No.	Description	Package	Carton	Weight
P90804	1650x450x245 mm	1	1	0.73 kg

PLASTIC LAWN RAKE

XTLINE PROFESSIONAL TOOLS



Order No.	Description	Package	Carton	Weight
XT98013	13T / 240x200 mm	1	12	0.3 kg
XT98023	23T / 480x260 mm	1	12	0.49 kg
XT98035	35T / 760x310 mm	1	12	0.71 kg

PLASTIC LAWN RAKE

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT98112	12T / 410 mm	1	12	0.45 kg
XT98118	18T / 580 mm	1	12	0.56 kg

ALUMINUM HANDLE WITH PLASTIC GRIP

Handle adjustment possibility to further increase the reach and leverage effect.

XTLINE PROFESSIONAL TOOLS

k hrabím XT98112, XT98118, XT98013, XT98023, XT98035

Order No.	Description	Package	Carton	Weight
XT98001	1,610 mm	1	24	0.65 kg

GARDEN HAND TOOLS

Order No.	Description	Package	Carton	Weight
PC0982	fork - manual	12	48	0.088 kg
PC0983	rake - manual	12	48	0.088 kg
PC0984	rake - manual	12	48	0.108 kg
PC0985	hoe - manual	12	48	0.167 kg

GARDEN HAND TROWEL



Order No.	Description	Package	Carton	Weight
PC0980	Narrow	12	48	0.088 kg
PC0981	Wide	12	48	0.088 kg

GARDEN HAND TROWEL - NYLON

Order No.	Description	Package	Carton	Weight
XT95065	Wide / 280 mm	1	50	0.08 kg
XT95066	Thin / 290 mm	1	50	0.07 kg

GARDEN LEVEL TAP

Order No.	Description	Package	Carton	Weight
45100	1/2"	12	12	0.12 kg
45101	3/4"	12	12	0.17 kg
45102	1"	12	12	0.34 kg

BALL VALVE

Order No.	Description	Package	Carton	Weight
45106	1/2"	10	10	0.13 kg
45107	3/4"	10	10	0.18 kg
45108	1"	10	10	0.23 kg

ADAPTER (ROUGH THREAD) 1" FOR IBC TANKS

aluminum

Order No.	Description	Package	Carton	Weight
SB6001	60x6.0 mm	1	1	0.14 kg
SB6000	100x8.0 mm (coarse thread)	1	1	0.14 kg

WATER SPRAY GUN - METAL

Gun sprayer made of massive construction in metal/plastic combination. 10 functions, from fine spraying up to strong water flow with the possibility to quickly change the setup. The trigger can be locked in position to create a continuous flow.

XTLINE PROFESSIONAL TOOLS



BLISTER

Order No.	Description	Package	Carton	Weight
SB4028T	10-Function	6	36	0.36 kg

WATER SPRAY GUN - METAL, RUBBER GRIP

Hose sprayer with anti-slip rubber coating features. Possibility to regulate the water flow and trigger lock mechanism.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4038T	rubberized metal	6	24	0.39 kg

WATER SPRAY GUN - METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4027T	metal	6	48	0.34 kg

WATER SPRAY GUN - METAL/PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4012	metal/plastic	6	48	0.27 kg

WATER SPRAY GUN - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4019		6	36	0.39 kg

WATER SPRAY GUN - METAL/PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4023	plastic/metal	6	48	0.34 kg

WATER SPRAY NOZZLE - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6011	plastic	20	240	0.05 kg

WATER SPRAY GUN - METAL/PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4024		6	36	0.36 kg

WATER SPRAY GUN - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6014	5-Function	6	48	0.1 kg

WATER SPRAY GUN - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6015	8-Function	6	36	0.19 kg

WATER SPRAY GUN - METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4016	metal	6	48	0.18 kg

WATER SPRAY GUN - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4017	plastic	6	48	0.31 kg

WATER SPRAY GUN SET

Basic kit for assembling a hose to the water system.

BLISTER

Order No.	Description	Package	Carton	Weight
SB6105B	sprayer + 3 couplings	6	48	0.28 kg

SPRAY NOZZLE SET

BLISTER

Order No.	Description	Package	Carton	Weight
SB6100B	sprayer 8 functions + 3 couplings	12	48	0.12 kg

THREE-WAY HOSE QUICK-RELEASE COUPLING

BLISTER

Order No.	Description	Package	Carton	Weight
SB6009	for 3 quick-couplings	20	240	0.03 kg

OUTER THREAD ADAPTER

BLISTER

Order No.	Description	Package	Carton	Weight
SB6004	3/4"	20	240	0.01 kg

INNER THREAD ADAPTER

BLISTER

Order No.	Description	Package	Carton	Weight
SB6002	3/4"	20	240	0.02 kg

INNER THREAD ADAPTER

BLISTER

Order No.	Description	Package	Carton	Weight
SB6002A	1/2"-3/4"	20	240	0.02 kg
SB6003	3/4"-1"	20	240	0.02 kg

TWO-WAY HOSE QUICK-RELEASE COUPLING 1/2"

BLISTER

Order No.	Description	Package	Carton	Weight
SB6009B	1/2"	20	240	0.02 kg

TWO-WAY HOSE QUICK-RELEASE VALVE COUPLING

BLISTER

Order No.	Description	Package	Carton	Weight
SB6024	3/4"	6	240	0.09 kg

QUICK-RELEASE COUPLING, SOFTGRIP

Hose quick-coupling allows fast and easy attaching to the faucet. Anti-slip sleeve grips for comfortable manipulation and connecting/disconnecting of wet couplings. Mount or dismount by pulling out. Quality plastic latches, installation with no extra tools needed.

Latches made of high-quality plastic



- release and connection with a simple pull
- tool-free installation
- non-slip rubberized elements

BLISTER

Order No.	Description	Package	Carton	Weight
SB6601	1/2"	20	240	0.14 kg
SB6605	3/4"	20	240	0.04 kg

QUICK-RELEASE STOP COUPLING, SOFTGRIP

BLISTER

Order No.	Description	Package	Carton	Weight
SB6602	1/2"	20	240	0.04 kg
SB6606	3/4"	20	240	0.04 kg

QUICK-RELEASE STOP COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6007	1/2"	20	240	0.03 kg
SB6402	3/4"	20	240	0.04 kg

COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6803	1/2"-1/2"	10	120	0.07 kg

SPRINKLE HEAD SPIKE BASE

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4100A	Two-way	1	80	0.11 kg

STATIONARY WATER SPRINKLER HEAD

XTLINE PROFESSIONAL TOOLS



BLISTER

Order No.	Description	Package	Carton	Weight
SB4008D	8-Function	1	12	0.2 kg

WATER SPRINKLER HEAD

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4507	9-Function	6	24	0.18 kg

COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6010	1/2"	20	240	0.03 kg
SB6403	3/4"	20	240	0.04 kg

QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB6006	1/2"	20	240	0.03 kg
SB6401	3/4"	20	240	0.04 kg

IMPULSE WATER SPRINKLER HEAD - PLASTIC

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB4001A	plastic	1	60	0.06 kg

IMPULSE WATER SPRINKLER HEAD WITH BASE

XTLINE PROFESSIONAL TOOLS

Circular and sector sprinkler with the possibility of setting the section intended for irrigation.

BLISTER

Order No.	Description	Package	Carton	Weight
SB4101	Plastic	1	30	0.18 kg
SB4102	Metal	1	30	0.33 kg

GARDEN HOSE 1/2", 20M + SPRAY NOZZLE SET (SB6100B)

Hose made of softened PVC and PE reinforcement for easy garden applications.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB5107	1/2", 20 m + set SB6100B	1	20	1.95 kg

OSCILLATING LAWN SPRINKLER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB4610	20-Nozzle	1	12	0.71 kg

HOSE END CONNECTOR K 278

Order No.	Description	Package	Carton	Weight
45223	1/2"	50	50	0.01 kg
45224	3/4"	50	50	0.02 kg
45225	1"	50	50	0.03 kg

HOSE ADAPTER K 278

Order No.	Description	Package	Carton	Weight
45220	1/2"	50	50	0.02 kg
45221	3/4"	50	50	0.03 kg
45222	1"	50	50	0.04 kg

STRAIGHT NOZZLE

Order No.	Description	Package	Carton	Weight
45229	1/2"- 3/4"	50	50	0.03 kg

HOSE ADAPTER K 278

Order No.	Description	Package	Carton	Weight
45226	1/2" - 3/4"	50	50	0.03 kg
45227	1" - 3/4"	50	50	0.04 kg
45228	1" - 1/2"	50	50	0.04 kg

WIRING DIAGRAM OF GARDEN HOSES AND SPRINKLERS

45106 3/4"
45107 3/4"

SB6004 3/4"

SB6601 1/2"
SB6605 3/4"
SB6006 1/2"
SB6401 3/4"

SB6024



SB6601 1/2"
SB6605 3/4"
SB6006 1/2"
SB6401 3/4"

SB6610 1/2"
SB6606 3/4"

45100 1/2"

SB6002A 1/2"-3/8"
SB6003 3/4"-1"
SB6002 3/4"

SB6601 1/2"
SB6605 3/4"
SB6006 1/2"
SB6401 3/4"

SB4012
SB4016
SB4017
SB4019
SB4023
SB4024
SB4027
SB4028
SB6013
SB6014
SB6015
SB6017
SB6018



SB6602 1/2"
SB6606 3/4"
SB6007 1/2"
SB6402 3/4"

SB6601 1/2"
SB6605 3/4"
SB6006 1/2"
SB6401 3/4"



SB6609

SB6601 1/2"
SB6605 3/4"
SB6006 1/2"
SB6401 3/4"



SB6602 1/2"
SB6606 3/4"
SB6007 1/2"
SB6402 3/4"

SB6009B

SB6602 1/2"
SB6606 3/4"
SB6007 1/2"
SB6402 3/4"

SB6602 1/2"
SB6606 3/4"
SB6007 1/2"
SB6402 3/4"

SB4008B
SB4008P
SB4003B
SB4101
SB4102



SB6602 1/2"
SB6606 3/4"
SB6007 1/2"
SB6402 3/4"

SB6011

XTLINE®
PROFESSIONAL TOOLS

QUICK-RELEASE COUPLING, SOFT-GRIP

Hose quick-coupling allows fast and easy attaching to the faucet. Anti-slip sleeve grips for comfortable manipulation and connecting/disconnecting of wet couplings. Mount or dismount by pulling out. Quality plastic latches, installation with no extra tools needed.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96707	1/2"	20	120	0.05 kg

PLASTIC QUICK-RELEASE STOP COUPLING, SOFT-GRIP

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96708	1/2"	20	120	0.05 kg

PLASTIC QUICK-RELEASE STOP COUPLING, SOFT-GRIP

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96711	3/4"	20	120	0.06 kg

COUPLING, SOFT-GRIP

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96710	3/4"	20	120	0.06 kg

COUPLING, SOFT-GRIP

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96709	1/2"	20	120	0.05 kg
XT96712	3/4"	20	120	0.07 kg

INNER ADAPTER SOFT-GRIP

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT96002	1/2"-3/4"	20	240	0.02 kg
XT96003	3/4"-1"	20	240	0.03 kg

OUTER THREAD ADAPTER, SOFT-GRIP

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT96004	3/4"	20	240	0.01 kg

THREE-WAY HOSE QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96010	1/2"	20	240	0.03 kg

TWO-WAY HOSE QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96009	1/2"	20	240	0.02 kg

WATER SPRAY GUN - METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96023	8-Function	1	48	0.26 kg

WATER SPRAY GUN - METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96034	6-Function	6	36	0.16 kg

ADJUSTABLE WATER SPRAY GUN

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96033	softgrip	6	36	0.15 kg

ADJUSTABLE WATER SPRAY GUN - METAL

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96022	metal	1	48	0.2 kg

PLASTIC SPRAY NOZZLE SOFTGRIP

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96011	1/2"	20	120	0.05 kg

GARDEN WATER DISTRIBUTOR

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96025	Two-way	4	24	0.19 kg

OSCILLATING LAWN SPRINKLER

Oscillation sprinkler with 16 adjustable nozzle types. Possibility to adjust water stream and pressure.

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
XT96614	16-Function	1	12	0.53 kg

GARDEN WATER DISTRIBUTOR

Four-way separate valve water distributor with comfortable connecting and disconnecting.

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
XT96026	Four-way	4	24	0.29 kg

MAX-FLOW HOSE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950096	1"	20	12	0.1 kg

MAX-FLOW HOSE COUPLING ADAPTER

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950960	1"-3/4"	20	200	0.08 kg

MAX-FLOW SPRAY NOZZLE

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950920	1"	12	48	0.14 kg

MAX-FLOW SPRAY NOZZLE

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950970	3/4"	20	120	0.08 kg

MAX-FLOW HOSE QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950910	1"	20	200	0.09 kg

MAX-FLOW HOSE QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950930	3/4"	20	200	0.07 kg

MAX-FLOW HOSE QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950950	1"-3/4"	20	200	0.09 kg



GARDEN HOSE CONNECTION DIAGRAM

MAX-FLOW TWO-WAY QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950911	3/4" - 1"	20	200	0.03 kg

MAX-FLOW TWO-WAY QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950912	1"	20	200	0.03 kg

ADAPTER MAX-FLOW

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950917	3/4"-1/2"	20	200	0.03 kg

MAX-FLOW MALE THREAD ADAPTER

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950940	3/4"	20	200	0.03 kg

MAX-FLOW THREE-WAY QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950915	3/4"	20	200	0.04 kg

MAX-FLOW THREE-WAY QUICK-RELEASE COUPLING

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950914	1"	20	200	0.05 kg

ADAPTER MALE THREAD MAX-FLOW

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
SK256293	1"	1	1	0.02 kg

MAX-FLOW FEMALE THREAD ADAPTER

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950981	1"	20	200	0.03 kg

ADAPTER MALE THREAD MAX-FLOW

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
SK256303	1"	1	1	0.03 kg

MAX-FLOW FEMALE THREAD ADAPTER

AQUACRAFT®

BLISTER

Order No.	Description	Package	Carton	Weight
XT950980	3/4"	20	200	0.03 kg

BRASS COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3010	1/2"	20	120	0.1 kg
SB3403	3/4"	12	120	0.14 kg

BRASS QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3006	1/2"	20	160	0.11 kg
SB3401	3/4"	20	120	0.13 kg

BRASS MALE THREAD ADAPTER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3004	3/4"	20	200	0.04 kg

BRASS TWO-WAY QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3008	for 2 quick-couplings	24	240	0.04 kg

TWO-WAY BRASS VALVE QUICK-COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3030	3/4"	20	160	0.27 kg

BRASS THREE-WAY QUICK-RELEASE COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3009	1/2"	20	160	0.13 kg

BRASS QUICK-RELEASE STOP COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3007	1/2"	20	160	0.11 kg
SB3402	3/4"	20	120	0.14 kg

BRASS FEMALE THREAD ADAPTER

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3005	1/2"-3/4"	20	160	0.07 kg
SB3002	3/4"	20	200	0.04 kg
SB3001	3/4" - 1"	20	160	0.1 kg
SB3003	1"	20	200	0.06 kg

4PCS SET - NOZZLE, ADAPTER 3/4"-1", 2PCS OF QUICK-COUPLING

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3101	4pcs	6	24	0.41 kg

BRASS ADJUSTABLE SPRAY NOZZLE

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3013	1/2"	16	160	0.12 kg

BRASS ADJUSTABLE SPRAY NOZZLE

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3015T	1/2"	20	160	0.15 kg

ADAPTER (1/2"-3/4"), NOZZLE AND QUICK-RELEASE COUPLING SET, 4PCS

XTLINE PROFESSIONAL TOOLS

BLISTER

Order No.	Description	Package	Carton	Weight
SB3106T	Nozzle + adapter + 2 quick couplings	6	24	0.44 kg

PVC GARDEN HOSE

PVC hose with black inner layer and outer sheath in colour combination of blue with grey longitudinal stripe. Its design is intended for general use. Due to its higher wall thickness, it has excellent mechanical properties and is resistant to deformation. Reinforced with high-strength PES fibre.

XTLINE PROFESSIONAL TOOLS

Quality hose made of softened PVC with a long service life



Order No.	Description	Package	Carton	Weight
XT911015	1" 15m	1	1	3.9 kg
XT911025	1" 25m	1	1	10.5 kg
XT911050	1" 50m	1	1	17.5 kg
XT911210	1/2" 10m	1	1	1.47 kg
XT911215	1/2" 15m	1	1	2.14005 kg
XT911225	1/2" 25m	1	1	3.5 kg
XT911250	1/2" 50m	1	1	7 kg
XT913410	3/4" 10m	1	1	3.3 kg
XT913415	3/4" 15m	1	1	4.8 kg
XT913425	3/4" 25m	1	1	8.5 kg
XT913450	3/4" 50m	1	1	15 kg
XT915415	5/4" 15m	1	1	4.95 kg

GARDEN HOSE LIGHT

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB5104	1/2" 25 m	1	25	2.32 kg
SB5106	3/4" 25 m	1	25	4.67 kg

GARDEN HOSE 1/2", 20m + SPRAY NOZZLE SET (SB6100B)

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB5107	1/2", 20 m + set SB6100B	1	20	1.95 kg

PVC GARDEN HOSE GREEN

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
3VAL1112/13	1" 25 m	1	1	10.4 kg
3VAL1112/50	1" 50 m	1	1	17.5 kg
3VAL1122/13	1/2" 25 m	1	1	3.35 kg
3VAL1122/50	1/2" 50 m	1	1	6.84 kg
3VAL1125/13	5/8" 25 m	1	1	5.84 kg
3VAL1/210M	1/2" 10 m	1	1	1.36 kg
3VAL1/215M	1/2" 15 m	1	1	2.08 kg
3VAL1/220M	1/2" 20 m	1	1	2.6 kg
3VAL1342/13	3/4" 25 m	1	1	8 kg
3VAL1342/50	3/4" 50 m	1	1	15 kg
3VAL3/410M	3/4" 10 m	1	1	3.35 kg
3VAL3/415M	3/4" 15 m	1	1	5.4 kg
3VAL3/420M	3/4" 20 m	1	1	6.5 kg

Order No.	Description	Package	Carton	Weight
T30275	1/2" 25m	1	1	3.5 kg
T302751	1/2" 50m	1	1	7 kg
T30277	3/4" 25m	1	1	8.27 kg
T302771	3/4" 50m	1	1	15 kg
T30278	1" 25m	1	1	10.5 kg
T302781	1" 50m	1	1	17.5 kg

STAINLESS STEEL HOSE CLIP W2

Threaded hose connectors for hose assembly. High-load resistant, lined edges to prevent hose damage.

Order No.	Description	Package	Carton	Weight
45620	8.0-12/9.0 mm	100	100	0.01 kg
45621	10-16/9.0 mm	100	100	0.01 kg
45622	12-20/9.0 mm	100	100	0.01 kg
45623	16-25/9.0 mm	100	100	0.01 kg
45624	20-32/9.0 mm	100	50	0.02 kg
45625	25-40/12 mm	50	50	0.02 kg
45626	30-45/12 mm	50	50	0.02 kg
45627	32-50/12 mm	50	50	0.02 kg
45628	40-60/12 mm	20	20	0.02 kg
45629	50-70/12 mm	20	20	0.03 kg
45630	60-80/12 mm	20	20	0.03 kg
45631	70-90/12 mm	20	20	0.03 kg
45632	80-100/12 mm	20	20	0.03 kg
45633	90-110/12 mm	20	20	0.03 kg
45634	100-120/12 mm	20	20	0.03 kg
45635	110-130/12 mm	20	20	0.04 kg
45636	120-140/12 mm	20	20	0.04 kg
45637	130-150/12 mm	20	20	0.04 kg
45638	140-160/12 mm	20	20	0.04 kg
45639	150-170/12 mm	20	20	0.04 kg

HOSE HOLDER

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB5233A	1/2", 25 m	1	4	2.2 kg

HOSE CLIP GALVANIZED W1

Order No.	Description	Package	Carton	Weight
45600	8.0-12 mm	100	100	0.01 kg
45601	10-16 mm	100	100	0.01 kg
45602	12-20 mm	100	100	0.01 kg
45603	16-25 mm	100	100	0.01 kg
45604	20-32 mm	50	50	0.02 kg
45605	25-40 mm	50	50	0.02 kg
45607	32-50 mm	50	50	0.02 kg
45608	40-60 mm	25	25	0.02 kg
45609	50-70 mm	20	20	0.02 kg
45610	60-80 mm	20	20	0.02 kg
45611	70-90 mm	25	25	0.03 kg
45613	90-110 mm	20	20	0.03 kg
45616	130-150 mm	25	25	0.04 kg

GARDEN HOSE REEL

XTLINE PROFESSIONAL TOOLS

Order No.	Description	Package	Carton	Weight
SB5225	1/2", 60 m	1	5	1.77 kg

WALL MOUNTED HOSE HOLDER

Wall-mounted hose holder for convenient hose storage.

Order No.	Description	Package	Carton	Weight
SB5301	1/2", 25 m	1	60	0.12 kg

GARDEN HOSE REEL CART

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
XT990031	60 m (1/2"), 40 m (5/8"), 30 m (3/4")	6	x	2.58 kg

GARDEN HOSE REEL

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
XT990081	1/2", 30 m - Spray Gun + Couplings	1	1	8.28 kg

DRIP IRRIGIATION HOSE

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
XT830030	1/2" 15 m	1	1	1.73 kg
XT830040	1/2" 7.5 m	1	1	0.94 kg

GARDEN FLEXI HOSE

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
XT870020	1/2", 10-20 m	1	1	1.33 kg

GARDEN HOSE REEL

AQUACRAFT®

Order No.	Description	Package	Carton	Weight
XT990076	1/2", 25 m - Spray Gun + Couplings	1	2	6.25 kg

BACKPACK PRESSURE GARDEN SPRAYER

Pressure back sprayer with 16L container for long-duration use without the need to refill frequently. Possibility to adjust the flow with the nozzle to set continuous or temporary spraying. Adjustable back straps and possibility to set the lever on the left side (left-handed users). The handle contains flow regulation and the container is resistant to chemicals.

Order No.	Description	Package	Carton	Weight
P108655	16 L	1	1	3.66 kg

PRESSURE GARDEN SPRAYER

Mechanical pressure sprayer is designed for garden spray applications to protect plants and cleaning with the use of detergents or other cleaning fluids.

⟩ safety valve, pressure 2.5 bar
⟩ adjustable nozzle with the possibility of ensuring constant spraying; stainless steel attachment
⟩ total capacity/ working capacity: 6.25l/5l; 10l/8l

Order No.	Description	Package	Carton	Weight
P108656	5.0 L	1	6	1.13 kg
P108658	8.0 L	1	6	1.33 kg

HAND PUMP GARDEN SPRAYER

Mechanical pressure sprayer is designed for garden spray applications to protect plants and cleaning with the use of detergents or other cleaning fluids. The sprayer is equipped with a safety valve.

⟩ safety valve, pressure 1-4 bar
⟩ adjustable nozzle with the option of ensuring constant spraying
⟩ total capacity/ working capacity: 2l

Order No.	Description	Package	Carton	Weight
P108653	2.0 L	1	20	0.37 kg

HAND SPRAYER

Order No.	Description	Package	Carton	Weight
P108659	1.0 l	1	60	0.09 kg

HAND SPRAYER ANTHRACITE

plast

Order No.	Description	Package	Carton	Weight
P90806	0.5 L	1	20	0.54 kg
P90807	1.2 L	1	10	0.92 kg

PLASTIC WATERING CAN

Order No.	Description	Package	Carton	Weight
P90472	5.0 l	10	10	0.245 kg
P90473	8.0 l	10	10	0.32 kg
P90474	10 l	8	8	0.384 kg
P90475	14 l	6	6	0.485 kg
P90471	Watering Can Cap	1	1	0.384 kg

SPARE GARDEN SPRAYER NOZZLE P108656, P108658

P108663

P108664

P108665

P108666

Order No.	Description	Package	Carton	Weight
P108663	Sprinkle	1	1	0.086 kg
P108664	Spray	1	1	0.086 kg
P108665	Duo	1	1	0.086 kg
P108666	Flexi	1	1	0.086 kg

TELESCOPIC HANDLE FOR PRESSURE GARDEN SPRAYER P108654, P108655

Order No.	Description	Package	Carton	Weight
P108654-3	500-800 mm	1	1	0.08 kg

SPARE TELESCOPIC HANDLE WITH NOZZLE FOR PRESSURE GARDEN SPRAYER P108656, P108658

Order No.	Description	Package	Carton	Weight
P108656-3	450-680 mm	1	1	0.06 kg

SPARE STAINLESS STEEL HANDLE FOR GARDEN SPRAYER 16 L (P108655)

P108654-1

Order No.	Description	Package	Carton	Weight
P108662	360 mm	1	1	0.086 kg
P108654-1	handle for sprayer P108654	1	1	0.07 kg

SPARE STAINLESS STEEL HANDLE FOR GARDEN SPRAYER P108656, P108658



P108656-1

Order No.	Description	Package	Carton	Weight
P108661	370 mm	1	1	0.086 kg
P108656-1	handle for sprayer 5 l, 8 l	1	1	0.04 kg

PRESSURE COVER FOR PRESSURE GARDEN SPRAYER P108654, P108655

P108654-2

P108654-4

Order No.	Description	Package	Carton	Weight
P108654-2	for P108655, P108654	1	1	0.13 kg
P108654-4	for P108655, P108654	1	1	0.07 kg

PRIVACY NET FENCING DHPE, UV-STABLE

) use: fences, gates
) shading: 65 - 70%

Order No.	Description	Package	Carton	Weight
45450	1.0x10 m	1	25	0.83 kg
45451	1.5x10 m	1	25	1.13 kg
45452	2.0x10 m	1	25	1.6 kg

MOSQUITO WINDOW SCREEN SET



Order No.	Description	Package	Carton	Weight
40050	White, 150x130 cm / 5.6 m	1	20	0.09 kg
40052	White, 150x180 cm / 6,6 m	1	20	0.1 kg
40054	White, 150x90 cm / 4,8 m	1	20	0.07 kg
40056	White, 220x75 mm, 5.8 m (balcony)	1	20	0.253 kg
40057	Black, 150x130 cm / 5,6 m	1	20	0.09 kg
40058	Black, 150x180 cm / 6,6 m	1	20	0.12 kg
40059	Black, 150x90 cm / 4,8 m	1	20	0.07 kg

CABLE TIE

Order No.	Description	Package	Carton	Weight
SE10120	20pcs/pack	1	20	0.09 kg

GROUND SCREW SET WITH ADAPTERS

Order No.	Description	Package	Carton	Weight
55450	550 mm + 5+1pcs	10	50	1.35 kg

PLASTIC GROUND ANCHOR FOR NON-WOVEN FABRIC

Order No.	Description	Package	Carton	Weight
SE10100	20pcs/pack	1	20	0.11 kg

CROP SUPPORT NETTING



Order No.	Description	Package	Carton	Weight
TR21769	15x15 cm, 1.2x5.0 m	1	10	0.08 kg
TR21770	10x10 cm, 1.2x5.0m	1	10	0.08 kg
TR21773	10x10 cm, 1.2x500 m	1	x	9.5 kg
TR21775	10x10 cm, 1.2x10 m (replacement for 7516)	1	10	0.14 kg
TR21777	150x150mm, 1.2x20m (replacement for 7520)	1	10	0.26 kg
TR21778	150x150mm, 1.2x10m (replacement for 7521)	1	10	0.14 kg

BIRD NETTING - GREEN

Order No.	Description	Package	Carton	Weight
7324	M200 2.0x5.0m	1	10	0.12 kg
7561	M400 4.0x20m	1	10	0.81 kg
7562	M400 4.0x10 m	1	10	0.44 kg
7563	M400 4.0x5.0 m	1	10	0.21 kg
7566	M200 2.0x20 m	1	10	0.39 kg
7567	M200 2.0x10 m	1	10	0.22 kg

NON-WOVEN FABRIC

Order No.	Description	Package	Carton	Weight
45540	White 1,6x5.0 m, 17g/m2	1	25	0.16 kg
45541	White 1,6x10 m, 17g/m2	1	25	0.3 kg
45550	Black 1,6x5 m, 50g/m2	1	25	0.43 kg
45551	Black 1,6x10 m, 50g/m2	1	25	0.83 kg

COMPOSTER MULTI - BLACK

Composter is a great help for garden maintenance and provide the production of your own compost. Stable and purposeful construction for comfortable compost manipulation. No-bottom design allows insect access and speeds-up the material decomposition process. Large amount of air holes to increase the decompose speed even more.

plastic

Double-leaf lid for easy access and even filling

A specially designed hole system allows for irrigation and air circulation



Large door for easy compost removal

Order No.	Description	Package	Carton	Weight
P90660	480 L	1	1	6.8 kg





STRING TRIMMER LINE - TWO-COMPONENT "DUO"

Order No.	Description	Package	Carton	Weight
PC3671	2.0 mm / 15m	24	144	0.06 kg
PC3672	2.4 mm / 15m	12	144	0.08 kg
PC3673	2.7 mm / 15m	12	144	0.09 kg
PC3674	3.0 mm / 15m	12	144	0.11 kg

STRING TRIMMER LINE WITH TEETH

Order No.	Description	Package	Carton	Weight
PC3680	3.0 mm / 15 m	10	120	0.14 kg

STRING TRIMMER LINE ROUND

⟩ round

Order No.	Description	Package	Carton	Weight
PC3650	1.3 mm / 15 m	20	96	0.02 kg
PC3651	1.6 mm / 15 m	20	240	0.04 kg
PC3652	2.0 mm / 15 m	24	240	0.06 kg
PC3653	2.4 mm / 15 m	12	144	0.07 kg
PC3654	3.0 mm / 15 m	10	144	0.11 kg
PC3655	2.7 mm / 15 m	12	120	0.1 kg

⟩ hexagonal

Order No.	Description	Package	Carton	Weight
PC3660	1.3 mm / 15 m	20	144	0.02 kg
PC3661	1.6 mm / 15 m	20	240	0.04 kg
PC3662	2.0 mm / 15 m	24	240	0.05 kg
PC3663	2.4 mm / 15 m	12	144	0.06 kg
PC3664	3.0 mm / 15 m	10	144	0.1 kg
PC3665	2.7 mm / 15 m	12	120	0.08 kg

⟩ hexagonal DUO

Order No.	Description	Package	Carton	Weight
PC3676	2.0 mm / 15 m	12	120	0.04 kg
PC3677	2.4 mm / 15 m	12	144	0.06 kg
PC3678	2.7 mm / 15 m	12	144	0.07 kg
PC3679	3.0 mm / 15 m	10	144	0.08 kg

HANGING SCALE

Order No.	Description	Package	Carton	Weight
24212	12.5 kg	12	12	0.07 kg
24225	25 kg	6	6	0.15 kg
24250	50 kg	6	6	0.25 kg
24255	100 kg	6	6	0.47 kg
24258	150 kg	6	6	0.55 kg

STRING TRIMMER LINE ROUND

⟩ round

Order No.	Description	Package	Carton	Weight
PC3635	2.4 mm / 262 m	1	8	1.82 kg
PC3636	2.7 mm / 216 m	1	8	1.88 kg
PC3637	3.0 mm / 168 m	1	8	1.83 kg

⟩ square

Order No.	Description	Package	Carton	Weight
PC3645	2.4 mm / 239 m	1	8	0.1 kg
PC3646	2.7 mm / 197 m	1	8	0.1 kg
PC3647	3.0 mm / 153 m	1	8	0.1 kg

RODENT TRAP





Order No.	Description	Package	Carton	Weight
3454	Rat Trap Galvanized	1	1	0.12 kg
3463	Mouse Trap Galvanized	1	1	0.04 kg
9022	Wooden Mouse Trap 4,5x10 cm	2	10	0.05 kg

MOUSE TRAP, CAGE TYPE

Order No.	Description	Package	Carton	Weight
9021	metal	1	10	0.12 kg

SPIRAL PLANT SUPPORT ROD



Order No.	Description	Package	Carton	Weight
45044	7 mm/180 cm	1	10	0.49 kg

FRUIT PICKER TOOL

Order No.	Description	Package	Carton	Weight
45041	125 mm	1	1	0.17 kg

SNOW SHOVEL ALPIN 2

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94154	490x375x1,400 mm	1	10	1.2 kg

SNOW SHOVEL ALPINUS ECO

Order No.	Description	Package	Carton	Weight
P94124	550x385x1,400 mm	1	10	1.5 kg

SNOW SHOVEL ALPIN 2

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94121	490x375x1,470 mm	1	10	1.2 kg

SNOW SHOVELALPINUS ALUTUBE

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94129	550x385x1,400 mm	1	10	1.5 kg

ALUMINUM SNOW SHOVEL ALUICE 50P

Order No.	Description	Package	Carton	Weight
P94161	500x360x1,405 mm	1	10	1.5 kg

SNOW SHOVEL ARCTIC

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94157	800x440x1,270 mm	1	10	2.8 kg

TELESCOPIC SNOW SHOVEL EVEREST

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94155	265x340x825 mm	1	1	0.54 kg

SNOW SHOVEL ALPINUS ERGOMETAL

› durable frost-resistant plastic, withstands temperatures down to -32°C

Order No.	Description	Package	Carton	Weight
P94128	550x385x1,400 mm	1	10	1.5 kg

PLASTIC ICE SCRAPER

P94232

P94241

Order No.	Description	Package	Carton	Weight
P94232	ALASKA 97x250 mm	1	100	0.04 kg
P94241	ICE CAR, 290x405 mm (with a broom)	1	60	0.16 kg

HAND SALT SCOOP SHARKIE

› spreader shovel enables precise dosing of material, can be used in summer to apply fertilizers and seeds

Order No.	Description	Package	Carton	Weight
P94244	20 cm, 0,7 L	1	1	0.1 kg

ALUMINUM REGULAR SHOVEL WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD3SL151	1500x290x260 mm	1	1	1.21 kg

ALUMINUM WIDE SHOVEL WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD3SL15	1540x350x340 mm	1	1	1.6 kg

IRON STABLE SHOVEL WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD5288	1500x280x230 mm	1	1	1.77 kg

IRON NARROW SHOVEL WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD5289	1550x290x190 mm	1	1	1.78 kg

ROUND POINT SHOVEL WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD5421	1500x280x230 mm	1	1	1.8 kg

ROUND POINT SPADE - PLASTIC HANDLE

Order No.	Description	Package	Carton	Weight
JAD5092	1150x300x210 mm	1	5	1.43 kg

POINT SPADE - FULL METAL

Order No.	Description	Package	Carton	Weight
PC0902	Pointed, 1190x195x290 mm	1	6	2.21 kg
PC0901	Flat, 1190x195x290 mm	1	36	2.22 kg

SQUARE POINT SPADE - PLASTIC HANDLE

Order No.	Description	Package	Carton	Weight
JAD5094	1150x300x190 mm	1	5	1.54 kg

GARDEN PITCHFORK

Order No.	Description	Package	Carton	Weight
PC0907	4 spikes, 1260x195 mm	1	6	2.56 kg

IRON STABLE SHOVEL WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD5283	230x280 mm	1	12	0.8 kg

STEEL ROUND POINT SHOVEL

Order No.	Description	Package	Carton	Weight
JAD5420	230x280 mm	1	10	0.78 kg

IRON NARROW SHOVEL WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD5284	190x290 mm	1	12	0.9 kg

POINTED STEEL SPADE WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD5310	200x300 mm	1	12	0.8 kg

STRAIGHT STEEL SPADE WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD5360	200x280 mm	1	12	0.8 kg

ALUMINUM SHOVEL WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD5400	Small 260x290 mm	1	10	0.34 kg
JAD5410	Wide 340x350 mm	1	10	0.56 kg

METAL RAKE WITH HANDLE

Order No.	Description	Package	Carton	Weight
JAD5484	16T 1600 mm	1	1	1.37 kg

METAL RAKE R105

Order No.	Description	Package	Carton	Weight
JAD61030	10T	1	1	0.63 kg
JAD61031	12T	1	1	0.69 kg
JAD61032	14T	1	1	0.75 kg
JAD61033	16T	1	1	0.81 kg

STREET BROOM

Order No.	Description	Package	Carton	Weight
ZN52101	300 mm	10	10	0.61 kg
ZN52102	400 mm	10	10	0.72 kg
ZN52103	500 mm	10	10	0.82 kg
ZN52104	600 mm	10	10	0.97 kg
ZN52105	800 mm	10	10	1.14 kg

PICKAXE HEAD - FIBERGLASS HANDLE

XTLINE PROFESSIONAL TOOLS

DIN 2109

Order No.	Description	Package	Carton	Weight
XT069R	2,000 g	1	6	3.19 kg

PICKAXE HEAD WITHOUT HANDLE

Order No.	Description	Package	Carton	Weight
JAD2824	2500 g	1	10	2.33 kg

STREET BROOM - BROWN BRISTLE, WOODEN HANDLE

Order No.	Description	Package	Carton	Weight
JAD5351	1320x55x250 mm	1	5	0.76 kg

AXE HEAD FIXING WEDGE

Order No.	Description	Package	Carton	Weight
JAD0001	23x16 mm, No.1	50	50	0.006 kg
JAD0002	29x19 mm, No.2	50	50	0.01 kg
JAD0003	29x21 mm, No.3	50	10	0.01 kg
JAD0004	36x24 mm, No.4	50	50	0.02 kg
JAD0005	39x23 mm, No.5	50	50	0.02 kg

CARPENTER CRAMP

Order No.	Description	Package	Carton	Weight
JAD0250	10/250 mm	1	1	0.19 kg
JAD0300	10/300 mm	1	1	0.22 kg

AXE HANDLE

Order No.	Description	Package	Carton	Weight
JAD0805	350 mm	10	10	0.2 kg
JAD0806	400 mm	10	10	0.29 kg
JAD0815	500 mm	10	10	0.41 kg
JAD0818	600 mm	10	10	0.4 kg
JAD0820	700 mm	10	10	0.6 kg
JAD0830	800 mm	10	10	0.74 kg

UNIVERSAL HANDLE FOR METAL RAKE

Order No.	Description	Package	Carton	Weight
JAD0520	1500 mm	10	10	0.6 kg
JAD0530	1600 mm	10	10	0.72 kg
JAD0540	1800 mm	10	10	0.51 kg
JAD4184	1,600 mm (gingerbread)	10	10	0.65 kg

BROOM HANDLE

Order No.	Description	Package	Carton	Weight
JAD0925	1500 mm	10	10	0.66 kg
JAD0930	1600 mm	10	10	0.42 kg
JAD0940	1800 mm	10	10	0.62 kg

SHOVEL HANDLE - BENT

Order No.	Description	Package	Carton	Weight
JAD5720	1,300 mm	1	10	1.02 kg

SPADE T-HANDLE

Order No.	Description	Package	Carton	Weight
JAD5740	1,000 mm	1	10	0.84 kg

SPADE HANDLE, PLASTIC D-HANDLE

Order No.	Description	Package	Carton	Weight
JAD0410	900 mm	1	5	0.65 kg

MASON'S HAMMER HANDLE

Order No.	Description	Package	Carton	Weight
JAD3950	300 mm	1	10	0.12 kg

HAMMER HANDLE

Order No.	Description	Package	Carton	Weight
JAD0715	300 mm	10	10	0.07 kg
JAD0717	350 mm	10	10	0.15 kg
JAD0720	400 mm	10	10	0.23 kg
JAD0725	450 mm	10	10	0.29 kg
JAD0730	500 mm	10	10	0.36 kg
JAD0750	900 mm	10	10	0.96 kg

MALLET HANDLE - BEECH

Order No.	Description	Package	Carton	Weight
JAD5513	900 mm	1	10	0.98 kg

PLASTER SCOOP HANDLE

Order No.	Description	Package	Carton	Weight
JAD0116	1600 mm	1	10	0.89 kg

PICKAXE HANDLE

Order No.	Description	Package	Carton	Weight
JAD2827	900 mm	1	10	0.83 kg

SHOVEL T-HANDLE

Order No.	Description	Package	Carton	Weight
JAD5725	1,200 mm	1	10	0.94 kg

CONSTRUCTION WHEELBARROW - REINFORCED RUBBER, FOLDED

Order No.	Description	Package	Carton	Weight
Z11925	60 l, load capacity 100 kg	1	1	16.5 kg
JAD11950	spare wheel solid	1	1	5.6 kg

CONSTRUCTION WHEELBARROW - INFLATABLE TYRE, FOLDED

Order No.	Description	Package	Carton	Weight
Z11923	60 l, load capacity 100 kg	1	1	14 kg
JAD11960	spare wheel inflatable	1	1	2.5 kg

CONSTRUCTION WHEELBARROW - REINFORCED RUBBER, GALVANIZED TUB, FOLDED

Order No.	Description	Package	Carton	Weight
Z11940	80 l, load capacity 100 kg	1	1	16.5 kg

CONSTRUCTION WHEELBARROW - INFLATABLE TYRE, GALVANIZED BODY, FOLDED

Order No.	Description	Package	Carton	Weight
Z11943	80 l, load capacity 100 kg	1	1	15.5 kg

METAL FOLDING TRESTLE

Order No.	Description	Package	Carton	Weight
P104519	790x800 mm	1	1	5 kg

SCAFFOLDING TRESTLE, FIXED

Order No.	Description	Package	Carton	Weight
P104524	1,200mm / 1050-1700 mm	1	1	22 kg

SCAFFOLDING TRESTLE, ROTATABLE

Scaffolding trestle with adjustable height.

Order No.	Description	Package	Carton	Weight
P104520	1,200 mm / 700-1200 mm	1	1	9 kg
P104521	1,200 mm / 1000-1700 mm	1	1	12 kg
P104522	1,200 mm / 1220-2100 mm	1	1	17 kg

Item	Page
670	321
671	321
672	321
673	321
1600	321
1601	321
1602	321
1603	321
1604	321
1605	321
1606	321
1607	321
1610	321
1611	321
1612	321
1613	321
1644	321
1645	321
1646	321
1647	321
1862	323
1863	323
02323	191
02324	191
02325	191
02326	191
02344	191
02405	191
3454	350
3463	350
4707	323
4709	323
4711	323
4713	323
4715	323
4717	323
4719	323
4735	323
4864	320
4865	320
4866	320
4867	320
4868	320
4869	320
4870	320
4871	320
4872	320
4873	320
4874	320
4875	320
4876	320
4877	320
4878	320
4879	320
4880	320
4881	320
4883	320
4884	320
7324	348
7561	348
7562	348
7563	348
7566	348
7567	348
9021	350
9022	350
9100	323
9103	323
9104	323
9105	323
9106	323
9107	323
9108	323
9109	323
9113	323
9117	323
9124	323
9125	323
9126	323
9127	323
9129	323
9150	323
9151	323
9152	323
9153	323
9155	323
9156	323
11002	106
14040	263
14045	263
14060	263
14070	263
14075	263
14240	264
14250	264
14292	323
14293	323
PC1321	264
PC1322	264
PC1323	264
PC1324	264
14577	320
14578	320
14579	320
14580	320
14581	320
14582	320
14583	320
14584	320
14585	320
14586	320
14587	320
14588	320
14955	322
14956	322
14957	322
14958	322
15460	322
15461	322
15905	322
15906	322
15907	322
15908	322
15909	322
15910	322
15911	322
15912	322
20385	63
20731	71
20732	71
20733	71
20735	71
20736	71
20738	71
20741	71
21540	103
24174	215
24212	350
24225	350
24250	350
24255	350
24258	350
25002	317
25003	317
25004	317
25005	317
40050	348
40052	348
40054	348
40056	348
40057	348
40058	348
40059	348
42201	329
42202	329
42203	329
42208	329
42209	329
42210	329
42212	329
42214	329
42218	329
42219	329
42220	329
42244	329
42248	329
42249	329
42255	329
42256	329
42257	329
45041	350
45043	329
45044	350
45045	103
45047	330
45100	332
45101	332
45102	332
45106	332
45107	332
45108	332
45220	336
45221	336
45222	336
45223	336
45224	336
45225	336
45226	336
45227	336
45228	336
45229	336
45450	348
45451	348
45452	348
45540	348
45541	348
45550	348
45551	348
45600	344
45601	344
45602	344
45603	344
45604	344
45605	344
45607	344
45608	344
45609	344
45610	344
45611	344
45613	344
45616	344
45620	344
45621	344
45622	344
45623	344
45624	344
45625	344
45626	344
45627	344
45628	344
45629	344
45630	344
45631	344
45632	344
45633	344
45634	344
45635	344
45636	344
45637	344
45638	344
45639	344
50025	238
55040	297
55050	297
55060	297
55080	297
55100	297
55120	297
55140	297
55160	297
55180	297
55200	297
55450	348
60847-1	255
60936-1	255
202404	316
202406	316
203203	316
203602	316
204801	316
223002	316
226002	316
228001	316
259606	316
7011015	74
7011020	74
7011025	74
7011030	74
7011035	74
7011040	74
7011045	74
7011050	74
1003.01	303
1004.01	303
1004.03	303
1005.01	303
1005.03	303
1006.001	303
1006.01	303
1006.03	303
1007.001	303
1007.01	303
1007.03	303
1008.01	303
1008.03	303
102699-14	10
105135-1	29
106010-11-16	25
106010-1-13	25
106310-76	31
106400-45+43+44	39
121701-38	50
121701-39	50
121701-42	50
121701-43	50
121701-44	50
121701-45	50
121701-46	50
121701-47	50
220000K	213
252402DUCK	316
253601DUCK	316
253610DUCK	316
3VAL1/210M	343
3VAL1/215M	343
3VAL1/220M	343
3VAL1112/13	343
3VAL1112/50	343
3VAL1122/13	343
3VAL1122/50	343
3VAL1125/13	343
3VAL1342/13	343
3VAL1342/50	343
3VAL3/410M	343
3VAL3/415M	343
3VAL3/420M	343
4 FA 803 09	318
4 FN 177 00	318
4 FN 177 01	318
4 FN 177 02	318
4 FN 177 04.1	318
4 FN 177 04.2	318
4 FN 177 05	318
4 FN 177 06	318
4 FN 177 09	318
4 FN 177 10	318
4 FN 177 11	318
4 FN 177 1-1	318
4 FN 177 12	318
4 FN 177 1-2	318
4 FN 177 13	318
4 FN 177 1-3	318
4 FN 177 14	318
4 FN 177 1-4	318
4 FN 177 1-5	318
4 FN 177 1-6	318
ALW 1403	302
ALW 1404	302
ALW 1405	302
ALW 1406	302
ALW 1507	302
ALW 1508	302
BAAPA2934E	102
BAAPA2941E	102
BAAPA2958E	102
BAAPA2965E	102
BAAPA2972E	102
BKA40206CRSE	99
BKA40206FINE	99
BKA40206MEDE	99
BKA40206UFNE	99
BKA40206VFNE	99
BKA50306CRSE	99
BKA50306FINE	99
BKA50306MEDE	99
BKA50306UFNE	99
BKA50306VFNE	99
BKA60506CRSE	99
BKA60506FINE	99
BKA60506MEDE	99
BKA60506UFNE	99
BKA60506VFNE	99
BKA80506CRSE	99
BKA80506FINE	99
BKA80506MEDE	99
BKA80506UFNE	99
BKA80506VFNE	99
BKF40206FLE	99
BKF50306FLE	99
BKF60506FLE	99
BKF80506FLE	99
BKK40206CRSE	99
BKK40206FINE	99
BKK40206MEDE	99
BKK40206VFNE	99
BKK50306CRSE	99
BKK50306FINE	99
BKK50306MEDE	99
BKK50306VFNE	99
BKK60506CRSE	99
BKK60506FINE	99
BKK60506MEDE	99
BKK60506VFNE	99
BKK80506CRSE	99
BKK80506FINE	99
BKK80506MEDE	99
BKK80506VFNE	99
BS115040	98
BS115060	98
BS115080	98
BS115100	98
BS115120	98
BS125040	98
BS125060	98
BS125080	98
BS125100	98
BS125120	98
BS150040	98
BS150060	98
BS150080	98
BS150100	98
BS150120	98
BS252040	98
BS252060	98
BS252080	98
BS252100	98
BS252120	98
BS301040	98
BS301060	98
BS301080	98
BS301100	98
BS301120	98
BS303040	98
BS303060	98
BS303080	98
BS303100	98
BS303120	98
BS403040	98
BS403060	98
BS403080	98
BS403100	98
BS403120	98
BS503040	98
BS503060	98
BS503080	98
BS503100	98
BS503120	98
BS604040	98
BS604060	98
BS604080	98
BS604100	98
BS604120	98
BZ115040	98
BZ115060	98
BZ115080	98
BZ115100	98
BZ115120	98
BZ125040	98
BZ125060	98
BZ125080	98
BZ125100	98
BZ125120	98
BZ150040	98
BZ150060	98
BZ150080	98
BZ150100	98
BZ150120	98
DHR 402	303
DHR 403	303
DHR 404	303
DHR 405	303
DHR 406	303
DHR 407	303
F51912	316
F52502	316
F6060	316
F6080	316
GK10307	149
GK10308	149
GK10309	149
GK10310	149
GK10311	149
GK10312	149
GK10313	149
GK10314	149
GK10315	149
GK10316	149
GK10317	149
GK10318	149
GK10319	149
GK10320	149
GK10321	149
GK10322	149
GK10324	149
GK10327	149
GK10330	149
GK10332	149
GK10341	156
GK10341TP	156
GK10342	156
GK10342TP	156
GK10343	156
GK10343TP	156
GK10345	157
H0016	119
H0075	138
H01075	138
H0114	151
H01150	138
H01225	138
H0150	138
H016	153
H0200	138
H0204	120
H021	153
H022	153
H03075	138
H03150	138
H03200	138
H03250	137
H040	139
H0405	143
H0406	143
H0408	143
H0409	143
H041	139
H0410	143
H0411	143
H0412	143
H0413	143
H0414	143
H0415	143
H0416	143
H0417	143
H0418	143
H0419	143
H042	139
H0420	143
H0421	143
H0422	143
H0423	143
H0424	143
H0427	143
H043	139
H0430	143
H0432	143
H050	139
H0508	143
H0509	143
H0510	143
H0511	143
H0512	143
H0513	143
H0514	143
H0515	143
H0516	143
H0517	143
H0518	143
H0519	143
H0520	143
H0521	143
H0522	143
H0523	143
H0524	143
H0527	143
H0530	143
H0532	143
H061	139
H062	143
H070	139
H071	143
H088	139
H1111	118
H1120	109
H1127	117
H1133	111
H1143	111
H1160	112
H1204	141
H1205	141
H1206	141
H1207	141
H1208	141
H1209	141
H1210	141
H1211	141
H1212	141
H1213	141
H1214	141
H1245	141
H1255	141
H1304	142
H1305	142
H13058	111
H1306	142
H1307	142
H1308	142
H1309	142
H1310	142
H1310MB	141
H1310MBL	141
H1311	142
H1311MB	141
H1311MBL	141
H1312	142
H1312MB	141
H1312MBL	141
H1313	142
H1313MB	141
H1313MBL	141
H1314	142
H1314MB	141
H1314MBL	141
H1315MB	141
H1315MBL	141
H1316MB	141
H1316MBL	141
H1317MB	141
H1317MBL	141
H1318MB	141
H1318MBL	141
H1319MB	141
H1319MBL	141
H1320	117
H1322	111
H1408	141
H1409	141
H1410	141
H1411	141
H1412	141
H1413	141
H1414	141
H1415	141
H1416	141
H1417	141
H1418	141
H1419	141
H1420	141
H1421	141
H1422	141
H1423	141
H1424	141
H1425	141
H1426	141
H1427	141
H1428	141
H1429	141
H1430	141
H1432	141
H1434	141
H1436	141
H150	138
H1508	142
H1509	142
H151	138
H1510	142
H1511	142
H1512	142
H1513	142
H1514	142
H1515	142
H1516	142
H1517	142
H1518	142
H1519	142
H1520	142
H1521	142
H1522	142
H1524	142
H1527	142
H1530	142
H1532	142
H1610	146
H1615	146
H1617	142
H1617MC	142
H1619	142
H1619MC	142
H1620	146
H1620TH	146
H1621	142
H1621MC	142
H1622	142
H1622MC	142
H1623	142
H1624	142
H1624MC	142
H1625	146
H1625TH	146
H1626	142

Item	Page
H1626MC	142
H1627	142
H1627MC	142
H1628	146
H1628TH	146
H1629	142
H1630	142
H1630MC	142
H1631	146
H1631TH	146
H1632	142
H1632MC	142
H1633	142
H1633MC	142
H1634	142
H1634MC	142
H1635	146
H1635MC	142
H1635TH	146
H1636	142
H1636MC	142
H1638	142
H1638MC	142
H1640	146
H1640TH	146
H1641	142
H1641MC	142
H1645	146
H1645TH	146
H1646	142
H1646MC	142
H1648	142
H1648MC	142
H1650	146
H1650TH	146
H1651	142
H1651MC	142
H1654	142
H1654MC	142
H1655	146
H1655H	142
H1655MC	142
H1655TH	146
H1656	142
H1660	146
H1660TH	146
H1661	142
H1661MC	142
H1665	142
H1670	146
H1670TH	146
H1704	146
H1705	146
H1706	146
H1707	146
H1708	146
H1708/P	141
H1709	146
H1709/P	141
H1710	146
H1710/P	141
H1711	141
H1712	146
H1712/P	141
H1713	141
H1714	146
H1714/P	141
H1715	141
H1716	141
H1717	146
H1717/P	141
H1718	141
H1719	141
H1719HX	146
H1720	141
H1721	141
H1722	141
H1723	141
H1724	141
H1725	141
H1726	141
H1727	141
H1728	141
H1729	141
H1730	141
H1732	141
H1734	141
H1736	141
H1803	120
H1804	120
H1806	146
H1808	146
H1810	146
H1812	146
H1814	146
H1815	120
H1816	146
H1817	120
H1818	146
H1819	120
H1821	120
H1822	120
H1824	120
H1836	142
H1841	142
H1846	142
H1850	142
H1855	142
H1860	142
H1865	142
H1870	142
H1875	142
H1880	142
H1910	140
H1911	140
H1912	140
H1914	140
H1916	140
H1918	140
H1920	140
H1922	140
H1924	140
H2-0	145
H2006	148
H2007	148
H2008	148
H2009	148
H2010	148
H2011	148
H2012	148
H2013	148
H2014	148
H2015	148
H2016	148
H2017	148
H2018	148
H2019	148
H2021	148
H2022	148
H2023	148
H2024	148
H2025	148
H2026	148
H2027	148
H2028	148
H2029	148
H2030	148
H2032	148
H2050	138
H206	139
H2075	137
H2-1	145
H2100	137
H2115	137
H2125	137
H2150	137
H2-2	145
H2200	110
H2206	140
H2207	140
H2208	140
H2209	140
H2210	140
H2211	140
H2212	140
H2213	140
H2214	140
H2232	140
H2240	140
H2245	140
H2250	137
H2250H	140
H2255	140
H2-3	145
H230	139
H2300	110
H2308	140
H2309	140
H2310	140
H2311	140
H2312	140
H2313	140
H2314	140
H2315	140
H2316	140
H2317	140
H2318	140
H2319	140
H2400	110
H2408	140
H2409	140
H2410	140
H2411	140
H2412	140
H2413	140
H2414	140
H2415	140
H2416	140
H2417	140
H2418	140
H2419	140
H2420	140
H2421	140
H2422	140
H2423	140
H2424	140
H2425	140
H2426	140
H2427	140
H2428	140
H2429	140
H2430	140
H2432	140
H2460	139
H2640	139
H2680	139
H2860	139
H3008	118
H306	139
H307	139
H3071	150
H3075	137
H3108	150
H3109	150
H3110	150
H3111	150
H3112	150
H3113	150
H3114	150
H3115	150
H3116	150
H3117	150
H3118	150
H3119	150
H3121	150
H3122	150
H3124	150
H3125	137
H3127	150
H3130	150
H3132	150
H3150	137
H3165	137
H320	139
H3250	137
H33020	165
H33025	165
H33030	165
H33040	165
H33050	165
H33060	165
H33080	165
H33100	165
H340	139
H35010	165
H35015	165
H35020	165
H35025	165
H35030	165
H35040	165
H35045	165
H35050	165
H4003	118
H4005	119
H4006	118
H4007	119
H4008	119
H4009	118
H401	137
H4010	118
H4011	120
H4011	121
H4014	120
H4015	120
H4016	139
H4017	112
H4019	117
H402	136
H4020	119
H4021	139
H402-100	136
H402-25	136
H4025	113
H402-50	136
H4027	109
H4028	112
H403	136
H4030	112
H404	136
H4040	115
H404-025	136
H404-110	136
H404-350	136
H404-450	136
H404-750	136
H404-980	136
H405	139
H4050	137
H4052	112
H4054	111
H4056	114
H4056B	114
H4059	112
H406	139
H4060	113
H4064	115
H407	139
H4073	117
H4075	137
H4075A	144
H408	139
H409	139
H4099	113
H410	139
H4114	139
H4114	139
H4114	139
H4114	139
H411409	139
H4111425	139
H411430	139
H4116	139
H4118	139
H4121	139
H4125	137
H4125A	144
H4150	138
H4200	137
H4250	137
H4250A	144
H4251	137
H4252	137
H430	139
H4300	137
H4309	118
H4311	119
H4312	119
H4321	110
H4329	118
H4350	122
H4368	110
H4375	137
H4399	110
H4421	113
H4455	116
H460	139
H4600	137
H4604	137
H5075	138
H5125	138
H5250	138
H5-40010L	121
H5-643206IAD	121
H5-6432AD	121
H5-IBS40005M	121
H5-IBS40009H	121
H5-IBS40009T	121
H5-ID0120	180
H6006L	121
H6008L	121
H6014	115
H6014M	116
H6017	143
H6019	143
H6020	143
H6021	115
H6021M	116
H6022	143
H6023	143
H6024	143
H6025	143
H6026	143
H6027	143
H6028	143
H6029	143
H6030	143
H6032	143
H6033	143
H6034	143
H6035	143
H6036	143
H6038	143
H6041	143
H6046	143
H6050	143
H6100	137
H6100A	144
H6105	143
H6117	144
H6119	144
H6121	144
H6122	144
H6124	144
H6126	144
H6127	144
H6130	144
H6132	144
H6133	144
H6134	144
H6136	144
H6138	144
H6141	144
H6146	144
H6150	144
H6175A	144
H6200	137
H6250A	144
H6317	142
H6318	142
H6321	142
H6325A	144
H6326	142
H640	139
H6400	137
H6450	137
H6460	137
H6510	137
H6750	137
H6756	137
H680	139
H78HX05	144
H78HX05	144
H78HX06	144
H78HX06	144
H78HX07	144
H78HX07	144
H78HX08	144
H78HX08	144
H78HX10	144
H78HX10	144
H78HX12	144
H78HX12	144
H78HX14	144
H78HX14	144
H78HX17	144
H78HX17	144
H78HX19	144
H78HX19	144
H78M05	145
H78M06	145
H78M08	145
H78M10	145
H78M12	145
H78M14	145
H78M16	145
H78T25	144
H78T27	144
H78T30	144
H78T40	144
H78T45	144
H78T50	144
H78T55	144
H78T60	144
H78T70	144
H8014	117
H8022	143
H8024	143
H8026	143
H8027	143
H8030	143
H8032	143
H8033	143
H8036	143
H8041	143
H8046	143
H8050	143
H8055	143
H8060	143
H8065	143
H8070	143
H8075	143
H8080	143
H8100	137
H8105	143
H8108	137
H8122	144
H8122	144
H8124	144
H8124	144
H8127	144
H8127	144
H8130	144
H8130	144
H8132	144
H8132	144
H8133	144
H8133	144
H8134	144
H8134	144
H8136	144
H8136	144
H8138	144
H8138	144
H8141	144
H8141	144
H8146	144
H8146	144
H8150	144
H8150	144
H8155	144
H8155	144
H8160	144
H8160	144
H8165	144
H8165	144
H8170	144
H8170	144
H8175	144
H8-20	147
H8200	137
H8206	135
H8207	135
H8-25	147
H8250	144
H8-27	147
H8-30	147
H8306	135
H8325	144
H83252	135
H83352	135
H8336	134
H8337	134
H8342	135
H83452	135
H8347	134
H8-40	147
H8400	137
H8410	135
H8411	135
H8436	134
H8437	134
H8443	135
H8-45	147
H8-50	147
H8501	134
H8-55	147
H8550	137
H8561	135
H8581	135
H860	139
H8623	135
H8633	135
H8643	135
H8712	134
H8713	134
H8731	134
H8838	135
H8843	135
H9-20	147
H9-25	147
H9-27	147
H9-30	147
H9-40	147
H9-45	147
H9-50	147
H9-55	147
H9723	134
H9733	134
H9743	134
H993	279
HA001	127
HA0012290	118
HA0012330	118
HA0014185	118
HA002	129
HA003	127
HA004	127
HA011	127
HA015	127
HA020	127
HA021-1	127
HA025-21	127
HA030	130
HA030-001	128
HA031	128
HA040-001	128
HA041	128
HA051	127
HA060	128
HA066	128
HA068	128
HA069	128
HA071	128
HA076	128
HA077	129
HA078	129
HA079	129
HA080	129
HA081	129
HA082	129
HA083	129
HA085	129
HA090-001	130
HA100-001	130
HA101	130
HA102	131
HA104	131
HA105	131
HA106	130
HA110	130
HA140	130
HA150	130
HA202	131
HA230	123
HA230-104	124
HA250	126
HA250-104	125
HA600	130
HB4HX05LL	146
HB4HX06LL	146
HB4HX07LL	146
HB4HX08LL	146
HB4HX10LL	146
HB4HX12LL	146
HB4M06L	146
HB4M08L	146
HB4M10L	146
HB4M12L	146
HB4M14L	146
HB4M16L	146
HB4M18L	146
HB4T10LL	146
HB4T15LL	146
HB4T20LL	146
HB4T25LL	146
HB4T27LL	146
HB4T30LL	146
HB4T40LL	146
HB4T45LL	146
HB4T50LL	146
HBD115	86
HBD125	86
HBD150	86
HBL115	86
HBL125	86
HBL150	86
HBS115	86
HBS125	86
HBS150	86
HCC-105	204
HC0115	85
HC0125	85
HC0150	85
HC0180	85
HC0230	85
HCW11507	154
HCW11512	154
HCW11517	154
HCW11522	155
HDCW1508E	152
HDCW1509E	152
HDCW1510E	152
HDCW1511E	152
HDCW1512E	152
HDCW1512SE	152
HDCW1513E	152
HDCW1514E	152
HDCW1515E	152
HDCW1516E	152
HDCW1517E	152

Item	Page
HDCW1518E	152
HDCW1519E	152
HDEW0607E	149
HDEW0809E	149
HDEW1011E	149
HDEW1213E	149
HDEW1415E	149
HDEW1617E	149
HDEW1819E	149
HDEW2022E	149
HDEW2123E	149
HDEW2427E	149
HDEW3032E	149
HDS115	85
HDS125	85
HDS150	85
HDS180	85
HDS230	85
HDS350	85
HDW750607E	152
HDW750809E	152
HDW751011E	152
HDW751213E	152
HDW751415E	152
HDW751617E	152
HDW751819E	152
HDW752022E	152
HDW752123E	152
HDW752427E	152
HDW753032E	152
HDWP7508	155
HDWP7512	155
HEX10-10	147
HEX10-12	147
HEX10-4	147
HEX10-5	147
HEX10-6	147
HEX10-7	147
HEX10-8	147
HEX11-10	147
HEX11-12	147
HEX11-4	147
HEX11-5	147
HEX11-6	147
HEX11-7	147
HEX11-8	147
HEX2-3	145
HEX2-4	145
HEX2-5	145
HEX2-6	145
HEX2-7	145
HEX2-8	145
HEX3-03	145
HEX3-04	145
HEX3-05	145
HEX3-06	145
HEX3-07	145
HEX3-08	145
HEX3-09	145
HEX3-10	145
HEX8-10	147
HEX8-12	147
HEX8-14	147
HEX8-3	147
HEX8-4	147
HEX8-5	147
HEX8-6	147
HEX8-7	147
HEX8-8	147
HF0607E	153
HF0809E	153
HF1011E	153
HF1213E	153
HF1415E	153
HF1617E	153
HF1819E	153
HF2022E	153
HF2123E	153
HFDW0809	153
HFDW1011	153
HFDW1213	153
HFDW1415	153
HFDW1617	153
HFDW1819	153
HFDW2022	153
HFDW2123	153
HFDW2427	153
HFDW2528	153
HFDW3032	153
HFNW0809E	153
HFNW1011E	153
HFNW1213E	153
HFNW1417E	153
HFNW1922E	153
HG11507	154
HG11512	154
HG11517	154
HG11522	155
HG21506	148
HG21507	148
HG21508	148
HG21509	148
HG21510	148
HG21511	148
HG21512	148
HG21513	148
HG21514	148
HG21515	148
HG21516	148
HG21517	148
HG21518	148
HG21519	148
HG21520	148
HG21521	148
HG21522	148
HG21523	148
HG21524	148
HG21525	148
HG21526	148
HG21527	148
HG21528	148
HG21529	148
HG21530	148
HG21532	148
HMW1012E	153
HMW1113E	153
HMW1416E	153
HMW1719E	153
HMW2022E	153
HN100	273
HN100Z	273
HN120	273
HN121	273
HN140Z	273
HN85	273
HPA002	200
HPA003	200
HPA004	200
HPH2-1	145
HPH2-2	145
HPH2-3	145
HPH3-1	145
HPH3-2	145
HPH3-3	145
HPH8-2	147
HPH8-3	147
HPH8-4	147
HPL002	198
HPL010	184
HPL011	184
HPL2-3	145
HPL2-4	145
HPL2-45	145
HPL2-55	145
HPL2-6	145
HPL2-65	145
HPL2-7	145
HPL3-4	145
HPL3-5	145
HPL3-6	145
HPL3-7	145
HPL3-8	145
HPL8-07	147
HPL8-08	147
HPL8-10	147
HPL8-12	147
HPL8-45	147
HPL8-55	147
HPP103	204
HPP104	204
HPP105	204
HPP106	204
HPP115	204
HPP650	302
HPT106	204
HPT108	204
HPW001	165
HPZ3-1	145
HPZ3-2	145
HPZ3-3	145
HPZ8-3	147
HPZ8-4	147
HS1006A	153
HS1007A	153
HS1008A	153
HS1009A	153
HS1010A	153
HS1011A	153
HS1012A	153
HS1013A	153
HS1014A	153
HS1015A	153
HS1016A	153
HS1017A	153
HS1018A	153
HS1019A	153
HS1204	140
HS1204	140
HS1204L	140
HS1205	140
HS1205	140
HS1205L	140
HS1206	140
HS1206	140
HS1206L	140
HS1207	140
HS1207	140
HS1207L	140
HS1208	140
HS1208	140
HS1208L	140
HS1210	140
HS1210	140
HS1210L	140
HS1211	140
HS1306	140
HS1307	140
HS1308	140
HS1310	140
HS1311	140
HS1312	140
HS1314	140
HS1316	140
HS1318	140
HSSB4008	162
HSSB4010	162
HSTB201	153
HSTB301	153
HSTB401	153
HTL10260	162
HTRX10-20	147
HTRX10-25	147
HTRX10-27	147
HTRX10-30	147
HTRX10-40	147
HTRX10-45	147
HTRX10-50	147
HTRX10-55	147
HTRX11-20	147
HTRX11-25	147
HTRX11-27	147
HTRX11-30	147
HTRX11-40	147
HTRX11-45	147
HTRX11-50	147
HTRX11-55	147
HTRX2-08	145
HTRX2-09	145
HTRX2-10	145
HTRX2-15	145
HTRX2-20	145
HTRX2-25	145
HTRX2-27	145
HTRX2-30	145
HTRX2-40	145
HTRX3-10	146
HTRX3-15	146
HTRX3-20	146
HTRX3-25	146
HTRX3-27	146
HTRX3-30	146
HTRX3-40	146
HTRX3-45	146
HTRX3-50	146
HTRX3-55	146
HTRX3-60	146
HTS115	85
HTS125	85
HTS150	85
HTS180	85
HTS230	85
HW0607EL	153
HW0810EL	153
HW102-007	175
HW1021-07525	175
HW1021-10030	175
HW1021-10040	175
HW1021-12555	175
HW1021-15065	175
HW1022-0600	175
HW1022-0801	175
HW1022-1002	175
HW1022-1503	175
HW102-306	175
HW1023-0801	175
HW1023-1002	175
HW10213-0801	175
HW10213-1002	175
HW1112EL	153
HW112-9-1002	171
HW130-0708	170
HW130-0908	170
HW1301-07520	170
HW1301-07525	170
HW1301-07530	170
HW1301-07535	170
HW1301-07540	170
HW1302-07501	170
HW1302-07510	170
HW1302-07520	170
HW1304-4005	170
HW1304-4006	170
HW1304-4007	170
HW1304-4008	170
HW1304-7509	170
HW1304-7510	170
HW1304-7515	170
HW1304-7520	170
HW1416EL	153
HW151-0306	169
HW151-0506	169
HW1515-5-10010	169
HW1515-5-10015	169
HW1515-5-10020	169
HW1515-5-15025	169
HW1515-5-15027	169
HW1515-5-15030	169
HW1515-5-20040	169
HW1515-5-20045	169
HW1515-5-20050	169
HW1516-6-6100020	169
HW1516-6-6100025	169
HW1516-6-6100030	169
HW1516-6-6150040	169
HW1516-6-6150050	169
HW1516-6-6150060	169
HW1516-6-6150070	169
HW1516-6-6200080	169
HW1516-6-6200100	169
HW1518-6-610020	169
HW1518-6-610025	169
HW1518-6-610030	169
HW1518-6-610040	169
HW1518-6-610050	169
HW1518-6-610060	169
HW1518-6-610080	169
HW1518-6-610100	169
HW15240-1039	184
HW15280	184
HW15282	184
HW15283	184
HW15284	184
HW15300-1239	184
HW15600-1250	184
HW15600-1260	184
HW15600-1270	184
HW15601-321-160	183
HW15601-321-180	183
HW15601-321-200	183
HW15602-121-160	183
HW15602-133-160	183
HW15602-211-160	183
HW15602-311-200	183
HW15603-211-200	183
HW15604-12-160	183
HW15604-12-180	183
HW15606-180	183
HW15608-01-250	183
HW15618-01	184
HW15618-02	184
HW15618-03	184
HW15618-04	184
HW158-1508	163
HW158-1518	163
HW158-1608	163
HW158-1908	163
HW158-2008	163
HW171-0706	171
HW17109-11-080	168
HW17109-11-100	168
HW171-1208	171
HW1711-3-07530	168
HW1711-3-07540	168
HW1711-3-10055	168
HW1711-3-10065	168
HW1711-3-15065	168
HW1711-3-15080	168
HW1711-4-712555	169
HW1711-4-715065	169
HW1711-4-717580	169
HW1711-9-40040	170
HW1711-9-40055	170
HW1712-3-0600	168
HW1712-3-0801	168
HW1712-3-1002	168
HW1712-3-1502	168
HW1712-3-1503	168
HW1712-4-70801	171
HW1712-4-71002	171
HW1712-8-4001	170
HW1712-8-4002	170
HW1713-3-0600	168
HW1713-3-1001	168
HW1713-3-1002	168
HW1713-3-1502	168
HW1713-3-1503	168
HW1713-4-0801	169
HW1713-4-1002	169
HW1714-06006	168
HW1714-06007	168
HW1714-06008	168
HW1714-06009	168
HW1714-08010	168
HW1714-08015	168
HW1714-10020	168
HW1714-10025	168
HW1714-11527	168
HW1714-11530	168
HW1714-13040	168
HW1714-13045	168
HW1717-1-125060	170
HW1717-1-125070	170
HW1717-1-125080	170
HW1717-1-125100	170
HW1717-1-125120	170
HW1717-1-125130	170
HW1717-2-2160416	171
HW1717-2-2160516	171
HW1717-3-610014	171
HW1719-2-160014	171
HW171-0150	170
HW1773-3-BN03B	183
HW177-3-BN03C	183
HW177-3-BN06WF	183
HW177-LY03B	183
HW177-LY03C	183
HW177-LY04WF	183
HW177-LY06WF	183
HW1820EL	153
HW2224EL	153
HW951-7-02555	169
HW951-7-02565	169
HW952-6-0251	169
HW952-6-0252	169
HW953-6-0251	169
HW953-6-0252	169
HW9603-11-02502	178
HW9603-11-02503	178
HW9603-11-02504	178
HW96-0411	178
HW96-0631	178
HW960-65-06	179
HW960-65-061B	179
HW960-65-07	179
HW960-65-071B	179
HW960-65-08	179
HW960-65-081B	179
HW960-65-10	179
HW960-65-101B	179
HW960-65-12	179
HW960-65-121B	179
HW960-65-13	179
HW960-65-131B	179
HW961-12-02542	177
HW961-12-02551	177
HW961-12-02561	177
HW961-12-02581	177
HW962-12-0251	177
HW962-12-02512B	177
HW962-12-0251TH	177
HW962-12-0251TH2B	178
HW962-12-0252	177
HW962-12-02522B	177
HW962-12-0252TH	177
HW962-12-0252TH2B	178
HW962-12-0253	177
HW962-12-02532B	177
HW962-12-0253TH	177
HW962-12-0253TH2B	178
HW962-21-0501	177
HW962-21-05012B	177
HW962-21-0502	177
HW962-21-05022B	177
HW962-21-0503	177
HW962-21-05032B	177
HW96-2731	177
HW963-12-0251	177
HW963-12-02512B	178
HW963-12-0251TH	177
HW963-12-0251TH2B	178
HW963-12-0252	177
HW963-12-02522B	178
HW963-12-0252TH	177
HW963-12-0252TH2B	178
HW963-12-0253	177
HW963-12-02532B	178
HW963-12-0253TH	177
HW963-12-0253TH2B	178
HW963-21-0501	177
HW963-21-05012B	178
HW963-21-0502	177
HW963-21-05022B	178
HW963-21-0503	177
HW963-21-05032B	178
HW96-3232	177
HW964-12-02510	177
HW964-12-025102B	177
HW964-12-02510TH	177
HW964-12-02515	177
HW964-12-025152B	177
HW964-12-02515TH	177
HW964-12-02520	177
HW964-12-025202B	177
HW964-12-02520TH	177
HW964-12-02525	177
HW964-12-025252B	177
HW964-12-02525TH	177
HW964-12-02527	177
HW964-12-02527TH	177
HW964-12-02530	177
HW964-12-025302B	177
HW964-12-02530TH	177
HW964-12-02540	177
HW964-12-025402B	177
HW964-12-02540TH	177
HW96-8702	171
HW969-2-11-02514	179
HW969-2-21-05014	179
HW969-2-75176	179
HWA-05S05	150
HWA-12005	150
HWA-13005	150
HWA-14005	150
HXZN10-10	147
HXZN10-12	147
HXZN10-14	147
HXZN10-16	147
HXZN10-18	147
HXZN10-5	147
HXZN10-6	147
HXZN10-8	147
HXZN11-10	147
HXZN11-12	147
HXZN11-14	147
HXZN11-16	147
HXZN11-18	147
HXZN11-5	147
HXZN11-6	147
HXZN11-8	147
HY1012A	229
HY1038A	229
HY1281T	229
HY1982T	229
HZTS0810	162
J421/20	240
J421/25	240
J421/32	240
J506/20	240
J506/25	240
J506/32	240
JA104922/11	304
JA105122/10	304
JA105142/10	304
JA106122/10	305
JA106842/11	305
JA106922/10	307
JA106922/11	307
JA106922/12	307
JA107122/10	305
JA108822/10	305
JA116017-11	305
JA116033-11	305
JA121010/10	305
JA123210/10	307
JA126110/10	305
JA128111/09	306
JA132110/10	306
JA132110/11	306
JA132210-07	306
JA132210-08	306
JA132210-09	306
JA132210-10	306
JA132210-11	306
JA135410/07	307
JA135410/08	307
JA135410/09	307
JA135410/10	307
JA135410/11	307
JA135411/10	307
JA135411/11	307
JA135411/6	307
JA135411/7	307
JA135411/8	307
JA135411/9	307
JA142103/10	306
JA142210	306
JA142510/9	306
JA143210/08	307
JA143210/10	307
JA144510-07	306
JA144510-08	306
JA144510/09	306
JA144510/10	306
JA145210-10	306
JA153213209	306
JA153213210	306
JA153213211	306
JA306129	315
JA3061291	315
JA4111	312
JA4112	312
JA5091	310
JA53013270/07	304
JA53013270/08	304
JA53013270/09	304
JA53013270/10	304
JA53013270/11	304
JA5414	309
JA5891	310
JA5895	311
JA6171	313
JA6172	313
JA6173	313
JA6174	313
JA6175	313
JA6176	313
JA809909	304
JA809910	304
JA829910	304
JAA9094	307
JAA9094/08	307
JAD0001	353
JAD0002	353
JAD0003	353
JAD0004	353
JAD0005	353
JAD0116	354
JAD0250	354
JAD0300	354
JAD0410	354
JAD0520	354
JAD0530	354
JAD0540	354
JAD0715	354
JAD0717	354
JAD0720	354
JAD0725	354
JAD0730	354
JAD0750	354
JAD0805	354
JAD0806	354
JAD0815	354
JAD0818	354
JAD0820	354
JAD0830	354
JAD0925	354
JAD0930	354
JAD0940	354
JAD11950	355
JAD11960	355
JAD2824	353
JAD2827	354
JAD3950	354
JAD3SL15	352
JAD3SL151	352
JAD4184	354
JAD5092	352
JAD5094	352
JAD5283	352
JAD5284	352

Item	Page
JAD5288	352
JAD5289	352
JAD5310	353
JAD5351	353
JAD5360	352
JAD5400	353
JAD5410	353
JAD5420	353
JAD5421	352
JAD5484	353
JAD5513	354
JAD5720	354
JAD5720	354
JAD5725	354
JAD5740	354
JAD61030	353
JAD61031	353
JAD61032	353
JAD61033	353
JAV10017	307
JAV10043	308
JAV10049	308
JAV10058	308
JAV10058/10	308
JAV10062/10	307
JAV8007/09	308
JAV8007/10	308
JAV9082	308
K17026	192
K17028	192
K22075	103
K22076	103
K22078	106
K22100	103
K22101	103
K22102	103
K22103	103
K22104	103
K22105	103
K22106	103
K22110	103
K22111	103
K22112	103
K22113	103
K22114	103
KL-0025	166
KL-0035	166
KL-0045	166
KL-0055	166
KL-0065	166
KL010605	240
KL010805	240
KL010815	240
KL011015	240
KL011215	240
KL04007	94
KL04013	94
KL04014	94
KL04015	94
KL04016	94
KL04017	94
KL04018	94
KL04019	94
KL04040	100
KL04060	100
KL04080	100
KL04100	100
KL04120	100
KL04204	100
KL04206	100
KL04208	100
KL04210	100
KL04212	100
KL04304	103
KL04306	103
KL04308	103
KL04310	103
KL04312	103
KL04404	103
KL04406	103
KL04408	103
KL04410	103
KL04412	103
KL044208	100
KL044210	100
KL044212	100
KL04470	100
KL04470	100
KL04470	100
KL044704	100
KL044706	100
KL044708	100
KL04471	100
KL04471	100
KL044710	100
KL044712	100
KL04494	100
KL044845	100
KL04495	100
KL044953	100
KL04604	100
KL04606	100
KL04608	100
KL04610	100
KL04612	100
KL049708	101
KL049712	101
KL049718	101
KL049724	101
KL10977	99
KL10978	99
KL10980	99
KL10981	99
KL10982	99
KL10983	99
KL10984	99
KL10985	99
KL10986	99
KL10987	99
KL10988	99
KL10990	99
KL11009	99
KL11010	99
KL11012	99
KL11013	99
KL11014	99
KL11015	99
KL11016	99
KL11017	99
KL11018	99
KL11019	99
KL11020	99
KL11022	99
KL11024	99
KL11042	99
KL11044	99
KL11045	99
KL11047	99
KL11048	99
KL11050	99
KL13448	93
KL174086	101
KL174088	101
KL174089	101
KL174090	101
KL174091	101
KL174092	101
KL174093	101
KL174095	101
KL174097	101
KL182419	101
KL18901	94
KL18902	94
KL18903	94
KL202401	93
KL21111-2804.00	102
KL21111-2806.00	102
KL21111-2807.00	102
KL21111-2808.00	102
KL21111-2809.00	102
KL21111-2810.00	102
KL21111-2812.00	102
KL21111-2815.00	102
KL21111-2818.00	102
KL25221-2808.00	102
KL25221-2809.00	102
KL25221-2810.00	102
KL25221-2812.00	102
KL25221-2815.00	102
KL25221-2818.00	102
KL25221-2824.00	102
KL25221-2832.00	102
KL25221-2840.00	102
KL25221-2860.00	102
KL25221-2880.00	102
KL25221-2890.00	102
KL25221-2892.00	102
KL25221-2895.00	102
KL25221-2897.00	102
KL26121-2804.00	102
KL26121-2805.00	102
KL26121-2806.00	102
KL26121-2807.00	102
KL26121-2808.00	102
KL26121-2809.00	102
KL26121-2810.00	102
KL26121-2812.00	102
KL26121-2815.00	102
KL26121-2818.00	102
KL26121-2822.00	102
KL26121-2824.00	102
KL26121-2828.00	102
KL26121-2832.00	102
KL266197	101
KL266236	101
KL266270	101
KL266299	101
KL266327	101
KL266387	101
KL267224	101
KL267246	101
KL267274	101
KL267300	101
KL267323	101
KL268648	101
KL268657	101
KL268666	101
KL268675	101
KL268683	101
KL268688	101
KL268690	101
KL270289	100
KL270346	100
KL270403	100
KL270451	100
KL270496	100
KL270548	100
KL270599	100
KL270606	100
KL270659	100
KL270660	100
KL270661	100
KL270663	100
KL270664	100
KL270667	100
KL270668	100
KL270670	100
KL270671	100
KL270674	100
KL270676	100
KL270677	100
KL270678	100
KL270679	100
KL270683	100
KL270685	100
KL270686	100
KL270687	100
KL270690	100
KL270692	100
KL270693	100
KL270694	100
KL270698	100
KL270700	100
KL270701	100
KL270702	100
KL270703	100
KL270705	100
KL270707	100
KL270713	100
KL270715	100
KL27300	69
KL274006/230	71
KL274006/450	71
KL274008/230	71
KL274008/450	71
KL274010/230	71
KL274010/450	71
KL274012/230	71
KL274012/450	71
KL274014/230	71
KL274014/450	71
KL274016/230	71
KL274016/450	71
KL274018/450	71
KL274020/450	71
KL27412/600	71
KL27414/600	71
KL27416/600	71
KL27418/260	71
KL27418/600	71
KL27420/260	71
KL27420/600	71
KL27422/260	71
KL27422/450	71
KL27422/600	71
KL27424/260	71
KL27424/450	71
KL27424/600	71
KL27426/260	71
KL27426/450	71
KL27426/600	71
KL27428/450	71
KL27428/600	71
KL27430/450	71
KL27430/600	71
KL29001	259
KL29002	259
KL29025	259
KL29050	259
KL29114	259
KL29115	259
KL29120	259
KL29125	259
KL29130	259
KL29140	259
KL29210	259
KL29220	259
KL29225	259
KL29230	259
KL29250	259
KL293657	100
KL293658	100
KL293659	100
KL293660	100
KL32264TS	319
KL32265TS	319
KL322764	98
KL322765	98
KL322767	98
KL322768	98
KL322769	98
KL322771	98
KL322772	98
KL322774	98
KL322775	98
KL322776	98
KL322778	98
KL322779	98
KL322780	98
KL33001	198
KL33002	198
KL33003	198
KL33005	198
KL33008	198
KL33010	198
KL33012	204
KL33013	204
KL33015	198
KL33020	198
KL33042	201
KL33043	201
KL33044	201
KL33045	201
KL33046	201
KL33048	201
KL333745	206
KL333750	206
KL334266	206
KL344008	150
KL344009	150
KL344010	150
KL344011	150
KL344012	150
KL344013	150
KL344014	150
KL344015	150
KL344016	150
KL344017	150
KL344018	150
KL344019	150
KL344022	150
KL344500	151
KL344700	151
KL345008	150
KL345010	150
KL345013	150
KL345014	150
KL345015	150
KL345017	150
KL345019	150
KL345500	151
KL345700	151
KL346600	151
KL37269	101
KL38825	101
KL40345	101
KL4106	101
KL4114	101
KL4120	101
KL4121	101
KL4124	101
KL4137	101
KL4139	101
KL4140	101
KL4141	101
KL4142	101
KL4143	101
KL4144	101
KL41560	101
KL42627	101
KL43020	101
KL43302	101
KL43614	101
KL4478	101
KL4480	101
KL4481	101
KL4482	101
KL4483	101
KL4484	101
KL70433	94
KL70434	94
KL70436	94
KL710010	292
KL710015	292
KL710020	292
KL710025	292
KL710030	292
KL710040	292
KL711010	292
KL711015	292
KL711020	292
KL711025	292
KL711030	292
KL870023	259
KL870303	259
KL870393	259
KL870503	259
KL870593	259
KL871303	259
KLA13490	93
KLA13492	93
KLA235375	93
KLA242137	93
KLA242138	93
KLA286456	93
KLA6793	93
KLB13444	93
KLB13446	93
KLB13447	93
KLB188465	93
KLB188466	93
KLB235371	93
KLI123208	93
KLI123209	93
KLI123833	93
KLI126849	93
KLI187170	93
KLI187171	93
KLI202400	93
KLI221161	93
KLI224084	93
KLI241472	93
KLI251752	93
KLI262936	93
KLI262937	93
KLI2650044	93
KLI328905	93
KLI328906	93
KLI340936	93
KLI340938	93
KLPA55	200
KLPA65	200
KLPA75	200
KLPA90	200
KZ107	311
KZ108	311
LU10115	94
LU10125	94
LU10150	94
M0003	214
M0320	176
M0391	176
M0400	176
M13010	261
M13020	261
M14006	263
M14010	263
M14011	263
M14012	263
M16002	210
M16003	210
M16011	210
M16011/15	210
M16012	210
M16013	210
M16019	210
M16067	211
M16072A	211
M16073	211
M16076A	211
M16105	210
M16110	209
M16115	209
M16198	212
M17640	161
M17642	161
M17643	161
M17644	161
M17645	161
M17650	161
M17651	161
M17652	161
M17653	161
M17654	161
M17655	161
M17656	161
M17657	161
M17658	161
M18604	179
M22170	217
M22171	217
M22172	217
M22173	217
M22174	217
M22175	217
M22176	217
M24159	216
M24163	216
M24164	216
M24165	216
M24166	216
M24168	216
M24750	64
M24751	64
M25016	64
M25017	64
M25019	64
M25020	64
M25021	64
M25022	64
M25024	64
M25025	64
M25027	64
M25028	64
M25029	64
M25030	64
M25032	64
M25033	64
M25035	64
M25038	64
M25040	64
M25041	64
M25043	64
M25044	64
M25046	64
M25048	64
M25050	64
M25051	64
M25052	64
M25054	64
M25055	64
M25057	64
M25060	64
M25064	64
M25067	64
M25068	64
M25070	64
M25073	64
M25083	64
M25089	64
M25100	64
M25102	64
M25150	64
M25200	64
M70070	240
M70075	240
MA831319	316
MA831325	316
MA831330	316
MA831338	316
MA831350	316
MEUKP02001	238
MEUKP02002	238
P00010	164
P00015	164
P00020	164
P00025	164
P00027	164
P00030	164
P00040	164
P00045	164
P00050	164
P00110	164
P00115	164
P00120	164
P00125	164
P00130	164
P00140	164
P00150	164
P00160	164
P00170	164
P00180	164
P00212	164
P00214	164
P00217	164
P00219	164
P00222	164
P00224	164
P04105	69
P05168	69
P06301	69
P06620/P	161
P08301	69
P09120	69
P09520	69
P10004	94
P10005	94
P10006	94
P10100	223
P10120	223
P10140	223
P10190	223
P102020	262
P102030	262
P102050	262
P102540	223
P10372	330
P10407	149
P10408	149
P10410	149
P10411	149
P10412	149
P10413	149
P10414	149
P10415	149
P10416	149
P1041617	149
P10417	149
P10418	149
P10419	149
P104199	276
P10420	149
P10421	149
P10422	149
P10423	149
P10424	149
P10427	149
P10432	149
P10441	149
P10450	149
P104519	355
P104520	355
P104521	355
P104522	355
P104524	355
P10460	161
P104784	290
P104789	290
P104790	290
P104791	290
P104792	290
P106022	263
P106023	263
P106028	263
P106106	264
P106110	264
P107019	209
P107024	210
P107028	211
P107091	290
P108119	315
P108653	346
P108654-1	347
P108654-2	347
P108654-3	347
P108654-4	347
P108655	346
P108656	346
P108656-1	347
P108656-3	347
P108658	346
P108659	347
P108661	347
P108662	347
P108663	347
P108664	347
P108665	347
P108666	347
P10906	152
P10909	152

Item	Page
P10911	152
P10913	152
P10915	152
P10917	152
P10919	152
P10920	152
P10923	152
P10927	152
P10928	152
P10932	152
P11010	69
P11013A	56
P11018A	56
P11029A	56
P11030A	56
P11031A	56
P11130	75
P11134	76
P11135	75
P11135/SK	75
P11137	75
P11138	75
P11141	75
P11142	75
P11144	73
P11145	73
P11150	71
P11158	71
P11160	71
P11161	71
P11170	72
P11195	212
P11407	81
P11410	81
P11516	65
P11518	65
P11520	65
P11522	65
P11525	65
P11530	65
P11532	65
P11535	65
P11540	65
P11544	65
P11550	65
P11555	65
P11560	65
P11565	65
P11570	65
P11575	65
P11580	65
P11585	65
P11590	65
P11595	65
P11596	65
P11597	65
P11598	65
P11599	65
P11600	65
P11601	65
P11602	65
P11603	65
P11604	65
P11606	65
P11607	65
P11710	213
P11715	213
P11803	73
P11804	73
P11806	74
P11807	73
P11808	73
P11825	80
P11826	80
P11827	80
P11828	80
P11829	80
P11830	80
P11830B	80
P11832/4	82
P11838	82
P11840	80
P11841	80
P11842	80
P11843	80
P11845	80
P11846	106
P11847	80
P11848	80
P11849	80
P11910	216
P11911	216
P11922	214
P11926	216
P11928	216
P11930	216
P11932	214
P11934	214
P11941	214
P12205	199
P12215	199
P13000	265
P13013	261
P13015	261
P13052	260
P13053	260
P13055	260
P13057	260
P13060	260
P13063	261
P13065	261
P13075	260
P13077	260
P13083	260
P13085	260
P13088	260
P13102	260
P13103	260
P13105	260
P13107	260
P1311	259
P13110	260
P1312	259
P1313	259
P13151	261
P13152	261
P13153	261
P13154	261
P13158	261
P13160	261
P13169	261
P13170	261
P13173	261
P13175	261
P13178	261
P13183	262
P13185	262
P13303	260
P13305	260
P13307	260
P13310	260
P13322	264
P13323	264
P13323J	264
P13324	264
P13325	265
P13326	264
P13330	264
P13335	264
P13340	264
P13350	264
P13422	263
P13425	263
P13426	263
P13427	263
P13661/P	220
P13664/P	220
P13667/P	220
P13668/P	220
P13681	290
P13682	290
P13683	290
P13684	290
P13686	290
P13687	290
P13910	214
P13916	215
P13937	103
P13970	289
P15399	173
P15861	206
P15862	206
P15863	206
P15864	206
P15865	206
P15866	206
P16020	159
P16020/P	159
P16031	159
P16031/P	159
P16033	159
P16033/P	159
P16040	159
P16040/P	160
P16041	159
P16041/P	160
P16043	159
P16043/P	160
P16136	158
P16137	158
P16138	158
P16139	158
P16141	157
P16141/P	157
P16142	157
P16142/P	157
P16143	157
P16143/P	157
P16144/P	157
P16145/P	158
P16406	148
P16407	148
P16408	148
P16409	148
P16410	148
P16411	148
P16412	148
P16413	148
P16414	148
P16415	148
P16416	148
P16417	148
P16418	148
P16419	148
P16420	148
P16421	148
P16422	148
P16423	148
P16424	148
P16426	148
P16427	148
P16428	148
P16430	148
P16432	148
P16434	148
P16436	148
P16438	148
P16441	148
P16442	148
P16446	148
P16448	148
P16450	148
P16456	133
P16610	163
P16611	164
P16613	164
P16614	163
P16615	164
P16616	163
P16632	181
P16639	180
P16641	180
P16644	122
P16665	166
P16668	166
P16670	166
P16805	160
P16805/P	160
P16831	160
P16831/P	160
P16833/P	160
P17119	189
P17120	189
P17513	191
P17516	195
P17520	195
P17521	195
P17523	195
P17524	195
P17525	195
P17526	195
P17527	195
P17528	195
P17529	195
P17530	195
P17531	195
P17532	195
P17533	195
P17534	195
P17835	190
P18254	220
P18256	220
P18801	217
P18803	217
P19016	320
P19017	320
P19100	210
P19101	209
P19102	208
P19103	209
P19105	209
P19107	209
P19109	212
P19115	212
P19116	212
P19120	209
P19122	211
P19123	211
P19124	211
P19128J	209
P19131	208
P19144	209
P19146	211
P19150	208
P19151	208
P19160	208
P19165	197
P19166	197
P19167	197
P19168	197
P19169	197
P19170	197
P19173	197
P19175	197
P19178	197
P19182	67
P19191	197
P19192	197
P19193	197
P19205	221
P19206	221
P19210	221
P19220	221
P19225	221
P19230	221
P19235	221
P19240	221
P19325	319
P19328	319
P19330	319
P19332	319
P19335	319
P19340	319
P19342	319
P19352	319
P19471	319
P19473	318
P19476	319
P19481	318
P19491	318
P19510	316
P19540	316
P19550	316
P19555	317
P19555S	317
P19556	317
P19556S	317
P19557	317
P19557S	317
P19558	317
P19558S	317
P19559	317
P19559S	317
P19560	317
P19560S	317
P19561	317
P19561S	317
P19562	317
P19562S	317
P19563	317
P19563S	317
P19564	317
P19564S	317
P19565	317
P19565S	317
P19566	317
P19566S	317
P19567	317
P19567S	317
P19568	317
P19568S	317
P19569	317
P19569S	317
P19570	317
P19570S	317
P19594	228
P19595	228
P19596	228
P19597	228
P19598	228
P19600	234
P19601	234
P19604/P	235
P19605	223
P19609	225
P19619	231
P19621	232
P19622	233
P19623	233
P19624H	228
P19625	233
P19625H	228
P19626H	228
P19627H	228
P19628	233
P19628H	228
P19630	233
P19631	230
P19632	230
P19635	230
P19640	225
P19641	225
P19643	231
P19643-S	231
P19644	231
P19644-S	231
P19646	232
P19652	272
P19653	272
P19655	231
P19657	231
P19658	231
P19658-S	231
P19660	231
P19661-1	317
P19662	317
P19663	317
P19664	317
P19665	317
P19665-1	317
P19666	317
P19666-1	317
P19667	317
P19668	317
P19669	317
P19669-1	317
P19671	226
P19672	231
P19674	230
P196781	222
P196782	222
P196783	222
P196784	223
XT49164	223
XT49174	223
XT49175	223
P196784	223
P19681	223
P19683	271
P19686	271
P19686A	271
P19689	271
P19700	254
P19734	315
P19741	273
P19742	273
P19744	275
P19746	275
P19752TFL	275
P19754TFL	275
P19760	220
P19761	220
P19762	220
P19763	220
P19764	68
P19765	291
P19766	68
P19768	68
P19774	68
P19776	68
P19778	68
P19779	220
P19781	220
P19782	220
P19784	220
P19786	220
P19788	220
P19790	233
P19791	233
P19792	233
P19805	207
P19810	207
P19811	207
P19812	207
P19855	206
P19856	206
P19857	206
P19932	42
P26207	57
P26213	57
P3894	258
P3897	258
P4203	258
P70101	76
P70102	76
P70103	76
P70104	76
P70105	76
P70201	76
P70202	76
P70203	76
P70204	76
P70205	76
P70303	76
P70304	76
P70305	76
P70306	76
P70307	76
P70401	76
P70402	76
P70605	76
P70606	76
P70607	76
P70701	76
P70702	76
P70706	76
P70707	76
P70708	76
P70717	76
P70718	76
P70805	76
P70806	76
P70807	76
P70905	76
P70906	76
P70907	76
P72002	76
P72004	76
P80511	79
P80516	79
P80521	79
P80526	79
P80611	79
P80616	79
P80621	79
P80626	79
P80631	79
P80726	79
P80811	79
P80816	79
P80821	79
P80826	79
P80831	79
P80835	79
P80840	79
P80845	79
P80860	79
P80880	79
P81010	79
P81011	79
P81016	79
P81101E	274
P81021	79
P81026	79
P8102E	274
P81031	79
P81035	79
P81040	79
P81045	79
P8104E	274
P81060	79
P81080	79
P81210	79
P81211	79
P81216	79
P81221	79
P81226	79
P81231	79
P81235	79
P81240	79
P81245	79
P81260	79
P81280	79
P81410	79
P81421	79
P81426	79
P81431	79
P81435	79
P81440	79
P81445	79
P81460	79
P81480	79
P81610	79
P81621	79
P81626	79
P81631	79
P81635	79
P81640	79
P81645	79
P81660	79
P81680	79
P81810	79
P81821	79
P81826	79
P81831	79
P81840	79
P81845	79
P81860	79
P81880	79
P82010	79
P82040	79
P82060	79
P82080	79
P82210	79
P82240	79
P82260	79
P82280	79
P82350	223
P82350H	223
P82410	79
P82440	79
P82445	79
P82460	79
P82480	79
P82610	79
P82640	79
P82645	79
P82660	79
P82680	79
P82810	79
P82860	79
P82880	79
P83010	79
P83060	79
P83080	79
P90010	303
P90011	253
P90013	253
P90014	253
P90015	253
P90016	253
P90017	253
P90018	250
P90019	252
P90020	252
P90022	250
P90025	250
P90026	252
P90028	252
P90030	252
P90032	252
P90034	252
P90035	252
P90036	252
P90037	252
P90040	251
P90041	251
P90042	251
P90046	251
P90048	251
P90055	251
P90056	251
P90057	251
P90058	251
P90063	253
P90071	251
P90072	251
P90080	253
P90093	330
P90110	250
P90111	250
P90112	250
P90113	250
P90114	250
P90115	250
P90116	250
P90117	250
P90118	250
P90119	250
P90120	250
P90121	250
P90122	250
P90123	250
P90124	250
P90125	250
P90471	347
P90472	347
P90473	347
P90474	347
P90475	347

Item	Page
P90562	252
P90563	252
P90565	252
P90566	252
P90567	251
P90568	251
P90569	251
P90573	251
P90574	251
P90575	251
P90587	249
P90588	249
P90589	249
P90591	245
P90592	245
P90593	245
P90594	244
P90595	245
P90598	244
P90600	248
P90601	247
P90602	249
P90603	249
P90604	249
P90605	248
P90606	248
P90607	248
P90610	247
P90611	247
P90612	247
P90613	247
P90614	247
P90615	247
P90616	245
P90617	246
P90618	246
P90619	245
P90620	245
P90621	245
P90622	253
P90624	253
P90628	247
P90629	245
P90630	249
P90631	249
P90632	249
P90633	249
P90634	249
P90635	247
P90636	247
P90637	247
P90639	249
P90641	249
P90660	349
P90661	349
P90662	349
P90804	330
P90806	347
P90807	347
P91610	79
P91640	79
P91660	79
P91680	79
P91810	79
P91840	79
P91860	79
P91880	79
P92010	79
P92040	79
P92060	79
P92080	79
P92210	79
P92240	79
P92260	79
P92280	79
P92410	79
P92440	79
P92460	79
P92480	79
P92610	79
P92640	79
P92660	79
P92680	79
P92810	79
P92840	79
P92860	79
P92880	79
P93010	79
P93060	79
P93080	79
P93210	79
P93260	79
P93280	79
P93610	79
P93660	79
P93680	79
P93810	79
P93860	79
P93880	79
P94010	79
P94060	79
P94080	79
P94121	351
P94124	351
P94128	351
P94129	351
P94154	351
P94155	351
P94157	351
P94161	351
P94232	351
P94241	351
P94244	351
PA075	317
PA076	317
PA10000	223
PA10010	223
PA10012	223
PA102239	76
PA133	317
PA23316	165
PA23328	206
PA23335	221
PA233370	205
PA23363	69
PA23364	69
PA234102	205
PA234103	204
PA29090	215
PA29100	215
PA3470110	317
PA4007	131
PA48000	191
PA48050	191
PA48100	191
PA62830	239
PA628401	239
PA62860	239
PA65850	179
PA70110	317
PA75050	316
PA78735	254
PA78745	254
PB7140	193
PC0000	309
PC0001	309
PC0002	309
PC0003	309
PC0005	309
PC0007	315
PC0008	312
PC0010	312
PC0012	313
PC0014	313
PC0015	313
PC0030	312
PC0031	312
PC0035	315
PC0060	310
PC0061	310
PC0062	310
PC0076	310
PC0125	265
PC0129	265
PC0130	265
PC0134	265
PC0135	265
PC0139	265
PC0140	265
PC0144	265
PC0225	265
PC0229	265
PC0400	241
PC0401	241
PC0402	241
PC0403	241
PC0404	242
PC0405	241
PC0406	242
PC0407	241
PC0408	242
PC0409	241
PC0410	242
PC0411	242
PC0412	241
PC0416	242
PC0418	242
PC0419	243
PC0420	243
PC0421	243
PC0422	243
PC0425	243
PC0429	243
PC0449	243
PC0450	167
PC0452	167
PC0453	167
PC0455	167
PC0456	167
PC0457	167
PC0458	167
PC0459	167
PC0460	167
PC0461	167
PC0462	167
PC0463	167
PC0479	166
PC0480	166
PC0481	166
PC0485	167
PC0635	273
PC0638	273
PC0639	273
PC0696	232
PC0697	232
PC0698	232
PC0703	232
PC0708	196
PC0722	232
PC0724	232
PC0730	196
PC0735	196
PC0740	196
PC0744	196
PC0751	196
PC0752	196
PC0753	196
PC0754	196
PC0755	196
PC0756	196
PC0757	196
PC0760	232
PC0761	232
PC0765	232
PC0766	232
PC0770	232
PC0780	232
PC0825	231
PC0826	231
PC0852	231
PC0901	352
PC0902	352
PC0907	352
PC0980	331
PC0981	331
PC0982	331
PC0983	331
PC0984	331
PC0985	331
PC1320	262
PC1330	262
PC1350	262
PC1695	144
PC1696	144
PC1697	144
PC1698	144
PC1699	144
PC1902	213
PC1911	215
PC1913	215
PC1914	215
PC1917	215
PC1920	316
PC1940	316
PC1941	316
PC1942	316
PC2442	199
PC2444	200
PC2445	200
PC2449	179
PC2450	179
PC2451	179
PC2452	179
PC2455	201
PC2456	201
PC2458	201
PC2459	201
PC3398	73
PC3399	73
PC3611	290
PC3612	290
PC3635	350
PC3635	350
PC3636	350
PC3637	350
PC3645	350
PC3646	350
PC3647	350
PC3650	350
PC3651	350
PC3652	350
PC3653	350
PC3654	350
PC3655	350
PC3660	350
PC3661	350
PC3662	350
PC3663	350
PC3664	350
PC3665	350
PC3671	350
PC3672	350
PC3673	350
PC3674	350
PC3676	350
PC3677	350
PC3678	350
PC3679	350
PC3680	350
PC4051	220
PC4067	220
PC4068	220
PC4069	220
PC4071	220
PC4653	95
PC4654	95
PC4895	84
PC4896	84
PC4898	84
PC5001	223
PC5002	223
PC5251	176
PC5252	176
PC5255	176
PC5256	176
PC5260	176
PC5265	176
PC5266	176
PC5270	176
PC5331	173
PC5332	173
PC5333	173
PC5334	173
PC5335	173
PC5336	173
PC5337	173
PC5338	173
PC5339	173
PC5340	173
PC5365	173
PC5399	173
PC5800	205
PC5801	205
PC5802	205
PC5803	205
PC5805	205
PC5824	205
PC5825	205
PC5826	205
PC5830	264
PC5880	207
PC5881	207
PC5882	207
PC5900	257
PC5902	257
PC5904	257
PC5905	257
PC5942	259
PC5943	259
PC5999	258
PC6346	149
PC6582	179
PC6583	179
PC6601	164
PC6602	164
PC6612	164
PC6617	164
PC6620	165
PC6706	161
PC6707	161
PC6708	161
PC6710	161
PC6711	161
PC6712	161
PC6713	161
PC6714	161
PC6715	161
PC6716	161
PC6717	161
PC6718	161
PC6719	161
PC6722	161
PC6724	161
PC6727	161
PC6740	161
PC6770	162
PC6771	162
PC6772	162
PC6773	162
PC6809	256
PC6812	256
PC6814	256
PC6824	256
PC6920	122
PC6921	122
PC6922	122
PC6923	122
PC6924	122
PC6925	122
PC7025	189
PC7026	189
PC7027	189
PC7028	189
PC7029	189
PC7030	189
PC7031	189
PC7032	189
PC7033	189
PC7034	189
PC7301	149
PC7302	149
PC7334	149
PC7336	149
PC7338	149
PC7339	149
PC7341	149
PC7346	149
PC7350	149
PC7355	149
PC7360	149
PC7365	149
PC7369	149
PC7370	149
PC7371	149
PC7372	149
PC7373	149
PC7374	149
PC7375	149
PC7376	149
PC7377	149
PC7378	149
PC7379	149
PC7380	149
PC7381	149
PC7382	149
PC7383	149
PC7384	149
PC7385	149
PC7386	149
PC7387	149
PC7388	149
PC7389	149
PC7390	149
PC7391	149
PC7392	149
PC7496	162
PC7579	193
PC7580	193
PC7581	193
PC7582	193
PC7583	193
PC7595	165
PC7675	166
PC7676	166
PC7677	166
PC7678	166
PC7679	166
PC7682	193
PC7683	193
PC7684	193
PC7685	193
PC7686	193
PC8231	82
PC8235	82
PC8429	135
PC8439	135
PC8449	135
PC8901	66
PC8905	66
PC8906	66
PC8907	66
PC8908	66
PC8909	66
PC8910	66
PC8911	66
PC8912	66
PC8913	66
PC8914	66
PC8915	66
PC8916	66
PC8917	66
PC8918	66
PC8919	66
PC8920	66
PC8921	66
PC8922	66
PC8923	66
PC8924	66
PC8925	66
PC8936	66
PC8937	66
PC8938	66
PC8939	66
PC8940	66
PC8941	66
PC8942	66
PC8943	66
PC8945	66
PC9071	68
PC9072	68
PC9073	68
PC9074	68
PC9075	68
PC9076	68
PC9077	68
PC9078	68
PC9079	68
PC9080	68
PC9081	68
PC9109	208
PC9116	211
PC9117	211
PC9121	212
PC9123	
PC9124	212
PC9125	212
PC9130	212
PC9131	212
PC9132	212
PC9135	329
PC9137	329
PC9181	67
PC9182	67
PC9183	67
PC9184	67
PC9190	63
PC9191	63
PC9192	63
PC9200	69
PC9202	69
PC9206	69
PC9207	69
PC9209	69
PC9218	69
PC9220	69
PC9221	69
PC9225	69
PC9251	57
PC9253	57
PC9255	57
PC9257	57
PC9259	57
PC9323	319
PC9337	319
PL001	213
P0001	235
PT1008	233
PT10102	234
PT10202	234
PT32002X	237
PT410001	235
PT4204	235
PT4302	235
PT4602	235
PT70401	235
PT8200033E-2	236
PT825010CE-2	236
PT825010CS	234
PT830008	236
PT830018	234
PT830018-2	236
PT830025	234
PT83006B	234
PT83006FE-2	236
PT8350	234
PT83502-5	236
PT83508	235
PT91204	233
PT91504	233
PT92004	233
PT93204	233
PT95004	233
PTA82001S	234
PTR451	237
PTR452	237
PTR6100	237
PTR6201C	237
PTRH6802-2	237
PTRY8011	236
PWT018	133
PWT105	132
PWT110	132
PWT115	132
PWT120	132
PWT125	132
PWT130	132
PWT135	132
PWT140	132
PWT145	132
PWT150	132
PWT155	132
PWT160	132
PWT165	132
PWT170	132
PWT175	132
PWT188	133
PWT200B	132
PWT220B	132
R01852005	202
R05751303	202
R05751306	202
R05751307	202
RU101051	60
RU101052	60
RU101053	60
RU101056	60
RU106014	61
RU106016	61
RU106017	61
RU106019	61
RU106020	61
RU106021	61
RU106022	61
RU106024	61
RU106025	61
RU106027	61
RU106028	61
RU106029	61
RU106030	61
RU106032	61
RU106033	61
RU106035	61
RU106038	61
RU106040	61
RU106041	61
RU106043	61
RU106044	61
RU106046	61
RU106048	61
RU106050	61
RU106051	61
RU106052	61
RU106054	61
RU106057	61
RU106059	61
RU106060	61
RU106063	61
RU106064	61
RU106065	61
RU106067	61
RU106068	61
RU106070	61
RU106073	61
RU106076	61
RU106083	61
RU106086	61
RU106089	61
RU106092	61
RU106095	61
RU106098	61
RU106102	61
RU106105	61
RU106108	61
RU106111	61
RU106114	61
RU106121	61
RU106127	61
RU106140	61
RU106152	61
RU106160	61

Item	Page
RU106168	61
RU106200	61
RU106201	62
RU106202	62
RU106206	62
RU107003	62
RU107006	62
RU107010	62
RU107011	62
RU107012	62
RU107014	62
RU107015	62
RU107016	62
RU107017	62
RU107018	62
RU107025	62
RU107026	62
RU107027	62
RU107028	62
RU107029	62
RU107030	62
RU107052	62
RU107054	62
RU126014	61
RU126016	61
RU126017	61
RU126019	61
RU126020	61
RU126021	61
RU126022	61
RU126024	61
RU126025	61
RU126027	61
RU126028	61
RU126029	61
RU126030	61
RU126032	61
RU126033	61
RU126035	61
RU126036	61
RU126037	61
RU126038	61
RU126040	61
RU126041	61
RU126043	61
RU126044	61
RU126046	61
RU126048	61
RU126050	61
RU126051	61
RU126052	61
RU126054	61
RU126055	61
RU126057	61
RU126059	61
RU126060	61
RU126063	61
RU126064	61
RU126065	61
RU126067	61
RU126068	61
RU126070	61
RU126073	61
RU126076	61
RU126079	61
RU126083	61
RU126086	61
RU126089	61
RU126092	61
RU126095	61
RU126098	61
RU126102	61
RU126105	61
RU126108	61
RU126111	61
RU126121	61
RU126127	61
RU126140	61
RU126152	61
RU126200	61
RU200130	58
RU200135	58
RU200140	58
RU200145	58
RU200150	58
RU200155	58
RU200160	58
RU200170	58
RU200180	58
RU200185	58
RU200190	58
RU200195	58
RU200200	58
RU201003	58
RU201004	58
RU201005	58
RU201006	58
RU201008	58
RU201010	58
RU201011	58
RU201012	58
RU201013	58
RU201014	58
RU201015	58
RU201016	58
RU201017	58
RU201018	58
RU201019	58
RU201020	58
RU201021	58
RU201022	58
RU201023	58
RU201024	58
RU201025	58
RU201026	58
RU201027	58
RU201028	58
RU201029	58
RU201030	58
RU201031	58
RU201032	58
RU201033	58
RU201034	58
RU201035	58
RU201036	58
RU201037	58
RU201038	58
RU201039	58
RU201040	58
RU201041	58
RU201042	58
RU201043	58
RU201044	58
RU201045	58
RU201046	58
RU201047	58
RU201048	58
RU201049	58
RU201050	58
RU201051	58
RU201052	58
RU201053	58
RU201054	58
RU201055	58
RU201056	58
RU201057	58
RU201058	58
RU201059	58
RU201060	58
RU201061	58
RU201062	58
RU201063	58
RU201064	58
RU201065	58
RU201066	58
RU201067	58
RU201068	58
RU201069	58
RU201071	58
RU201072	58
RU201073	58
RU201074	58
RU201075	58
RU201076	58
RU201077	58
RU201078	58
RU201079	58
RU201080	58
RU201081	58
RU201082	58
RU201083	58
RU201084	58
RU201085	58
RU201086	58
RU201087	58
RU201088	58
RU201089	58
RU201090	58
RU201091	58
RU201092	58
RU201093	58
RU201094	58
RU201095	58
RU201096	58
RU201097	58
RU201098	58
RU201099	58
RU201100	58
RU201105	58
RU201110	58
RU201115	58
RU201120	58
RU201125	58
RU201130	58
RU201135	58
RU201140	58
RU201145	58
RU201150	58
RU201155	58
RU201160	58
RU201165	58
RU205207	59
RU205212R0	59
RU205213R0	59
RU208030	72
RU208040	72
RU208050	72
RU208060	72
RU208080	72
RU208100	72
RU208120	72
RU208130	72
RU208140	72
RU208160	72
RU214010	59
RU214015	59
RU214020	59
RU214025	59
RU214030	59
RU214032	59
RU214035	59
RU214040	59
RU214042	59
RU214045	59
RU214048	59
RU214050	59
RU214055	59
RU214060	59
RU214065	59
RU214070	59
RU214075	59
RU214080	59
RU214085	59
RU214090	59
RU214095	59
RU214100	59
RU214105	59
RU214110	59
RU214115	59
RU214120	59
RU214125	59
RU214130	59
RU214214R0	59
RU214215R0	60
RU214216R0	60
RU215010	60
RU215015	60
RU215020	60
RU215025	60
RU215030	60
RU215031	60
RU215032	60
RU215035	60
RU215037	60
RU215040	60
RU215042	60
RU215045	60
RU215050	60
RU215055	60
RU215060	60
RU215065	60
RU215070	60
RU215075	60
RU215080	60
RU215085	60
RU215090	60
RU215095	60
RU215100	60
RU215105	60
RU215110	60
RU215115	60
RU215120	60
RU215125	60
RU215130	60
RU215214R0	60
RU215215R0	60
RU215216R0	60
RU223003	81
RU223004	81
RU223005	81
RU223006	81
RU223008	81
RU223010	81
RU223012	81
RU252030	59
RU252031	59
RU252032	59
RU252033	59
RU252040	59
RU252041	59
RU252042	59
RU252048	59
RU252050	59
RU252052	59
RU252060	59
RU312130024R	213
RU33189015	90
RU33189045	90
RU33189085	90
RU33189095	90
RU33189105	90
RU33189135	90
RU33189155	90
RU33189165	90
RU33189175	90
RU33189185	90
RU33189225	90
RU33189235	90
RU33189245	90
RU33189335	90
RU33189365	90
RU33189405	90
RU33189435	90
RU33189445	90
RU33189855	90
RU33189865	90
RU33189885	90
RU33189895	90
SABK11560	92
SABK12560	92
SABK15060	92
SABK18060	92
SABK23060	92
SARK11516	92
SARK11520	92
SARK11525	92
SARK12516	92
SARK12520	92
SARK12525	92
SARK15016	92
SARK15020	92
SARK15025	92
SARK18030	92
SARK23030	92
SARK30030	92
SARN11510	92
SARN11516	92
SARN12510	92
SARN12516	92
SARN15010	92
SARN15016	92
SARN18022	92
SARN23022	92
SB3001	342
SB3002	342
SB3003	342
SB3004	342
SB3005	342
SB3006	342
SB3007	342
SB3008	342
SB3009	342
SB3010	342
SB3013	342
SB3015T	342
SB3030	342
SB3101	342
SB3106T	342
SB3401	342
SB3402	342
SB3403	342
SB4001A	335
SB4008D	335
SB4012	333
SB4016	333
SB4017	333
SB4019	333
SB4023	333
SB4024	333
SB4027T	332
SB4028T	332
SB4038T	332
SB4100A	335
SB4101	335
SB4102	335
SB4507	335
SB4610	336
SB5104	343
SB5106	343
SB5107	343
SB5225	344
SB5233A	344
SB5301	344
SB6000	332
SB6001	332
SB6002	334
SB6002A	334
SB6003	334
SB6004	334
SB6006	335
SB6007	335
SB6009	334
SB6009B	334
SB6010	335
SB6011	333
SB6014	333
SB6015	333
SB6024	334
SB6100B	334
SB6105B	334
SB6107	336
SB6401	335
SB6402	335
SB6403	335
SB6601	334
SB6602	334
SB6605	334
SB6606	334
SB6803	335
SE10100	348
SE10120	348
SK2220106	289
SK2220107	289
SK256293	341
SK256303	341
ST220000	213
ST2200000	213
ST23030	73
ST23040	73
ST23050	73
ST23060	73
ST23070	73
ST23080	73
ST23090	73
ST23100	73
ST23110	73
ST23120	73
ST23130	73
ST23140	73
ST23160	73
ST23800	71
ST24006	56
ST24008	56
ST24010	56
ST24015	56
ST24020	56
ST24025	56
ST24030	56
ST24031	56
ST24032	56
ST24033	56
ST24035	56
ST24038	56
ST24040	56
ST24041	56
ST24042	56
ST24045	56
ST24048	56
ST24050	56
ST24051	56
ST24052	56
ST24055	56
ST24060	56
ST24065	56
ST24068	56
ST24070	56
ST24075	56
ST24078	56
ST24080	56
ST24085	56
ST24090	56
ST24095	56
ST24100	56
ST24102	56
ST24105	56
ST24110	56
ST24115	56
ST24120	56
ST24125	56
ST24130	56
ST24135	56
ST24140	56
ST24145	56
ST24150	56
ST24155	56
ST24160	56
ST24165	56
ST24170	56
ST24175	56
ST24180	56
ST24185	56
ST24190	56
ST24195	56
ST24200	56
ST24220	56
ST24225	56
ST24230	56
ST24235	56
ST24240	56
ST24245	56
ST24250	56
ST24255	56
ST24260	56
ST24270	56
ST24280	56
ST24290	56
ST24296	56
ST38023	181
ST38038	181
ST38042	181
ST38121	276
ST38122	276
ST38123	276
T08SET	88
T101A0	88
T101B	88
T101BR	88
T101D	88
T111C	88
T118A	88
T144D	88
T30275	343
T302751	343
T30277	343
T302771	343
T30278	343
T302781	343
T318A	88
TCT0001	87
TCT14016	87
TCT14024	87
TCT14030	87
TCT14040	87
TCT15018	87
TCT15024	87
TCT15030	87
TCT15040	87
TCT16018	87
TCT16024	87
TCT16024KMB	87
TCT16030	87
TCT16048	87
TCT16060	87
TCT16520	87
TCT16524KMB	87
TCT16548	87
TCT16560	87
TCT17024BD	87
TCT17024BD	87
TCT17040BD	87
TCT17040BD	87
TCT17060	87
TCT18024	87
TCT18040	87
TCT18060	87
TCT18524	87
TCT18540	87
TCT18560	87
TCT19024	87
TCT19040	87
TCT19050KMB	87
TCT19060	87
TCT20024	87
TCT20040	87
TCT20060	87
TCT21024	87
TCT21040	87
TCT21060	87
TCT25020	87
TCT25040	87
TCT25060	87
TCT25080	87
TCT25540	87
TCT25560	87
TCT25580	87
TCT30024	87
TCT30040	87
TCT30060	87
TCT30100	87
TCT30510	87
TCT30540	87
TCT30560	87
TCT35028	87
TCT35040	87
TCT35060	87
TCT35080	87
TCT35100	87
TCT40032	87
TCT40040	87
TCT40060	87
TCT40080	87
TCT40100	87
TCT45060	87
TCT45080	87
TCT45100	87
TCT50040	87
TCT50060	87
TCT50080	87
TCT50100	87
TCT60056	87
TCT60060	87
TCT60080	87
TR15469	322
TR15470	322
TR15721	322
TR15913	320
TR15914	320
TR15916	320
TR17632	321
TR21690	321
TR21717	321
TR21718	321
TR21769	348
TR21770	348
TR21773	348
TR21775	348
TR21777	348
TR21778	348
TR22717	320
TR22718	322
TR22719	322
TR22721	322
TR22722	322
U101B	88
U111C	88
U118A	88
UPP105	297
UPP400298	296
UPP400304	296
UPP400328	296
UPP400359	296
UPP400373	296
UPP400403	296
UPP400410	296
UPP400427	296
UPP400977	296
UPP400984	296
UPP400991	296
UPP401004	296
UPP401011	296
UPP401028	296
UPP401035	296
UPP401042	296
UPP401059	296
UPP401066	296
UPP401073	296
UPP401080	296
UPP401370	296
UPP401387	296
UPP401394	296
UPP401400	296
UPP401417	296
UPP401738	296
UPP403909	296
UPP403916	296
UPP403923	296
UPP403930	296
UPP404036	296
UPP406245	297
UPP406252	297
UPP406269	297
UPP406290	297
UPP406511	296
UPP406528	296
UPP406535	296
UPP406542	296
UPP406559	296
UPP407303	296
UPP525	297
UPP525NH	297

Item	Page
UPP535NH	297
UPP600223	296
UPP600230	296
UPP600247	296
UPP600315	296
UPP600322	296
UPP600339	296
UPP600438	296
UPP600445	296
UPP600452	296
UPP630	297
UPP635NH	297
UPP645NH	297
UPP660NH	297
UPP700909	296
UPP840	297
UPP910063	270
V104591	317
VDE17321	185
VDE17331	186
VDE17340	186
VDE17350	186
VDE17351	186
VDE17352	186
VDE17360	186
VDE17385	186
VDE17390	186
WD750082	63
WD750083	63
WD750483	63
WD75111	63
WD75112	63
WD75SPLIT	63
WD75SPPEN	63
WD75SPPTF	63
WD75SPSIL	63
WJ002009	230
WPG01501	299
WPT1601	299
WPT1602	299
WPT1603	299
WPT1604	299
WPT1605	299
WPT1606	299
WPT1607	299
WPU1100	298
WPU1101	298
WPU1102	298
WPU1103	298
WPU1105	298
WPU1106	298
WPU1201	298
WPU1202	299
WPU1203	299
WPU1301	298
WPU1302	298
WPU1401	299
X0125	188
X0126	188
X0127	188
X0128	188
X0129	188
X0130	188
X0131	188
X0132	188
X0140	189
X0143	189
X0144	189
X0145	189
X0146	189
X0150	189
X0181	188
X0182	188
X0183	188
X0184	188
X0185	188
X0186	188
X0187	188
X0188	188
X0189	188
X0190	188
X0191	188
X0192	188
X0193	188
X1401	189
X1402	189
X1403	189
X7120	181
XT00640	202
XT00900	202
XT01530	203
XT0190	270
XT0195	272
XT0199	272
XT02500	203
XT030R	198
XT031R	198
XT0324R	198
XT032R	198
XT0336R	198
XT033R	198
XT034R	198
XT035R	198
XT036R	198
XT037R	198
XT040R	201
XT041R	201
XT042R	201
XT043R	201
XT044R	201
XT0461R	200
XT0465R	200
XT046R	200
XT047R	200
XT0481R	200
XT0485R	200
XT048R	200
XT050R	198
XT051R	198
XT052R	199
XT053	199
XT054	199
XT055	199
XT056R	201
XT057R	201
XT058R	201
XT059R	201
XT060R	201
XT06103	194
XT06104	194
XT06105	194
XT06106	194
XT06108	194
XT06110	194
XT06112	194
XT0613	194
XT0617	194
XT061R	201
XT062R	201
XT063R	201
XT064R	202
XT065R	202
XT066R	202
XT067R	202
XT068R	201
XT069R	353
XT07007	180
XT07010	174
XT07021	181
XT07025	181
XT07031	174
XT07033	181
XT07116	180
XT071210	172
XT071215	172
XT071220	172
XT071225	172
XT071230	172
XT071240	172
XT071245	172
XT071301	172
XT071302	172
XT071303	172
XT071304	172
XT071305	172
XT071306	172
XT071307	172
XT071308	172
XT071309	172
XT071310	172
XT071311	172
XT071312	172
XT071313	172
XT071314	172
XT071315	172
XT071316	172
XT071317	172
XT071318	172
XT071401	172
XT071402	172
XT071403	172
XT071404	172
XT071405	172
XT071406	172
XT071407	172
XT071408	172
XT071409	172
XT071507	173
XT071607	173
XT071707	173
XT073	174
XT075	174
XT078	174
XT080	195
XT0801	194
XT081	163
XT082	163
XT090	166
XT0902	195
XT0926	319
XT0927	319
XT0928	319
XT0929	319
XT093	272
XT0930	319
XT0931	319
XT0932	319
XT0933	319
XT094	271
XT095	271
XT096	270
XT098	270
XT099	270
XT100050	219
XT1001	229
XT10010	80
XT10026B	228
XT1005	229
XT10063	227
XT10065	227
XT10068	136
XT1008	226
XT10087	227
XT10089	227
XT1009	230
XT1010	226
XT101001	40
XT101020	40
XT101025	40
XT101032	40
XT101040	40
XT101050	40
XT101063	40
XT1011	227
XT1012	226
XT1013	226
XT1014	226
XT102106	10
XT102120	10
XT102202	70
XT102206	70
XT102600	4
XT102630	4
XT102699	10
XT102700	7
XT102700-1B2	7
XT102705	7
XT102705-1B2	7
XT102710	9
XT102715	3
XT102720	11
XT102725	11
XT102730	13
XT102730-1B2B	5
XT102735	13
XT102735-1B2B	5
XT102740	11
XT102745	12
XT102750	12
XT102750-1B5B	5
XT102755	12
XT102755-1B5B	4
XT102760E	9
XT102765	14
XT102768	14
XT102770E	8
XT102771	8
XT102775	14
XT102776	14
XT102782E	15
XT102784E	15
XT102785	16
XT102786E	15
XT102787E	15
XT102788	15
XT102789	15
XT102790	16
XT102792	16
XT102795	15
XT102797	16
XT102799	16
XT102800	7
XT102800-1B2B	7
XT102805	7
XT102805-1B2B	7
XT102810	47
XT102812	3
XT102815	3
XT102819	46
XT10281A0	47
XT10281B1	47
XT10281B3	47
XT10281C2	47
XT10281D4	47
XT10281E5	47
XT10281F6	47
XT10281G7	47
XT10281H8	47
XT10281L9	47
XT102820	2
XT102825	2
XT102830	9
XT102830-1B5B	9
XT102832	2
XT102833	2
XT102835	11
XT102835-1B5B	5
XT102840	8
XT102840-1B5B	5
XT102842	2
XT102845	12
XT102845-1B5B	5
XT102850	13
XT102855	13
XT102860E	6
XT102861	6
XT102865E	6
XT102870	17
XT102870-2B4	17
XT102872	18
XT102872-1B2	18
XT102873	3
XT102875	17
XT102875-2B2	17
XT102877	18
XT102877-1B2	18
XT102878	3
XT102880	18
XT102880-2B2	18
XT102882E	15
XT102884E	15
XT102886E	15
XT102893	20
XT102893-2B4	20
XT102895	19
XT102895-2B4	19
XT1028B01	46
XT1028B02	46
XT1028B03	46
XT1028B09	46
XT1028B12	46
XT1028F01	46
XT1028F04	46
XT1028F11	46
XT1028F13	46
XT1028H01	46
XT1028P04	46
XT1028P07	46
XT102910	19
XT102910-1B2	19
XT102935	21
XT102935-2B4	21
XT102940	21
XT102940-1B2	21
XT103001	40
XT103016	40
XT103020	40
XT103025	40
XT103032	40
XT103160	40
XT10400	48
XT105115	27
XT105125	27
XT105130	27
XT105135	29
XT105140	30
XT105150	27
XT105240	27
XT105300	28
XT105305	29
XT105306	30
XT105307	30
XT105312	30
XT105315	29
XT105319	30
XT105320	29
XT105325	30
XT105337	29
XT105340	31
XT105342	30
XT105345	30
XT105350	31
XT105415	70
XT105430	70
XT106005	25
XT106010	25
XT106040	25
XT106050	25
XT106057	26
XT106061	26
XT10607	225
XT10608	225
XT106120	24
XT106130	24
XT106135	70
XT10615	227
XT106150	24
XT10616	226
XT106160	35
XT10617	226
XT10618	226
XT106187	35
XT106190	35
XT106200	31
XT106203	90
XT106204	91
XT106205	91
XT106208	91
XT106210	36
XT106220	41
XT106230	41
XT106235	28
XT106245	28
XT106255	36
XT106260	37
XT106305	37
XT106310	31
XT106322	32
XT106324	32
XT106335	39
XT106360	38
XT106365	38
XT106368	38
XT106372	38
XT106373	38
XT106382	28
XT106390	35
XT106395	39
XT106400	39
XT10675	226
XT107060	32
XT107125	33
XT107146	103
XT107150	33
XT107175	33
XT107200	33
XT10801	43
XT10802	43
XT10803	43
XT10804	43
XT10805	43
XT10806	43
XT10807	43
XT108100	49
XT108250	49
XT108600	49
XT108802	34
XT108803	34
XT108808	34
XT108812	34
XT108813	34
XT108818	34
XT10901	43
XT10902	43
XT10903	43
XT10904	43
XT10905	42
XT10906	42
XT10907	43
XT10910	42
XT10916	42
XT10918	42
XT10929	42
XT10930	42
XT11250	53
XT11400	53
XT11750	53
XT11809	74
XT11812	74
XT11819	74
XT11822	74
XT11835	74
XT11844	106
XT11851	74
XT11860	74
XT11868	74
XT11873	74
XT11883	74
XT11903	74
XT11915	74
XT11927	74
XT11950	216
XT11952	74
XT120100	52
XT121100	53
XT121200	51
XT121235	51
XT121250	51
XT121701	50
XT121AT2	51
XT122075	52
XT122110	52
XT125H	48
XT129030	268
XT129040	268
XT129050	268
XT129060	268
XT129080	268
XT129100	268
XT129120	268
XT129150	268
XT129180	268
XT129200	268
XT13010	261
XT130150	265
XT13020	261
XT130212	264
XT130213	264
XT130220	264
XT130230	267
XT130300	265
XT130310	265
XT130400	268
XT130430	262
XT130431	262
XT130432	262
XT130433	263
XT13050	290
XT130512	267
XT130515	267
XT130518	267
XT130519	267
XT130600	268
XT130800	268
XT131000	268
XT131200	268
XT131500	268
XT131800	268
XT132000	268
XT132010	268
XT133150	269
XT133180	269
XT133200	269
XT133250	269
XT133300	269
XT133400	269
XT135150	269
XT135200	269
XT135250	269
XT135530	269
XT135540	269
XT136150	269
XT136200	269
XT136250	269
XT136300	269
XT138150	269
XT138180	269
XT138200	269
XT138250	269
XT138300	269
XT138530	269
XT138550	269
XT138600	269
XT138700	269
XT138800	269
XT139040	268
XT139060	268
XT139080	268
XT139100	268
XT139120	268
XT139150	268
XT139180	268
XT139200	268
XT140039	276
XT140040	276
XT140041	276
XT140075	219
XT140100	219
XT140150	219
XT140228	219
XT140230	219
XT140235	219
XT140250	219
XT140300	219
XT140450	219
XT140600	219
XT140900	219
XT140H	48
XT141050	219
XT141075	219
XT141100	219
XT150050	219
XT15009	165
XT15011	165
XT150200	219
XT150250	219
XT150300	219
XT150400	219
XT150500	219
XT150600	219
XT15061	165
XT150800	219
XT151000	219
XT160230	275
XT160230	275
XT160H	48
XT161115	86
XT161125	86
XT162115	86
XT162125	86
XT163115	86
XT163125	86
XT164121	97
XT164122	97
XT164123	97
XT164124	97
XT165115	84
XT165125	84
XT165150	84
XT165180	84
XT165230	84
XT165350	84
XT167115	84
XT167125	84
XT167150	84
XT167230	84
XT168115	85
XT168125	85
XT169115	85
XT169115S	85
XT169125	85
XT169150	85
XT169180	85
XT169200	85
XT169230	85
XT169250	85
XT170000	82
XT170006	82
XT170008	82
XT170010	82
XT170012	82
XT170016	82
XT170020	82
XT170025	82
XT170030	82
XT170035	82
XT170045	82
XT170050	82
XT170055	82
XT170068	82
XT170073	82
XT170083	82
XT170630	275
XT170750	275
XT170950	275
XT171200	275
XT1725000	83
XT1725020	83
XT1725040	83
XT1725050	83
XT1740000	83
XT1740020	83
XT1740040	83
XT1740050	83
XT1750110	80
XT1750180	80
XT1750190	80
XT180241	217
XT180242	217
XT180243	217

Item	Page
XT180244	217
XT180245	217
XT180246	217
XT180247	217
XT180248	217
XT180264	217
XT180265	217
XT180266	217
XT180341	217
XT180342	217
XT180343	217
XT180344	217
XT180345	217
XT180346	217
XT180347	217
XT180348	217
XT180H	48
XT181006	72
XT1828000	83
XT1828025	83
XT1828040	83
XT1830025	83
XT1840000	83
XT1840025	83
XT1840040	83
XT1860000	83
XT1860025	83
XT1860040	83
XT19100	221
XT19110	210
XT19120	210
XT19125	221
XT19128	209
XT19130	210
XT19134	209
XT19142	210
XT19143	210
XT19144	208
XT19146	211
xt19147	211
XT19148	208
XT19149	208
XT19150	221
XT19179	197
XT19207	212
XT19793	233
XT19794	233
XT19797	233
XT19798	233
XT19799	233
XT200050	219
XT2002	45
XT2003	45
XT2004	45
XT2005	45
XT2008	44
XT200H	48
XT2011	44
XT2024	44
XT2050	44
XT22001	104
XT22002	104
XT22003	104
XT22004	104
XT22005	104
XT22005/2	104
XT22005-5	104
XT22005-8	104
XT22006	104
XT22006-8	104
XT22008	104
XT22009	104
XT22010	104
XT22011	104
XT22012	105
XT22013	105
XT22014	105
XT22015	105
XT22016	105
XT22017	104
XT22018	105
XT22019	105
XT22020	105
XT22021	105
XT22022	105
XT22023	105
XT22024	105
XT22025	105
XT22026	105
XT22027	105
XT22028	105
XT22029	105
XT22030	105
XT22031	105
XT22032	105
XT22034	106
XT22035	106
XT22036	106
XT22037	104
XT22038	104
XT22039	105
XT22040	105
XT22055	104
XT22056	104
XT22057	104
XT22060	107
XT22061	107
XT22066	107
XT22066	107
XT22067	107
XT22067	107
XT22068	107
XT22068	107
XT22069	107
XT22069	107
XT22070	107
XT22071	107
XT22072	107
XT22075	107
XT22076	107
XT22077	107
XT22080	107
XT23004	81
XT23005	81
XT23006	81
XT23008	81
XT23010	81
XT23012	81
XT23014	81
XT23100	81
XT23506	239
XT23509	239
XT23510	239
XT23512	239
XT23513	239
XT23514	239
XT23515	239
XT23516	239
XT23520	238
XT23525	238
XT250050	219
XT300050	219
XT300120	219
XT33001	198
XT33002	198
XT33003	198
XT33004	198
XT33005	198
XT33006	198
XT33008	198
XT33010	198
XT33012	204
XT33013	204
XT33015	198
XT33020	198
XT33026	203
XT33028	203
XT33030	203
XT33032	203
XT33035	203
XT33039	201
XT33040	201
XT33041	201
XT33042	201
XT33043	201
XT33044	201
XT33045	201
XT33046	201
XT33052	204
XT33054	204
XT33056	204
XT33058	204
XT33060	200
XT33061	200
XT33063	200
XT33064	200
XT33065	198
XT33070	199
XT340010	57
XT340015	57
XT340020	57
XT340025	57
XT340030	57
XT340031	57
XT340032	57
XT340035	57
XT340040	57
XT340042	57
XT340045	57
XT340050	57
XT340055	57
XT340060	57
XT340065	57
XT340070	57
XT340075	57
XT340080	57
XT340085	57
XT340090	57
XT340095	57
XT340100	57
XT340105	57
XT340110	57
XT340115	57
XT340120	57
XT340125	57
XT340130	57
XT34014	57
XT34019	57
XT34025	57
XT350010	55
XT350015	55
XT350020	55
XT350025	55
XT350030	55
XT350032	55
XT350035	55
XT350040	55
XT350042	55
XT350045	55
XT350048	55
XT350050	55
XT350055	55
XT350060	55
XT350065	55
XT350070	55
XT350075	55
XT350080	55
XT350085	55
XT350090	55
XT350095	55
XT350100	55
XT350105	55
XT350110	55
XT350115	55
XT350120	55
XT350125	55
XT35013	55
XT350130	55
XT35015	55
XT35025	55
XT352690	72
XT352890	72
XT353008	65
XT353012	65
XT35487	66
XT35488	66
XT35489	66
XT35492	66
XT35500	66
XT35512	66
XT35520	66
XT35532	66
XT35535	66
XT35538	66
XT35545	66
XT360000	213
XT36003	65
XT36012	65
XT36020	65
XT36032	65
XT36035	65
XT36038	65
XT36045	65
XT37100	67
XT37103	68
XT37104	68
XT37105	68
XT37106	68
XT37108	68
XT37110	68
XT37112	68
XT37203	68
XT37204	68
XT37205	68
XT37206	68
XT37208	68
XT37210	68
XT37212	68
XT37312	68
XT37325	68
XT37328	68
XT380125	95
XT39012	293
XT390120	96
XT39016	293
XT390180	96
XT39020	293
XT390240	96
XT391060	96
XT391080	96
XT391120	96
XT392080	96
XT392090	96
XT393003	96
XT395030	95
XT395040	95
XT395050	95
XT396060	96
XT396080	96
XT396120	96
XT397120	96
XT397180	96
XT397200	96
XT398080	96
XT399003	96
XT399095	96
XT4011	230
XT4012	230
XT4018	225
XT4019	231
XT4020	231
XT4021	231
XT40212	230
XT40214	230
XT40238	230
XT40312	230
XT40314	230
XT40338	230
XT40406	230
XT40407	230
XT40410	230
XT40514	230
XT40614	230
XT40706	230
XT40707	230
XT40710	230
XT40906	230
XT40910	230
XT41900	228
XT41905	228
XT41910	228
XT41915	228
XT41920	228
XT41950	228
XT42005	228
XT42010	228
XT42015	228
XT42050	228
XT49272	222
XT49274	222
XT49276	222
XT49278	222
XT49352	222
XT49354	222
XT49355	222
XT49356	222
XT49358	222
XT49454	222
XT49456	222
XT49458	222
XT500120	219
XT50100	192
XT50101	192
XT50103	168
XT50104	192
XT50105	192
XT50111	168
XT50200	193
XT50215	191
XT50222	206
XT50504	222
XT50506	222
XT50508	222
XT50510	222
XT50512	222
XT50514	222
XT50516	222
XT50813	193
XT50815	193
XT50819	193
XT50824	193
XT50830	193
XT50836	193
XT51250	190
XT51300	190
XT51510	222
XT52057	193
XT52065	193
XT52180	190
XT52250	190
XT52260	190
XT52300	190
XT52400	190
XT53250	190
XT53300	190
XT54125	187
XT54126	187
XT54127	187
XT54128	187
XT54129	187
XT54130	187
XT54131	187
XT54143	187
XT54144	187
XT54145	187
XT54146	187
XT54181	186
XT54182	186
XT54183	186
XT54184	186
XT54186	186
XT54187	186
XT54188	186
XT54189	186
XT54193	187
XT54194	187
XT54195	187
XT54402	187
XT54403	187
XT58008	240
XT58009	240
XT58012	240
XT58109	240
XT58113	240
XT58209	240
XT58210	240
XT58213	240
XT5890	311
XT5890X-1958	312
XT5890X-1960	312
XT5890X-958E	311
XT5893	310
XT5893-818E	311
XT5893-HG4	312
XT5893X-09139	312
XT5893X-09140	312
XT5894	311
XT5894-500G	311
XT5894-HG3	312
XT5894X-10060	312
XT5894X-11090	312
XT59420	240
XT59425	240
XT59520	240
XT59525	240
XT59532	240
XT60037	256
XT60043	258
XT60047	258
XT60057	256
XT60063	256
XT60081C	257
XT60081M	257
XT60081S	257
XT60082	256
XT60083C	257
XT60083F	257
XT60083R	257
XT60083S	257
XT60083Z	257
XT60136	257
XT60606	255
XT60616	255
XT607EK	301
XT60814	255
XT60847	255
XT60936	255
XT609EK	301
XT611EK	301
XT61210	136
XT61220	136
XT62150	165
XT62200	165
XT62250	165
XT62300	165
XT63004	301
XT6307	300
XT6309	300
XT6311	300
XT67006	72
XT67014	72
XT67016	72
XT67018	72
XT67020	72
XT67022	72
XT67025	72
XT67030	72
XT67032	72
XT67035	72
XT680415	81
XT680512	81
XT680515	81
XT680615	81
XT680815	81
XT681015	81
XT681215	81
XT69036	81
XT69047	81
XT69058	81
XT69060	81
XT69061	81
XT69062	81
XT69070	81
XT69080	81
XT69081	81
XT69082	81
XT69084	81
XT69100	81
XT69101	81
XT69102	81
XT69104	81
XT69121	81
XT69122	81
XT69123	81
XT69124	81
XT69141	81
XT69161	81
XT69700	81
XT701111039	106
XT701111054	106
XT701111056	106
XT70411	77
XT70416	77
XT70421	77
XT70511	77
XT70516	77
XT70521	77
XT70526	77
XT70600	77
XT70610	77
XT70616	77
XT70621	77
XT70626	77
XT70631	77
XT70716	77
XT70721	77
XT70726	77
XT70731	77
XT70737	77
XT70811	77
XT70816	77
XT70821	77
XT70826	77
XT70831	77
XT70845	77
XT71016	77
XT71021	77
XT71026	77
XT71031	77
XT71035	77
XT71045	77
XT71060	77
XT71100	77
XT71210	77
XT71216	77
XT71221	77
XT71226	77
XT71231	77
XT71235	77
XT71245	77
XT71260	77
XT71421	77
XT71426	77
XT71435	77
XT71445	77
XT71460	77
XT71491	77
XT71621	77
XT71626	77
XT71635	77
XT71645	77
XT71660	77
XT71691	77
XT71821	77
XT71826	77
XT71835	77
XT71845	77
XT71860	77
XT71891	77
XT72045	77
XT72060	77
XT72091	77
XT72100	77
XT72245	77
XT72260	77
XT72445	77
XT72460	77
XT72491	77
XT72645	77
XT72660	77
XT72691	77
XT72860	77
XT72891	77
XT73060	77
XT73100	77
XT790200	218
XT790206	218
XT790208	218
XT790212	218
XT790214	218
XT790218	218
XT790220	218
XT790225	218
XT790232	218
XT790238	218
XT790300	218
XT7900400	218
XT790500	218
XT800120	219
XT810120	219
XT812120	219
XT81234	78
XT81254	78
XT81280	78
XT81434	78
XT81454	78
XT81480	78
XT815120	219
XT81534	78
XT81554	78
XT81580	78
XT81634	78
XT81654	78
XT81680	78
XT81691	78
XT81834	78
XT81854	78
XT81880	78
XT81891	78
XT82034	78
XT82054	78
XT82080	78
XT82091	78
XT82234	78
XT82254	78
XT82280	78
XT82291	78
XT82434	78
XT82454	78
XT82480	78
XT82491	78
XT82534	78
XT82554	78
XT82580	78
XT82591	78
XT82837	78
XT82857	78
XT82880	78
XT82891	78
XT830030	345
XT830040	345
XT83037	78
XT83057	78
XT83080	78
XT83091	78
XT83237	78
XT83257	78
XT83280	78
XT83291	78
XT83537	78
XT83557	78
XT83580	78
XT83591	78
XT83837	78
XT83857	78
XT83880	78
XT83891	78
XT84037	78
XT84057	78
XT84080	78

Item	Page
XT84091	78
XT870020	345
XT891025	329
XT891525	329
XT892036	329
XT900000	250
XT900001	250
XT90002V1	250
XT900010	314
XT900020	314
XT900030	314
XT900040	315
XT900045	314
XT900050	314
XT900055	314
XT900060	313
XT900065	313
XT900070	313
XT900100	254
XT900101	304
XT900102	304
XT900103	304
XT900104	304
XT900105	315
XT900110	315
XT900115	312
XT900119	309
XT900120	309
XT900121	309
XT900122	309
XT901225	329
XT902036	329
XT902536	329
XT902548	329
XT903048	329
XT904048	329
XT904076	329
XT905048	329
XT905076	329
XT911015	343
XT911025	343
XT911050	343
XT911210	343
XT911215	343
XT911225	343
XT911250	343
XT913410	343
XT913415	343
XT913425	343
XT913450	343
XT915415	343
XT92001	328
XT92002	328
XT92003	328
XT92004	328
XT92005	328
XT92006	328
XT92007	328
XT92008	328
XT92009	328
XT92010	328
XT92011	328
XT92012	328
XT92013	328
XT92014	328
XT92015	328
XT921225	329
XT922036	329
XT922536	329
XT922548	329
XT923048	329
XT924048	329
XT924076	329
XT925048	329
XT925076	329
XT93006	328
XT93021	327
XT93023	327
XT93030	327
XT93046	326
XT93047	326
XT93054	328
XT93063	327
XT93070	328
XT93071	328
XT93083	327
XT93085	327
XT93095	327
XT93096	327
XT93099	327
XT93100	327
XT93108	328
XT93110	325
XT93120	191
XT93850	325
XT93851	325
XT93935	325
XT94004	215
XT94007	215
XT94061	215
XT950096	340
XT95065	331
XT95066	331
XT950910	340
XT950911	341
XT950912	341
XT950914	341
XT950915	341
XT950917	341
XT950920	340

Item	Page
XT950930	340
XT950940	341
XT950950	340
XT950960	340
XT950970	340
XT950980	341
XT950981	341
XT96002	338
XT96003	338
XT96004	338
XT96009	338
XT96010	338
XT96011	339
XT96022	339
XT96023	339
XT96025	339
XT96026	339
XT96033	339
XT96034	339
XT96614	339
XT96707	338
XT96708	338
XT96709	338
XT96710	338
XT96711	338
XT96712	338
XT97108	326
XT97113	326
XT97114	326
XT97115	325
XT97116	325
XT98001	330
XT98013	330
XT98023	330
XT98035	330
XT98112	330
XT98118	330
XT990031	345
XT990076	345
XT990081	345
XTFM0001	90
XTFM0002	91
XTFM0003	91
XTFM0013	91
XTFM0014	91
XTFM0018	91
XTFM0023	90
XTFM0024	90
XTS1122BF	89
XTS1122HF	89
XTS123XF	89
XTS1243HM	90
XTS2243HM	90
XTS522BF	89
XTS610DF	89
XTS922AF	89
XTS922VF	89
XTS-STR1	89
Z0240	281
Z0241	281
Z0242	281
Z0243	281
Z0244	281
Z0245	281
Z0250	282
Z0253	282
Z0254	282
Z0256	282
Z0325	284
Z0343	287
Z0344	287
Z0370	284
Z0500	277
Z0501	277
Z0502	277
Z0503	277
Z0533	279
Z0535	279
Z0545	277
Z0546	279
Z0547	279
Z0584	277
Z0611	278
Z0612	278
Z0701	279
Z0702	279
Z0703	279
Z0704	279
Z0705	279
Z0706	279
Z0707	279
Z0708	279
Z0811	280
Z0812	280
Z10376	302
Z10390	302
Z1078-1	277
Z1079-1	277
Z10819	302
Z10823	302
Z1090216	291
Z1090217	291
Z1090218	291
Z1090219	291
Z1090220	291
Z1090221	291
Z1090222	291
Z1090224	291
Z1090225	291
Z1090226	291

Item	Page
Z1090227	291
Z11923	355
Z11925	355
Z11940	355
Z11943	355
Z1406	279
Z1407	279
Z1414	289
Z1415	289
Z1419	279
Z1424	288
Z1501SK	291
Z1502SK	291
Z1503SK	291
Z1504SK	291
Z1511	280
Z1516	280
Z1518	280
Z1524	293
Z1525	293
Z1528	293
Z1529	293
Z1614	278
Z1618	292
Z1621	292
Z1624	278
Z1628	278
Z1644	214
Z1668	292
Z1670	293
Z1694	292
Z1892	285
Z1893	285
Z1894	285
Z1895	285
Z1897	285
Z1898	285
Z1899	285
Z2280	288
Z2281	289
Z2282	288
Z2283	288
Z3084	292
Z3085	292
Z3380	280
Z4501	292
Z4502	292
Z4503	292
Z4504	292
Z4505	292
Z4541	292
Z4542	292
Z4543	292
Z5100002	293
Z5100003	293
Z900017	215
Z911237	280
Z911238	280
Z911239	280
Z911240	281
Z911241	281
Z911242	281
Z911243	281
Z911244	281
Z911245	281
Z921207-1	277
Z921208-1	277
Z950004	272
Z950101	271
Z952013	270
Z999003	179
ZA4391265	319
ZA6021065	319
ZE0216	280
ZE0217	280
ZE119	283
ZE120	283
ZE125/4	284
ZE125/8	284
ZE125/9	284
ZE130/1	284
ZE130/11	285
ZE130/12	285
ZE130/14	285
ZE130/15	285
ZE130/2	284
ZE130/3	284
ZE130/4	284
ZE130/5	284
ZE130/6	284
ZE130/7	285
ZE130/8	284
ZE130/9	284
ZE131/1	284
ZE131/11	285
ZE131/12	285
ZE131/14	285
ZE131/2	284
ZE131/3	284
ZE131/4	284
ZE131/5	284
ZE131/6	284
ZE131/7	285
ZE131/8	284
ZE131/9	284
ZE133/2	284
ZE133/3	284
ZE133/8	284
ZE133/9	284
ZE153	287

Item	Page
ZE190/1	288
ZE190/2	288
ZE810	281
ZE811	281
ZE813	281
ZL003	280
ZL004	280
ZL005	280
ZN03D	277
ZN04D	277
ZN05D	277
ZN06D	277
ZN07D	277
ZN08D	277
ZN09D	277
ZN105009	297
ZN105013	297
ZN105014	297
ZN105015	297
ZN105016	297
ZN105017	297
ZN105018	297
ZN105060	297
ZN105061	297
ZN105062	297
ZN10D	277
ZN11D	277
ZN12D	277
ZN14D	277
ZN130040	277
ZN130060	277
ZN130080	277
ZN130100	277
ZN130120	277
ZN13272	265
ZN13273	265
ZN13274	265
ZN13281	264
ZN13285	263
ZN14350	265
ZN14360	265
ZN14380	265
ZN14399	265
ZN15886	279
ZN15887	279
ZN15990	269
ZN15991	269
ZN15992	269
ZN15993	269
ZN24725	84
ZN24735	83
ZN24736	83
ZN24737	83
ZN24738	83
ZN24739	83
ZN24740	83
ZN24741	83
ZN24746	82
ZN24748	83
ZN24749	83
ZN24750	83
ZN24770	82
ZN24771	82
ZN24772	82
ZN24773	82
ZN24774	82
ZN24780	63
ZN31011	282
ZN31021	282
ZN31031	282
ZN31041	282
ZN31051	282
ZN31052	283
ZN31053	282
ZN31061	283
ZN31062	283
ZN31071	283
ZN31081	283
ZN31140	282
ZN31141	282
ZN31142	282
ZN31143	282
ZN31144	282
ZN31145	282
ZN31222	280
ZN31231	280
ZN31271	281
ZN31281	281
ZN31322	281
ZN31341	281
ZN31362	281
ZN31382	281
ZN31392	281
ZN31402	281
ZN31452	278
ZN31501	278
ZN31502	278
ZN31541	278
ZN31551	277
ZN31552	278
ZN31553	278
ZN31651	278
ZN32273	280
ZN32283	280
ZN32293	280
ZN32302	280
ZN32313	280
ZN32316	289
ZN32317	288
ZN32318	288

Item	Page
ZN32319	288
ZN32320/P	287
ZN32326	288
ZN32337	288
ZN34005	287
ZN34010	287
ZN34012	287
ZN34025	283
ZN34025/E	283
ZN34051	283
ZN34061	289
ZN34071	289
ZN34111	289
ZN34115	289
ZN34116	289
ZN34117	289
ZN34154	289
ZN34155	289
ZN34201	287
ZN34202	287
ZN34271	287
ZN34272	287
ZN34273	287
ZN34274	287
ZN34275	287
ZN34276	287
ZN35023	273
ZN35038	273
ZN35058	273
ZN35094	273
ZN35095	273
ZN35096	273
ZN36046	276
ZN36126	275
ZN36129	274
ZN36129	274
ZN36129	275
ZN36132	274
ZN36132	275
ZN37006	277
ZN37007	277
ZN37011	278
ZN37021	278
ZN37141	315
ZN37148	291
ZN37150	291
ZN37151	291
ZN37152	291
ZN37153	291
ZN37154	291
ZN37155	291
ZN37156	291
ZN37229	291
ZN37230/1	291
ZN38901	290
ZN38902	290
ZN38903	290
ZN38904	290
ZN38905	290
ZN38906	290
ZN38907	290
ZN38908	290
ZN38909	290
ZN38910	290
ZN38911	290
ZN38912	290
ZN38916	291
ZN38917	291
ZN38918	291
ZN38923	291
ZN38945	315
ZN38947	315
ZN39005	293
ZN39010	293
ZN39012	293
ZN39013	293
ZN39016	293
ZN39020	293
ZN39045	293
ZN39065	293
ZN39090	293
ZN39145	293
ZN39165	293
ZN39190	293
ZN52101	353
ZN52102	353
ZN52103	353
ZN52104	353
ZN52105	353
ZN81100	254
ZN81101	254
ZN81102	254
ZN81103	254
ZN81104	254
ZN81105	254
ZN81112	254
ZN81113	254
ZN81114	254
ZN81115	254
ZP04002	286
ZP0401	280
ZP04014	286
ZP04018	286
ZP04019	286
ZP0402	280
ZP04020	286
ZP04021	286
ZP04023	286
ZP04024	286
ZP04025	286

Item	Page
ZP0403	280
ZP04269	286
ZP04274	286
ZP04575	286
ZP3000	283
ZP3001	283
ZP5200	283
ZP5300	283
ZP5400	283
ZP5500	283
ZP5800	283
ZP5900	283
ZP6000	283
ZP6500	283
ZS2213	258
ZS2223	258
ZS2233	258
ZS2243	258
ZS2313	258
ZS2323	258
ZS2333	258
ZS2343	258
ZS3322	259
ZS3332	259
ZS3342	259

XTLINE

Distributed by:

www.tosag.ch

TOSAG
ENGINEERING AG
TOSAG Engineering AG
Fuchsweidweg 12
CH-4852 Rothrist
Tel.: +41 (0) 62 794 38 28
Fax.: +41 (0) 62 794 14 58
www.tosag.ch